

Sven Saussez

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4145925/sven-saussez-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

274
papers

6,651
citations

36
h-index

71
g-index

298
ext. papers

8,603
ext. citations

3.8
avg. IF

6.41
L-index

#	Paper	IF	Citations
274	Neutrophil-to-lymphocyte ratio as a prognostic marker for head and neck cancer with lung metastasis: a retrospective study.. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022 , 1	3.5	2
273	The Effects of Persistent Olfactory and Gustatory Dysfunctions on Quality of Life in Long-COVID-19 Patients.. <i>Life</i> , 2022 , 12,	3	4
272	Laryngopharyngeal Reflux: Evolution and Predictive Value of Symptoms and pH-Impedance Features on Clinical Evolution.. <i>Otolaryngology - Head and Neck Surgery</i> , 2022 , 1945998221075009	5.5	0
271	In reply to: IL-6 serum level and olfactory dysfunction severity in COVID-19: correspondence.. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022 , 1	3.5	
270	Acoustic measurements are useful therapeutic indicators of patients with dysphonia-related to reflux.. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022 , 1	3.5	
269	Proof-of-concept of a new FFP2 mask adapted to Otolaryngological practice in pandemic: a prospective study.. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022 , 1	3.5	
268	The detection of smell disorder depends on the clinical tools.. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2022 , 103445	2.8	
267	Laryngopharyngeal reflux may be acute, recurrent or chronic disease: preliminary observations.. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022 ,	3.5	1
266	Six month follow-up of self-reported loss of smell during the COVID-19 pandemic. <i>Rhinology</i> , 2021 , 59, 26-31	7	42
265	Restoring p53 Function in Head and Neck Squamous Cell Carcinoma to Improve Treatments.. <i>Frontiers in Oncology</i> , 2021 , 11, 799993	5.3	1
264	Prevalence of Persistent Olfactory Disorders in Patients With COVID-19: A Psychophysical Case-Control Study With 1-Year Follow-up. <i>Otolaryngology - Head and Neck Surgery</i> , 2021 , 1945998211061511	5.5	11
263	New Onset of Smell and Taste Loss Are Common Findings Also in Patients With Symptomatic COVID-19 After Complete Vaccination. <i>Laryngoscope</i> , 2021 ,	3.6	10
262	The role of nasal immunoglobulins in the recovery of olfactory function in COVID-19 patients.. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2021 , 103301	2.8	2
261	Is Diet Sufficient as Laryngopharyngeal Reflux Treatment? A Cross-Over Observational Study. <i>Laryngoscope</i> , 2021 ,	3.6	2
260	Post-COVID-19 Dysphonia may have Several Origins. <i>Indian Journal of Otolaryngology and Head and Neck Surgery</i> , 2021 , 1-2	0.6	0
259	Review of management of laryngopharyngeal reflux disease. <i>European Annals of Otorhinolaryngology, Head and Neck Diseases</i> , 2021 , 138, 257-267	2.2	2
258	Efficacy of corticosteroid therapy in the treatment of long- lasting olfactory disorders in COVID-19 patients. <i>Rhinology</i> , 2021 , 59, 21-25	7	24

257	Anosmia: an evolution of our understanding of its importance in COVID-19 and what questions remain to be answered. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 278, 2187-2191	3.5	26
256	Association Between Laryngopharyngeal Reflux and Media Otitis: A Systematic Review. <i>Otology and Neurotology</i> , 2021 , 42, e801-e814	2.6	3
255	Validity and reliability of the COVID-19 symptom index, an instrument evaluating severity of general and otolaryngological symptoms. <i>Acta Oto-Laryngologica</i> , 2021 , 141, 615-620	1.6	7
254	Clinical features of patients who had two COVID-19 episodes: a European multicentre case series. <i>Journal of Internal Medicine</i> , 2021 , 290, 421-429	10.8	4
253	Surgical, clinical, and functional outcomes of transoral robotic surgery used in sleep surgery for obstructive sleep apnea syndrome: A systematic review and meta-analysis. <i>Head and Neck</i> , 2021 , 43, 2216-2239	4.2	2
252	Six-month smell and taste recovery rates in coronavirus disease 2019 patients: a prospective psychophysical study. <i>Journal of Laryngology and Otology</i> , 2021 , 135, 436-441	1.8	24
251	Atypical Clinical Presentation of Laryngopharyngeal Reflux: A 5-Year Case Series. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
250	Correlations between IL-6 serum level and olfactory dysfunction severity in COVID-19 patients: a preliminary study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 1	3.5	7
249	Making scents of loss of taste in COVID-19: Is self-reported loss of taste due to olfactory dysfunction? A prospective study using psychophysical testing. <i>International Forum of Allergy and Rhinology</i> , 2021 , 11, 1504-1507	6.3	8
248	Effect of Oxidized Low-Density Lipoprotein on Head and Neck Squamous Cell Carcinomas. <i>Biomedicines</i> , 2021 , 9,	4.8	2
247	Impedance-pH monitoring profile of patients with reflux and obstructive sleep apnea syndrome: A controlled study. <i>Clinical Otolaryngology</i> , 2021 , 46, 816-822	1.8	3
246	Prevalence and Features of Laryngopharyngeal Reflux in Patients with Primary Burning Mouth Syndrome. <i>Laryngoscope</i> , 2021 , 131, E2627-E2633	3.6	4
245	New Treatment Strategy Targeting Galectin-1 against Thyroid Cancer. <i>Cells</i> , 2021 , 10,	7.9	1
244	Short-Term Efficacy and Safety of Oral and Nasal Corticosteroids in COVID-19 Patients with Olfactory Dysfunction: A European Multicenter Study. <i>Pathogens</i> , 2021 , 10,	4.5	7
243	Influence of Age and Sex on Clinical and Therapeutic Features of Laryngopharyngeal Reflux. <i>Otolaryngology - Head and Neck Surgery</i> , 2021 , 1945998211020284	5.5	2
242	Systemic inflammatory markers and psychophysical olfactory scores in coronavirus disease 2019 patients: is there any correlation?. <i>Journal of Laryngology and Otology</i> , 2021 , 135, 723-728	1.8	9
241	Psychophysical evaluations are important, usefulness and usability approaches to study the smell disorder related to COVID-19. <i>Journal of Internal Medicine</i> , 2021 , 290, 468-469	10.8	2
240	Laryngopharyngeal Reflux Disease is More Severe in Obese Patients: A Prospective Multicenter Study. <i>Laryngoscope</i> , 2021 , 131, E2742-E2748	3.6	3

239	Predictive factors of smell recovery in a clinical series of 288 coronavirus disease 2019 patients with olfactory dysfunction. <i>European Journal of Neurology</i> , 2021 , 28, 3702-3711	6	16
238	The interest of fluticasone nasal spray in COVID-19 related anosmia is still not demonstrated. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2021 , 42, 103008	2.8	4
237	Analysis of the correlations between the severity of lung involvement and olfactory psychophysical scores in coronavirus disease 2019 (COVID-19) patients. <i>International Forum of Allergy and Rhinology</i> , 2021 ,	6.3	7
236	A 10-Year Follow-Up of a Randomized Prospective Study of 2 Treatments for Chronic Rhinosinusitis Without Nasal Polyps and Investigation of the Impact of Gastroesophageal Reflux Disease in the Resistance to Treatment. <i>Ear, Nose and Throat Journal</i> , 2021 , 100, 569S-577S	1	1
235	In Response to Validity and Reliability of the Reflux Symptom Score. <i>Laryngoscope</i> , 2021 , 131, E204	3.6	
234	Saliva Pepsin Concentration of Laryngopharyngeal Reflux Patients Is Influenced by Meals Consumed Before the Samples. <i>Laryngoscope</i> , 2021 , 131, 350-359	3.6	6
233	Involvement of Laryngopharyngeal Reflux in Select Nonfunctional Laryngeal Diseases: A Systematic Review. <i>Otolaryngology - Head and Neck Surgery</i> , 2021 , 164, 37-48	5.5	7
232	Changes of Laryngeal and Extralaryngeal Symptoms and Findings in Laryngopharyngeal Reflux Patients. <i>Laryngoscope</i> , 2021 , 131, 1332-1342	3.6	9
231	MRI of Patients Infected With COVID-19 Revealed Cervical Lymphadenopathy. <i>Ear, Nose and Throat Journal</i> , 2021 , 100, 26-28	1	4
230	A structural equation model to examine the clinical features of mild-to-moderate COVID-19: A multicenter Italian study. <i>Journal of Medical Virology</i> , 2021 , 93, 983-994	19.7	30
229	Development and Validation of the Short Version of the Reflux Symptom Score: Reflux Symptom Score-12. <i>Otolaryngology - Head and Neck Surgery</i> , 2021 , 164, 166-174	5.5	4
228	Sinus and anterior skull base surgery during the COVID-19 pandemic: systematic review, synthesis and YO-IFOS position. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 278, 1733-1742	3.5	6
227	Survival and treatment outcome of head and neck cancer patients with pulmonary oligometastases. <i>Clinical Otolaryngology</i> , 2021 , 46, 311-317	1.8	1
226	Management of Laryngopharyngeal Reflux Around the World: An International Study. <i>Laryngoscope</i> , 2021 , 131, E1589-E1597	3.6	11
225	Laryngopharyngeal reflux and vocal fold polyps. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2021 , 42, 102833	2.8	
224	More than ACE2? NRP1 may play a central role in the underlying pathophysiological mechanism of olfactory dysfunction in COVID-19 and its association with enhanced survival. <i>Medical Hypotheses</i> , 2021 , 146, 110406	3.8	17
223	[Subjective evaluation of smell and taste dysfunction in patients with mild COVID-19 in Spain]. <i>Medicina Clínica</i> , 2021 , 156, 61-64	1	4
222	Laryngopharyngeal reflux and head and neck cancers. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2021 , 42, 102815	2.8	0

221	ACE2 & TMPRSS2 Expressions in Head & Neck Tissues: A Systematic Review. <i>Head and Neck Pathology</i> , 2021 , 15, 225-235	3.3	24
220	Safety and Impact of Nasal Lavages During Viral Infections Such as SARS-CoV-2. <i>Ear, Nose and Throat Journal</i> , 2021 , 100, 188S-191S	1	4
219	Are the Acoustic Measurements Reliable in the Assessment of Voice Quality? A Methodological Prospective Study. <i>Journal of Voice</i> , 2021 , 35, 203-215	1.9	5
218	In reference to analysis of reflux as the aetiology of laryngeal dysplasia progression through a matched case-control study. <i>Clinical Otolaryngology</i> , 2021 , 46, 687-688	1.8	
217	Prevalence and 6-month recovery of olfactory dysfunction: a multicentre study of 1363 COVID-19 patients. <i>Journal of Internal Medicine</i> , 2021 , 290, 451-461	10.8	75
216	Subjective evaluation of smell and taste dysfunction in patients with mild COVID-19 in Spain. <i>Medicina Clínica (English Edition)</i> , 2021 , 156, 61-64	0.3	6
215	Mortality Rate and Predictors Among Patients with COVID-19 Related Acute Respiratory Failure Requiring Mechanical Ventilation: a Retrospective Single Centre Study. <i>The Journal of Critical Care Medicine</i> , 2021 , 7, 21-27	1.2	1
214	Epidemiological, otolaryngological, olfactory and gustatory outcomes according to the severity of COVID-19: a study of 2579 patients. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 278, 2851-2859	3.5	16
213	Pathophysiological mechanisms and management of patients with long-time anosmia related to COVID-19. <i>Journal of Internal Medicine</i> , 2021 , 290, 464-465	10.8	2
212	Impact of subspecialty training on management of laryngopharyngeal reflux: results of a worldwide survey. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 278, 1933-1943	3.5	1
211	The efficacy of a personalised treatment depending on the characteristics of reflux at multichannel intraluminal impedance-pH monitoring in patients with acid, non-acid and mixed laryngopharyngeal reflux. <i>Clinical Otolaryngology</i> , 2021 , 46, 602-613	1.8	8
210	Reflux clinic: proof-of-concept of a Multidisciplinary European Clinic. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 278, 1713-1716	3.5	2
209	Correlations Between Olfactory Psychophysical Scores and SARS-CoV-2 Viral Load in COVID-19 Patients. <i>Laryngoscope</i> , 2021 , 131, 2312-2318	3.6	9
208	Normative Ambulatory Reflux Monitoring Metrics for Laryngopharyngeal Reflux: A Systematic Review of 720 Healthy Individuals. <i>Otolaryngology - Head and Neck Surgery</i> , 2021 , 1945998211029831	5.5	3
207	The Study of Association between Laryngopharyngeal Reflux and Vocal Fold Leukoplakia Requires Pepsin and Bile Salt Tissue Analyses. <i>Orl</i> , 2021 , 83, 481-482	2	
206	Chemosensory dysfunction in COVID-19: Is there really a correlation with viral load?. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2021 , 42, 103037	2.8	3
205	Validity and Reliability of the French Short Version of the Questionnaire of Olfactory Disorders-Negative Statements (sQOD-NS). <i>Ear, Nose and Throat Journal</i> , 2021 , 1455613211032004	1	1
204	Specific Therapy of Olfactory Disorders in COVID-19 Patients is Essential for the Prevention of Long-term Dysfunction. <i>Indian Journal of Otolaryngology and Head and Neck Surgery</i> , 2021 , 1-2	0.6	1

203	Prognostic Significance of a Scoring System Combining p16, Smoking, and Drinking Status in a Series of 131 Patients with Oropharyngeal Cancers. <i>International Journal of Otolaryngology</i> , 2021 , 2021, 8020826	1.4	2
202	SARS-CoV-2 vaccination may help patients with persistent COVID-19 smell dysfunction. <i>Ear, Nose and Throat Journal</i> , 2021 , 1455613211044770	1	3
201	Mise au point sur le reflux laryngopharyngé. <i>Annales Francaises D'Oto-Rhino-Laryngologie Et De Pathologie Cervico-Faciale</i> , 2021 , 138, 265-276	0	
200	COVID-19: Post-vaccine Smell and Taste Disorders: Report of 6 Cases. <i>Ear, Nose and Throat Journal</i> , 2021 , 1455613211033125	1	5
199	The study of recovery rates of COVID-19 olfactory and gustatory dysfunctions requires psychophysical evaluations. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2021 , 42, 103168	2.8	4
198	Does Pepsin Saliva Concentration (Peptest) Predict the Therapeutic Response of Laryngopharyngeal Reflux Patients?. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2021 , 130, 996-1003	2.1	2
197	Laryngopharyngeal reflux: The microbiota theory. <i>Medical Hypotheses</i> , 2021 , 146, 110460	3.8	10
196	Psychophysical Evaluation of the Olfactory Function: European Multicenter Study on 774 COVID-19 Patients. <i>Pathogens</i> , 2021 , 10,	4.5	22
195	Hypopharyngeal-Esophageal Impedance-pH Monitoring Profiles of Laryngopharyngeal Reflux Patients. <i>Laryngoscope</i> , 2021 , 131, 268-276	3.6	12
194	Screening Evaluation for Laryngopharyngeal Reflux Disease. <i>Indian Journal of Otolaryngology and Head and Neck Surgery</i> , 2020 , 1	0.6	
193	Severity of Anosmia as an Early Symptom of COVID-19 Infection May Predict Lasting Loss of Smell. <i>Frontiers in Medicine</i> , 2020 , 7, 582802	4.9	34
192	Predictive Accuracy of COVID-19 World Health Organization (WHO) Severity Classification and Comparison with a Bayesian-Method-Based Severity Score (EPI-SCORE). <i>Pathogens</i> , 2020 , 9,	4.5	14
191	Objective olfactory evaluation of self-reported loss of smell in a case series of 86 COVID-19 patients. <i>Head and Neck</i> , 2020 , 42, 1583-1590	4.2	87
190	Severe acute respiratory syndrome coronavirus 2: virus mutations in specific European populations. <i>New Microbes and New Infections</i> , 2020 , 36, 100696	4.1	26
189	Psychophysical Olfactory Tests and Detection of COVID-19 in Patients With Sudden Onset Olfactory Dysfunction: A Prospective Study. <i>Ear, Nose and Throat Journal</i> , 2020 , 99, 579-583	1	25
188	Anosmia Is a Key Symptom of COVID-19 Infection and Should Be Used as a Diagnostic Tool. <i>Ear, Nose and Throat Journal</i> , 2020 , 99, 577-578	1	11
187	Metabolic Reprogramming in Metastatic Melanoma with Acquired Resistance to Targeted Therapies: Integrative Metabolomic and Proteomic Analysis. <i>Cancers</i> , 2020 , 12,	6.6	4
186	Surgical, clinical and functional outcomes of transoral robotic surgery for supraglottic laryngeal cancers: A systematic review. <i>Oral Oncology</i> , 2020 , 109, 104848	4.4	13

185	Gustatory dysfunctions in COVID-19. <i>European Archives of Oto-Rhino-Laryngology</i> , 2020 , 277, 2397-2398	3.5	3
184	Patient-Reported Outcome Questionnaires for the evaluation of olfactory and gustatory dysfunctions in COVID-19. <i>European Archives of Oto-Rhino-Laryngology</i> , 2020 , 277, 2393-2394	3.5	3
183	Validity and reliability of a French version of M.D. Anderson Dysphagia Inventory. <i>European Archives of Oto-Rhino-Laryngology</i> , 2020 , 277, 3111-3119	3.5	0
182	Features of Mild-to-Moderate COVID-19 Patients With Dysphonia. <i>Journal of Voice</i> , 2020 ,	1.9	45
181	Systematic review of international guidelines for tracheostomy in COVID-19 patients. <i>Oral Oncology</i> , 2020 , 108, 104844	4.4	45
180	Olfactory and gustatory dysfunctions in COVID-19. First reports of Latin-American ethnic patients. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2020 , 41, 102605	2.8	19
179	The association between laryngopharyngeal reflux and COVID-19 is still not demonstrated. <i>Journal of Medical Virology</i> , 2020 , 92, 2392-2393	19.7	2
178	Reflux and dental disorders in the pediatric population: A systematic review. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2020 , 136, 110166	1.7	5
177	Molecular Imaging of Galectin-1 Expression as a Biomarker of Papillary Thyroid Cancer by Using Peptide-Functionalized Imaging Probes. <i>Biology</i> , 2020 , 9,	4.9	1
176	Olfactory and gustatory dysfunctions as a clinical presentation of mild-to-moderate forms of the coronavirus disease (COVID-19): a multicenter European study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2020 , 277, 2251-2261	3.5	1350
175	In Reference to Anosmia and Ageusia: Common Findings in COVID-19 Patients. <i>Laryngoscope</i> , 2020 , 130, E504-E505	3.6	3
174	Remote psychophysical evaluation of olfactory and gustatory functions in early-stage coronavirus disease 2019 patients: the Bologna experience of 300 cases. <i>Journal of Laryngology and Otology</i> , 2020 , 134, 571-576	1.8	50
173	In Reference to Reflux Sign Assessment: Statistical Issue on Reliability to Avoid Misinterpretation. <i>Annals of Otology, Rhinology and Laryngology</i> , 2020 , 129, 1146-1147	2.1	
172	Ethyl alcohol threshold test: a fast, reliable and affordable olfactory Assessment tool for COVID-19 patients. <i>European Archives of Oto-Rhino-Laryngology</i> , 2020 , 277, 2783-2792	3.5	17
171	Clinical and epidemiological characteristics of 1420 European patients with mild-to-moderate coronavirus disease 2019. <i>Journal of Internal Medicine</i> , 2020 , 288, 335-344	10.8	411
170	HPV Involvement in the Tumor Microenvironment and Immune Treatment in Head and Neck Squamous Cell Carcinomas. <i>Cancers</i> , 2020 , 12,	6.6	18
169	Sniffing out the evidence; It's now time for public health bodies recognize the link between COVID-19 and smell and taste disturbance. <i>Rhinology</i> , 2020 , 58, 402-403	7	16
168	Orofacial Strength and Voice Quality as Outcome of Levodopa Challenge Test in Parkinson Disease. <i>Laryngoscope</i> , 2020 , 130, E896-E903	3.6	2

167	Acute urticaria with pyrexia as the first manifestations of a COVID-19 infection. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, e300-e301	4.6	74
166	Letter to the Editor about the Beltr�-Corbellini et al. publication: Acute-onset smell and taste disorders in the context of Covid-19: a pilot multicenter PCR-based case-control study (Eur J Neurol 2020. doi: 10.1111/ene.14273). <i>European Journal of Neurology</i> , 2020 , 27, e33	6	30
165	Validity and Reliability of the Reflux Sign Assessment. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2020 , 129, 313-325	2.1	31
164	Patients with acid, high-fat and low-protein diet have higher laryngopharyngeal reflux episodes at the impedance-pH monitoring. <i>European Archives of Oto-Rhino-Laryngology</i> , 2020 , 277, 511-520	3.5	27
163	Do Laryngologists and General Otolaryngologists Manage Laryngopharyngeal Reflux Differently?. <i>Laryngoscope</i> , 2020 , 130, E539-E547	3.6	7
162	Gastroesophageal reflux in laryngopharyngeal reflux patients: Clinical features and therapeutic response. <i>Laryngoscope</i> , 2020 , 130, E479-E489	3.6	22
161	Gustatory Dysfunction: A Highly Specific and Smell-Independent Symptom of COVID-19. <i>Indian Journal of Otolaryngology and Head and Neck Surgery</i> , 2020 , 1-3	0.6	13
160	Clinical and Radiological Evaluations of COVID-19 Patients With Anosmia: Preliminary Report. <i>Laryngoscope</i> , 2020 , 130, 2526-2531	3.6	32
159	Patterns of smell recovery in 751 patients affected by the COVID-19 outbreak. <i>European Journal of Neurology</i> , 2020 , 27, 2318-2321	6	56
158	Olfactory epithelium histopathological findings in long-term coronavirus disease 2019 related anosmia. <i>Journal of Laryngology and Otolaryngology</i> , 2020 , 134, 1123-1127	1.8	39
157	Loss of Smell and Taste in 2013 European Patients With Mild to Moderate COVID-19. <i>Annals of Internal Medicine</i> , 2020 , 173, 672-675	8	113
156	Laryngopharyngeal Reflux: A State-of-the-Art Algorithm Management for Primary Care Physicians. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	8
155	COVID-19 Reinfection and Second Episodes of Olfactory and Gustatory Dysfunctions: Report of First Cases. <i>Ear, Nose and Throat Journal</i> , 2020 , 145561320970105	1	8
154	Patterns of Gustatory Recovery in Patients Affected by the COVID-19 Outbreak. <i>Virologica Sinica</i> , 2020 , 35, 833-837	6.4	10
153	Do olfactory and gustatory psychophysical scores have prognostic value in COVID-19 patients? A prospective study of 106 patients. <i>Journal of Otolaryngology - Head and Neck Surgery</i> , 2020 , 49, 56	5.4	40
152	Smell and taste recovery in coronavirus disease 2019 patients: a 60-day objective and prospective study. <i>Journal of Laryngology and Otolaryngology</i> , 2020 , 134, 703-709	1.8	102
151	Magnetic resonance imaging of COVID-19 anosmic patients reveals abnormalities of the olfactory bulb: Preliminary prospective study. <i>Journal of Infection</i> , 2020 , 81, 816-846	18.9	23
150	Objective Olfactory Findings in Hospitalized Severe COVID-19 Patients. <i>Pathogens</i> , 2020 , 9,	4.5	25

149	Otolaryngological complications of hypopharyngeal-esophageal multichannel intraluminal impedance-pH monitoring. <i>Clinical Case Reports (discontinued)</i> , 2020 , 8, 2634-2637	0.7	1
148	ACE2 Protein Landscape in the Head and Neck Region: The Conundrum of SARS-CoV-2 Infection. <i>Biology</i> , 2020 , 9,	4.9	25
147	Laryngopharyngeal reflux after thyroidectomy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2020 , 277, 3541-3542	3.5	0
146	Laryngopharyngeal reflux, gastroesophageal reflux and dental disorders: A systematic review. <i>PLoS ONE</i> , 2020 , 15, e0237581	3.7	8
145	Toad Venom Antiproliferative Activities on Metastatic Melanoma: Bio-Guided Fractionation and Screening of the Compounds of Two Different Venoms. <i>Biology</i> , 2020 , 9,	4.9	2
144	Parotitis-Like Symptoms Associated with COVID-19, France, March-April 2020. <i>Emerging Infectious Diseases</i> , 2020 , 26,	10.2	30
143	The Association Between Reflux and Laryngeal Neoplasia Is Still Not Demonstrated. <i>Otolaryngology - Head and Neck Surgery</i> , 2020 , 163, 1284-1285	5.5	1
142	Prostatic carcinoma metastatic to frontal and cavernous sinuses: a case report. <i>Brazilian Journal of Otorhinolaryngology</i> , 2020 , 86, 383-385	1.6	1
141	Voice Quality as Therapeutic Outcome in Laryngopharyngeal Reflux Disease: A Prospective Cohort Study. <i>Journal of Voice</i> , 2020 , 34, 112-120	1.9	4
140	Clinical and Acoustical Voice Quality Evolutions Throughout Empirical Treatment for Laryngopharyngeal Reflux Disease According to Gender: A Preliminary Study. <i>Folia Phoniatrica Et Logopaedica</i> , 2020 , 72, 257-266	1.5	3
139	Validity and reliability of the reflux symptom score. <i>Laryngoscope</i> , 2020 , 130, E98-E107	3.6	49
138	Laryngopharyngeal Reflux as Causative Factor of Vocal Fold Nodules. <i>Journal of Voice</i> , 2020 , 34, 150-151.	1.9	1
137	Laryngopharyngeal reflux, gastroesophageal reflux and dental disorders: A systematic review 2020 , 15, e0237581		
136	Laryngopharyngeal reflux, gastroesophageal reflux and dental disorders: A systematic review 2020 , 15, e0237581		
135	Laryngopharyngeal reflux, gastroesophageal reflux and dental disorders: A systematic review 2020 , 15, e0237581		
134	Laryngopharyngeal reflux, gastroesophageal reflux and dental disorders: A systematic review 2020 , 15, e0237581		
133	Development of scores assessing the refluxogenic potential of diet of patients with laryngopharyngeal reflux. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019 , 276, 3389-3404	3.5	15
132	Impact of HPV Infection on the Immune System in Oropharyngeal and Non-Oropharyngeal Squamous Cell Carcinoma: A Systematic Review. <i>Cells</i> , 2019 , 8,	7.9	16

131	In Reference to Saliva Pepsin Detection and Proton Pump Inhibitor Response in Suspected Laryngopharyngeal Reflux. <i>Laryngoscope</i> , 2019 , 129, E118-E119	3.6	
130	The management of suspected or confirmed laryngopharyngeal reflux patients with recalcitrant symptoms: A contemporary review. <i>Clinical Otolaryngology</i> , 2019 , 44, 784-800	1.8	24
129	Surgical Treatment for Laryngopharyngeal Reflux Disease: A Systematic Review. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2019 , 145, 655-666	3.9	13
128	Role of Macrophage Migration Inhibitory Factor (MIF) in Melanoma. <i>Cancers</i> , 2019 , 11,	6.6	23
127	Association between laryngopharyngeal reflux and benign vocal folds lesions: A systematic review. <i>Laryngoscope</i> , 2019 , 129, E329-E341	3.6	25
126	Perceptual, Aerodynamic, and Acoustic Characteristics of Voice Changes in Patients with Laryngopharyngeal Reflux Disease. <i>Ear, Nose and Throat Journal</i> , 2019 , 98, E44-E50	1	2
125	Impact of Laryngopharyngeal Reflux on Subjective, Aerodynamic, and Acoustic Voice Assessments of Responder and Nonresponder Patients. <i>Journal of Voice</i> , 2019 , 33, 929-939	1.9	6
124	Voice Quality and Orofacial Strength as Outcome of Levodopa Effectiveness in Patients with Early Idiopathic Parkinson Disease: A Preliminary Report. <i>Journal of Voice</i> , 2019 , 33, 716-720	1.9	4
123	An unusual cause of obstructive sleep apnea syndrome. <i>Clinical Case Reports (discontinued)</i> , 2019 , 7, 1694-1696	4.1	1696
122	Treatment of laryngopharyngeal reflux disease: A systematic review. <i>World Journal of Clinical Cases</i> , 2019 , 7, 2995-3011	1.6	9
121	Infiltration of FoxP3+ Regulatory T Cells is a Strong and Independent Prognostic Factor in Head and Neck Squamous Cell Carcinoma. <i>Cancers</i> , 2019 , 11,	6.6	27
120	Evaluation and Management of Laryngopharyngeal Reflux Disease: State of the Art Review. <i>Otolaryngology - Head and Neck Surgery</i> , 2019 , 160, 762-782	5.5	118
119	Clinical outcomes of laryngopharyngeal reflux treatment: A systematic review and meta-analysis. <i>Laryngoscope</i> , 2019 , 129, 1174-1187	3.6	61
118	Laryngopharyngeal reflux and benign lesions of the vocal folds. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019 , 276, 277-278	3.5	4
117	Involvement of HPV Infection in the Release of Macrophage Migration Inhibitory Factor in Head and Neck Squamous Cell Carcinoma. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	8
116	Alkaline, protein, low-fat and low-acid diet in laryngopharyngeal reflux disease: Our experience on 65 patients. <i>Clinical Otolaryngology</i> , 2019 , 44, 379-384	1.8	29
115	Instruments evaluating the clinical findings of laryngopharyngeal reflux: A systematic review. <i>Laryngoscope</i> , 2019 , 129, 720-736	3.6	24
114	In response to Double-blind, placebo-controlled study with alginate suspension for laryngopharyngeal reflux disease. <i>Laryngoscope</i> , 2018 , 128, E349-E350	3.6	

113	Voice quality outcomes of idiopathic Parkinson disease medical treatment: A systematic review. <i>Clinical Otolaryngology</i> , 2018 , 43, 882-903	1.8	13
112	Image analysis of the interarytenoid area to detect laryngopharyngeal reflux disease. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2018 , 39, 228-229	2.8	1
111	Gender differences in the presentation of dysphonia related to laryngopharyngeal reflux disease: a case-control study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018 , 275, 1513-1524	3.5	10
110	Impact of Chemoradiation After Supra- or Infrahyoid Cancer on Aerodynamic, Subjective, and Objective Voice Assessments: A Multicenter Prospective Study. <i>Journal of Voice</i> , 2018 , 32, 257.e11-257.e19	1.9	0
109	Total Pharyngo-esophageal Stenosis: A New Surgical Procedure Using Modified Retrograde Transillumination Approach. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2018 , 28, e75-e77	1.3	
108	High infiltration of CD68+ macrophages is associated with poor prognoses of head and neck squamous cell carcinoma patients and is influenced by human papillomavirus. <i>Oncotarget</i> , 2018 , 9, 11046-11059 ¹	2.3	1
107	Reply to the letter "Laryngopharyngeal reflux disease in the elderly". <i>European Archives of Oto-Rhino-Laryngology</i> , 2018 , 275, 317-318	3.5	1
106	Laryngopharyngeal reflux disease: clinical presentation, diagnosis and therapeutic challenges in 2018. <i>Current Opinion in Otolaryngology and Head and Neck Surgery</i> , 2018 , 26, 392-402	2	38
105	The Effect of the Speech Task Characteristics on Perceptual Judgment of Mild to Moderate Dysphonia: A Methodological Study. <i>Folia Phoniatrica Et Logopaedica</i> , 2018 , 70, 156-164	1.5	6
104	The development of new clinical instruments in laryngopharyngeal reflux disease: The international project of young otolaryngologists of the International Federation of Oto-rhino-laryngological Societies. <i>European Annals of Otorhinolaryngology, Head and Neck Diseases</i> , 2018 , 135, S85-S91	2.2	15
103	Change of signs, symptoms and voice quality evaluations throughout a 3- to 6-month empirical treatment for laryngopharyngeal reflux disease. <i>Clinical Otolaryngology</i> , 2018 , 43, 1273-1282	1.8	32
102	Voice outcomes of laryngopharyngeal reflux treatment: a systematic review of 1483 patients. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017 , 274, 1-23	3.5	33
101	Phonetic Approaches of Laryngopharyngeal Reflux Disease: A Prospective Study. <i>Journal of Voice</i> , 2017 , 31, 119.e11-119.e20	1.9	15
100	Validity and Reliability of a French Version of Reflux Symptom Index. <i>Journal of Voice</i> , 2017 , 31, 512.e1-513.e7	2.1	21
99	Unusual presentation of an adult pedunculated hemangioma of the oropharynx. <i>Clinical Case Reports (discontinued)</i> , 2017 , 5, 491-496	0.7	6
98	Laryngopharyngeal Reflux and Voice Disorders: A Multifactorial Model of Etiology and Pathophysiology. <i>Journal of Voice</i> , 2017 , 31, 733-752	1.9	46
97	High stromal Foxp3-positive T cell number combined to tumor stage improved prognosis in head and neck squamous cell carcinoma. <i>Oral Oncology</i> , 2017 , 67, 183-191	4.4	17
96	First 200 consecutive transumbilical single-incision laparoscopic TEPs. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2017 , 21, 29-35	3.2	7

95	Laparoscopic prosthetic parastomal and perineal hernia repair after abdominoperineal resection. <i>Techniques in Coloproctology</i> , 2017 , 21, 73-77	2.9	2
94	Role of macrophage migration inhibitory factor in head and neck cancer and novel therapeutic targets: A systematic review. <i>Head and Neck</i> , 2017 , 39, 2573-2584	4.2	17
93	Combination of galectin-3, CK19 and HBME-1 immunostaining improves the diagnosis of thyroid cancer. <i>Oncology Letters</i> , 2017 , 14, 4183-4189	2.6	24
92	Toward a new and noninvasive diagnostic method of papillary thyroid cancer by using peptide vectorized contrast agents targeted to galectin-1. <i>Medical Oncology</i> , 2017 , 34, 184	3.7	2
91	Preexposure of MCF-7 breast cancer cell line to dexamethasone alters the cytotoxic effect of paclitaxel but not 5-fluorouracil or epirubicin chemotherapy. <i>Breast Cancer: Targets and Therapy</i> , 2017 , 9, 171-175	3.9	3
90	Galectins and Carcinogenesis: Their Role in Head and Neck Carcinomas and Thyroid Carcinomas. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	8
89	Unusual case of chronic maxillary rhinosinusitis. <i>Ear, Nose and Throat Journal</i> , 2017 , 96, 100-104	1	1
88	Acrokeratosis paraneoplastica (Bazex syndrome). <i>Ear, Nose and Throat Journal</i> , 2017 , 96, 413-414	1	2
87	Impact of age on laryngopharyngeal reflux disease presentation: a multi-center prospective study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017 , 274, 3687-3696	3.5	27
86	Galectin-1 is a diagnostic marker involved in thyroid cancer progression. <i>International Journal of Oncology</i> , 2017 , 51, 760-770	4.4	14
85	Completely Intracorporeal Handsewn Laparoscopic Anastomoses During Whipple Procedure. <i>Annals of Surgical Oncology</i> , 2017 , 24, 2785-2786	3.1	
84	Hibernoma: a rare case of adipocytic tumor in head and neck. <i>BMC Ear, Nose and Throat Disorders</i> , 2017 , 17, 13	8	3
83	PRIMA-1 and PRIMA-1 (APR-246): From Mutant/Wild Type p53 Reactivation to Unexpected Mechanisms Underlying Their Potent Anti-Tumor Effect in Combinatorial Therapies. <i>Cancers</i> , 2017 , 9,	6.6	52
82	Langerhans cell number is a strong and independent prognostic factor for head and neck squamous cell carcinomas. <i>Oral Oncology</i> , 2016 , 62, 1-10	4.4	37
81	Impact of laryngopharyngeal reflux on subjective and objective voice assessments: a prospective study. <i>Journal of Otolaryngology - Head and Neck Surgery</i> , 2016 , 45, 59	5.4	32
80	Involvement of macrophage migration inhibitory factor in cancer and novel therapeutic targets. <i>Oncology Letters</i> , 2016 , 12, 2247-2253	2.6	34
79	Classical risk factors, but not HPV status, predict survival after chemoradiotherapy in advanced head and neck cancer patients. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016 , 142, 2185-96	4.9	29
78	An integrated signal transduction network of macrophage migration inhibitory factor. <i>Journal of Cell Communication and Signaling</i> , 2016 , 10, 165-70	5.2	16

77	Effect of magnetic field and iron content on NMR proton relaxation of liver, spleen and brain tissues. <i>Contrast Media and Molecular Imaging</i> , 2015 , 10, 144-52	3.2	18
76	Antiproliferative effect of dexamethasone in the MCF-7 breast cancer cell line. <i>Molecular Medicine Reports</i> , 2015 , 12, 4051-4054	2.9	25
75	Macrophage migration inhibitory factor involvement in breast cancer (Review). <i>International Journal of Oncology</i> , 2015 , 47, 1627-33	4.4	49
74	Interleukin-32 expression is associated with a poorer prognosis in head and neck squamous cell carcinoma. <i>Molecular Carcinogenesis</i> , 2014 , 53, 667-73	5	13
73	Helicase-like transcription factor: a new marker of well-differentiated thyroid cancers. <i>BMC Cancer</i> , 2014 , 14, 492	4.8	6
72	Towards neuroimmunotherapy for cancer: the neurotransmitters glutamate, dopamine and GnRH-II augment substantially the ability of T cells of few head and neck cancer patients to perform spontaneous migration, chemotactic migration and migration towards the autologous tumor, and to be activated by the expression of CD28 and CD28-papillomavirus-associated antigen. <i>Journal of Cancer Research and Clinical Oncology</i> , 2014 , 140, 937-47	4.3	17
71	Involvement of CD74 in head and neck squamous cell carcinomas. <i>Journal of Cancer Research and Clinical Oncology</i> , 2014 , 140, 937-47	4.9	21
70	Galectin fingerprinting in naso-sinusal diseases. <i>Oncology Reports</i> , 2014 , 32, 23-32	3.5	5
69	Involvement of macrophage migration inhibitory factor and its receptor (CD74) in human breast cancer. <i>Oncology Reports</i> , 2014 , 32, 523-9	3.5	32
68	Chronic maxillary rhinosinusitis of dental origin: a systematic review of 674 patient cases. <i>International Journal of Otolaryngology</i> , 2014 , 2014, 465173	1.4	51
67	Proteomic study of HPV-positive head and neck cancers: preliminary results. <i>BioMed Research International</i> , 2014 , 2014, 430906	3	7
66	ILp63 isoform-mediated ß-defensin family up-regulation is associated with (lymph)angiogenesis and poor prognosis in patients with squamous cell carcinoma. <i>Oncotarget</i> , 2014 , 5, 1856-68	3.3	19
65	Prognosis of HPV-positive head and neck cancers: implication of smoking and immunosuppression. <i>Advances in Cellular and Molecular Otolaryngology</i> , 2014 , 2, 25717		5
64	Macrophage migration inhibitory factor in head and neck squamous cell carcinoma: clinical and experimental studies. <i>Journal of Cancer Research and Clinical Oncology</i> , 2013 , 139, 727-37	4.9	25
63	Pharmacological inhibition of macrophage migration inhibitory factor interferes with the proliferation and invasiveness of squamous carcinoma cells. <i>International Journal of Oncology</i> , 2013 , 43, 185-93	4.4	27
62	Human papillomavirus predicts the outcome following concomitant chemoradiotherapy in patients with head and neck squamous cell carcinomas. <i>Oncology Reports</i> , 2013 , 30, 371-6	3.5	11
61	Human papillomavirus DNA strongly correlates with a poorer prognosis in oral cavity carcinoma. <i>Laryngoscope</i> , 2012 , 122, 1558-65	3.6	74
60	Expression of macrophage migration-inhibitory factor is correlated with progression in oral cavity carcinomas. <i>Anticancer Research</i> , 2012 , 32, 4499-505	2.3	12

59	High incidence of high-risk HPV in benign and malignant lesions of the larynx. <i>International Journal of Oncology</i> , 2011 , 39, 51-9	4.4	23
58	Incidence des cancers ORL en Belgique en regard des donn�es mondiales et fran�aises. <i>Bulletin Du Cancer</i> , 2011 , 98, 1173-1183	2.4	12
57	Quantitative immunohistochemical fingerprinting of adhesion/growth-regulatory galectins in salivary gland tumours: divergent profiles with diagnostic potential. <i>Histopathology</i> , 2011 , 58, 543-56	7.3	28
56	Expression of the helicase-like transcription factor and its variants during carcinogenesis of the uterine cervix: implications for tumour progression. <i>Histopathology</i> , 2011 , 58, 984-8	7.3	8
55	Combined analysis of HPV DNA, p16, p21 and p53 to predict prognosis in patients with stage IV hypopharyngeal carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2011 , 137, 173-81	4.9	28
54	Considering temozolomide as a novel potential treatment for esophageal cancer. <i>Cancer</i> , 2011 , 117, 2004-16	6.4	20
53	High prevalence of high-risk human papillomavirus in palatine tonsils from healthy children and adults. <i>Otolaryngology - Head and Neck Surgery</i> , 2011 , 145, 230-5	5.5	16
52	Immune suppression in head and neck cancers: a review. <i>Clinical and Developmental Immunology</i> , 2010 , 2010, 701657		120
51	Regulation of p63 isoforms by snail and slug transcription factors in human squamous cell carcinoma. <i>American Journal of Pathology</i> , 2010 , 176, 1941-9	5.8	36
50	Bisphosphonate-induced osteonecrosis of the jaw: a review of 2,400 patient cases. <i>Journal of Cancer Research and Clinical Oncology</i> , 2010 , 136, 1117-24	4.9	196
49	In vivo assessment of temozolomide local delivery for lung cancer inhalation therapy. <i>European Journal of Pharmaceutical Sciences</i> , 2010 , 39, 402-11	5.1	35
48	Thyroid tumor marker genomics and proteomics: diagnostic and clinical implications. <i>Journal of Cellular Physiology</i> , 2010 , 224, 612-9	7	31
47	Immunohistochemical localization of galectins-1 and -3 and monitoring of tissue galectin-binding sites during tubular regeneration after renal ischemia reperfusion in the rat. <i>Histology and Histopathology</i> , 2010 , 25, 1417-29	1.4	13
46	Increased expression of macrophage migration inhibitory factor during progression to hypopharyngeal squamous cell carcinoma. <i>Anticancer Research</i> , 2010 , 30, 3313-9	2.3	12
45	Maxillary sinusitis caused by the migration of a silastic implant used for an orbital floor reconstruction: a case report 2010 , 6, 299-301		
44	Galectin fingerprinting in Warthin� tumors: lectin-based approach to trace its origin?. <i>Histology and Histopathology</i> , 2010 , 25, 541-50	1.4	18
43	Variable-field relaxometry of iron-containing human tissues: a preliminary study. <i>Contrast Media and Molecular Imaging</i> , 2009 , 4, 157-64	3.2	20
42	Bisphosphonate-related osteonecrosis of the jaw and its associated risk factors: a Belgian case series. <i>Laryngoscope</i> , 2009 , 119, 323-9	3.6	58

41	The helicase-like transcription factor is a strong predictor of recurrence in hypopharyngeal but not in laryngeal squamous cell carcinomas. <i>Histopathology</i> , 2009 , 55, 77-90	7.3	14
40	Second branchial cyst in the parapharyngealspace: a case report. <i>Auris Nasus Larynx</i> , 2009 , 36, 376-9	2.2	10
39	Identification of matrix metalloproteinase-9 as an independent prognostic marker in laryngeal and hypopharyngeal cancer with opposite correlations to adhesion/growth-regulatory galectins-1 and -7. <i>International Journal of Oncology</i> , 2009 , 34, 433-9	1	9
38	Adhesion/growth-regulatory tissue lectin galectin-1 in relation to angiogenesis/lymphocyte infiltration and prognostic relevance of stromal up-regulation in laryngeal carcinomas. <i>Anticancer Research</i> , 2009 , 29, 59-65	2.3	14
37	Galectin-8 up-regulation during hypopharyngeal and laryngeal tumor progression and comparison with galectin-1, -3 and -7. <i>Anticancer Research</i> , 2009 , 29, 4933-40	2.3	22
36	In reference to quantitative analysis of syndecan-1 expression in dysplasia and squamous cell carcinoma of the oral cavity. <i>Laryngoscope</i> , 2008 , 118, 944-5; author reply 945	3.6	2
35	Galectin-3 upregulation during tumor progression in head and neck cancer. <i>Laryngoscope</i> , 2008 , 118, 1583-90	3.6	27
34	Increased expression and altered intracellular distribution of adhesion/growth-regulatory lectins galectins-1 and -7 during tumour progression in hypopharyngeal and laryngeal squamous cell carcinomas. <i>Histopathology</i> , 2008 , 52, 483-93	7.3	53
33	The determination of the levels of circulating galectin-1 and -3 in HNSCC patients could be used to monitor tumor progression and/or responses to therapy. <i>Oral Oncology</i> , 2008 , 44, 86-93	4.4	96
32	Serum galectin-1 and galectin-3 levels in benign and malignant nodular thyroid disease. <i>Thyroid</i> , 2008 , 18, 705-12	6.2	75
31	Different presentations of ophthalmic aspergillosis. <i>European Journal of Ophthalmology</i> , 2008 , 18, 827-30.	3.0	8
30	The helicase-like transcription factor and its implication in cancer progression. <i>Cellular and Molecular Life Sciences</i> , 2008 , 65, 591-604	10.3	43
29	Helicase-like transcription factor exhibits increased expression and altered intracellular distribution during tumor progression in hypopharyngeal and laryngeal squamous cell carcinomas. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2008 , 453, 491-9	5.1	12
28	Galectins as modulators of tumor progression in head and neck squamous cell carcinomas. <i>Head and Neck</i> , 2007 , 29, 874-84	4.2	47
27	High level of galectin-1 expression is a negative prognostic predictor of recurrence in laryngeal squamous cell carcinomas 2007 , 30, 1109		4
26	Schwannoma of the accessory phrenic nerve. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2007 , 28, 357-9	2.8	8
25	Acromegaly presented as a cause of laryngeal dyspnea. <i>Auris Nasus Larynx</i> , 2007 , 34, 541-3	2.2	7
24	High level of galectin-1 expression is a negative prognostic predictor of recurrence in laryngeal squamous cell carcinomas. <i>International Journal of Oncology</i> , 2007 , 30, 1109-17	1	14

23	Galectin-7. <i>Cellular and Molecular Life Sciences</i> , 2006 , 63, 686-97	10.3	84
22	Galectin 7 (p53-induced gene 1): a new prognostic predictor of recurrence and survival in stage IV hypopharyngeal cancer. <i>Annals of Surgical Oncology</i> , 2006 , 13, 999-1009	3.1	59
21	Congenital transsphenoidal meningocele: case report and review of the literature. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2006 , 27, 422-4	2.8	31
20	Clinically unsuspected tonsillar sarcoidosis in a child revealed by routine histologic examination. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2006 , 70, 155-8	1.7	3
19	Reconstruction of circumferential oro- and hypopharyngeal defects with U-shaped pectoralis major myocutaneous flap. <i>Otolaryngology - Head and Neck Surgery</i> , 2006 , 134, 823-9	5.5	26
18	High incidence of sensitization to ornamental plants in allergic rhinitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2006 , 61, 1138-40	9.3	30
17	Non-traumatic myositis ossificans in the paraspinal muscles. <i>European Archives of Oto-Rhino-Laryngology</i> , 2006 , 263, 331-5	3.5	28
16	Towards functional glycomics by localization of binding sites for tissue lectins: lectin histochemical reactivity for galectins during diethylstilbestrol-induced kidney tumorigenesis in male Syrian hamster. <i>Histochemistry and Cell Biology</i> , 2006 , 126, 57-69	2.4	7
15	Aggressive pilomatrixoma of the infra-auricular area: a case report. <i>Auris Nasus Larynx</i> , 2005 , 32, 407-10	2.2	14
14	Mediastinal tracheostomy: unilateral resection of the anterior chest wall. <i>Journal of Laryngology and Otology</i> , 2005 , 119, 903-5	1.8	3
13	Toward functional glycomics by localization of tissue lectins: immunohistochemical galectin fingerprinting during diethylstilbestrol-induced kidney tumorigenesis in male Syrian hamster. <i>Histochemistry and Cell Biology</i> , 2005 , 123, 29-41	2.4	17
12	A comparison of survival lifetime of the Provox and the Provox2 voice prosthesis. <i>Journal of Laryngology and Otology</i> , 2003 , 117, 875-8	1.8	16
11	Correlation of galectin-3/galectin-3-binding sites with low differentiation status in head and neck squamous cell carcinomas. <i>Otolaryngology - Head and Neck Surgery</i> , 2000 , 122, 834-41	5.5	20
10	The levels of expression of galectin-1, galectin-3, and the Thomsen-Friedenreich antigen and their binding sites decrease as clinical aggressiveness increases in head and neck cancers. <i>Cancer</i> , 1999 , 86, 2353-63	6.4	74
9	The levels of expression of galectin-1, galectin-3, and the Thomsen-Friedenreich antigen and their binding sites decrease as clinical aggressiveness increases in head and neck cancers 1999 , 86, 2353		2
8	Quantitative glycohistochemistry defines new prognostic markers for cancers of the oral cavity 1998 , 82, 252-260		24
7	Sarcoidosis of the paranasal sinuses treated with hydroxychloroquine. <i>Postgraduate Medical Journal</i> , 1998 , 74, 172-4	2	9
6	Quantitative glycohistochemistry defines new prognostic markers for cancers of the oral cavity. <i>Cancer</i> , 1998 , 82, 252-60	6.4	5

5	Lateral canthotomy: a simple and safe procedure for orbital haemorrhage secondary to endoscopic sinus surgery. <i>Rhinology</i> , 1998 , 36, 37-9	7	4
4	Undifferentiated carcinoma of the nasopharynx and leukemoid reaction: report of case with literature review. <i>Journal of Laryngology and Otology</i> , 1997 , 111, 66-9	1.8	30
3	Objective olfactory testing in patients presenting with sudden onset olfactory dysfunction as the first manifestation of confirmed COVID-19 infection		10
2	Psychophysical Olfactory Findings of Mild-to-moderate COVID-19 Patients: Preliminary Report		3
1	Objective Olfactory Evaluation of Self-reported Loss of Smell in a Case Series of 86 COVID-19 Patients		3