Zoe J Mckeough

List of Publications by Citations

Source: https://exaly.com/author-pdf/4147151/zoe-j-mckeough-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83
papers

1,522
citations

h-index

87
ext. papers

1,912
ext. citations

22
h-index

4.2
avg, IF

L-index

#	Paper	IF	Citations
83	Australian and New Zealand Pulmonary Rehabilitation Guidelines. <i>Respirology</i> , 2017 , 22, 800-819	3.6	117
82	Home-based telerehabilitation via real-time videoconferencing improves endurance exercise capacity in patients with COPD: The randomized controlled TeleR Study. <i>Respirology</i> , 2017 , 22, 699-707	3.6	94
81	Maintaining benefits following pulmonary rehabilitation: a randomised controlled trial. <i>European Respiratory Journal</i> , 2010 , 35, 571-7	13.6	78
80	Evaluation of the SenseWear activity monitor during exercise in cystic fibrosis and in health. <i>Respiratory Medicine</i> , 2009 , 103, 1511-7	4.6	77
79	Water-based exercise in COPD with physical comorbidities: a randomised controlled trial. <i>European Respiratory Journal</i> , 2013 , 41, 1284-91	13.6	75
78	Short-form Sun-style t\ddot i chi as an exercise training modality in people with COPD. <i>European Respiratory Journal</i> , 2013 , 41, 1051-7	13.6	73
77	Effects of exercise on respiratory flow and sputum properties in patients with cystic fibrosis. <i>Chest</i> , 2011 , 139, 870-877	5.3	68
76	Ground walk training improves functional exercise capacity more than cycle training in people with chronic obstructive pulmonary disease (COPD): a randomised trial. <i>Journal of Physiotherapy</i> , 2010 , 56, 105-12	2.9	53
75	Ground-based walking training improves quality of life and exercise capacity in COPD. <i>European Respiratory Journal</i> , 2014 , 44, 885-94	13.6	45
74	Assessing sleep disturbance in low back pain: the validity of portable instruments. <i>PLoS ONE</i> , 2014 , 9, e95824	3.7	41
73	Physical activity patterns and clusters in 1001 patients with COPD. <i>Chronic Respiratory Disease</i> , 2017 , 14, 256-269	3	36
72	People attending pulmonary rehabilitation demonstrate a substantial engagement with technology and willingness to use telerehabilitation: a survey. <i>Journal of Physiotherapy</i> , 2017 , 63, 175-1	81 ^{.9}	35
71	Analysis of nocturnal actigraphic sleep measures in patients with COPD and their association with daytime physical activity. <i>Thorax</i> , 2017 , 72, 694-701	7-3	32
7º	Six-minute walk test as an outcome measure: are two six-minute walk tests necessary immediately after pulmonary rehabilitation and at three-month follow-up?. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2008 , 87, 224-8	2.6	32
69	Exercise capacity and quadriceps muscle metabolism following training in subjects with COPD. <i>Respiratory Medicine</i> , 2006 , 100, 1817-25	4.6	30
68	Arm exercise capacity and dyspnea ratings in subjects with chronic obstructive pulmonary disease. Journal of Cardiopulmonary Rehabilitation and Prevention, 2003, 23, 218-25		28
67	Arm positioning alters lung volumes in subjects with COPD and healthy subjects. <i>Australian Journal of Physiotherapy</i> , 2003 , 49, 133-7		27

(2014-2016)

66	Satisfaction and Experience With a Supervised Home-Based Real-Time Videoconferencing Telerehabilitation Exercise Program in People with Chronic Obstructive Pulmonary Disease (COPD). <i>International Journal of Telerehabilitation</i> , 2016 , 8, 27-38	4.5	27	
65	Arm exercise training in chronic obstructive pulmonary disease: a randomised controlled trial. <i>Chronic Respiratory Disease</i> , 2012 , 9, 153-62	3	26	
64	Interdisciplinary eHealth Practice in Cancer Care: A Review of the Literature. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	25	
63	Pulmonary rehabilitation for COPD: are programs with minimal exercise equipment effective?. <i>Journal of Thoracic Disease</i> , 2014 , 6, 1606-14	2.6	25	
62	Oxygen compared to air during exercise training in COPD with exercise-induced desaturation. <i>European Respiratory Journal</i> , 2019 , 53,	13.6	24	
61	Upper limb exercise training for COPD. <i>The Cochrane Library</i> , 2016 , 11, CD011434	5.2	22	
60	Functional exercise capacity and health-related quality of life in people with asbestos related pleural disease: an observational study. <i>BMC Pulmonary Medicine</i> , 2013 , 13, 1	3.5	21	
59	Acceptability of the aquatic environment for exercise training by people with chronic obstructive pulmonary disease with physical comorbidities: Additional results from a randomised controlled trial. <i>Physiotherapy</i> , 2015 , 101, 187-92	3	19	
58	Metabolic disease and participant age are independent predictors of response to pulmonary rehabilitation. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2013 , 33, 249-56	3.6	19	
57	Maintaining the benefits following pulmonary rehabilitation: Achievable or not?. <i>Respirology</i> , 2019 , 24, 909-915	3.6	18	
56	Innovative strategies to improve the reach and engagement in pulmonary rehabilitation. <i>Journal of Thoracic Disease</i> , 2019 , 11, S2192-S2199	2.6	17	
55	Effects of ground-based walking training on daily physical activity in people with COPD: A randomised controlled trial. <i>Respiratory Medicine</i> , 2017 , 132, 139-145	4.6	16	
54	Reporting of exercise attendance rates for people with chronic obstructive pulmonary disease: a systematic review. <i>Respirology</i> , 2014 , 19, 30-7	3.6	16	
53	Physical comorbidities affect physical activity in chronic obstructive pulmonary disease: a prospective cohort study. <i>Respirology</i> , 2014 , 19, 866-72	3.6	16	
52	Shuttle walk tests as outcome measures: Are two incremental shuttle walk tests and two endurance shuttle walk tests necessary?. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2011 , 90, 35-9	2.6	16	
51	A study design to investigate the effect of short-form Sun-style Tai Chi in improving functional exercise capacity, physical performance, balance and health related quality of life in people with Chronic Obstructive Pulmonary Disease (COPD). <i>Contemporary Clinical Trials</i> , 2011 , 32, 267-72	2.3	15	
50	Singing for adults with chronic obstructive pulmonary disease (COPD). <i>The Cochrane Library</i> , 2017 , 12, CD012296	5.2	13	
49	Exercise training for asbestos-related and other dust-related respiratory diseases: a randomised controlled trial. <i>BMC Pulmonary Medicine</i> , 2014 , 14, 180	3.5	13	

48	Community-based exercise training for people with chronic respiratory and chronic cardiac disease: a mixed-methods evaluation. <i>International Journal of COPD</i> , 2016 , 11, 2839-2850	3	13
47	A randomised controlled trial of supplemental oxygen versus medical air during exercise training in people with chronic obstructive pulmonary disease: supplemental oxygen in pulmonary rehabilitation trial (SuppORT) (Protocol). <i>BMC Pulmonary Medicine</i> , 2016 , 16, 25	3.5	13
46	Associations of total and type-specific physical activity with mortality in chronic obstructive pulmonary disease: a population-based cohort study. <i>BMC Public Health</i> , 2018 , 18, 268	4.1	12
45	A simple clinical measure of quadriceps muscle strength identifies responders to pulmonary rehabilitation. <i>Pulmonary Medicine</i> , 2014 , 2014, 782702	5.3	12
44	A behaviour change intervention to reduce sedentary time in people with chronic obstructive pulmonary disease: protocol for a randomised controlled trial. <i>Journal of Physiotherapy</i> , 2017 , 63, 182	2.9	10
43	Identifying Physical Activity Profiles in COPD Patients Using Topic Models. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2015 , 19, 1567-76	7.2	10
42	Water-based exercise training for chronic obstructive pulmonary disease. <i>The Cochrane Library</i> , 2013 , CD008290	5.2	10
41	Effect on health-related quality of life of ongoing feedback during a 12-month maintenance walking programme in patients with COPD: a randomized controlled trial. <i>Respirology</i> , 2018 , 23, 60-67	3.6	10
40	Low leisure-based sitting time and being physically active were associated with reduced odds of death and diabetes in people with chronic obstructive pulmonary disease: a cohort study. <i>Journal of Physiotherapy</i> , 2018 , 64, 114-120	2.9	9
39	Tai Chi as a form of exercise training in people with chronic obstructive pulmonary disease. <i>Expert Review of Respiratory Medicine</i> , 2013 , 7, 587-92	3.8	9
38	Measurement of daily physical activity using the SenseWear Armband: Compliance, comfort, adverse side effects and usability. <i>Chronic Respiratory Disease</i> , 2016 , 13, 144-54	3	9
37	Obesity in COPD: the effect of water-based exercise. European Respiratory Journal, 2013, 42, 1737-9	13.6	8
36	Physical activity levels improve following discharge in people admitted to hospital with an acute exacerbation of chronic obstructive pulmonary disease. <i>Chronic Respiratory Disease</i> , 2016 , 13, 23-32	3	7
35	Exercise training to improve exercise capacity and quality of life in people with non-malignant dust-related respiratory diseases. <i>The Cochrane Library</i> , 2015 , CD009385	5.2	7
34	Do supervised weekly exercise programs maintain functional exercise capacity and quality of life, twelve months after pulmonary rehabilitation in COPD?. <i>BMC Pulmonary Medicine</i> , 2007 , 7, 7	3.5	7
33	A Survey of Opinions and Attitudes Toward Exercise Following a 12-month Maintenance Exercise Program for People with COPD. <i>Cardiopulmonary Physical Therapy Journal</i> , 2013 , 24, 30-35	1	6
32	Physical activity in people with asbestos related pleural disease and dust-related interstitial lung disease: An observational study. <i>Chronic Respiratory Disease</i> , 2015 , 12, 291-8	3	5
31	The effects of arm endurance and strength training on arm exercise capacity in people with chronic obstructive pulmonary disease. <i>Physical Therapy Reviews</i> , 2009 , 14, 226-239	0.7	5

(2009-2005)

30	Supported and unsupported arm exercise capacity following lung volume reduction surgery: a pilot study. <i>Chronic Respiratory Disease</i> , 2005 , 2, 59-65	3	5
29	Inter-rater and intra-rater reliability of the Brief-BESTest in people with chronic obstructive pulmonary disease. <i>Clinical Rehabilitation</i> , 2019 , 33, 104-112	3.3	4
28	Upper limb exercise training for COPD 2014 ,		4
27	Water-based exercise in chronic obstructive pulmonary disease. <i>Physical Therapy Reviews</i> , 2011 , 16, 25	-3 0 .7	4
26	Effects of maintenance programs on exercise capacity and quality of life in chronic obstructive pulmonary disease. <i>Physical Therapy Reviews</i> , 2012 , 17, 335-345	0.7	4
25	Physiological responses to high intensity, constant-load arm exercise in COPD. <i>Respiratory Medicine</i> , 2008 , 102, 348-53	4.6	4
24	Effects of Ongoing Feedback During a 12-Month Maintenance Walking Program on Daily Physical Activity in People with COPD. <i>Lung</i> , 2019 , 197, 315-319	2.9	3
23	Patterns and Correlates of Sedentary Behaviour Accumulation and Physical Activity in People with Chronic Obstructive Pulmonary Disease: A Cross-Sectional Study. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2020 , 17, 156-164	2	3
22	Estimating endurance shuttle walk test speed using the six-minute walk test in people with chronic obstructive pulmonary disease. <i>Chronic Respiratory Disease</i> , 2014 , 11, 89-94	3	3
21	Water-based exercise training for chronic obstructive pulmonary disease 2010,		3
20	Gas exchange and exercise tolerance following bullectomy. Respirology, 2005, 10, 120-3	3.6	3
19	People With COPD Who Respond to Ground-Based Walking Training Are Characterized by Lower Pre-training Exercise Capacity and Better Lung Function and Have Greater Progression in Walking Training Distance. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2019 , 39, 338-343	3.6	3
18	Shuttle walk tests in people with COPD who demonstrate exercise-induced oxygen desaturation: An analysis of test repeatability and cardiorespiratory responses. <i>Chronic Respiratory Disease</i> , 2018 , 15, 131-137	3	2
17	Evaluating the need for two incremental shuttle walk tests during a maintenance exercise program in people with COPD. <i>Physiotherapy</i> , 2014 , 100, 123-7	3	2
16	Pulmonary rehabilitation using minimal equipment for people with chronic obstructive pulmonary disease (COPD). <i>The Cochrane Library</i> , 2017 ,	5.2	2
16		5.2 1.8	2
	disease (COPD). The Cochrane Library, 2017, Performance-based criteria are used in participant selection for pulmonary rehabilitation programs.		

Emergence of E-learning. Australian Journal of Physiotherapy, 2009, 55, 69 12 2 Reduction in resting energy expenditure following lung volume reduction surgery in subjects with 11 2 chronic obstructive pulmonary disease. Chronic Respiratory Disease, 2004, 1, 197-202 Exercise training in COPD with exercise-induced desaturation does improve exercise capacity, irrespective of whether supplemental oxygen or air is provided during training. European 10 13.6 Respiratory Journal, 2019, 54, Use of supplemental oxygen during exercise testing and training for people with chronic obstructive pulmonary disease: a survey of Australian pulmonary rehabilitation programs. Brazilian 9 3.7 Journal of Physical Therapy, 2021, 25, 97-102 Experiences and perceptions of the short-form Sun-style Tai Chi training in Caucasians with COPD. 8 1.7 1 European Journal of Integrative Medicine, 2015, 7, 131-135 Seasonal variation and living alone are related to pulmonary rehabilitation non-completion. World 0.6 Journal of Respirology, 2013, 3, 29 An observational study of self-reported sedentary behaviour in people with chronic obstructive 6 1 3.7 pulmonary disease and bronchiectasis. Brazilian Journal of Physical Therapy, 2020, 24, 399-406 Urgent need to define telerehabilitation for respiratory disease. Respirology, 2021, 26, 713-714 3.6 Longevity of pulmonary rehabilitation benefit for chronic obstructive pulmonary disease-health 5.6 О care utilisation in the subsequent 2 years. BMJ Open Respiratory Research, 2019, 6, e000500 The minimal detectable difference for endurance shuttle walk test performance in people with COPD on completion of a program of high-intensity ground-based walking. Respiratory Medicine, 4.6 2019, 146, 18-22 Changes in Exercise Capacity and Health-Related Quality of Life at Four and Eight Weeks of a Pulmonary Rehabilitation Program in People with COPD.. COPD: Journal of Chronic Obstructive 2 2 O Pulmonary Disease, 2021, 1-9 Accuracy of the COPD diagnostic questionnaire as a screening tool in primary care. 2022, 23, 78