

Zoe J Mckeough

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4147151/zoe-j-mckeough-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83

papers

1,522

citations

22

h-index

36

g-index

87

ext. papers

1,912

ext. citations

4.2

avg, IF

4.63

L-index

#	Paper	IF	Citations
83	Accuracy of the COPD diagnostic questionnaire as a screening tool in primary care. 2022 , 23, 78		
82	Urgent need to define telerehabilitation for respiratory disease. <i>Respirology</i> , 2021 , 26, 713-714	3.6	0
81	Use of supplemental oxygen during exercise testing and training for people with chronic obstructive pulmonary disease: a survey of Australian pulmonary rehabilitation programs. <i>Brazilian Journal of Physical Therapy</i> , 2021 , 25, 97-102	3.7	2
80	Changes in Exercise Capacity and Health-Related Quality of Life at Four and Eight Weeks of a Pulmonary Rehabilitation Program in People with COPD.. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2021 , 1-9	2	0
79	Patterns and Correlates of Sedentary Behaviour Accumulation and Physical Activity in People with Chronic Obstructive Pulmonary Disease: A Cross-Sectional Study. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2020 , 17, 156-164	2	3
78	An observational study of self-reported sedentary behaviour in people with chronic obstructive pulmonary disease and bronchiectasis. <i>Brazilian Journal of Physical Therapy</i> , 2020 , 24, 399-406	3.7	1
77	Effects of Ongoing Feedback During a 12-Month Maintenance Walking Program on Daily Physical Activity in People with COPD. <i>Lung</i> , 2019 , 197, 315-319	2.9	3
76	Maintaining the benefits following pulmonary rehabilitation: Achievable or not?. <i>Respirology</i> , 2019 , 24, 909-915	3.6	18
75	Oxygen compared to air during exercise training in COPD with exercise-induced desaturation. <i>European Respiratory Journal</i> , 2019 , 53,	13.6	24
74	Inter-rater and intra-rater reliability of the Brief-BESTest in people with chronic obstructive pulmonary disease. <i>Clinical Rehabilitation</i> , 2019 , 33, 104-112	3.3	4
73	Longevity of pulmonary rehabilitation benefit for chronic obstructive pulmonary disease-health care utilisation in the subsequent 2 years. <i>BMJ Open Respiratory Research</i> , 2019 , 6, e000500	5.6	0
72	Innovative strategies to improve the reach and engagement in pulmonary rehabilitation. <i>Journal of Thoracic Disease</i> , 2019 , 11, S2192-S2199	2.6	17
71	Exercise training in COPD with exercise-induced desaturation does improve exercise capacity, irrespective of whether supplemental oxygen or air is provided during training. <i>European Respiratory Journal</i> , 2019 , 54,	13.6	2
70	People With COPD Who Respond to Ground-Based Walking Training Are Characterized by Lower Pre-training Exercise Capacity and Better Lung Function and Have Greater Progression in Walking Training Distance. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2019 , 39, 338-343	3.6	3
69	The minimal detectable difference for endurance shuttle walk test performance in people with COPD on completion of a program of high-intensity ground-based walking. <i>Respiratory Medicine</i> , 2019 , 146, 18-22	4.6	0
68	Low leisure-based sitting time and being physically active were associated with reduced odds of death and diabetes in people with chronic obstructive pulmonary disease: a cohort study. <i>Journal of Physiotherapy</i> , 2018 , 64, 114-120	2.9	9
67	Associations of total and type-specific physical activity with mortality in chronic obstructive pulmonary disease: a population-based cohort study. <i>BMC Public Health</i> , 2018 , 18, 268	4.1	12

66	Shuttle walk tests in people with COPD who demonstrate exercise-induced oxygen desaturation: An analysis of test repeatability and cardiorespiratory responses. <i>Chronic Respiratory Disease</i> , 2018 , 15, 131-137	3	2
65	Effect on health-related quality of life of ongoing feedback during a 12-month maintenance walking programme in patients with COPD: a randomized controlled trial. <i>Respirology</i> , 2018 , 23, 60-67	3.6	10
64	Analysis of nocturnal actigraphic sleep measures in patients with COPD and their association with daytime physical activity. <i>Thorax</i> , 2017 , 72, 694-701	7.3	32
63	A behaviour change intervention to reduce sedentary time in people with chronic obstructive pulmonary disease: protocol for a randomised controlled trial. <i>Journal of Physiotherapy</i> , 2017 , 63, 182	2.9	10
62	Australian and New Zealand Pulmonary Rehabilitation Guidelines. <i>Respirology</i> , 2017 , 22, 800-819	3.6	117
61	Home-based telerehabilitation via real-time videoconferencing improves endurance exercise capacity in patients with COPD: The randomized controlled TeleR Study. <i>Respirology</i> , 2017 , 22, 699-707	3.6	94
60	Effects of ground-based walking training on daily physical activity in people with COPD: A randomised controlled trial. <i>Respiratory Medicine</i> , 2017 , 132, 139-145	4.6	16
59	Interdisciplinary eHealth Practice in Cancer Care: A Review of the Literature. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	25
58	People attending pulmonary rehabilitation demonstrate a substantial engagement with technology and willingness to use telerehabilitation: a survey. <i>Journal of Physiotherapy</i> , 2017 , 63, 175-181	2.9	35
57	Physical activity patterns and clusters in 1001 patients with COPD. <i>Chronic Respiratory Disease</i> , 2017 , 14, 256-269	3	36
56	Singing for adults with chronic obstructive pulmonary disease (COPD). <i>The Cochrane Library</i> , 2017 , 12, CD012296	5.2	13
55	Pulmonary rehabilitation using minimal equipment for people with chronic obstructive pulmonary disease (COPD). <i>The Cochrane Library</i> , 2017 ,	5.2	2
54	Physical activity levels improve following discharge in people admitted to hospital with an acute exacerbation of chronic obstructive pulmonary disease. <i>Chronic Respiratory Disease</i> , 2016 , 13, 23-32	3	7
53	Upper limb exercise training for COPD. <i>The Cochrane Library</i> , 2016 , 11, CD011434	5.2	22
52	Satisfaction and Experience With a Supervised Home-Based Real-Time Videoconferencing Telerehabilitation Exercise Program in People with Chronic Obstructive Pulmonary Disease (COPD). <i>International Journal of Telerehabilitation</i> , 2016 , 8, 27-38	4.5	27
51	Community-based exercise training for people with chronic respiratory and chronic cardiac disease: a mixed-methods evaluation. <i>International Journal of COPD</i> , 2016 , 11, 2839-2850	3	13
50	A randomised controlled trial of supplemental oxygen versus medical air during exercise training in people with chronic obstructive pulmonary disease: supplemental oxygen in pulmonary rehabilitation trial (Support) (Protocol). <i>BMC Pulmonary Medicine</i> , 2016 , 16, 25	3.5	13
49	Measurement of daily physical activity using the SenseWear Armband: Compliance, comfort, adverse side effects and usability. <i>Chronic Respiratory Disease</i> , 2016 , 13, 144-54	3	9

48	Acceptability of the aquatic environment for exercise training by people with chronic obstructive pulmonary disease with physical comorbidities: Additional results from a randomised controlled trial. <i>Physiotherapy</i> , 2015 , 101, 187-92	3	19
47	Experiences and perceptions of the short-form Sun-style Tai Chi training in Caucasians with COPD. <i>European Journal of Integrative Medicine</i> , 2015 , 7, 131-135	1.7	1
46	Identifying Physical Activity Profiles in COPD Patients Using Topic Models. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2015 , 19, 1567-76	7.2	10
45	Exercise training to improve exercise capacity and quality of life in people with non-malignant dust-related respiratory diseases. <i>The Cochrane Library</i> , 2015 , CD009385	5.2	7
44	Physical activity in people with asbestos related pleural disease and dust-related interstitial lung disease: An observational study. <i>Chronic Respiratory Disease</i> , 2015 , 12, 291-8	3	5
43	Reporting of exercise attendance rates for people with chronic obstructive pulmonary disease: a systematic review. <i>Respirology</i> , 2014 , 19, 30-7	3.6	16
42	Ground-based walking training improves quality of life and exercise capacity in COPD. <i>European Respiratory Journal</i> , 2014 , 44, 885-94	13.6	45
41	Evaluating the need for two incremental shuttle walk tests during a maintenance exercise program in people with COPD. <i>Physiotherapy</i> , 2014 , 100, 123-7	3	2
40	Upper limb exercise training for COPD 2014 ,		4
39	Physical comorbidities affect physical activity in chronic obstructive pulmonary disease: a prospective cohort study. <i>Respirology</i> , 2014 , 19, 866-72	3.6	16
38	Exercise training for asbestos-related and other dust-related respiratory diseases: a randomised controlled trial. <i>BMC Pulmonary Medicine</i> , 2014 , 14, 180	3.5	13
37	A simple clinical measure of quadriceps muscle strength identifies responders to pulmonary rehabilitation. <i>Pulmonary Medicine</i> , 2014 , 2014, 782702	5.3	12
36	Estimating endurance shuttle walk test speed using the six-minute walk test in people with chronic obstructive pulmonary disease. <i>Chronic Respiratory Disease</i> , 2014 , 11, 89-94	3	3
35	Assessing sleep disturbance in low back pain: the validity of portable instruments. <i>PLoS ONE</i> , 2014 , 9, e95824	3.7	41
34	Pulmonary rehabilitation for COPD: are programs with minimal exercise equipment effective?. <i>Journal of Thoracic Disease</i> , 2014 , 6, 1606-14	2.6	25
33	Functional exercise capacity and health-related quality of life in people with asbestos related pleural disease: an observational study. <i>BMC Pulmonary Medicine</i> , 2013 , 13, 1	3.5	21
32	Water-based exercise training for chronic obstructive pulmonary disease. <i>The Cochrane Library</i> , 2013 , CD008290	5.2	10
31	A Survey of Opinions and Attitudes Toward Exercise Following a 12-month Maintenance Exercise Program for People with COPD. <i>Cardiopulmonary Physical Therapy Journal</i> , 2013 , 24, 30-35	1	6

30	Short-form Sun-style tai chi as an exercise training modality in people with COPD. <i>European Respiratory Journal</i> , 2013 , 41, 1051-7	13.6	73
29	Metabolic disease and participant age are independent predictors of response to pulmonary rehabilitation. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2013 , 33, 249-56	3.6	19
28	Water-based exercise in COPD with physical comorbidities: a randomised controlled trial. <i>European Respiratory Journal</i> , 2013 , 41, 1284-91	13.6	75
27	Obesity in COPD: the effect of water-based exercise. <i>European Respiratory Journal</i> , 2013 , 42, 1737-9	13.6	8
26	Tai Chi as a form of exercise training in people with chronic obstructive pulmonary disease. <i>Expert Review of Respiratory Medicine</i> , 2013 , 7, 587-92	3.8	9
25	Performance-based criteria are used in participant selection for pulmonary rehabilitation programs. <i>Australian Health Review</i> , 2013 , 37, 331-6	1.8	2
24	Seasonal variation and living alone are related to pulmonary rehabilitation non-completion. <i>World Journal of Respirology</i> , 2013 , 3, 29	0.6	1
23	Arm exercise training in chronic obstructive pulmonary disease: a randomised controlled trial. <i>Chronic Respiratory Disease</i> , 2012 , 9, 153-62	3	26
22	Effects of maintenance programs on exercise capacity and quality of life in chronic obstructive pulmonary disease. <i>Physical Therapy Reviews</i> , 2012 , 17, 335-345	0.7	4
21	A study design to investigate the effect of short-form Sun-style Tai Chi in improving functional exercise capacity, physical performance, balance and health related quality of life in people with Chronic Obstructive Pulmonary Disease (COPD). <i>Contemporary Clinical Trials</i> , 2011 , 32, 267-72	2.3	15
20	Shuttle walk tests as outcome measures: Are two incremental shuttle walk tests and two endurance shuttle walk tests necessary?. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2011 , 90, 35-9	2.6	16
19	Effects of exercise on respiratory flow and sputum properties in patients with cystic fibrosis. <i>Chest</i> , 2011 , 139, 870-877	5.3	68
18	Exercise training to improve exercise capacity and quality of life in people with non-malignant dust-related respiratory diseases 2011 ,		2
17	Water-based exercise in chronic obstructive pulmonary disease. <i>Physical Therapy Reviews</i> , 2011 , 16, 25-30.7		4
16	Maintaining benefits following pulmonary rehabilitation: a randomised controlled trial. <i>European Respiratory Journal</i> , 2010 , 35, 571-7	13.6	78
15	Ground walk training improves functional exercise capacity more than cycle training in people with chronic obstructive pulmonary disease (COPD): a randomised trial. <i>Journal of Physiotherapy</i> , 2010 , 56, 105-12	2.9	53
14	Water-based exercise training for chronic obstructive pulmonary disease 2010 ,		3
13	The effects of arm endurance and strength training on arm exercise capacity in people with chronic obstructive pulmonary disease. <i>Physical Therapy Reviews</i> , 2009 , 14, 226-239	0.7	5

12	Community-based pulmonary rehabilitation is effective for people with chronic obstructive pulmonary disease (COPD). <i>Australian Journal of Physiotherapy</i> , 2009 , 55, 287		2
11	Emergence of E-learning. <i>Australian Journal of Physiotherapy</i> , 2009 , 55, 69		2
10	Evaluation of the SenseWear activity monitor during exercise in cystic fibrosis and in health. <i>Respiratory Medicine</i> , 2009 , 103, 1511-7	4.6	77
9	Physiological responses to high intensity, constant-load arm exercise in COPD. <i>Respiratory Medicine</i> , 2008 , 102, 348-53	4.6	4
8	Six-minute walk test as an outcome measure: are two six-minute walk tests necessary immediately after pulmonary rehabilitation and at three-month follow-up?. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2008 , 87, 224-8	2.6	32
7	Do supervised weekly exercise programs maintain functional exercise capacity and quality of life, twelve months after pulmonary rehabilitation in COPD?. <i>BMC Pulmonary Medicine</i> , 2007 , 7, 7	3.5	7
6	Exercise capacity and quadriceps muscle metabolism following training in subjects with COPD. <i>Respiratory Medicine</i> , 2006 , 100, 1817-25	4.6	30
5	Gas exchange and exercise tolerance following bullectomy. <i>Respirology</i> , 2005 , 10, 120-3	3.6	3
4	Supported and unsupported arm exercise capacity following lung volume reduction surgery: a pilot study. <i>Chronic Respiratory Disease</i> , 2005 , 2, 59-65	3	5
3	Reduction in resting energy expenditure following lung volume reduction surgery in subjects with chronic obstructive pulmonary disease. <i>Chronic Respiratory Disease</i> , 2004 , 1, 197-202	3	2
2	Arm exercise capacity and dyspnea ratings in subjects with chronic obstructive pulmonary disease. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2003 , 23, 218-25		28
1	Arm positioning alters lung volumes in subjects with COPD and healthy subjects. <i>Australian Journal of Physiotherapy</i> , 2003 , 49, 133-7		27