

Haydar Gk

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4148068/haydar-gok-publications-by-year.pdf>

Version: 2024-04-05

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

27 papers	719 citations	13 h-index	26 g-index
34 ext. papers	805 ext. citations	2.3 avg, IF	3.45 L-index

#	Paper	IF	Citations
27	Evaluation and management of neurogenic bladder after spinal cord injury: Current practice among physical medicine and rehabilitation specialists in Turkey. <i>Turkish Journal of Physical Medicine and Rehabilitation</i> , 2021 , 67, 225-232	1.1	
26	Effects of spasticity and hemiplegic posture on median nerve and carpal tunnel in stroke patients: Electrophysiological and ultrasonographic evaluation. <i>Journal of Clinical Neuroscience</i> , 2020 , 77, 31-35	2.2	
25	Effectiveness of pulsed electromagnetic field therapy on pain, functional status, and quality of life in patients with chronic non-specific neck pain: A prospective, randomized-controlled study. <i>Turkish Journal of Physical Medicine and Rehabilitation</i> , 2020 , 66, 140-146	1.1	2
24	Does kinesiotaping affect standing balance in healthy individuals? A pilot, double-blind, randomized-controlled study. <i>Turkish Journal of Physical Medicine and Rehabilitation</i> , 2019 , 65, 327-334	1.1	4
23	Kinaesthetic ability training improves unilateral neglect and functional outcome in patients with stroke: A randomized control trial. <i>Journal of Rehabilitation Medicine</i> , 2018 , 50, 159-164	3.4	5
22	Assessment of voiding dysfunction in Parkinson's disease: Reliability and validity of the Turkish version of the Danish Prostate Symptom Score. <i>Neurourology and Urodynamics</i> , 2017 , 36, 1903-1909	2.3	3
21	Clinical feasibility of Xbox Kinect™ training for stroke rehabilitation: A single-blind randomized controlled pilot study. <i>Journal of Rehabilitation Medicine</i> , 2017 , 49, 22-29	3.4	21
20	Overactive bladder symptoms in patients with multiple sclerosis: Frequency, severity, diagnosis and treatment. <i>Journal of Spinal Cord Medicine</i> , 2016 , 39, 229-33	1.9	16
19	Intermittent catheterization in patients with traumatic spinal cord injury: obstacles, worries, level of satisfaction. <i>Spinal Cord</i> , 2014 , 52, 826-30	2.7	13
18	Neurogenic bladder in patients with traumatic spinal cord injury: treatment and follow-up. <i>Spinal Cord</i> , 2014 , 52, 462-7	2.7	17
17	An evaluation of bladder emptying methods and the effect of demographic and clinical factors on spontaneous voiding frequency in stroke patients. <i>Neurological Sciences</i> , 2013 , 34, 729-34	3.5	9
16	Effects of different bladder management methods on the quality of life in patients with traumatic spinal cord injury. <i>Spinal Cord</i> , 2013 , 51, 226-31	2.7	32
15	Effects of custom-made insole on gait pattern of patients with unilateral displaced intra-articular calcaneal fracture: evaluation with computerized gait analysis. <i>Acta Orthopaedica Et Traumatologica Turcica</i> , 2012 , 46, 1-7	1.3	7
14	Hastanelerde Maliyet Analizi ve Tıbbi Rehabilitasyon Hizmetlerinde Birim Maliyet Hesaplanması FTR - Türkiye Fiziksel Tıp Ve Rehabilitasyon Dergisi, 2012 , 58, 103-108		3
13	Gait analysis in adults with severe hip dysplasia before and after total hip arthroplasty. <i>HIP International</i> , 2010 , 20, 466-72	1.7	11
12	Comparison of ambulatory versus conventional urodynamics in females with urinary incontinence. <i>Neurourology and Urodynamics</i> , 2010 , 29, 518-21	2.3	27
11	Efficacy of treatment with a kinaesthetic ability training device on balance and mobility after stroke: a randomized controlled study. <i>Clinical Rehabilitation</i> , 2008 , 22, 922-30	3.3	19

10	A placebo-controlled, multicenter, randomized, double-blind, flexible-dose, two-way crossover study to evaluate the efficacy and safety of sildenafil in men with traumatic spinal cord injury and erectile dysfunction. <i>Journal of Spinal Cord Medicine</i> , 2008 , 31, 522-31	1.9	28
9	Does treadmill training improve lower-extremity tasks in Parkinson disease? A randomized controlled trial. <i>Clinical Journal of Sport Medicine</i> , 2008 , 18, 289-91	3.2	77
8	Does the combination of inhaled steroids with long acting beta2 agonists decrease the risk for osteoporosis? A 1-year prospective follow-up study. <i>Rheumatology International</i> , 2006 , 27, 141-6	3.6	4
7	The peak oxygen uptake of healthy Turkish children with reference to age and sex: a pilot study. <i>Turkish Journal of Pediatrics</i> , 2004 , 46, 38-43	0.7	11
6	In reply to S Vaidyanathan et al regarding bladder management. <i>Spinal Cord</i> , 2003 , 41, 199; author reply 200	2.7	0
5	Effects of ankle-foot orthoses on hemiparetic gait. <i>Clinical Rehabilitation</i> , 2003 , 17, 137-9	3.3	139
4	Kinetic and kinematic characteristics of gait in patients with medial knee arthrosis. <i>Acta Orthopaedica</i> , 2002 , 73, 647-652		157
3	Kinetic and kinematic characteristics of gait in patients with medial knee arthrosis. <i>Acta Orthopaedica</i> , 2002 , 73, 647-52		51
2	Aphasia rehabilitation in patients with stroke. <i>International Journal of Rehabilitation Research</i> , 2001 , 24, 241-4	1.8	7
1	Compliance with bladder management in spinal cord injury patients. <i>Spinal Cord</i> , 2000 , 38, 762-5	2.7	53