

# Frank Bellivier

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/4148551/frank-bellivier-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

347  
papers

15,252  
citations

61  
h-index

112  
g-index

376  
ext. papers

18,785  
ext. citations

6  
avg, IF

5.91  
L-index

#	Paper	IF	Citations
347	Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. <i>Nature Genetics</i> , <b>2013</b> , 45, 984-94	36.3	1628
346	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , <b>2019</b> , 51, 793-803	36.3	662
345	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , <b>2019</b> , 179, 1469-1482.e11	56.2	402
344	Impaired decision making in suicide attempters. <i>American Journal of Psychiatry</i> , <b>2005</b> , 162, 304-10	11.9	378
343	Genomic Dissection of Bipolar Disorder and Schizophrenia, Including 28 Subphenotypes. <i>Cell</i> , <b>2018</b> , 173, 1705-1715.e16	56.2	360
342	Repair of the lower and middle parts of the face by composite tissue allotransplantation in a patient with massive plexiform neurofibroma: a 1-year follow-up study. <i>Lancet, The</i> , <b>2008</b> , 372, 639-45	4 <sup>0</sup>	295
341	Psychiatric genetics: search for phenotypes. <i>Trends in Neurosciences</i> , <b>1998</b> , 21, 102-5	13.3	265
340	Early and late onset bipolar disorders: two different forms of manic-depressive illness?. <i>Journal of Affective Disorders</i> , <b>2000</b> , 58, 215-21	6.6	222
339	Genome-wide association study identifies genetic variation in neurocan as a susceptibility factor for bipolar disorder. <i>American Journal of Human Genetics</i> , <b>2011</b> , 88, 372-81	11	221
338	Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet, The</i> , <b>2016</b> , 387, 1085-1093	40	216
337	Age at onset in bipolar affective disorders: a review. <i>Bipolar Disorders</i> , <b>2005</b> , 7, 111-8	3.8	214
336	Collaborative meta-analysis finds no evidence of a strong interaction between stress and 5-HTTLPR genotype contributing to the development of depression. <i>Molecular Psychiatry</i> , <b>2018</b> , 23, 133-142	15.1	188
335	Age at onset in bipolar I affective disorder: further evidence for three subgroups. <i>American Journal of Psychiatry</i> , <b>2003</b> , 160, 999-1001	11.9	187
334	Executive dysfunctions as potential markers of familial vulnerability to bipolar disorder and schizophrenia. <i>Psychiatry Research</i> , <b>2004</b> , 121, 207-17	9.9	179
333	Beyond genetics: childhood affective trauma in bipolar disorder. <i>Bipolar Disorders</i> , <b>2008</b> , 10, 867-76	3.8	170
332	Association between the tryptophan hydroxylase gene and manic-depressive illness. <i>Archives of General Psychiatry</i> , <b>1998</b> , 55, 33-7		165
331	Joint analysis of psychiatric disorders increases accuracy of risk prediction for schizophrenia, bipolar disorder, and major depressive disorder. <i>American Journal of Human Genetics</i> , <b>2015</b> , 96, 283-94	11	161

330	Feasibility, reproducibility, risks and benefits of face transplantation: a prospective study of outcomes. <i>American Journal of Transplantation</i> , <b>2011</b> , 11, 367-78	8.7	160
329	The role of childhood trauma in bipolar disorders. <i>International Journal of Bipolar Disorders</i> , <b>2016</b> , 4, 2	5.4	152
328	Affective lability and affect intensity as core dimensions of bipolar disorders during euthymic period. <i>Psychiatry Research</i> , <b>2008</b> , 159, 1-6	9.9	148
327	Admixture analysis of age at onset in bipolar I affective disorder. <i>Archives of General Psychiatry</i> , <b>2001</b> , 58, 510-2		138
326	ALGOS: the development of a randomized controlled trial testing a case management algorithm designed to reduce suicide risk among suicide attempters. <i>BMC Psychiatry</i> , <b>2011</b> , 11, 1	4.2	134
325	Cortical folding abnormalities in schizophrenia patients with resistant auditory hallucinations. <i>NeuroImage</i> , <b>2008</b> , 39, 927-35	7.9	133
324	Possible association between serotonin transporter gene polymorphism and violent suicidal behavior in mood disorders. <i>Biological Psychiatry</i> , <b>2000</b> , 48, 319-22	7.9	131
323	Sleep in patients with remitted bipolar disorders: a meta-analysis of actigraphy studies. <i>Acta Psychiatrica Scandinavica</i> , <b>2015</b> , 131, 89-99	6.5	130
322	Duration of untreated bipolar disorder: missed opportunities on the long road to optimal treatment. <i>Acta Psychiatrica Scandinavica</i> , <b>2013</b> , 127, 136-44	6.5	128
321	Childhood trauma is associated with severe clinical characteristics of bipolar disorders. <i>Journal of Clinical Psychiatry</i> , <b>2013</b> , 74, 991-8	4.6	128
320	Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Human Molecular Genetics</i> , <b>2016</b> , 25, 3383-3394	5.6	125
319	Genetics of circadian rhythms and mood spectrum disorders. <i>European Neuropsychopharmacology</i> , <b>2011</b> , 21 Suppl 4, S676-82	1.2	117
318	Seasonality and bipolar disorder: a systematic review, from admission rates to seasonality of symptoms. <i>Journal of Affective Disorders</i> , <b>2014</b> , 168, 210-23	6.6	116
317	Association between bipolar disorder and monoamine oxidase A gene polymorphisms: results of a multicenter study. <i>American Journal of Psychiatry</i> , <b>2000</b> , 157, 948-55	11.9	116
316	Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. <i>PLoS ONE</i> , <b>2013</b> , 8, e65636	3.7	113
315	Serotonin transporter gene polymorphisms in patients with unipolar or bipolar depression. <i>Neuroscience Letters</i> , <b>1998</b> , 255, 143-6	3.3	111
314	Association between the TPH gene A218C polymorphism and suicidal behavior: a meta-analysis. <i>American Journal of Medical Genetics Part A</i> , <b>2004</b> , 124B, 87-91		111
313	Preferential association between childhood emotional abuse and bipolar disorder. <i>Journal of Traumatic Stress</i> , <b>2010</b> , 23, 376-83	3.8	106

312	Prefrontal cortex dysfunction in patients with suicidal behavior. <i>Psychological Medicine</i> , <b>2007</b> , 37, 411-9	6.9	103
311	Bipolar patients with suicidal behavior: toward the identification of a clinical subgroup. <i>Journal of Clinical Psychiatry</i> , <b>2004</b> , 65, 1035-9	4.6	96
310	Clinical expression of bipolar disorder type I as a function of age and polarity at onset: convergent findings in samples from France and the United States. <i>Journal of Clinical Psychiatry</i> , <b>2012</b> , 73, e561-6	4.6	93
309	Interaction between BDNF Val66Met and childhood trauma on adult's violent suicide attempt. <i>Genes, Brain and Behavior</i> , <b>2008</b> , 7, 314-22	3.6	91
308	Antidepressant-induced mania, rapid cycling and the serotonin transporter gene polymorphism. <i>Pharmacogenomics Journal</i> , <b>2003</b> , 3, 101-4	3.5	83
307	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , <b>2021</b> , 53, 817-829	36.3	83
306	"Where do auditory hallucinations come from?"--a brain morphometry study of schizophrenia patients with inner or outer space hallucinations. <i>Schizophrenia Bulletin</i> , <b>2011</b> , 37, 212-21	1.3	81
305	Sleep in remitted bipolar disorder: a naturalistic case-control study using actigraphy. <i>Journal of Affective Disorders</i> , <b>2014</b> , 158, 1-7	6.6	80
304	Psychiatric diagnoses and personality traits associated with disadvantageous decision-making. <i>European Psychiatry</i> , <b>2007</b> , 22, 455-61	6	77
303	Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder: A Genome-Wide Association Study. <i>JAMA Psychiatry</i> , <b>2018</b> , 75, 65-74	14.5	75
302	Risk factors for treatment resistance in unipolar depression: a systematic review. <i>Journal of Affective Disorders</i> , <b>2015</b> , 171, 137-41	6.6	74
301	Suicide attempts and the tryptophan hydroxylase gene. <i>Molecular Psychiatry</i> , <b>2001</b> , 6, 268-73	15.1	73
300	Sociodemographic and psychopathological risk factors in repeated suicide attempts: gender differences in a prospective study. <i>Journal of Affective Disorders</i> , <b>2012</b> , 136, 35-43	6.6	71
299	Genetic and functional abnormalities of the melatonin biosynthesis pathway in patients with bipolar disorder. <i>Human Molecular Genetics</i> , <b>2012</b> , 21, 4030-7	5.6	70
298	Insomnia and hypersomnia in major depressive episode: Prevalence, sociodemographic characteristics and psychiatric comorbidity in a population-based study. <i>Journal of Affective Disorders</i> , <b>2018</b> , 226, 132-141	6.6	69
297	Influence of prefrontal target region on the efficacy of repetitive transcranial magnetic stimulation in patients with medication-resistant depression: a [(18)F]-fluorodeoxyglucose PET and MRI study. <i>International Journal of Neuropsychopharmacology</i> , <b>2010</b> , 13, 45-59	5.8	69
296	Inter-hemispheric asymmetry of motor corticospinal excitability in major depression studied by transcranial magnetic stimulation. <i>Journal of Psychiatric Research</i> , <b>2008</b> , 42, 389-98	5.2	68
295	Common variant at 16p11.2 conferring risk of psychosis. <i>Molecular Psychiatry</i> , <b>2014</b> , 19, 108-14	15.1	67

294	Serotonin transporter gene may be involved in short-term risk of subsequent suicide attempts. <i>Biological Psychiatry</i> , <b>2004</b> , 55, 46-51	7.9	67
293	The influence of four serotonin-related genes on decision-making in suicide attempters. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2007</b> , 144B, 615-24	3.5	66
292	Genome-wide scan for genes involved in bipolar affective disorder in 70 European families ascertained through a bipolar type I early-onset proband: supportive evidence for linkage at 3p14. <i>Molecular Psychiatry</i> , <b>2006</b> , 11, 685-94	15.1	64
291	Familial aggregation of delusional proneness in schizophrenia and bipolar pedigrees. <i>American Journal of Psychiatry</i> , <b>2003</b> , 160, 1313-9	11.9	63
290	Circadian biomarkers, circadian genes and bipolar disorders. <i>Journal of Physiology (Paris)</i> , <b>2011</b> , 105, 183-9		62
289	A SNAP25 promoter variant is associated with early-onset bipolar disorder and a high expression level in brain. <i>Molecular Psychiatry</i> , <b>2010</b> , 15, 748-55	15.1	62
288	Executive deficits in psychotic and bipolar disorders - implications for our understanding of schizoaffective disorder. <i>European Psychiatry</i> , <b>2008</b> , 23, 20-5	6	62
287	Association of manic-depressive illness with tyrosine hydroxylase microsatellite marker. <i>Lancet, The</i> , <b>1995</b> , 345, 932	40	61
286	Reconsideration of bipolar disorder as a developmental disorder: importance of the time of onset. <i>Journal of Physiology (Paris)</i> , <b>2013</b> , 107, 278-85		58
285	Correlations between objective and subjective sleep and circadian markers in remitted patients with bipolar disorder. <i>Chronobiology International</i> , <b>2014</b> , 31, 698-704	3.6	58
284	Residual symptoms and specific functional impairments in euthymic patients with bipolar disorder. <i>Bipolar Disorders</i> , <b>2016</b> , 18, 164-73	3.8	58
283	Cerebellar volume in schizophrenia and bipolar I disorder with and without psychotic features. <i>Acta Psychiatrica Scandinavica</i> , <b>2015</b> , 131, 223-33	6.5	57
282	Risk of myocardial infarction and stroke in bipolar disorder: a systematic review and exploratory meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , <b>2014</b> , 130, 342-53	6.5	57
281	Sleep- and circadian rhythm-associated pathways as therapeutic targets in bipolar disorder. <i>Expert Opinion on Therapeutic Targets</i> , <b>2015</b> , 19, 747-63	6.4	56
280	Association between circadian genes, bipolar disorders and chronotypes. <i>Chronobiology International</i> , <b>2014</b> , 31, 807-14	3.6	54
279	Consensus paper of the WFSBP Task Force on Genetics: Genetics, epigenetics and gene expression markers of major depressive disorder and antidepressant response. <i>World Journal of Biological Psychiatry</i> , <b>2017</b> , 18, 5-28	3.8	54
278	Suicidal attempts in bipolar disorder: results from an observational study (EMBLEM). <i>Bipolar Disorders</i> , <b>2011</b> , 13, 377-86	3.8	53
277	White matter alterations in bipolar disorder: potential for drug discovery and development. <i>Bipolar Disorders</i> , <b>2014</b> , 16, 97-112	3.8	52

276	Allelic differences between Europeans and Chinese for CREB1 SNPs and their implications in gene expression regulation, hippocampal structure and function, and bipolar disorder susceptibility. <i>Molecular Psychiatry</i> , <b>2014</b> , 19, 452-61	15.1	52
275	Age at onset in bipolar I affective disorder in the USA and Europe. <i>World Journal of Biological Psychiatry</i> , <b>2014</b> , 15, 369-76	3.8	52
274	Serotonin transporter gene and manic depressive illness: an association study. <i>Biological Psychiatry</i> , <b>1997</b> , 41, 750-2	7.9	52
273	Association between brain-derived neurotrophic factor gene and a severe form of bipolar disorder, but no interaction with the serotonin transporter gene. <i>Bipolar Disorders</i> , <b>2008</b> , 10, 580-7	3.8	52
272	Hemodialysis for acute renal failure in patients with hematologic malignancies. <i>Critical Care Medicine</i> , <b>1991</b> , 19, 346-51	1.4	52
271	Clinical features associated with trait-impulsiveness in euthymic bipolar disorder patients. <i>Journal of Affective Disorders</i> , <b>2013</b> , 144, 240-7	6.6	51
270	Additive effects of childhood abuse and cannabis abuse on clinical expressions of bipolar disorders. <i>Psychological Medicine</i> , <b>2014</b> , 44, 1653-62	6.9	51
269	Clinical management and burden of bipolar disorder: results from a multinational longitudinal study (WAVE-bd). <i>International Journal of Neuropsychopharmacology</i> , <b>2013</b> , 16, 1719-32	5.8	51
268	Admixture analysis of age at onset in schizophrenia. <i>Schizophrenia Research</i> , <b>2004</b> , 71, 35-41	3.6	50
267	COMT but not serotonin-related genes modulates the influence of childhood abuse on anger traits. <i>Genes, Brain and Behavior</i> , <b>2010</b> , 9, 193-202	3.6	49
266	Familial resemblance for executive functions in families of schizophrenic and bipolar patients. <i>Psychiatry Research</i> , <b>2006</b> , 144, 131-8	9.9	48
265	Affective lability mediates the association between childhood trauma and suicide attempts, mixed episodes and co-morbid anxiety disorders in bipolar disorders. <i>Psychological Medicine</i> , <b>2017</b> , 47, 902-912	6.9	47
264	Serotonin transporter gene polymorphism influences age at onset in patients with bipolar affective disorder. <i>Neuroscience Letters</i> , <b>2002</b> , 334, 17-20	3.3	46
263	The absence of VGLUT3 predisposes to cocaine abuse by increasing dopamine and glutamate signaling in the nucleus accumbens. <i>Molecular Psychiatry</i> , <b>2015</b> , 20, 1448-59	15.1	45
262	Schizotypal dimensions: an intermediate phenotype associated with the COMT high activity allele. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2007</b> , 144B, 64-8	3.5	45
261	Serious suicide attempts in outpatients with multiple substance use disorders. <i>Drug and Alcohol Dependence</i> , <b>2017</b> , 181, 63-70	4.9	44
260	Anhedonia in schizophrenia: a distinct familial subtype?. <i>Schizophrenia Research</i> , <b>2003</b> , 61, 59-66	3.6	43
259	Combined effect of TLR2 gene polymorphism and early life stress on the age at onset of bipolar disorders. <i>PLoS ONE</i> , <b>2015</b> , 10, e0119702	3.7	43

258	Childhood trauma and the limbic network: a multimodal MRI study in patients with bipolar disorder and controls. <i>Journal of Affective Disorders</i> , <b>2016</b> , 200, 159-64	6.6	43
257	Extracellular signal-regulated protein kinases 1 and 2 activation by addictive drugs: a signal toward pathological adaptation. <i>Biological Psychiatry</i> , <b>2014</b> , 76, 917-26	7.9	42
256	Age at onset and gender resemblance in bipolar siblings. <i>Psychiatry Research</i> , <b>1998</b> , 81, 125-31	9.9	42
255	Transcranial direct-current stimulation (tDCS) for bipolar depression: A systematic review and meta-analysis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2017</b> , 78, 123-131	5.5	41
254	Psychometric properties of the Affective Lability Scale (54 and 18-item version) in patients with bipolar disorder, first-degree relatives, and healthy controls. <i>Journal of Affective Disorders</i> , <b>2015</b> , 172, 375-80	6.6	41
253	Polymorphism of Toll-like receptor 4 gene in bipolar disorder. <i>Journal of Affective Disorders</i> , <b>2014</b> , 152-154, 395-402	6.6	41
252	Temperament in bipolar illness: impact on prognosis. <i>Journal of Affective Disorders</i> , <b>1999</b> , 56, 103-8	6.6	41
251	Residual depressive symptoms, sleep disturbance and perceived cognitive impairment as determinants of functioning in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , <b>2017</b> , 210, 280-286	6.6	40
250	Characteristics and profiles of bipolar I patients according to age-at-onset: findings from an admixture analysis. <i>Journal of Affective Disorders</i> , <b>2013</b> , 150, 993-1000	6.6	40
249	Clinical and dimensional characteristics of euthymic bipolar patients with or without suicidal behavior. <i>European Psychiatry</i> , <b>2012</b> , 27, 570-6	6	40
248	Factor analyses of the Suicidal Intent Scale (SIS) and the Risk-Rescue Rating Scale (RRRS): toward the identification of homogeneous subgroups of suicidal behaviors. <i>Journal of Affective Disorders</i> , <b>2010</b> , 121, 80-7	6.6	40
247	Temperament in schizophrenia: a study of the tridimensional personality questionnaire (TPQ). <i>European Psychiatry</i> , <b>2002</b> , 17, 379-83	6	40
246	Chronotypes of bipolar patients in remission: validation of the French version of the circadian type inventory in the FACE-BD sample. <i>Chronobiology International</i> , <b>2013</b> , 30, 1042-9	3.6	39
245	Depressive residual symptoms are associated with lower adherence to medication in bipolar patients without substance use disorder: results from the FACE-BD cohort. <i>Journal of Affective Disorders</i> , <b>2013</b> , 151, 1009-15	6.6	39
244	Clinical factors associated with lithium response in bipolar disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2017</b> , 51, 524-530	2.6	38
243	Social phobia is associated with suicide attempt history in bipolar inpatients. <i>Bipolar Disorders</i> , <b>2007</b> , 9, 713-21	3.8	38
242	Melatonin and Melatonin Agonists as Adjunctive Treatments in Bipolar Disorders. <i>Current Pharmaceutical Design</i> , <b>2015</b> , 21, 3352-8	3.3	38
241	Genetic association study of circadian genes with seasonal pattern in bipolar disorders. <i>Scientific Reports</i> , <b>2015</b> , 5, 10232	4.9	37

240	Relationship between sunlight and the age of onset of bipolar disorder: an international multisite study. <i>Journal of Affective Disorders</i> , <b>2014</b> , 167, 104-11	6.6	37
239	Bipolar disorder with seasonal pattern: clinical characteristics and gender influences. <i>Chronobiology International</i> , <b>2013</b> , 30, 1101-7	3.6	37
238	Baseline brain metabolism in resistant depression and response to transcranial magnetic stimulation. <i>Neuropsychopharmacology</i> , <b>2011</b> , 36, 2710-9	8.7	37
237	Anxiety disorders in 318 bipolar patients: prevalence and impact on illness severity and response to mood stabilizer. <i>Journal of Clinical Psychiatry</i> , <b>2003</b> , 64, 331-5	4.6	37
236	Admixture analysis of age at first suicide attempt. <i>Journal of Psychiatric Research</i> , <b>2009</b> , 43, 895-900	5.2	36
235	CAG repeat sequences in bipolar affective disorder: No evidence for association in a french population. <i>American Journal of Medical Genetics Part A</i> , <b>1998</b> , 81, 338-341		36
234	Cortical folding in patients with bipolar disorder or unipolar depression. <i>Journal of Psychiatry and Neuroscience</i> , <b>2009</b> , 34, 127-35	4.5	36
233	Sleep and circadian rhythms as possible trait markers of suicide attempt in bipolar disorders: An actigraphy study. <i>Journal of Affective Disorders</i> , <b>2019</b> , 244, 1-8	6.6	36
232	Cortical folding difference between patients with early-onset and patients with intermediate-onset bipolar disorder. <i>Bipolar Disorders</i> , <b>2009</b> , 11, 361-70	3.8	35
231	Influence of light exposure during early life on the age of onset of bipolar disorder. <i>Journal of Psychiatric Research</i> , <b>2015</b> , 64, 1-8	5.2	34
230	Bipolar Disorder: The Role of the Kynurenine and Melatonergic Pathways. <i>Current Pharmaceutical Design</i> , <b>2016</b> , 22, 987-1012	3.3	34
229	Genetics of schizophrenia: A consensus paper of the WFSBP Task Force on Genetics. <i>World Journal of Biological Psychiatry</i> , <b>2017</b> , 18, 492-505	3.8	33
228	Cognitive profiles in euthymic patients with bipolar disorders: results from the FACE-BD cohort. <i>Bipolar Disorders</i> , <b>2017</b> , 19, 146-153	3.8	33
227	Apolipoprotein E gene polymorphism in early and late onset bipolar patients. <i>Neuroscience Letters</i> , <b>1997</b> , 233, 45-8	3.3	33
226	Lack of influence of COMT and NET genes variants on executive functions in schizophrenic and bipolar patients, their first-degree relatives and controls. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2006</b> , 141B, 504-12	3.5	33
225	Common and rare variant analysis in early-onset bipolar disorder vulnerability. <i>PLoS ONE</i> , <b>2014</b> , 9, e104336	3.6	32
224	Clinical guidelines for the management of treatment-resistant depression: French recommendations from experts, the French Association for Biological Psychiatry and Neuropsychopharmacology and the fondation FondaMental. <i>BMC Psychiatry</i> , <b>2019</b> , 19, 262	4.2	31
223	Impact of sunlight on the age of onset of bipolar disorder. <i>Bipolar Disorders</i> , <b>2012</b> , 14, 654-63	3.8	31



222	Childhood trauma, dimensions of psychopathology and the clinical expression of bipolar disorders: A pathway analysis. <i>Journal of Psychiatric Research</i> , <b>2017</b> , 95, 37-45	5.2	31
221	Lithium response in bipolar disorders and core clock genes expression. <i>World Journal of Biological Psychiatry</i> , <b>2018</b> , 19, 619-632	3.8	30
220	Is processing speed a valid cognitive endophenotype for bipolar disorder?. <i>Journal of Affective Disorders</i> , <b>2012</b> , 139, 98-101	6.6	29
219	Schizophrenia, antipsychotics and diabetes: Genetic aspects. <i>European Psychiatry</i> , <b>2005</b> , 20 Suppl 4, S33569		29
218	Childhood trauma and mixed episodes are associated with poor response to lithium in bipolar disorders. <i>Acta Psychiatrica Scandinavica</i> , <b>2017</b> , 135, 319-327	6.5	28
217	Impulsivity and its association with childhood trauma experiences across bipolar disorder, attention deficit hyperactivity disorder and borderline personality disorder. <i>Journal of Affective Disorders</i> , <b>2019</b> , 244, 33-41	6.6	28
216	An ASMT variant associated with bipolar disorder influences sleep and circadian rhythms: a pilot study. <i>Genes, Brain and Behavior</i> , <b>2014</b> , 13, 299-304	3.6	28
215	Association between toll-like receptor 2 gene diversity and early-onset bipolar disorder. <i>Journal of Affective Disorders</i> , <b>2014</b> , 165, 135-41	6.6	28
214	The HLA-G low expressor genotype is associated with protection against bipolar disorder. <i>Human Immunology</i> , <b>2013</b> , 74, 593-7	2.3	28
213	Prospective cohort study of early biosignatures of response to lithium in bipolar-I-disorders: overview of the H2020-funded R-LiNK initiative. <i>International Journal of Bipolar Disorders</i> , <b>2019</b> , 7, 20	5.4	28
212	Genome-wide association study identifies 30 Loci Associated with Bipolar Disorder		28
211	Circadian genes and lithium response in bipolar disorders: associations with PPARGC1A (PGC-1 $\beta$ ) and RORA. <i>Genes, Brain and Behavior</i> , <b>2016</b> , 15, 660-8	3.6	28
210	Similarities between emotional dysregulation in adults suffering from ADHD and bipolar patients. <i>Journal of Affective Disorders</i> , <b>2016</b> , 198, 230-6	6.6	28
209	HTR2C (cys23ser) polymorphism influences early onset in bipolar patients in a large European multicenter association study. <i>Molecular Psychiatry</i> , <b>2007</b> , 12, 797-8	15.1	27
208	Residual symptoms and functional performance in a large sample of euthymic bipolar patients in France (the OPTHYUM study). <i>Journal of Affective Disorders</i> , <b>2014</b> , 159, 94-102	6.6	25
207	Combination therapy for manic phases: a critical review of a common practice. <i>CNS Neuroscience and Therapeutics</i> , <b>2012</b> , 18, 957-64	6.8	25
206	Biomarkers of bipolar disorder: specific or shared with schizophrenia?. <i>Frontiers in Bioscience - Elite</i> , <b>2013</b> , 5, 845-63	1.6	25
205	Toxoplasma gondii exposure may modulate the influence of TLR2 genetic variation on bipolar disorder: a gene-environment interaction study. <i>International Journal of Bipolar Disorders</i> , <b>2016</b> , 4, 11	5.4	24

204	Influence of birth cohort on age of onset cluster analysis in bipolar I disorder. <i>European Psychiatry</i> , <b>2015</b> , 30, 99-105	6	24
203	Clinical and neuropsychological characteristics of euthymic bipolar patients having a history of severe suicide attempt. <i>Acta Psychiatrica Scandinavica</i> , <b>2015</b> , 131, 129-38	6.5	24
202	Association between the PPP3CC gene, coding for the calcineurin gamma catalytic subunit, and bipolar disorder. <i>Behavioral and Brain Functions</i> , <b>2008</b> , 4, 2	4.1	24
201	Suicidal disorders: a nosological entity per se?. <i>American Journal of Medical Genetics, Part C: Seminars in Medical Genetics</i> , <b>2005</b> , 133C, 3-7	3.1	24
200	Can the response to mood stabilizers be predicted in bipolar disorder?. <i>Frontiers in Bioscience - Elite</i> , <b>2014</b> , 6, 120-38	1.6	24
199	Active and placebo transcranial magnetic stimulation effects on external and internal auditory hallucinations of schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , <b>2017</b> , 135, 228-238	6.5	23
198	Circadian biomarkers in patients with bipolar disorder: promising putative predictors of lithium response. <i>International Journal of Bipolar Disorders</i> , <b>2014</b> , 2, 28	5.4	23
197	Circadian abnormalities as markers of susceptibility in bipolar disorders. <i>Frontiers in Bioscience - Scholar</i> , <b>2014</b> , 6, 120-37	2.4	23
196	Bipolar patients referred to specialized services of care: Not resistant but impaired by sub-syndromal symptoms. Results from the FACE-BD cohort. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2015</b> , 49, 898-905	2.6	22
195	Increased risk of suicide attempt in bipolar patients with severe tobacco dependence. <i>Journal of Affective Disorders</i> , <b>2015</b> , 183, 113-8	6.6	22
194	Course of residual symptoms according to the duration of euthymia in remitted bipolar patients. <i>Acta Psychiatrica Scandinavica</i> , <b>2016</b> , 134, 57-64	6.5	22
193	DNA Methylation as a Biomarker of Treatment Response Variability in Serious Mental Illnesses: A Systematic Review Focused on Bipolar Disorder, Schizophrenia, and Major Depressive Disorder. <i>International Journal of Molecular Sciences</i> , <b>2018</b> , 19,	6.3	22
192	Associations between residual depressive symptoms, cognition, and functioning in patients with euthymic bipolar disorder: results from the FACE-BD cohort. <i>British Journal of Psychiatry</i> , <b>2017</b> , 211, 381-387	5.4	21
191	Cannabis use disorder is associated with greater illness severity in tobacco smoking patients with bipolar disorder. <i>Journal of Affective Disorders</i> , <b>2016</b> , 190, 286-293	6.6	20
190	Lack of association between 5HT2A receptor gene haplotype, bipolar disorder and its clinical subtypes in a West European sample. <i>American Journal of Medical Genetics Part A</i> , <b>2004</b> , 129B, 29-33		20
189	Bipolar sensation seeking is associated with a propensity to abuse rather than to temperamental characteristics. <i>European Psychiatry</i> , <b>2001</b> , 16, 289-92	6	20
188	Can an Integrated Science Approach to Precision Medicine Research Improve Lithium Treatment in Bipolar Disorders?. <i>Frontiers in Psychiatry</i> , <b>2018</b> , 9, 360	5	20
187	The neurobiology of adaptation to seasons: Relevance and correlations in bipolar disorders. <i>Chronobiology International</i> , <b>2018</b> , 35, 1335-1353	3.6	20

186	Links between sleep and body mass index in bipolar disorders: an exploratory study. <i>European Psychiatry</i> , <b>2015</b> , 30, 89-93	6	19
185	Modifiable and non-modifiable factors associated with functional impairment during the inter-episodic periods of bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2018</b> , 268, 749-755	5.1	19
184	Post-traumatic stress disorder in Stevens-Johnson syndrome and toxic epidermal necrolysis: prevalence and risk factors. A prospective study of 31 patients. <i>British Journal of Dermatology</i> , <b>2019</b> , 180, 1206-1213	4	19
183	Binge eating behaviours in bipolar disorders. <i>Journal of Affective Disorders</i> , <b>2018</b> , 225, 482-488	6.6	18
182	A preliminary study on early onset schizophrenia and bipolar disorder: large polyglutamine expansions are not involved. <i>Psychiatry Research</i> , <b>1997</b> , 72, 141-4	9.9	18
181	The value of navigation-guided rTMS for the treatment of depression: an illustrative case. <i>Neurophysiologie Clinique</i> , <b>2007</b> , 37, 265-71	2.7	18
180	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , <b>2021</b> , 26, 2457-2470	15.1	17
179	A cannabinoid receptor 1 polymorphism is protective against major depressive disorder in methadone-maintained outpatients. <i>American Journal on Addictions</i> , <b>2015</b> , 24, 613-20	3.7	17
178	Serotonin transporter gene polymorphisms and affective disorder-related phenotypes. <i>Current Opinion in Psychiatry</i> , <b>2002</b> , 15, 49-58	4.9	17
177	Long-term risk of myocardial infarction and stroke in bipolar I disorder: A population-based Cohort Study. <i>Journal of Affective Disorders</i> , <b>2016</b> , 194, 120-7	6.6	16
176	Sleep quality and emotional reactivity cluster in bipolar disorders and impact on functioning. <i>European Psychiatry</i> , <b>2017</b> , 45, 190-197	6	16
175	Interaction between SLC6A4 promoter variants and childhood trauma on the age at onset of bipolar disorders. <i>Scientific Reports</i> , <b>2015</b> , 5, 16301	4.9	16
174	No evidence for physical anhedonia as a candidate symptom or an endophenotype in bipolar affective disorder. <i>Bipolar Disorders</i> , <b>2007</b> , 9, 706-12	3.8	16
173	The DRD2 gene and the risk for alcohol dependence in bipolar patients. <i>European Psychiatry</i> , <b>2000</b> , 15, 103-8	6	16
172	Association between solar insolation and a history of suicide attempts in bipolar I disorder. <i>Journal of Psychiatric Research</i> , <b>2019</b> , 113, 1-9	5.2	15
171	Neuropsychological functioning, age, and medication adherence in bipolar disorder. <i>PLoS ONE</i> , <b>2017</b> , 12, e0184313	3.7	15
170	Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , <b>2018</b> , 9, 207	5	15
169	Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar Disorders</i> , <b>2019</b> , 21, 68-75	3.8	15

168	Cross-validation of clinical characteristics and treatment patterns associated with phenotypes for lithium response defined by the Alda scale. <i>Journal of Affective Disorders</i> , <b>2017</b> , 208, 62-67	6.6	15
167	Revisiting the association between childhood trauma and psychosis in bipolar disorder: A quasi-dimensional path-analysis. <i>Journal of Psychiatric Research</i> , <b>2017</b> , 84, 73-79	5.2	15
166	Patients' perspectives on residual symptoms in bipolar disorder: a focus group study. <i>Journal of Nervous and Mental Disease</i> , <b>2014</b> , 202, 550-5	1.8	15
165	Childhood maltreatment and polygenic risk in bipolar disorders. <i>Bipolar Disorders</i> , <b>2020</b> , 22, 174-181	3.8	15
164	Influence of lithium on sleep and chronotypes in remitted patients with bipolar disorder. <i>Journal of Affective Disorders</i> , <b>2016</b> , 204, 32-9	6.6	14
163	Solar insolation in springtime influences age of onset of bipolar I disorder. <i>Acta Psychiatrica Scandinavica</i> , <b>2017</b> , 136, 571-582	6.5	14
162	Emotional hyper-reactivity and cardiometabolic risk in remitted bipolar patients: a machine learning approach. <i>Acta Psychiatrica Scandinavica</i> , <b>2018</b> , 138, 348-359	6.5	14
161	Affect lability predicts occurrence of suicidal ideation in bipolar patients: a two-year prospective study. <i>Acta Psychiatrica Scandinavica</i> , <b>2017</b> , 135, 460-469	6.5	13
160	Clinical guidelines for the management of depression with specific comorbid psychiatric conditions French recommendations from experts (the French Association for Biological Psychiatry and Neuropsychopharmacology and the fondation FondaMental). <i>BMC Psychiatry</i> , <b>2019</b> , 19, 50	4.2	13
159	Adherence to medication is associated with non-planning impulsivity in euthymic bipolar disorder patients. <i>Journal of Affective Disorders</i> , <b>2015</b> , 184, 60-6	6.6	13
158	Convergent Lines of Evidence Support LRP8 as a Susceptibility Gene for Psychosis. <i>Molecular Neurobiology</i> , <b>2016</b> , 53, 6608-6619	6.2	13
157	Variability of response to methadone: genome-wide DNA methylation analysis in two independent cohorts. <i>Epigenomics</i> , <b>2016</b> , 8, 181-95	4.4	13
156	HLA genetics in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , <b>2018</b> , 138, 464-471	6.5	13
155	Outcomes for bipolar patients assessed in the French expert center network: A 2-year follow-up observational study (FondaMental Advanced Centers of Expertise for Bipolar Disorder [FACE-BD]). <i>Bipolar Disorders</i> , <b>2017</b> , 19, 651-660	3.8	13
154	Violent suicidal behaviour in bipolar disorder is associated with nitric oxide synthase 3 gene polymorphism. <i>Acta Psychiatrica Scandinavica</i> , <b>2015</b> , 132, 218-25	6.5	13
153	Genetic heterogeneity according to age at onset in bipolar disorder: a combined positional cloning and candidate gene approach. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2012</b> , 159B, 653-9	3.5	13
152	Emotional reactivity, functioning, and C-reactive protein alterations in remitted bipolar patients: Clinical relevance of a dimensional approach. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2017</b> , 51, 788-798	2.6	12
151	Psychological and psychiatric aspects of face transplantation: Lessons learned from the long-term follow-up of six patients. <i>Journal of Psychosomatic Research</i> , <b>2019</b> , 119, 42-49	4.1	12

150	Utility of CSF biomarkers in psychiatric disorders: a national multicentre prospective study. <i>Alzheimeris Research and Therapy</i> , <b>2016</b> , 8, 27	9	12
149	Affect intensity measure in bipolar disorders: a multidimensional approach. <i>Journal of Affective Disorders</i> , <b>2014</b> , 157, 8-13	6.6	12
148	Sleep quality, chronotype and metabolic syndrome components in bipolar disorders during the remission period: Results from the FACE-BD cohort. <i>Chronobiology International</i> , <b>2017</b> , 34, 1114-1124	3.6	12
147	Neurocognitive performance as an endophenotype for bipolar disorder. <i>Frontiers in Bioscience - Elite</i> , <b>2014</b> , 6, 89-103	1.6	12
146	European collaborative study of early-onset bipolar disorder: Evidence for genetic heterogeneity on 2q14 according to age at onset. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2010</b> , 153B, 1425-33	3.5	12
145	Shape analysis of the cingulum, uncinate and arcuate fasciculi in patients with bipolar disorder. <i>Journal of Psychiatry and Neuroscience</i> , <b>2017</b> , 42, 27-36	4.5	12
144	A study of the real-world effectiveness of group psychoeducation for bipolar disorders: Is change in illness perception a key mediator of benefit?. <i>Journal of Affective Disorders</i> , <b>2018</b> , 227, 713-720	6.6	12
143	Translating big data to better treatment in bipolar disorder - a manifesto for coordinated action. <i>European Neuropsychopharmacology</i> , <b>2020</b> , 36, 121-136	1.2	11
142	Psychiatric comorbidities in bipolar disorders: An examination of the prevalence and chronology of onset according to sex and bipolar subtype. <i>Journal of Affective Disorders</i> , <b>2020</b> , 267, 258-263	6.6	11
141	Population pharmacokinetics of oral baclofen at steady-state in alcoholic-dependent adult patients. <i>Fundamental and Clinical Pharmacology</i> , <b>2018</b> , 32, 239-248	3.1	11
140	Genetic association between a 'standing' variant of NOD2 and bipolar disorder. <i>Immunobiology</i> , <b>2014</b> , 219, 766-71	3.4	11
139	Alcohol use disorders are associated with increased affective lability in bipolar disorder. <i>Journal of Affective Disorders</i> , <b>2017</b> , 208, 316-324	6.6	11
138	Genome-wide association study of over 40,000 bipolar disorder cases provides new insights into the underlying biology		11
137	An examination of the quality and performance of the Alda scale for classifying lithium response phenotypes. <i>Bipolar Disorders</i> , <b>2020</b> , 22, 255-265	3.8	11
136	Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. <i>Biological Psychiatry</i> , <b>2022</b> , 91, 102-117	7.9	11
135	Longitudinal relationships between cognition and functioning over 2 years in euthymic patients with bipolar disorder: a cross-lagged panel model approach with the FACE-BD cohort. <i>British Journal of Psychiatry</i> , <b>2021</b> , 218, 80-87	5.4	11
134	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. <i>Biological Psychiatry</i> , <b>2021</b> ,	7.9	11
133	Accumulation of Lithium in the Hippocampus of Patients With Bipolar Disorder: A Lithium-7 Magnetic Resonance Imaging Study at 7 Tesla. <i>Biological Psychiatry</i> , <b>2020</b> , 88, 426-433	7.9	10

132	Nutritional Status During Inpatient Alcohol Detoxification. <i>Alcohol and Alcoholism</i> , <b>2018</b> , 53, 64-70	3.5	10
131	Impact of a cis-associated gene expression SNP on chromosome 20q11.22 on bipolar disorder susceptibility, hippocampal structure and cognitive performance. <i>British Journal of Psychiatry</i> , <b>2016</b> , 208, 128-37	5.4	10
130	Physical and mental health burden in cases of bipolar disorder classified as current, former, or non-tobacco smokers. <i>Journal of Affective Disorders</i> , <b>2017</b> , 208, 406-413	6.6	10
129	Markers of Individual Drug Metabolism: Towards the Development of a Personalized Antidepressant Prescription. <i>Current Drug Metabolism</i> , <b>2015</b> , 16, 17-45	3.5	10
128	A re-examination of antidepressant treatment-emergent mania in bipolar disorders: evidence of gender differences. <i>Acta Psychiatrica Scandinavica</i> , <b>2017</b> , 135, 479-488	6.5	9
127	Feasibility and Acceptability of the 'HABIT' Group Programme for Comorbid Bipolar and Alcohol and Substance use Disorders. <i>Clinical Psychology and Psychotherapy</i> , <b>2017</b> , 24, 887-898	2.9	9
126	Which actigraphic variables optimally characterize the sleep-wake cycle of individuals with bipolar disorders?. <i>Acta Psychiatrica Scandinavica</i> , <b>2019</b> , 139, 269-279	6.5	9
125	Tobacco smoking and other substance use disorders associated with recurrent suicide attempts in bipolar disorder. <i>Journal of Affective Disorders</i> , <b>2019</b> , 256, 348-357	6.6	9
124	Gender-specific study of recurrent suicide attempts in outpatients with multiple substance use disorders. <i>Journal of Affective Disorders</i> , <b>2018</b> , 241, 546-553	6.6	9
123	Methodological problems in meta-analysis of association studies between bipolar affective disorders and the tyrosine hydroxylase gene. <i>American Journal of Medical Genetics Part A</i> , <b>1998</b> , 81, 349-52		9
122	Disruption of Conscious Access in Psychosis Is Associated with Altered Structural Brain Connectivity. <i>Journal of Neuroscience</i> , <b>2021</b> , 41, 513-523	6.6	9
121	Bright Light Therapy in the Morning or at Mid-Day in the Treatment of Non-Seasonal Bipolar Depressive Episodes (LuBi): Study Protocol for a Dose Research Phase I / II Trial. <i>Psychiatry Investigation</i> , <b>2018</b> , 15, 1188-1202	3.1	9
120	Treating mood disorders in patients with a history of intestinal surgery: a systematic review. <i>International Clinical Psychopharmacology</i> , <b>2015</b> , 30, 119-28	2.2	8
119	Association between coffee, tobacco, and alcohol daily consumption and sleep/wake cycle: an actigraphy study in euthymic patients with bipolar disorders. <i>Chronobiology International</i> , <b>2020</b> , 37, 712-722	3.6	8
118	Using admixture analysis to examine birth-cohort effects on age at onset of bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , <b>2016</b> , 133, 205-13	6.5	8
117	Prevalence and determinants of cognitive impairment in the euthymic phase of bipolar disorders: results from the FACE-BD cohort. <i>Psychological Medicine</i> , <b>2019</b> , 49, 519-527	6.9	8
116	Significant Need for a French Network of Expert Centers Enabling a Better Characterization and Management of Treatment-Resistant Depression (Fondation FondaMental). <i>Frontiers in Psychiatry</i> , <b>2017</b> , 8, 244	5	8
115	Self-reported cue-induced physical symptoms of craving as an indicator of cocaine dependence. <i>American Journal on Addictions</i> , <b>2015</b> , 24, 740-3	3.7	8

114	Eveningness and poor sleep quality contribute to depressive residual symptoms and behavioral inhibition in patients with bipolar disorder. <i>Chronobiology International</i> , <b>2020</b> , 37, 101-110	3.6	8
113	A DNA methylation signature discriminates between excellent and non-response to lithium in patients with bipolar disorder type 1. <i>Scientific Reports</i> , <b>2020</b> , 10, 12239	4.9	8
112	Effect of early trauma on the sleep quality of euthymic bipolar patients. <i>Journal of Affective Disorders</i> , <b>2016</b> , 206, 261-267	6.6	8
111	Association between anhedonia and suicidal events in patients with mood disorders: A 3-year prospective study. <i>Depression and Anxiety</i> , <b>2021</b> , 38, 17-27	8.4	8
110	Childhood maltreatment and clinical severity of treatment-resistant depression in a French cohort of outpatients (FACE-DR): One-year follow-up. <i>Depression and Anxiety</i> , <b>2020</b> , 37, 365-374	8.4	8
109	Lithium response in bipolar disorder: No difference in GADL1 gene expression between cell lines from excellent-responders and non-responders. <i>Psychiatry Research</i> , <b>2017</b> , 251, 217-220	9.9	7
108	Reconsideration of the factorial structure of the Barratt Impulsiveness Scale (BIS-11): Assessment of impulsivity in a large population of euthymic bipolar patients. <i>Journal of Affective Disorders</i> , <b>2019</b> , 253, 203-209	6.6	7
107	Can network analysis shed light on predictors of lithium response in bipolar I disorder?. <i>Acta Psychiatrica Scandinavica</i> , <b>2020</b> , 141, 522-533	6.5	7
106	OPRM1 polymorphism and lifetime suicide attempts among stabilized, methadone-maintained outpatients. <i>Psychiatry Research</i> , <b>2014</b> , 218, 259-60	9.9	7
105	Pharmacoeigenomics of opiates and methadone maintenance treatment: current data and perspectives. <i>Pharmacogenomics</i> , <b>2017</b> , 18, 1359-1372	2.6	7
104	Activation Levels, Cardiovascular Risk, and Functional Impairment in Remitted Bipolar Patients: Clinical Relevance of a Dimensional Approach. <i>Psychotherapy and Psychosomatics</i> , <b>2019</b> , 88, 45-47	9.4	7
103	Lithium prevents grey matter atrophy in patients with bipolar disorder: an international multicenter study. <i>Psychological Medicine</i> , <b>2021</b> , 51, 1201-1210	6.9	7
102	Seasonal pattern in bipolar disorders and cardio-vascular risk factors: A study from the FACE-BD cohort. <i>Chronobiology International</i> , <b>2017</b> , 34, 845-854	3.6	6
101	Reply: Sleep in patients with remitted bipolar disorders: analyses stratified on actigraphy devices, age and gender. <i>Acta Psychiatrica Scandinavica</i> , <b>2015</b> , 131, 400	6.5	6
100	Investigation of lithium distribution in the rat brain ex vivo using lithium-7 magnetic resonance spectroscopy and imaging at 17.2 T. <i>NMR in Biomedicine</i> , <b>2017</b> , 30, e3770	4.4	6
99	Amygdala and regional volumes in treatment-resistant versus nontreatment-resistant depression patients. <i>Depression and Anxiety</i> , <b>2017</b> , 34, 1065-1071	8.4	6
98	Age-at-onset subsets of bipolar I disorders: A critical insight into admixture analyses. <i>International Journal of Methods in Psychiatric Research</i> , <b>2017</b> , 26,	4.3	6
97	Exploring venlafaxine pharmacokinetic variability with a phenotyping approach, a multicentric french-swiss study (MARVEL study). <i>BMC Pharmacology &amp; Toxicology</i> , <b>2017</b> , 18, 70	2.6	6

96	Aripiprazole in patients with bipolar mania and beyond: an update of practical guidance. <i>Current Medical Research and Opinion</i> , <b>2011</b> , 27, 2285-99	2.5	6
95	Misperception of sleep in bipolar disorder: an exploratory study using questionnaire versus actigraphy. <i>International Journal of Bipolar Disorders</i> , <b>2020</b> , 8, 34	5.4	6
94	An ecological study of objective rest-activity markers of lithium response in bipolar-I-disorder. <i>Psychological Medicine</i> , <b>2020</b> , 1-9	6.9	6
93	Metabolic syndrome and actigraphy measures of sleep and circadian rhythms in bipolar disorders during remission. <i>Acta Psychiatrica Scandinavica</i> , <b>2018</b> , 138, 155-162	6.5	6
92	Association between childhood dimensions of attention deficit hyperactivity disorder and adulthood clinical severity of bipolar disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2017</b> , 51, 382-392	2.6	5
91	Anticonvulsants and suicide attempts in bipolar I disorders. <i>Acta Psychiatrica Scandinavica</i> , <b>2017</b> , 135, 470-478	6.5	5
90	Childhood trauma are not associated with the intensity of transient cocaine induced psychotic symptoms. <i>Psychiatry Research</i> , <b>2015</b> , 228, 941-4	9.9	5
89	Allostatic load, emotional hyper-reactivity, and functioning in individuals with bipolar disorder. <i>Bipolar Disorders</i> , <b>2020</b> , 22, 711-721	3.8	5
88	Association between CRP genetic diversity and bipolar disorder comorbid complications. <i>International Journal of Bipolar Disorders</i> , <b>2018</b> , 6, 4	5.4	5
87	Olfactory reference syndrome: an unusual delusion in a patient with Parkinson's disease. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , <b>2012</b> , 24, E2	2.7	5
86	Response to Lithium in Patients with Bipolar Disorder: What are Psychiatrists' Experiences and Practices Compared to Literature Review?. <i>Pharmacopsychiatry</i> , <b>2019</b> , 52, 70-77	2	5
85	Alterations in nicotinic receptor alpha5 subunit gene differentially impact early and later stages of cocaine addiction: a translational study in transgenic rats and patients. <i>Progress in Neurobiology</i> , <b>2021</b> , 197, 101898	10.9	5
84	Anxiety disorders are associated with early onset of heroin use and rapid transition to dependence in methadone maintained patients. <i>Psychiatry Research</i> , <b>2016</b> , 245, 423-426	9.9	4
83	Identification of a Bipolar Disorder Vulnerable Gene CHDH at 3p21.1. <i>Molecular Neurobiology</i> , <b>2017</b> , 54, 5166-5176	6.2	4
82	An evidence map of actigraphy studies exploring longitudinal associations between rest-activity rhythms and course and outcome of bipolar disorders. <i>International Journal of Bipolar Disorders</i> , <b>2020</b> , 8, 37	5.4	4
81	Unipolar mania: Identification and characterisation of cases in France and the United Kingdom. <i>Journal of Affective Disorders</i> , <b>2020</b> , 263, 228-235	6.6	4
80	Characterization of depressed bipolar patients with current suicidal ideation. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2021</b> , 55, 289-304	2.6	4
79	Secular trends in the age at onset of bipolar I disorder - Support for birth cohort effects from interational, multi-centre clinical observational studies. <i>European Psychiatry</i> , <b>2018</b> , 52, 61-67	6	4



78	Genetic association studies. Definition of cases and controls. <i>Methods in Molecular Medicine</i> , <b>2003</b> , 77, 127-41		4
77	Increased plasma levels of high mobility group box 1 protein in patients with bipolar disorder: A pilot study. <i>Journal of Neuroimmunology</i> , <b>2019</b> , 334, 576993	3.5	3
76	Genetics of emotional reactivity in bipolar disorders. <i>Journal of Affective Disorders</i> , <b>2015</b> , 188, 101-6	6.6	3
75	Contribution of common and rare damaging variants in familial forms of bipolar disorder and phenotypic outcome. <i>Translational Psychiatry</i> , <b>2020</b> , 10, 124	8.6	3
74	Hospital Stay and Engagement in Outpatient Follow-Up After Alcohol Emergency Detox: A 1-Year Comparison Study. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2016</b> , 40, 418-21	3.7	3
73	Predictive value of baseline resistance in early response to antidepressants. <i>Journal of Affective Disorders</i> , <b>2014</b> , 161, 127-35	6.6	3
72	Trajectories of functioning in bipolar disorders: A longitudinal study in the FondaMental Advanced Centers of Expertise in Bipolar Disorders cohort. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2020</b> , 54, 985-996	2.6	3
71	Translational study of the whole transcriptome in rats and genetic polymorphisms in humans identifies LRP1B and VPS13A as key genes involved in tolerance to cocaine-induced motor disturbances. <i>Translational Psychiatry</i> , <b>2020</b> , 10, 381	8.6	3
70	Trajectories of medication adherence in patients with Bipolar Disorder along 2 years-follow-up. <i>Journal of Affective Disorders</i> , <b>2021</b> , 282, 812-819	6.6	3
69	Childhood Trauma increases suicidal behaviour in a treatment-resistant depression population: a FACE-DR report. <i>Journal of Psychiatric Research</i> , <b>2021</b> , 135, 20-27	5.2	3
68	Network of co-expressed circadian genes, childhood maltreatment and sleep quality in bipolar disorders. <i>Chronobiology International</i> , <b>2021</b> , 38, 986-993	3.6	3
67	Clinical characteristics of obstructive sleep apnea in bipolar disorders. <i>Journal of Affective Disorders</i> , <b>2019</b> , 245, 1-7	6.6	3
66	TLR4 gene polymorphism associated with lifetime cigarette smoking in bipolar disorder. <i>Journal of Neuroimmunology</i> , <b>2017</b> , 305, 96-101	3.5	2
65	Relevance of treated cocaine users' retrospective memory of first cocaine use. <i>Psychiatry Research</i> , <b>2018</b> , 264, 210-216	9.9	2
64	Are empty methadone bottles empty? An analytic study. <i>Harm Reduction Journal</i> , <b>2014</b> , 11, 20	4.6	2
63	Sant`physique et troubles bipolaires. <i>Annales Medico-Psychologiques</i> , <b>2012</b> , 170, 56-61	0.2	2
62	Lost property? Legal compensation for destroyed sperm: a reflection and comparison drawing on UK and French perspectives. <i>Journal of Medical Ethics</i> , <b>2011</b> , 37, 747-51	2.5	2
61	Serotonin transporter gene polymorphism and psychiatric disorders in NF1 patients. <i>American Journal of Medical Genetics Part A</i> , <b>2001</b> , 105, 758-60		2

60	Adherence to treatment guidelines in clinical practice for using electroconvulsive therapy in major depressive episode. <i>Journal of Affective Disorders</i> , <b>2020</b> , 264, 318-323	6.6	2
59	Childhood maltreatment and HPA axis gene expression in bipolar disorders: A gene network analysis. <i>Psychoneuroendocrinology</i> , <b>2020</b> , 120, 104753	5	2
58	Minimum clinically important differences for the Functioning Assessment Short Test and a battery of neuropsychological tests in bipolar disorders: results from the FACE-BD cohort. <i>Epidemiology and Psychiatric Sciences</i> , <b>2020</b> , 29, e144	5.1	2
57	Use of immediate release melatonin in psychiatry: BMI impacts the daily-dose. <i>LiEncephale</i> , <b>2021</b> , 47, 96-101	2.9	2
56	Pharmacological treatment profiles in the FACE-BD cohort: An unsupervised machine learning study, applied to a nationwide bipolar cohort. <i>Journal of Affective Disorders</i> , <b>2021</b> , 286, 309-319	6.6	2
55	Non-alcoholic fatty liver disease in a sample of individuals with bipolar disorders: results from the FACE-BD cohort. <i>Acta Psychiatrica Scandinavica</i> , <b>2021</b> , 143, 82-91	6.5	2
54	Characterisation of age and polarity at onset in bipolar disorder.. <i>British Journal of Psychiatry</i> , <b>2021</b> , 219, 659-669	5.4	2
53	COPD Positive Screening with Spirometry Increases Motivation to Quit Tobacco Smoking in an Addiction Treatment Center. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , <b>2020</b> , 17, 240-244 <sup>2</sup>		1
52	The RANZCP mood disorders guidelines: An easy step-by-step toolbox for daily practice. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2016</b> , 50, 1014-5	2.6	1
51	Transient cocaine-induced chest pain: a case series. <i>Journal of Addiction Medicine</i> , <b>2014</b> , 8, 111-5	3.8	1
50	P.2.e.010 Observational, multinational study of bipolar I and II disorders (WAVE-bd): comparison of clinical data between France and other countries. <i>European Neuropsychopharmacology</i> , <b>2012</b> , 22, S281-S282	1.3	1
49	Traitements non pharmacologiques des troubles bipolaires. <i>Annales Medico-Psychologiques</i> , <b>2012</b> , 170, 667-673	0.2	1
48	Hétérogénéité de la maladie maniaco-dépressive : interférence des sous-groupes d'âge de début. <i>Annales Medico-Psychologiques</i> , <b>2004</b> , 162, 365-369	0.2	1
47	Association between childhood maltreatment and the clinical course of bipolar disorders: a survival analysis of mood recurrences.. <i>Acta Psychiatrica Scandinavica</i> , <b>2022</b> ,	6.5	1
46	Socio-demographic and clinical predictors of outcome to long-term treatment with lithium in bipolar disorders: a systematic review of the contemporary literature and recommendations from the ISBD/IGSLI Task Force on treatment with lithium. <i>International Journal of Bipolar Disorders</i> , <b>2020</b> , 8, 40	5.4	1
45	Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. <i>Translational Psychiatry</i> , <b>2021</b> , 11, 606	8.6	1
44	Polygenic scores for major depressive disorder and depressive symptoms predict response to lithium in patients with bipolar disorder		1
43	Relationship between childhood physical abuse and clinical severity of treatment-resistant depression in a geriatric population. <i>PLoS ONE</i> , <b>2021</b> , 16, e0250148	3.7	1

42	Characterization of Age and Polarity at Onset in Bipolar Disorder		1
41	The role of brain barriers in the neurokinetics and pharmacodynamics of lithium. <i>Pharmacological Research</i> , <b>2021</b> , 166, 105480	10.2	1
40	The course of bipolar disorder as a function of the presence and sequence of onset of comorbid alcohol use disorders in outpatients attending the Fondamental Advanced Centres of Expertise. <i>Journal of Affective Disorders</i> , <b>2021</b> , 287, 196-203	6.6	1
39	Lithium effects on serine-threonine kinases activity: High throughput kinomic profiling of lymphoblastoid cell lines from excellent-responders and non-responders bipolar patients. <i>World Journal of Biological Psychiatry</i> , <b>2020</b> , 21, 317-324	3.8	1
38	Make lithium great again - Precisely!. <i>Bipolar Disorders</i> , <b>2021</b> , 23, 209-210	3.8	1
37	Prediction of lithium response using genomic data. <i>Scientific Reports</i> , <b>2021</b> , 11, 1155	4.9	1
36	Cerebrospinal Fluid Biomarkers in Patients With Alcohol Use Disorder and Persistent Cognitive Impairment. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2021</b> , 45, 561-565	3.7	1
35	HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. <i>Scientific Reports</i> , <b>2021</b> , 11, 17823	4.9	1
34	Childhood maltreatment and metabolic syndrome in bipolar disorders: In search of moderators. <i>Psychoneuroendocrinology</i> , <b>2021</b> , 131, 105327	5	1
33	Using density of antecedent events and trajectory path analysis to investigate family-correlated patterns of onset of bipolar I disorder: a comparison of cohorts from Europe and USA. <i>International Journal of Bipolar Disorders</i> , <b>2021</b> , 9, 29	5.4	1
32	Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach.. <i>British Journal of Psychiatry</i> , <b>2022</b> , 1-10	5.4	1
31	Does childhood experience of attention-deficit hyperactivity disorder symptoms increase sleep/wake cycle disturbances as measured with actigraphy in adult patients with bipolar disorder?. <i>Chronobiology International</i> , <b>2019</b> , 36, 1124-1130	3.6	0
30	Une entit <sup>e</sup> clinique aux implications th <sup>e</sup> rapeutiques majeures: le trouble bipolaire <sup>e</sup> dbut pr <sup>e</sup> coce. <i>Annales Medico-Psychologiques</i> , <b>2012</b> , 170, 502-509	0.2	0
29	Facteurs de vuln <sup>e</sup> rabilit <sup>e</sup> g <sup>e</sup> netique des troubles bipolaires. <i>Annales Medico-Psychologiques</i> , <b>2009</b> , 167, 796-802	0.2	0
28	Influence of childhood maltreatment on prevalence, onset and persistence of psychiatric comorbidities and suicide attempts in bipolar disorders.. <i>European Psychiatry</i> , <b>2022</b> , 1-32	6	0
27	Recommendations of the treatment-resistant depression expert center network for promoting tobacco smoking cessation based on the results from the real-world FACE-TRD national cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2021</b> , 114, 110479	5.5	0
26	Evolution and characteristics of the use of valproate in women of childbearing age with bipolar disorder: Results from the FACE-BD cohort. <i>Journal of Affective Disorders</i> , <b>2020</b> , 276, 963-969	6.6	0
25	Can actigraphy be used to define lithium response dimensions in bipolar disorders?. <i>Journal of Affective Disorders</i> , <b>2021</b> , 283, 402-409	6.6	0

24	Population pharmacokinetic modeling of sustained release lithium in the serum, erythrocytes and urine of patients with bipolar disorder. <i>European Journal of Clinical Pharmacology</i> , <b>2019</b> , 75, 519-528	2.8	o
23	Biomarkers to predict staging and treatment response in opioid dependence: A narrative review. <i>Drug Development Research</i> , <b>2021</b> , 82, 668-677	5.1	o
22	Mini review: Recent advances on epigenetic effects of lithium. <i>Neuroscience Letters</i> , <b>2021</b> , 761, 136116	3.3	o
21	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , <b>2021</b> , 9, 26	5.4	o
20	Troubles bipolaires et troubles de la personnalité "borderline": différences cliniques au niveau de l'affectivité et de l'impulsivité. <i>Annales Medico-Psychologiques</i> , <b>2015</b> , 173, 717-720	0.2	
19	White matter structure abnormalities in bipolar disorders: Towards a traumatic dysconnectivity in the brain?. <i>Bipolar Disorders</i> , <b>2020</b> , 22, 757-758	3.8	
18	Variabilité de la réponse au lithium. <i>Annales Medico-Psychologiques</i> , <b>2014</b> , 172, 199-201	0.2	
17	Labilidad afectiva e intensidad del afecto como dimensiones básicas de los trastornos bipolares durante el periodo eutímico. <i>Psiquiatría Biológica</i> , <b>2009</b> , 16, 54-59	0.2	
16	Comorbid addiction in bipolar affective disorder. <i>Neuropsychiatry</i> , <b>2012</b> , 2, 531-541	1.8	
15	Facteurs de vulnérabilité génétique des troubles bipolaires de l'humeur. <i>Information Psychiatrique</i> , <b>2008</b> , 84, 143		
14	Genetic Association Studies <b>2003</b> , 127-142		
13	Chapter 5.2 Defining phenotypes for psychiatric genetics. <i>Handbook of Behavioral Neuroscience</i> , <b>1999</b> , 13, 773-782		
12	Childhood trauma and the severity of past suicide attempts in outpatients with cocaine use disorders. <i>Substance Abuse</i> , <b>2021</b> , 1-10	3.8	
11	El gen de DRD2 y el riesgo de dependencia de alcohol en pacientes bipolares. <i>European Psychiatry (Ed Española)</i> , <b>2000</b> , 7, 440-445		
10	La búsqueda de sensaciones bipolar se asocia con una propensión al abuso más bien que a características temperamentales. <i>European Psychiatry (Ed Española)</i> , <b>2001</b> , 8, 531-535		
9	Temperamento en la esquizofrenia: un estudio del Cuestionario Tridimensional de la Personalidad (TPQ). <i>European Psychiatry (Ed Española)</i> , <b>2003</b> , 10, 243-247		
8	Diagnósticos psiquiátricos y rasgos de personalidad asociados con el deterioro de la capacidad de toma de decisiones. <i>European Psychiatry (Ed Española)</i> , <b>2008</b> , 15, 23-30		
7	Chapitre 10. Alcohol <b>2014</b> , 169-191		

6 Lithium: The Key Antisucide Agent **2016**, 303-311

5 Blood-brain barrier interplay with peripheral and central inflammation as a pathophysiological mechanism of bipolar disorders **2021**, 143-153

4 Clustering suicidal phenotypes and genetic associations with brain-derived neurotrophic factor in patients with substance use disorders. *Translational Psychiatry*, **2021**, 11, 72 8.6

3 Obesity, mixed, and bipolar features in major depression: Should we identify the usual suspects or also look for covert mediators?. *Bipolar Disorders*, **2018**, 20, 772-773 3.8

2 Handedness in bipolar disorders is associated with specific neurodevelopmental features: results of the BD-FACE cohort. *European Archives of Psychiatry and Clinical Neuroscience*, **2021**, 1 5.1

1 Preventive Medication Patterns in Bipolar Disorder and Their Relationship With Comorbid Substance Use Disorders in a Cross-National Observational Study.. *Frontiers in Psychiatry*, **2022**, 13, 813256 5.6