

Frank Bellivier

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4148551/frank-bellivier-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

347
papers

15,252
citations

61
h-index

112
g-index

376
ext. papers

18,785
ext. citations

6
avg, IF

5.91
L-index

#	Paper	IF	Citations
347	Influence of childhood maltreatment on prevalence, onset and persistence of psychiatric comorbidities and suicide attempts in bipolar disorders.. <i>European Psychiatry</i> , 2022 , 1-32	6	0
346	Association between childhood maltreatment and the clinical course of bipolar disorders: a survival analysis of mood recurrences.. <i>Acta Psychiatrica Scandinavica</i> , 2022 ,	6.5	1
345	Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. <i>Biological Psychiatry</i> , 2022 , 91, 102-117	7.9	11
344	Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach.. <i>British Journal of Psychiatry</i> , 2022 , 1-10	5.4	1
343	Preventive Medication Patterns in Bipolar Disorder and Their Relationship With Comorbid Substance Use Disorders in a Cross-National Observational Study.. <i>Frontiers in Psychiatry</i> , 2022 , 13, 813256	5.6	5
342	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , 2021 , 26, 2457-2470	15.1	17
341	Disruption of Conscious Access in Psychosis Is Associated with Altered Structural Brain Connectivity. <i>Journal of Neuroscience</i> , 2021 , 41, 513-523	6.6	9
340	Recommendations of the treatment-resistant depression expert center network for promoting tobacco smoking cessation based on the results from the real-world FACE-TRD national cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 114, 110479	5.5	0
339	Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. <i>Translational Psychiatry</i> , 2021 , 11, 606	8.6	1
338	Childhood trauma and the severity of past suicide attempts in outpatients with cocaine use disorders. <i>Substance Abuse</i> , 2021 , 1-10	3.8	
337	Can actigraphy be used to define lithium response dimensions in bipolar disorders?. <i>Journal of Affective Disorders</i> , 2021 , 283, 402-409	6.6	0
336	Trajectories of medication adherence in patients with Bipolar Disorder along 2 years-follow-up. <i>Journal of Affective Disorders</i> , 2021 , 282, 812-819	6.6	3
335	Childhood Trauma increases suicidal behaviour in a treatment-resistant depression population: a FACE-DR report. <i>Journal of Psychiatric Research</i> , 2021 , 135, 20-27	5.2	3
334	Network of co-expressed circadian genes, childhood maltreatment and sleep quality in bipolar disorders. <i>Chronobiology International</i> , 2021 , 38, 986-993	3.6	3
333	Relationship between childhood physical abuse and clinical severity of treatment-resistant depression in a geriatric population. <i>PLoS ONE</i> , 2021 , 16, e0250148	3.7	1
332	The role of brain barriers in the neurokinetics and pharmacodynamics of lithium. <i>Pharmacological Research</i> , 2021 , 166, 105480	10.2	1
331	Use of immediate release melatonin in psychiatry: BMI impacts the daily-dose. <i>LiEncephale</i> , 2021 , 47, 96-101	2.9	2

330	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021 , 53, 817-829	36.3	83
329	The course of bipolar disorder as a function of the presence and sequence of onset of comorbid alcohol use disorders in outpatients attending the Fundamental Advanced Centres of Expertise. <i>Journal of Affective Disorders</i> , 2021 , 287, 196-203	6.6	1
328	Pharmacological treatment profiles in the FACE-BD cohort: An unsupervised machine learning study, applied to a nationwide bipolar cohort. <i>Journal of Affective Disorders</i> , 2021 , 286, 309-319	6.6	2
327	Lithium prevents grey matter atrophy in patients with bipolar disorder: an international multicenter study. <i>Psychological Medicine</i> , 2021 , 51, 1201-1210	6.9	7
326	Association between anhedonia and suicidal events in patients with mood disorders: A 3-year prospective study. <i>Depression and Anxiety</i> , 2021 , 38, 17-27	8.4	8
325	Alterations in nicotinic receptor alpha5 subunit gene differentially impact early and later stages of cocaine addiction: a translational study in transgenic rats and patients. <i>Progress in Neurobiology</i> , 2021 , 197, 101898	10.9	5
324	Non-alcoholic fatty liver disease in a sample of individuals with bipolar disorders: results from the FACE-BD cohort. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 143, 82-91	6.5	2
323	Characterization of depressed bipolar patients with current suicidal ideation. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 55, 289-304	2.6	4
322	Make lithium great again - Precisely!. <i>Bipolar Disorders</i> , 2021 , 23, 209-210	3.8	1
321	Longitudinal relationships between cognition and functioning over 2 years in euthymic patients with bipolar disorder: a cross-lagged panel model approach with the FACE-BD cohort. <i>British Journal of Psychiatry</i> , 2021 , 218, 80-87	5.4	11
320	Blood-brain barrier interplay with peripheral and central inflammation as a pathophysiological mechanism of bipolar disorders 2021 , 143-153		
319	Clustering suicidal phenotypes and genetic associations with brain-derived neurotrophic factor in patients with substance use disorders. <i>Translational Psychiatry</i> , 2021 , 11, 72	8.6	
318	Prediction of lithium response using genomic data. <i>Scientific Reports</i> , 2021 , 11, 1155	4.9	1
317	Biomarkers to predict staging and treatment response in opioid dependence: A narrative review. <i>Drug Development Research</i> , 2021 , 82, 668-677	5.1	0
316	Cerebrospinal Fluid Biomarkers in Patients With Alcohol Use Disorder and Persistent Cognitive Impairment. <i>Alcoholism: Clinical and Experimental Research</i> , 2021 , 45, 561-565	3.7	1
315	Characterisation of age and polarity at onset in bipolar disorder.. <i>British Journal of Psychiatry</i> , 2021 , 219, 659-669	5.4	2
314	Handedness in bipolar disorders is associated with specific neurodevelopmental features: results of the BD-FACE cohort. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 1	5.1	
313	Mini review: Recent advances on epigenetic effects of lithium. <i>Neuroscience Letters</i> , 2021 , 761, 136116	3.3	0

312	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 26	5.4	0
311	HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. <i>Scientific Reports</i> , 2021 , 11, 17823	4.9	1
310	Childhood maltreatment and metabolic syndrome in bipolar disorders: In search of moderators. <i>Psychoneuroendocrinology</i> , 2021 , 131, 105327	5	1
309	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. <i>Biological Psychiatry</i> , 2021 ,	7.9	11
308	Using density of antecedent events and trajectory path analysis to investigate family-correlated patterns of onset of bipolar I disorder: a comparison of cohorts from Europe and USA. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 29	5.4	1
307	White matter structure abnormalities in bipolar disorders: Towards a traumatic dysconnectivity in the brain?. <i>Bipolar Disorders</i> , 2020 , 22, 757-758	3.8	
306	Allostatic load, emotional hyper-reactivity, and functioning in individuals with bipolar disorder. <i>Bipolar Disorders</i> , 2020 , 22, 711-721	3.8	5
305	Translating big data to better treatment in bipolar disorder - a manifesto for coordinated action. <i>European Neuropsychopharmacology</i> , 2020 , 36, 121-136	1.2	11
304	Accumulation of Lithium in the Hippocampus of Patients With Bipolar Disorder: A Lithium-7 Magnetic Resonance Imaging Study at 7 Tesla. <i>Biological Psychiatry</i> , 2020 , 88, 426-433	7.9	10
303	Psychiatric comorbidities in bipolar disorders: An examination of the prevalence and chronology of onset according to sex and bipolar subtype. <i>Journal of Affective Disorders</i> , 2020 , 267, 258-263	6.6	11
302	Can network analysis shed light on predictors of lithium response in bipolar I disorder?. <i>Acta Psychiatrica Scandinavica</i> , 2020 , 141, 522-533	6.5	7
301	Association between coffee, tobacco, and alcohol daily consumption and sleep/wake cycle: an actigraphy study in euthymic patients with bipolar disorders. <i>Chronobiology International</i> , 2020 , 37, 712-722	3.6	8
300	COPD Positive Screening with Spirometry Increases Motivation to Quit Tobacco Smoking in an Addiction Treatment Center. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2020 , 17, 240-244 ²		1
299	Contribution of common and rare damaging variants in familial forms of bipolar disorder and phenotypic outcome. <i>Translational Psychiatry</i> , 2020 , 10, 124	8.6	3
298	Misperception of sleep in bipolar disorder: an exploratory study using questionnaire versus actigraphy. <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 34	5.4	6
297	An evidence map of actigraphy studies exploring longitudinal associations between rest-activity rhythms and course and outcome of bipolar disorders. <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 37	5.4	4
296	Socio-demographic and clinical predictors of outcome to long-term treatment with lithium in bipolar disorders: a systematic review of the contemporary literature and recommendations from the ISBD/IGSLI Task Force on treatment with lithium. <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 40	5.4	1
295	An ecological study of objective rest-activity markers of lithium response in bipolar-I-disorder. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	6

294	Eveningness and poor sleep quality contribute to depressive residual symptoms and behavioral inhibition in patients with bipolar disorder. <i>Chronobiology International</i> , 2020 , 37, 101-110	3.6	8
293	An examination of the quality and performance of the Alda scale for classifying lithium response phenotypes. <i>Bipolar Disorders</i> , 2020 , 22, 255-265	3.8	11
292	Childhood maltreatment and polygenic risk in bipolar disorders. <i>Bipolar Disorders</i> , 2020 , 22, 174-181	3.8	15
291	Adherence to treatment guidelines in clinical practice for using electroconvulsive therapy in major depressive episode. <i>Journal of Affective Disorders</i> , 2020 , 264, 318-323	6.6	2
290	Unipolar mania: Identification and characterisation of cases in France and the United Kingdom. <i>Journal of Affective Disorders</i> , 2020 , 263, 228-235	6.6	4
289	Childhood maltreatment and HPA axis gene expression in bipolar disorders: A gene network analysis. <i>Psychoneuroendocrinology</i> , 2020 , 120, 104753	5	2
288	Evolution and characteristics of the use of valproate in women of childbearing age with bipolar disorder: Results from the FACE-BD cohort. <i>Journal of Affective Disorders</i> , 2020 , 276, 963-969	6.6	0
287	A DNA methylation signature discriminates between excellent and non-response to lithium in patients with bipolar disorder type 1. <i>Scientific Reports</i> , 2020 , 10, 12239	4.9	8
286	Minimum clinically important differences for the Functioning Assessment Short Test and a battery of neuropsychological tests in bipolar disorders: results from the FACE-BD cohort. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29, e144	5.1	2
285	Trajectories of functioning in bipolar disorders: A longitudinal study in the FondaMental Advanced Centers of Expertise in Bipolar Disorders cohort. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020 , 54, 985-996	2.6	3
284	Translational study of the whole transcriptome in rats and genetic polymorphisms in humans identifies LRP1B and VPS13A as key genes involved in tolerance to cocaine-induced motor disturbances. <i>Translational Psychiatry</i> , 2020 , 10, 381	8.6	3
283	Lithium effects on serine-threonine kinases activity: High throughput kinomic profiling of lymphoblastoid cell lines from excellent-responders and non-responders bipolar patients. <i>World Journal of Biological Psychiatry</i> , 2020 , 21, 317-324	3.8	1
282	Childhood maltreatment and clinical severity of treatment-resistant depression in a French cohort of outpatients (FACE-DR): One-year follow-up. <i>Depression and Anxiety</i> , 2020 , 37, 365-374	8.4	8
281	Clinical guidelines for the management of treatment-resistant depression: French recommendations from experts, the French Association for Biological Psychiatry and Neuropsychopharmacology and the fondation FondaMental. <i>BMC Psychiatry</i> , 2019 , 19, 262	4.2	31
280	Which actigraphic variables optimally characterize the sleep-wake cycle of individuals with bipolar disorders?. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 139, 269-279	6.5	9
279	Clinical guidelines for the management of depression with specific comorbid psychiatric conditions French recommendations from experts (the French Association for Biological Psychiatry and Neuropsychopharmacology and the fondation FondaMental). <i>BMC Psychiatry</i> , 2019 , 19, 50	4.2	13
278	Increased plasma levels of high mobility group box 1 protein in patients with bipolar disorder: A pilot study. <i>Journal of Neuroimmunology</i> , 2019 , 334, 576993	3.5	3
277	Does childhood experience of attention-deficit hyperactivity disorder symptoms increase sleep/wake cycle disturbances as measured with actigraphy in adult patients with bipolar disorder?. <i>Chronobiology International</i> , 2019 , 36, 1124-1130	3.6	0

276	Tobacco smoking and other substance use disorders associated with recurrent suicide attempts in bipolar disorder. <i>Journal of Affective Disorders</i> , 2019 , 256, 348-357	6.6	9
275	Reconsideration of the factorial structure of the Barratt Impulsiveness Scale (BIS-11): Assessment of impulsivity in a large population of euthymic bipolar patients. <i>Journal of Affective Disorders</i> , 2019 , 253, 203-209	6.6	7
274	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019 , 51, 793-803	36.3	662
273	Psychological and psychiatric aspects of face transplantation: Lessons learned from the long-term follow-up of six patients. <i>Journal of Psychosomatic Research</i> , 2019 , 119, 42-49	4.1	12
272	Association between solar insolation and a history of suicide attempts in bipolar I disorder. <i>Journal of Psychiatric Research</i> , 2019 , 113, 1-9	5.2	15
271	Impulsivity and its association with childhood trauma experiences across bipolar disorder, attention deficit hyperactivity disorder and borderline personality disorder. <i>Journal of Affective Disorders</i> , 2019 , 244, 33-41	6.6	28
270	Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar Disorders</i> , 2019 , 21, 68-75	3.8	15
269	Prevalence and determinants of cognitive impairment in the euthymic phase of bipolar disorders: results from the FACE-BD cohort. <i>Psychological Medicine</i> , 2019 , 49, 519-527	6.9	8
268	Prospective cohort study of early biosignatures of response to lithium in bipolar-I-disorders: overview of the H2020-funded R-LiNK initiative. <i>International Journal of Bipolar Disorders</i> , 2019 , 7, 20	5.4	28
267	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , 2019 , 179, 1469-1482.e11	56.2	402
266	Population pharmacokinetic modeling of sustained release lithium in the serum, erythrocytes and urine of patients with bipolar disorder. <i>European Journal of Clinical Pharmacology</i> , 2019 , 75, 519-528	2.8	0
265	Activation Levels, Cardiovascular Risk, and Functional Impairment in Remitted Bipolar Patients: Clinical Relevance of a Dimensional Approach. <i>Psychotherapy and Psychosomatics</i> , 2019 , 88, 45-47	9.4	7
264	Clinical characteristics of obstructive sleep apnea in bipolar disorders. <i>Journal of Affective Disorders</i> , 2019 , 245, 1-7	6.6	3
263	Post-traumatic stress disorder in Stevens-Johnson syndrome and toxic epidermal necrolysis: prevalence and risk factors. A prospective study of 31 patients. <i>British Journal of Dermatology</i> , 2019 , 180, 1206-1213	4	19
262	Sleep and circadian rhythms as possible trait markers of suicide attempt in bipolar disorders: An actigraphy study. <i>Journal of Affective Disorders</i> , 2019 , 244, 1-8	6.6	36
261	Response to Lithium in Patients with Bipolar Disorder: What are Psychiatrists' Experiences and Practices Compared to Literature Review?. <i>Pharmacopsychiatry</i> , 2019 , 52, 70-77	2	5
260	Nutritional Status During Inpatient Alcohol Detoxification. <i>Alcohol and Alcoholism</i> , 2018 , 53, 64-70	3.5	10
259	Relevance of treated cocaine users' retrospective memory of first cocaine use. <i>Psychiatry Research</i> , 2018 , 264, 210-216	9.9	2

258	Lithium response in bipolar disorders and core clock genes expression. <i>World Journal of Biological Psychiatry</i> , 2018 , 19, 619-632	3.8	30
257	Collaborative meta-analysis finds no evidence of a strong interaction between stress and 5-HTTLPR genotype contributing to the development of depression. <i>Molecular Psychiatry</i> , 2018 , 23, 133-142	15.1	188
256	Modifiable and non-modifiable factors associated with functional impairment during the inter-episodic periods of bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018 , 268, 749-755	5.1	19
255	Population pharmacokinetics of oral baclofen at steady-state in alcoholic-dependent adult patients. <i>Fundamental and Clinical Pharmacology</i> , 2018 , 32, 239-248	3.1	11
254	Insomnia and hypersomnia in major depressive episode: Prevalence, sociodemographic characteristics and psychiatric comorbidity in a population-based study. <i>Journal of Affective Disorders</i> , 2018 , 226, 132-141	6.6	69
253	Binge eating behaviours in bipolar disorders. <i>Journal of Affective Disorders</i> , 2018 , 225, 482-488	6.6	18
252	Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018 , 9, 207	5	15
251	Association between CRP genetic diversity and bipolar disorder comorbid complications. <i>International Journal of Bipolar Disorders</i> , 2018 , 6, 4	5.4	5
250	Gender-specific study of recurrent suicide attempts in outpatients with multiple substance use disorders. <i>Journal of Affective Disorders</i> , 2018 , 241, 546-553	6.6	9
249	HLA genetics in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 464-471	6.5	13
248	Genomic Dissection of Bipolar Disorder and Schizophrenia, Including 28 Subphenotypes. <i>Cell</i> , 2018 , 173, 1705-1715.e16	56.2	360
247	Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder: A Genome-Wide Association Study. <i>JAMA Psychiatry</i> , 2018 , 75, 65-74	14.5	75
246	A study of the real-world effectiveness of group psychoeducation for bipolar disorders: Is change in illness perception a key mediator of benefit?. <i>Journal of Affective Disorders</i> , 2018 , 227, 713-720	6.6	12
245	Bright Light Therapy in the Morning or at Mid-Day in the Treatment of Non-Seasonal Bipolar Depressive Episodes (LuBi): Study Protocol for a Dose Research Phase I / II Trial. <i>Psychiatry Investigation</i> , 2018 , 15, 1188-1202	3.1	9
244	DNA Methylation as a Biomarker of Treatment Response Variability in Serious Mental Illnesses: A Systematic Review Focused on Bipolar Disorder, Schizophrenia, and Major Depressive Disorder. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	22
243	Can an Integrated Science Approach to Precision Medicine Research Improve Lithium Treatment in Bipolar Disorders?. <i>Frontiers in Psychiatry</i> , 2018 , 9, 360	5	20
242	Obesity, mixed, and bipolar features in major depression: Should we identify the usual suspects or also look for covert mediators?. <i>Bipolar Disorders</i> , 2018 , 20, 772-773	3.8	
241	Secular trends in the age at onset of bipolar I disorder - Support for birth cohort effects from interational, multi-centre clinical observational studies. <i>European Psychiatry</i> , 2018 , 52, 61-67	6	4

240	Emotional hyper-reactivity and cardiometabolic risk in remitted bipolar patients: a machine learning approach. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 348-359	6.5	14
239	Metabolic syndrome and actigraphy measures of sleep and circadian rhythms in bipolar disorders during remission. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 155-162	6.5	6
238	The neurobiology of adaptation to seasons: Relevance and correlations in bipolar disorders. <i>Chronobiology International</i> , 2018 , 35, 1335-1353	3.6	20
237	Association between childhood dimensions of attention deficit hyperactivity disorder and adulthood clinical severity of bipolar disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 382-392	2.6	5
236	Genetics of schizophrenia: A consensus paper of the WFSBP Task Force on Genetics. <i>World Journal of Biological Psychiatry</i> , 2017 , 18, 492-505	3.8	33
235	Residual depressive symptoms, sleep disturbance and perceived cognitive impairment as determinants of functioning in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2017 , 210, 280-286	6.6	40
234	Lithium response in bipolar disorder: No difference in GADL1 gene expression between cell lines from excellent-responders and non-responders. <i>Psychiatry Research</i> , 2017 , 251, 217-220	9.9	7
233	Affect lability predicts occurrence of suicidal ideation in bipolar patients: a two-year prospective study. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 135, 460-469	6.5	13
232	Anticonvulsants and suicide attempts in bipolar I disorders. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 135, 470-478	6.5	5
231	TLR4 gene polymorphism associated with lifetime cigarette smoking in bipolar disorder. <i>Journal of Neuroimmunology</i> , 2017 , 305, 96-101	3.5	2
230	Emotional reactivity, functioning, and C-reactive protein alterations in remitted bipolar patients: Clinical relevance of a dimensional approach. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 788-798	2.6	12
229	Cognitive profiles in euthymic patients with bipolar disorders: results from the FACE-BD cohort. <i>Bipolar Disorders</i> , 2017 , 19, 146-153	3.8	33
228	Transcranial direct-current stimulation (tDCS) for bipolar depression: A systematic review and meta-analysis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 78, 123-131	5.5	41
227	Seasonal pattern in bipolar disorders and cardio-vascular risk factors: A study from the FACE-BD cohort. <i>Chronobiology International</i> , 2017 , 34, 845-854	3.6	6
226	A re-examination of antidepressant treatment-emergent mania in bipolar disorders: evidence of gender differences. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 135, 479-488	6.5	9
225	Feasibility and Acceptability of the 'HABIT' Group Programme for Comorbid Bipolar and Alcohol and Substance use Disorders. <i>Clinical Psychology and Psychotherapy</i> , 2017 , 24, 887-898	2.9	9
224	Active and placebo transcranial magnetic stimulation effects on external and internal auditory hallucinations of schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 135, 228-238	6.5	23
223	Childhood trauma and mixed episodes are associated with poor response to lithium in bipolar disorders. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 135, 319-327	6.5	28

222	Affective lability mediates the association between childhood trauma and suicide attempts, mixed episodes and co-morbid anxiety disorders in bipolar disorders. <i>Psychological Medicine</i> , 2017 , 47, 902-912	6.9	47
221	Serious suicide attempts in outpatients with multiple substance use disorders. <i>Drug and Alcohol Dependence</i> , 2017 , 181, 63-70	4.9	44
220	Associations between residual depressive symptoms, cognition, and functioning in patients with euthymic bipolar disorder: results from the FACE-BD cohort. <i>British Journal of Psychiatry</i> , 2017 , 211, 381-387	5.4	21
219	Neuropsychological functioning, age, and medication adherence in bipolar disorder. <i>PLoS ONE</i> , 2017 , 12, e0184313	3.7	15
218	Pharmacogenomics of opiates and methadone maintenance treatment: current data and perspectives. <i>Pharmacogenomics</i> , 2017 , 18, 1359-1372	2.6	7
217	Sleep quality, chronotype and metabolic syndrome components in bipolar disorders during the remission period: Results from the FACE-BD cohort. <i>Chronobiology International</i> , 2017 , 34, 1114-1124	3.6	12
216	Outcomes for bipolar patients assessed in the French expert center network: A 2-year follow-up observational study (FondaMental Advanced Centers of Expertise for Bipolar Disorder [FACE-BD]). <i>Bipolar Disorders</i> , 2017 , 19, 651-660	3.8	13
215	Sleep quality and emotional reactivity cluster in bipolar disorders and impact on functioning. <i>European Psychiatry</i> , 2017 , 45, 190-197	6	16
214	Solar insolation in springtime influences age of onset of bipolar I disorder. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 571-582	6.5	14
213	Investigation of lithium distribution in the rat brain ex vivo using lithium-7 magnetic resonance spectroscopy and imaging at 17.2 T. <i>NMR in Biomedicine</i> , 2017 , 30, e3770	4.4	6
212	Childhood trauma, dimensions of psychopathology and the clinical expression of bipolar disorders: A pathway analysis. <i>Journal of Psychiatric Research</i> , 2017 , 95, 37-45	5.2	31
211	Amygdala and regional volumes in treatment-resistant versus nontreatment-resistant depression patients. <i>Depression and Anxiety</i> , 2017 , 34, 1065-1071	8.4	6
210	Age-at-onset subsets of bipolar I disorders: A critical insight into admixture analyses. <i>International Journal of Methods in Psychiatric Research</i> , 2017 , 26,	4.3	6
209	Cross-validation of clinical characteristics and treatment patterns associated with phenotypes for lithium response defined by the Alda scale. <i>Journal of Affective Disorders</i> , 2017 , 208, 62-67	6.6	15
208	Alcohol use disorders are associated with increased affective lability in bipolar disorder. <i>Journal of Affective Disorders</i> , 2017 , 208, 316-324	6.6	11
207	Clinical factors associated with lithium response in bipolar disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 524-530	2.6	38
206	Identification of a Bipolar Disorder Vulnerable Gene CHDH at 3p21.1. <i>Molecular Neurobiology</i> , 2017 , 54, 5166-5176	6.2	4
205	Physical and mental health burden in cases of bipolar disorder classified as current, former, or non-tobacco smokers. <i>Journal of Affective Disorders</i> , 2017 , 208, 406-413	6.6	10

204	Revisiting the association between childhood trauma and psychosis in bipolar disorder: A quasi-dimensional path-analysis. <i>Journal of Psychiatric Research</i> , 2017 , 84, 73-79	5.2	15
203	Consensus paper of the WFSBP Task Force on Genetics: Genetics, epigenetics and gene expression markers of major depressive disorder and antidepressant response. <i>World Journal of Biological Psychiatry</i> , 2017 , 18, 5-28	3.8	54
202	Exploring venlafaxine pharmacokinetic variability with a phenotyping approach, a multicentric french-swiss study (MARVEL study). <i>BMC Pharmacology & Toxicology</i> , 2017 , 18, 70	2.6	6
201	Significant Need for a French Network of Expert Centers Enabling a Better Characterization and Management of Treatment-Resistant Depression (Fondation FondaMental). <i>Frontiers in Psychiatry</i> , 2017 , 8, 244	5	8
200	Shape analysis of the cingulum, uncinate and arcuate fasciculi in patients with bipolar disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2017 , 42, 27-36	4.5	12
199	Anxiety disorders are associated with early onset of heroin use and rapid transition to dependence in methadone maintained patients. <i>Psychiatry Research</i> , 2016 , 245, 423-426	9.9	4
198	The RANZCP mood disorders guidelines: An easy step-by-step toolbox for daily practice. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016 , 50, 1014-5	2.6	1
197	Utility of CSF biomarkers in psychiatric disorders: a national multicentre prospective study. <i>Alzheimer's Research and Therapy</i> , 2016 , 8, 27	9	12
196	Toxoplasma gondii exposure may modulate the influence of TLR2 genetic variation on bipolar disorder: a gene-environment interaction study. <i>International Journal of Bipolar Disorders</i> , 2016 , 4, 11	5.4	24
195	Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Human Molecular Genetics</i> , 2016 , 25, 3383-3394	5.6	125
194	Influence of lithium on sleep and chronotypes in remitted patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2016 , 204, 32-9	6.6	14
193	Hospital Stay and Engagement in Outpatient Follow-Up After Alcohol Emergency Detox: A 1-Year Comparison Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2016 , 40, 418-21	3.7	3
192	Using admixture analysis to examine birth-cohort effects on age at onset of bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 205-13	6.5	8
191	Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet, The</i> , 2016 , 387, 1085-1093	4.0	216
190	Convergent Lines of Evidence Support LRP8 as a Susceptibility Gene for Psychosis. <i>Molecular Neurobiology</i> , 2016 , 53, 6608-6619	6.2	13
189	Variability of response to methadone: genome-wide DNA methylation analysis in two independent cohorts. <i>Epigenomics</i> , 2016 , 8, 181-95	4.4	13
188	Impact of a cis-associated gene expression SNP on chromosome 20q11.22 on bipolar disorder susceptibility, hippocampal structure and cognitive performance. <i>British Journal of Psychiatry</i> , 2016 , 208, 128-37	5.4	10
187	Long-term risk of myocardial infarction and stroke in bipolar I disorder: A population-based Cohort Study. <i>Journal of Affective Disorders</i> , 2016 , 194, 120-7	6.6	16

186	Cannabis use disorder is associated with greater illness severity in tobacco smoking patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2016 , 190, 286-293	6.6	20
185	Bipolar Disorder: The Role of the Kynurenine and Melatonergic Pathways. <i>Current Pharmaceutical Design</i> , 2016 , 22, 987-1012	3.3	34
184	Lithium: The Key Antisucide Agent 2016 , 303-311		
183	Circadian genes and lithium response in bipolar disorders: associations with PPARGC1A (PGC-1 β) and RORA. <i>Genes, Brain and Behavior</i> , 2016 , 15, 660-8	3.6	28
182	Course of residual symptoms according to the duration of euthymia in remitted bipolar patients. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 57-64	6.5	22
181	Residual symptoms and specific functional impairments in euthymic patients with bipolar disorder. <i>Bipolar Disorders</i> , 2016 , 18, 164-73	3.8	58
180	The role of childhood trauma in bipolar disorders. <i>International Journal of Bipolar Disorders</i> , 2016 , 4, 2	5.4	152
179	Similarities between emotional dysregulation in adults suffering from ADHD and bipolar patients. <i>Journal of Affective Disorders</i> , 2016 , 198, 230-6	6.6	28
178	Childhood trauma and the limbic network: a multimodal MRI study in patients with bipolar disorder and controls. <i>Journal of Affective Disorders</i> , 2016 , 200, 159-64	6.6	43
177	Effect of early trauma on the sleep quality of euthymic bipolar patients. <i>Journal of Affective Disorders</i> , 2016 , 206, 261-267	6.6	8
176	Sleep- and circadian rhythm-associated pathways as therapeutic targets in bipolar disorder. <i>Expert Opinion on Therapeutic Targets</i> , 2015 , 19, 747-63	6.4	56
175	Childhood trauma are not associated with the intensity of transient cocaine induced psychotic symptoms. <i>Psychiatry Research</i> , 2015 , 228, 941-4	9.9	5
174	The absence of VGLUT3 predisposes to cocaine abuse by increasing dopamine and glutamate signaling in the nucleus accumbens. <i>Molecular Psychiatry</i> , 2015 , 20, 1448-59	15.1	45
173	Psychometric properties of the Affective Liability Scale (54 and 18-item version) in patients with bipolar disorder, first-degree relatives, and healthy controls. <i>Journal of Affective Disorders</i> , 2015 , 172, 375-80	6.6	41
172	Adherence to medication is associated with non-planning impulsivity in euthymic bipolar disorder patients. <i>Journal of Affective Disorders</i> , 2015 , 184, 60-6	6.6	13
171	Treating mood disorders in patients with a history of intestinal surgery: a systematic review. <i>International Clinical Psychopharmacology</i> , 2015 , 30, 119-28	2.2	8
170	Influence of light exposure during early life on the age of onset of bipolar disorder. <i>Journal of Psychiatric Research</i> , 2015 , 64, 1-8	5.2	34
169	Genetics of emotional reactivity in bipolar disorders. <i>Journal of Affective Disorders</i> , 2015 , 188, 101-6	6.6	3

168	Genetic association study of circadian genes with seasonal pattern in bipolar disorders. <i>Scientific Reports</i> , 2015 , 5, 10232	4.9	37
167	Cerebellar volume in schizophrenia and bipolar I disorder with and without psychotic features. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 223-33	6.5	57
166	Reply: Sleep in patients with remitted bipolar disorders: analyses stratified on actigraphy devices, age and gender. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 400	6.5	6
165	Troubles bipolaires et troubles de la personnalité "borderline": différences cliniques au niveau de l'efficacité et de l'impulsivité. <i>Annales Medico-Psychologiques</i> , 2015 , 173, 717-720	0.2	
164	Sleep in patients with remitted bipolar disorders: a meta-analysis of actigraphy studies. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 89-99	6.5	130
163	Links between sleep and body mass index in bipolar disorders: an exploratory study. <i>European Psychiatry</i> , 2015 , 30, 89-93	6	19
162	Risk factors for treatment resistance in unipolar depression: a systematic review. <i>Journal of Affective Disorders</i> , 2015 , 171, 137-41	6.6	74
161	Interaction between SLC6A4 promoter variants and childhood trauma on the age at onset of bipolar disorders. <i>Scientific Reports</i> , 2015 , 5, 16301	4.9	16
160	Bipolar patients referred to specialized services of care: Not resistant but impaired by sub-syndromal symptoms. Results from the FACE-BD cohort. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 898-905	2.6	22
159	A cannabinoid receptor 1 polymorphism is protective against major depressive disorder in methadone-maintained outpatients. <i>American Journal on Addictions</i> , 2015 , 24, 613-20	3.7	17
158	Self-reported cue-induced physical symptoms of craving as an indicator of cocaine dependence. <i>American Journal on Addictions</i> , 2015 , 24, 740-3	3.7	8
157	Violent suicidal behaviour in bipolar disorder is associated with nitric oxide synthase 3 gene polymorphism. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 132, 218-25	6.5	13
156	Markers of Individual Drug Metabolism: Towards the Development of a Personalized Antidepressant Prescription. <i>Current Drug Metabolism</i> , 2015 , 16, 17-45	3.5	10
155	Increased risk of suicide attempt in bipolar patients with severe tobacco dependence. <i>Journal of Affective Disorders</i> , 2015 , 183, 113-8	6.6	22
154	Influence of birth cohort on age of onset cluster analysis in bipolar I disorder. <i>European Psychiatry</i> , 2015 , 30, 99-105	6	24
153	Clinical and neuropsychological characteristics of euthymic bipolar patients having a history of severe suicide attempt. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 129-38	6.5	24
152	Joint analysis of psychiatric disorders increases accuracy of risk prediction for schizophrenia, bipolar disorder, and major depressive disorder. <i>American Journal of Human Genetics</i> , 2015 , 96, 283-94	11	161
151	Combined effect of TLR2 gene polymorphism and early life stress on the age at onset of bipolar disorders. <i>PLoS ONE</i> , 2015 , 10, e0119702	3.7	43

150	Melatonin and Melatonin Agonists as Adjunctive Treatments in Bipolar Disorders. <i>Current Pharmaceutical Design</i> , 2015 , 21, 3352-8	3.3	38
149	White matter alterations in bipolar disorder: potential for drug discovery and development. <i>Bipolar Disorders</i> , 2014 , 16, 97-112	3.8	52
148	Sleep in remitted bipolar disorder: a naturalistic case-control study using actigraphy. <i>Journal of Affective Disorders</i> , 2014 , 158, 1-7	6.6	80
147	Affect intensity measure in bipolar disorders: a multidimensional approach. <i>Journal of Affective Disorders</i> , 2014 , 157, 8-13	6.6	12
146	Polymorphism of Toll-like receptor 4 gene in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014 , 152-154, 395-402	6.6	41
145	An ASMT variant associated with bipolar disorder influences sleep and circadian rhythms: a pilot study. <i>Genes, Brain and Behavior</i> , 2014 , 13, 299-304	3.6	28
144	Seasonality and bipolar disorder: a systematic review, from admission rates to seasonality of symptoms. <i>Journal of Affective Disorders</i> , 2014 , 168, 210-23	6.6	116
143	Are empty methadone bottles empty? An analytic study. <i>Harm Reduction Journal</i> , 2014 , 11, 20	4.6	2
142	Risk of myocardial infarction and stroke in bipolar disorder: a systematic review and exploratory meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 130, 342-53	6.5	57
141	Genetic association between a 'standing' variant of NOD2 and bipolar disorder. <i>Immunobiology</i> , 2014 , 219, 766-71	3.4	11
140	Association between circadian genes, bipolar disorders and chronotypes. <i>Chronobiology International</i> , 2014 , 31, 807-14	3.6	54
139	Variabilit�de la r�ponse au lithium. <i>Annales Medico-Psychologiques</i> , 2014 , 172, 199-201	0.2	
138	OPRM1 polymorphism and lifetime suicide attempts among stabilized, methadone-maintained outpatients. <i>Psychiatry Research</i> , 2014 , 218, 259-60	9.9	7
137	Association between toll-like receptor 2 gene diversity and early-onset bipolar disorder. <i>Journal of Affective Disorders</i> , 2014 , 165, 135-41	6.6	28
136	Relationship between sunlight and the age of onset of bipolar disorder: an international multisite study. <i>Journal of Affective Disorders</i> , 2014 , 167, 104-11	6.6	37
135	Allelic differences between Europeans and Chinese for CREB1 SNPs and their implications in gene expression regulation, hippocampal structure and function, and bipolar disorder susceptibility. <i>Molecular Psychiatry</i> , 2014 , 19, 452-61	15.1	52
134	Circadian biomarkers in patients with bipolar disorder: promising putative predictors of lithium response. <i>International Journal of Bipolar Disorders</i> , 2014 , 2, 28	5.4	23
133	Neurocognitive performance as an endophenotype for bipolar disorder. <i>Frontiers in Bioscience - Elite</i> , 2014 , 6, 89-103	1.6	12

132	Circadian abnormalities as markers of susceptibility in bipolar disorders. <i>Frontiers in Bioscience - Scholar</i> , 2014 , 6, 120-37	2.4	23
131	Correlations between objective and subjective sleep and circadian markers in remitted patients with bipolar disorder. <i>Chronobiology International</i> , 2014 , 31, 698-704	3.6	58
130	Additive effects of childhood abuse and cannabis abuse on clinical expressions of bipolar disorders. <i>Psychological Medicine</i> , 2014 , 44, 1653-62	6.9	51
129	Patients' perspectives on residual symptoms in bipolar disorder: a focus group study. <i>Journal of Nervous and Mental Disease</i> , 2014 , 202, 550-5	1.8	15
128	Transient cocaine-induced chest pain: a case series. <i>Journal of Addiction Medicine</i> , 2014 , 8, 111-5	3.8	1
127	Common variant at 16p11.2 conferring risk of psychosis. <i>Molecular Psychiatry</i> , 2014 , 19, 108-14	15.1	67
126	Residual symptoms and functional performance in a large sample of euthymic bipolar patients in France (the OPTHYUM study). <i>Journal of Affective Disorders</i> , 2014 , 159, 94-102	6.6	25
125	Extracellular signal-regulated protein kinases 1 and 2 activation by addictive drugs: a signal toward pathological adaptation. <i>Biological Psychiatry</i> , 2014 , 76, 917-26	7.9	42
124	Predictive value of baseline resistance in early response to antidepressants. <i>Journal of Affective Disorders</i> , 2014 , 161, 127-35	6.6	3
123	Age at onset in bipolar I affective disorder in the USA and Europe. <i>World Journal of Biological Psychiatry</i> , 2014 , 15, 369-76	3.8	52
122	Common and rare variant analysis in early-onset bipolar disorder vulnerability. <i>PLoS ONE</i> , 2014 , 9, e104336	3.6	32
121	Can the response to mood stabilizers be predicted in bipolar disorder?. <i>Frontiers in Bioscience - Elite</i> , 2014 , 6, 120-38	1.6	24
120	Chapitre 10. Alcool 2014 , 169-191		
119	Chronotypes of bipolar patients in remission: validation of the French version of the circadian type inventory in the FACE-BD sample. <i>Chronobiology International</i> , 2013 , 30, 1042-9	3.6	39
118	Reconsideration of bipolar disorder as a developmental disorder: importance of the time of onset. <i>Journal of Physiology (Paris)</i> , 2013 , 107, 278-85		58
117	Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. <i>Nature Genetics</i> , 2013 , 45, 984-94	36.3	1628
116	Depressive residual symptoms are associated with lower adherence to medication in bipolar patients without substance use disorder: results from the FACE-BD cohort. <i>Journal of Affective Disorders</i> , 2013 , 151, 1009-15	6.6	39
115	Characteristics and profiles of bipolar I patients according to age-at-onset: findings from an admixture analysis. <i>Journal of Affective Disorders</i> , 2013 , 150, 993-1000	6.6	40

114	The HLA-G low expressor genotype is associated with protection against bipolar disorder. <i>Human Immunology</i> , 2013 , 74, 593-7	2.3	28
113	Clinical features associated with trait-impulsiveness in euthymic bipolar disorder patients. <i>Journal of Affective Disorders</i> , 2013 , 144, 240-7	6.6	51
112	Duration of untreated bipolar disorder: missed opportunities on the long road to optimal treatment. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 127, 136-44	6.5	128
111	Clinical management and burden of bipolar disorder: results from a multinational longitudinal study (WAVE-bd). <i>International Journal of Neuropsychopharmacology</i> , 2013 , 16, 1719-32	5.8	51
110	Bipolar disorder with seasonal pattern: clinical characteristics and gender influences. <i>Chronobiology International</i> , 2013 , 30, 1101-7	3.6	37
109	Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. <i>PLoS ONE</i> , 2013 , 8, e65636	3.7	113
108	Biomarkers of bipolar disorder: specific or shared with schizophrenia?. <i>Frontiers in Bioscience - Elite</i> , 2013 , 5, 845-63	1.6	25
107	Childhood trauma is associated with severe clinical characteristics of bipolar disorders. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, 991-8	4.6	128
106	Sociodemographic and psychopathological risk factors in repeated suicide attempts: gender differences in a prospective study. <i>Journal of Affective Disorders</i> , 2012 , 136, 35-43	6.6	71
105	Is processing speed a valid cognitive endophenotype for bipolar disorder?. <i>Journal of Affective Disorders</i> , 2012 , 139, 98-101	6.6	29
104	Impact of sunlight on the age of onset of bipolar disorder. <i>Bipolar Disorders</i> , 2012 , 14, 654-63	3.8	31
103	P.2.e.010 Observational, multinational study of bipolar I and II disorders (WAVE-bd): comparison of clinical data between France and other countries. <i>European Neuropsychopharmacology</i> , 2012 , 22, S281-S282	1.2	1
102	Clinical and dimensional characteristics of euthymic bipolar patients with or without suicidal behavior. <i>European Psychiatry</i> , 2012 , 27, 570-6	6	40
101	Sant� physique et troubles bipolaires. <i>Annales Medico-Psychologiques</i> , 2012 , 170, 56-61	0.2	2
100	Combination therapy for manic phases: a critical review of a common practice. <i>CNS Neuroscience and Therapeutics</i> , 2012 , 18, 957-64	6.8	25
99	Une entit� clinique aux implications th�rapeutiques majeures : le trouble bipolaire � dbut pr�coce. <i>Annales Medico-Psychologiques</i> , 2012 , 170, 502-509	0.2	0
98	Traitements non pharmacologiques des troubles bipolaires. <i>Annales Medico-Psychologiques</i> , 2012 , 170, 667-673	0.2	1
97	Genetic heterogeneity according to age at onset in bipolar disorder: a combined positional cloning and candidate gene approach. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012 , 159B, 653-9	3.5	13

96	Genetic and functional abnormalities of the melatonin biosynthesis pathway in patients with bipolar disorder. <i>Human Molecular Genetics</i> , 2012 , 21, 4030-7	5.6	70
95	Olfactory reference syndrome: an unusual delusion in a patient with Parkinson's disease. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2012 , 24, E2	2.7	5
94	Comorbid addiction in bipolar affective disorder. <i>Neuropsychiatry</i> , 2012 , 2, 531-541	1.8	
93	Clinical expression of bipolar disorder type I as a function of age and polarity at onset: convergent findings in samples from France and the United States. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, e561-6	4.6	93
92	Aripiprazole in patients with bipolar mania and beyond: an update of practical guidance. <i>Current Medical Research and Opinion</i> , 2011 , 27, 2285-99	2.5	6
91	Genetics of circadian rhythms and mood spectrum disorders. <i>European Neuropsychopharmacology</i> , 2011 , 21 Suppl 4, S676-82	1.2	117
90	Suicidal attempts in bipolar disorder: results from an observational study (EMBLEM). <i>Bipolar Disorders</i> , 2011 , 13, 377-86	3.8	53
89	Feasibility, reproducibility, risks and benefits of face transplantation: a prospective study of outcomes. <i>American Journal of Transplantation</i> , 2011 , 11, 367-78	8.7	160
88	Circadian biomarkers, circadian genes and bipolar disorders. <i>Journal of Physiology (Paris)</i> , 2011 , 105, 183-9		62
87	Genome-wide association study identifies genetic variation in neurocan as a susceptibility factor for bipolar disorder. <i>American Journal of Human Genetics</i> , 2011 , 88, 372-81	11	221
86	ALGOS: the development of a randomized controlled trial testing a case management algorithm designed to reduce suicide risk among suicide attempters. <i>BMC Psychiatry</i> , 2011 , 11, 1	4.2	134
85	Lost property? Legal compensation for destroyed sperm: a reflection and comparison drawing on UK and French perspectives. <i>Journal of Medical Ethics</i> , 2011 , 37, 747-51	2.5	2
84	Baseline brain metabolism in resistant depression and response to transcranial magnetic stimulation. <i>Neuropsychopharmacology</i> , 2011 , 36, 2710-9	8.7	37
83	"Where do auditory hallucinations come from?"--a brain morphometry study of schizophrenia patients with inner or outer space hallucinations. <i>Schizophrenia Bulletin</i> , 2011 , 37, 212-21	1.3	81
82	A SNAP25 promoter variant is associated with early-onset bipolar disorder and a high expression level in brain. <i>Molecular Psychiatry</i> , 2010 , 15, 748-55	15.1	62
81	COMT but not serotonin-related genes modulates the influence of childhood abuse on anger traits. <i>Genes, Brain and Behavior</i> , 2010 , 9, 193-202	3.6	49
80	Influence of prefrontal target region on the efficacy of repetitive transcranial magnetic stimulation in patients with medication-resistant depression: a [(18)F]-fluorodeoxyglucose PET and MRI study. <i>International Journal of Neuropsychopharmacology</i> , 2010 , 13, 45-59	5.8	69
79	Factor analyses of the Suicidal Intent Scale (SIS) and the Risk-Rescue Rating Scale (RRRS): toward the identification of homogeneous subgroups of suicidal behaviors. <i>Journal of Affective Disorders</i> , 2010 , 121, 80-7	6.6	40

78	European collaborative study of early-onset bipolar disorder: Evidence for genetic heterogeneity on 2q14 according to age at onset. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 1425-33	3.5	12
77	Preferential association between childhood emotional abuse and bipolar disorder. <i>Journal of Traumatic Stress</i> , 2010 , 23, 376-83	3.8	106
76	Admixture analysis of age at first suicide attempt. <i>Journal of Psychiatric Research</i> , 2009 , 43, 895-900	5.2	36
75	Cortical folding difference between patients with early-onset and patients with intermediate-onset bipolar disorder. <i>Bipolar Disorders</i> , 2009 , 11, 361-70	3.8	35
74	Labilidad afectiva e intensidad del afecto como dimensiones básicas de los trastornos bipolares durante el periodo eutímico. <i>Psiquiatría Biológica</i> , 2009 , 16, 54-59	0.2	
73	Facteurs de vulnérabilité génétique des troubles bipolaires. <i>Annales Medico-Psychologiques</i> , 2009 , 167, 796-802	0.2	0
72	Cortical folding in patients with bipolar disorder or unipolar depression. <i>Journal of Psychiatry and Neuroscience</i> , 2009 , 34, 127-35	4.5	36
71	Association between brain-derived neurotrophic factor gene and a severe form of bipolar disorder, but no interaction with the serotonin transporter gene. <i>Bipolar Disorders</i> , 2008 , 10, 580-7	3.8	52
70	Beyond genetics: childhood affective trauma in bipolar disorder. <i>Bipolar Disorders</i> , 2008 , 10, 867-76	3.8	170
69	Inter-hemispheric asymmetry of motor corticospinal excitability in major depression studied by transcranial magnetic stimulation. <i>Journal of Psychiatric Research</i> , 2008 , 42, 389-98	5.2	68
68	Association between the PPP3CC gene, coding for the calcineurin gamma catalytic subunit, and bipolar disorder. <i>Behavioral and Brain Functions</i> , 2008 , 4, 2	4.1	24
67	Affective lability and affect intensity as core dimensions of bipolar disorders during euthymic period. <i>Psychiatry Research</i> , 2008 , 159, 1-6	9.9	148
66	Repair of the lower and middle parts of the face by composite tissue allotransplantation in a patient with massive plexiform neurofibroma: a 1-year follow-up study. <i>Lancet, The</i> , 2008 , 372, 639-45	4.0	295
65	Cortical folding abnormalities in schizophrenia patients with resistant auditory hallucinations. <i>NeuroImage</i> , 2008 , 39, 927-35	7.9	133
64	Executive deficits in psychotic and bipolar disorders - implications for our understanding of schizoaffective disorder. <i>European Psychiatry</i> , 2008 , 23, 20-5	6	62
63	Facteurs de vulnérabilité génétique des troubles bipolaires de l'humeur. <i>Information Psychiatrique</i> , 2008 , 84, 143		
62	Interaction between BDNF Val66Met and childhood trauma on adult's violent suicide attempt. <i>Genes, Brain and Behavior</i> , 2008 , 7, 314-22	3.6	91
61	Diagnósticos psiquiátricos y rasgos de personalidad asociados con el deterioro de la capacidad de toma de decisiones. <i>European Psychiatry (Ed Española)</i> , 2008 , 15, 23-30		

60	Schizotypal dimensions: an intermediate phenotype associated with the COMT high activity allele. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007 , 144B, 64-8	3.5	45
59	The influence of four serotonin-related genes on decision-making in suicide attempters. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007 , 144B, 615-24	3.5	66
58	HTR2C (cys23ser) polymorphism influences early onset in bipolar patients in a large European multicenter association study. <i>Molecular Psychiatry</i> , 2007 , 12, 797-8	15.1	27
57	No evidence for physical anhedonia as a candidate symptom or an endophenotype in bipolar affective disorder. <i>Bipolar Disorders</i> , 2007 , 9, 706-12	3.8	16
56	Social phobia is associated with suicide attempt history in bipolar inpatients. <i>Bipolar Disorders</i> , 2007 , 9, 713-21	3.8	38
55	Prefrontal cortex dysfunction in patients with suicidal behavior. <i>Psychological Medicine</i> , 2007 , 37, 411-9	6.9	103
54	The value of navigation-guided rTMS for the treatment of depression: an illustrative case. <i>Neurophysiologie Clinique</i> , 2007 , 37, 265-71	2.7	18
53	Psychiatric diagnoses and personality traits associated with disadvantageous decision-making. <i>European Psychiatry</i> , 2007 , 22, 455-61	6	77
52	Lack of influence of COMT and NET genes variants on executive functions in schizophrenic and bipolar patients, their first-degree relatives and controls. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006 , 141B, 504-12	3.5	33
51	Familial resemblance for executive functions in families of schizophrenic and bipolar patients. <i>Psychiatry Research</i> , 2006 , 144, 131-8	9.9	48
50	Genome-wide scan for genes involved in bipolar affective disorder in 70 European families ascertained through a bipolar type I early-onset proband: supportive evidence for linkage at 3p14. <i>Molecular Psychiatry</i> , 2006 , 11, 685-94	15.1	64
49	Schizophrenia, antipsychotics and diabetes: Genetic aspects. <i>European Psychiatry</i> , 2005 , 20 Suppl 4, S33569		29
48	Age at onset in bipolar affective disorders: a review. <i>Bipolar Disorders</i> , 2005 , 7, 111-8	3.8	214
47	Suicidal disorders: a nosological entity per se?. <i>American Journal of Medical Genetics, Part C: Seminars in Medical Genetics</i> , 2005 , 133C, 3-7	3.1	24
46	Impaired decision making in suicide attempters. <i>American Journal of Psychiatry</i> , 2005 , 162, 304-10	11.9	378
45	Association between the TPH gene A218C polymorphism and suicidal behavior: a meta-analysis. <i>American Journal of Medical Genetics Part A</i> , 2004 , 124B, 87-91		111
44	Lack of association between 5HT2A receptor gene haplotype, bipolar disorder and its clinical subtypes in a West European sample. <i>American Journal of Medical Genetics Part A</i> , 2004 , 129B, 29-33		20
43	Serotonin transporter gene may be involved in short-term risk of subsequent suicide attempts. <i>Biological Psychiatry</i> , 2004 , 55, 46-51	7.9	67

42	Admixture analysis of age at onset in schizophrenia. <i>Schizophrenia Research</i> , 2004 , 71, 35-41	3.6	50
41	Hétérogénéité de la maladie maniaco-dépressive : interférence des sous-groupes d'âge de début. <i>Annales Medico-Psychologiques</i> , 2004 , 162, 365-369	0.2	1
40	Executive dysfunctions as potential markers of familial vulnerability to bipolar disorder and schizophrenia. <i>Psychiatry Research</i> , 2004 , 121, 207-17	9.9	179
39	Bipolar patients with suicidal behavior: toward the identification of a clinical subgroup. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 1035-9	4.6	96
38	Age at onset in bipolar I affective disorder: further evidence for three subgroups. <i>American Journal of Psychiatry</i> , 2003 , 160, 999-1001	11.9	187
37	Familial aggregation of delusional proneness in schizophrenia and bipolar pedigrees. <i>American Journal of Psychiatry</i> , 2003 , 160, 1313-9	11.9	63
36	Antidepressant-induced mania, rapid cycling and the serotonin transporter gene polymorphism. <i>Pharmacogenomics Journal</i> , 2003 , 3, 101-4	3.5	83
35	Anhedonia in schizophrenia: a distinct familial subtype?. <i>Schizophrenia Research</i> , 2003 , 61, 59-66	3.6	43
34	Genetic Association Studies 2003 , 127-142		
33	Temperamento en la esquizofrenia: un estudio del Cuestionario Tridimensional de la Personalidad (TPQ). <i>European Psychiatry (Ed Española)</i> , 2003 , 10, 243-247		
32	Genetic association studies. Definition of cases and controls. <i>Methods in Molecular Medicine</i> , 2003 , 77, 127-41		4
31	Anxiety disorders in 318 bipolar patients: prevalence and impact on illness severity and response to mood stabilizer. <i>Journal of Clinical Psychiatry</i> , 2003 , 64, 331-5	4.6	37
30	Serotonin transporter gene polymorphisms and affective disorder-related phenotypes. <i>Current Opinion in Psychiatry</i> , 2002 , 15, 49-58	4.9	17
29	Temperament in schizophrenia: a study of the tridimensional personality questionnaire (TPQ). <i>European Psychiatry</i> , 2002 , 17, 379-83	6	40
28	Serotonin transporter gene polymorphism influences age at onset in patients with bipolar affective disorder. <i>Neuroscience Letters</i> , 2002 , 334, 17-20	3.3	46
27	Serotonin transporter gene polymorphism and psychiatric disorders in NF1 patients. <i>American Journal of Medical Genetics Part A</i> , 2001 , 105, 758-60		2
26	Suicide attempts and the tryptophan hydroxylase gene. <i>Molecular Psychiatry</i> , 2001 , 6, 268-73	15.1	73
25	Bipolar sensation seeking is associated with a propensity to abuse rather than to temperamental characteristics. <i>European Psychiatry</i> , 2001 , 16, 289-92	6	20

24	La búsqueda de sensaciones bipolar se asocia con una propensión al abuso más bien que a características temperamentales. <i>European Psychiatry (Ed Española)</i> , 2001 , 8, 531-535		
23	Admixture analysis of age at onset in bipolar I affective disorder. <i>Archives of General Psychiatry</i> , 2001 , 58, 510-2		138
22	Association between bipolar disorder and monoamine oxidase A gene polymorphisms: results of a multicenter study. <i>American Journal of Psychiatry</i> , 2000 , 157, 948-55	11.9	116
21	Early and late onset bipolar disorders: two different forms of manic-depressive illness?. <i>Journal of Affective Disorders</i> , 2000 , 58, 215-21	6.6	222
20	The DRD2 gene and the risk for alcohol dependence in bipolar patients. <i>European Psychiatry</i> , 2000 , 15, 103-8	6	16
19	Possible association between serotonin transporter gene polymorphism and violent suicidal behavior in mood disorders. <i>Biological Psychiatry</i> , 2000 , 48, 319-22	7.9	131
18	El gen de DRD2 y el riesgo de dependencia de alcohol en pacientes bipolares. <i>European Psychiatry (Ed Española)</i> , 2000 , 7, 440-445		
17	Temperament in bipolar illness: impact on prognosis. <i>Journal of Affective Disorders</i> , 1999 , 56, 103-8	6.6	41
16	Chapter 5.2 Defining phenotypes for psychiatric genetics. <i>Handbook of Behavioral Neuroscience</i> , 1999 , 13, 773-782		
15	CAG repeat sequences in bipolar affective disorder: No evidence for association in a french population. <i>American Journal of Medical Genetics Part A</i> , 1998 , 81, 338-341		36
14	Methodological problems in meta-analysis of association studies between bipolar affective disorders and the tyrosine hydroxylase gene. <i>American Journal of Medical Genetics Part A</i> , 1998 , 81, 349-52		9
13	Age at onset and gender resemblance in bipolar siblings. <i>Psychiatry Research</i> , 1998 , 81, 125-31	9.9	42
12	Serotonin transporter gene polymorphisms in patients with unipolar or bipolar depression. <i>Neuroscience Letters</i> , 1998 , 255, 143-6	3.3	111
11	Psychiatric genetics: search for phenotypes. <i>Trends in Neurosciences</i> , 1998 , 21, 102-5	13.3	265
10	Association between the tryptophan hydroxylase gene and manic-depressive illness. <i>Archives of General Psychiatry</i> , 1998 , 55, 33-7		165
9	Serotonin transporter gene and manic depressive illness: an association study. <i>Biological Psychiatry</i> , 1997 , 41, 750-2	7.9	52
8	A preliminary study on early onset schizophrenia and bipolar disorder: large polyglutamine expansions are not involved. <i>Psychiatry Research</i> , 1997 , 72, 141-4	9.9	18
7	Apolipoprotein E gene polymorphism in early and late onset bipolar patients. <i>Neuroscience Letters</i> , 1997 , 233, 45-8	3.3	33

6	Association of manic-depressive illness with tyrosine hydroxylase microsatellite marker. <i>Lancet, The</i> , 1995, 345, 932	40	61
5	Hemodialysis for acute renal failure in patients with hematologic malignancies. <i>Critical Care Medicine</i> , 1991, 19, 346-51	14	52
4	Genome-wide association study identifies 30 Loci Associated with Bipolar Disorder		28
3	Genome-wide association study of over 40,000 bipolar disorder cases provides new insights into the underlying biology		11
2	Polygenic scores for major depressive disorder and depressive symptoms predict response to lithium in patients with bipolar disorder		1
1	Characterization of Age and Polarity at Onset in Bipolar Disorder		1