
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4148923/publications.pdf Version: 2024-02-01



| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Dietary inclusions of Solanum vegetables mitigate aluminum-induced redox and inflammation-related neurotoxicity in <i>Drosophila melanogaster</i> model. Nutritional Neuroscience, 2022, 25, 2077-2091.                                | 1.5 | 16        |
| 2  | Short exposure to ethyl and methylmercury prompts similar toxic responses in Drosophila<br>melanogaster. Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology, 2022,<br>252, 109216.                          | 1.3 | 1         |
| 3  | Methylglyoxal disrupts the functionality of rat liver mitochondria. Chemico-Biological Interactions, 2022, 351, 109677.  | 1.7 | 2         |
| 4  | Effect of Solanum vegetables on memory index, redox status, and expressions of critical neural genes in Drosophila melanogaster model of memory impairment. Metabolic Brain Disease, 2022, 37, 729-741.                                | 1.4 | 4         |
| 5  | An assessment of the rescue action of resveratrol in parkin loss of function-induced oxidative stress in Drosophila melanogaster. Scientific Reports, 2022, 12, 3922.  | 1.6 | 15        |
| 6  | Cytotoxicity of Cymbopogon citratus (DC) Stapf fractions, essential oil, citral, and geraniol in human<br>leukocytes and erythrocytes. Journal of Ethnopharmacology, 2022, 291, 115147.  | 2.0 | 5         |
| 7  | Toxic metals that interact with thiol groups and alteration in insect behavior. Current Opinion in Insect Science, 2022, 52, 100923.   | 2.2 | 5         |
| 8  | Environmentally relevant manganese concentrations evoke anxiety phenotypes in adult zebrafish.<br>Environmental Toxicology and Pharmacology, 2022, 93, 103870.   | 2.0 | 3         |
| 9  | The Thiol-Modifier Effects of Organoselenium Compounds and Their Cytoprotective Actions in Neuronal Cells. Neurochemical Research, 2021, 46, 120-130.  | 1.6 | 35        |
| 10 | Toxicological outcome of exposure to psychoactive drugs carbamazepine and diazepam on non-target insect Nauphoeta cinerea. Chemosphere, 2021, 264, 128449.   | 4.2 | 9         |
| 11 | Methylglyoxal disturbs DNA repair and glyoxalase I system in <i>Saccharomyces cerevisiae</i> .<br>Toxicology Mechanisms and Methods, 2021, 31, 107-115.  | 1.3 | 4         |
| 12 | Streptozotocin induces brain glucose metabolic changes and alters glucose transporter expression<br>in the Lobster cockroach; Nauphoeta cinerea (Blattodea: Blaberidae). Molecular and Cellular<br>Biochemistry, 2021, 476, 1109-1121. | 1.4 | 11        |
| 13 | Chalcogen-Nitrogen Bond: Insights into a Key Chemical Motif. Catalysts, 2021, 11, 114.   | 1.6 | 5         |
| 14 | A toxicological comparison between two uranium compounds in Artemia salina: Artificial seawater containing CaCO3. Marine Environmental Research, 2021, 163, 105221.  | 1.1 | 1         |
| 15 | (PhSe) <sub>2</sub> and ( <i>p</i> Cl-PhSe) <sub>2</sub> organochalcogen compounds inhibit<br><i>Candida albicans</i> adhesion to human endocervical (HeLa) cells and show anti-biofilm activities.<br>Biofouling, 2021, 37, 235-245.  | 0.8 | 3         |
| 16 | Toxicology and pharmacology of synthetic organoselenium compounds: an update. Archives of Toxicology, 2021, 95, 1179-1226.   | 1.9 | 125       |
| 17 | <i>In silico</i> Studies on the Interaction between Mpro and PLpro From SARSâ€CoVâ€2 and Ebselen, its<br>Metabolites and Derivatives. Molecular Informatics, 2021, 40, e2100028.   | 1.4 | 33        |
| 18 | The Role of Human LRRK2 in Acute Methylmercury Toxicity in Caenorhabditis elegans. Neurochemical<br>Research, 2021, 46, 2991-3002.   | 1.6 | 5         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Human type 2 diabetes mellitus-associated transcriptional disturbances in a high-sugar diet long-term<br>exposed Drosophila melanogaster. Comparative Biochemistry and Physiology Part D: Genomics and<br>Proteomics, 2021, 39, 100866. | 0.4 | 4         |
| 20 | Identification of Main Protease of Coronavirus SARS-CoV-2 (Mpro) Inhibitors from Melissa officinalis.<br>Current Drug Discovery Technologies, 2021, 18, 5-19.   | 0.6 | 10        |
| 21 | Syzygium cumini leaf extract protects macrophages against the oxidized LDL-induced toxicity: A promising atheroprotective effect. Biomedicine and Pharmacotherapy, 2021, 142, 111196.   | 2.5 | 3         |
| 22 | Chronic ciprofloxacin and atrazine co-exposure aggravates locomotor and exploratory deficits in non-target detritivore speckled cockroach (Nauphoeta cinerea). Environmental Science and Pollution Research, 2021, 28, 25680-25691.     | 2.7 | 8         |
| 23 | Selenium Neuroprotection in Neurodegenerative Disorders. , 2021, , 1-35.  |     | 2         |
| 24 | Developmental exposure to methylmercury and ADHD, a literature review of epigenetic studies.<br>Environmental Epigenetics, 2021, 7, dvab014.  | 0.9 | 6         |
| 25 | Methyl and Ethylmercury elicit oxidative stress and unbalance the antioxidant system in Saccharomyces cerevisiae. Chemico-Biological Interactions, 2020, 315, 108867.   | 1.7 | 7         |
| 26 | High level of methylmercury exposure causes persisted toxicity in Nauphoeta cinerea. Environmental<br>Science and Pollution Research, 2020, 27, 4799-4813.  | 2.7 | 17        |
| 27 | Triplaris gardneriana seeds extract exhibits in vitro anti-inflammatory properties in human<br>neutrophils after oxidative treatment. Journal of Ethnopharmacology, 2020, 250, 112474.  | 2.0 | 8         |
| 28 | Ten years of Arabian Journal of Chemistry: A bibliometric analysis. Arabian Journal of Chemistry, 2020,<br>13, 7720-7743.   | 2.3 | 7         |
| 29 | Cephalic Neuronal Vesicle Formation is Developmentally Dependent and Modified by Methylmercury and sti-1 in Caenorhabditis elegans. Neurochemical Research, 2020, 45, 2939-2948.  | 1.6 | 10        |
| 30 | The Se…S/N interactions as a possible mechanism of δ-aminolevulinic acid dehydratase enzyme inhibition<br>by organoselenium compounds: A computational study. Computational Toxicology, 2020, 15, 100127.                               | 1.8 | 5         |
| 31 | The Role of Human LRRK2 in Methylmercury-Induced Inhibition of Microvesicle Formation of Cephalic Neurons in Caenorhabditis elegans. Neurotoxicity Research, 2020, 38, 751-764.   | 1.3 | 5         |
| 32 | Effects of CATECHIN on reserpine-induced vacuous chewing movements: behavioral and biochemical analysis. Naunyn-Schmiedeberg's Archives of Pharmacology, 2020, 393, 2439-2452.  | 1.4 | 6         |
| 33 | Effects of Gender and Geographical Origin on the Chemical Composition and Antiradical Activity of<br>Baccharis myriocephala and Baccharis trimera. Foods, 2020, 9, 1433.  | 1.9 | 5         |
| 34 | Transcriptomic and Proteomic Tools in the Study of Hg Toxicity: What Is Missing?. Frontiers in Genetics, 2020, 11, 425.   | 1.1 | 10        |
| 35 | Research trends in chemico-biological interactions: The golden jubilee (1969–2019).<br>Chemico-Biological Interactions, 2020, 327, 109177.  | 1.7 | 8         |
| 36 | Modulation of redox and insulin signaling underlie the anti-hyperglycemic and antioxidant effects of<br>diphenyl diselenide in zebrafish. Free Radical Biology and Medicine, 2020, 158, 20-31.  | 1.3 | 16        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Accessing the transcriptional status of selenoproteins in skin cancer-derived cell lines. Journal of<br>Trace Elements in Medicine and Biology, 2020, 60, 126476.   | 1.5 | 7         |
| 38 | Modified expression of antioxidant genes in lobster cockroach, Nauphoeta cinerea exposed to methylmercury and monosodium glutamate. Chemico-Biological Interactions, 2020, 318, 108969.   | 1.7 | 13        |
| 39 | Therapeutic Efficacy of the N,N′ Bis-(2-Mercaptoethyl) Isophthalamide Chelator for Methylmercury<br>Intoxication in Caenorhabditis elegans. Neurotoxicity Research, 2020, 38, 133-144.  | 1.3 | 6         |
| 40 | Synthesis and biological evaluation of new antioxidant and antiproliferative chalcogenobiotin<br>derivatives for bladder carcinoma treatment. Bioorganic and Medicinal Chemistry, 2020, 28, 115423.                             | 1.4 | 1         |
| 41 | Taurine Protects from Pentylenetetrazole-Induced Behavioral and Neurochemical Changes in<br>Zebrafish. Molecular Neurobiology, 2019, 56, 583-594.   | 1.9 | 19        |
| 42 | Pequi enriched diets protect <i>Drosophila melanogaster</i> against paraquat-induced locomotor<br>deficits and oxidative stress. Journal of Toxicology and Environmental Health - Part A: Current Issues,<br>2019, 82, 664-677. | 1.1 | 10        |
| 43 | Improvement of mitochondrial function by Tapinanthus globifer (A.Rich.) Tiegh. Against hepatotoxic<br>agent in isolated rat's liver mitochondria. Journal of Ethnopharmacology, 2019, 242, 112026.                              | 2.0 | 5         |
| 44 | Assessing the toxicant effect of spontaneously volatilized 4-vinylcyclohexane exposure in nymphs of<br>the lobster cockroach nauphoeta cinerea. Environmental Toxicology and Pharmacology, 2019, 72,<br>103264.                 | 2.0 | 8         |
| 45 | Selenium abates reproductive dysfunction via attenuation of biometal accumulation,<br>oxido-inflammatory stress and caspase-3 activation in male rats exposed to arsenic. Environmental<br>Pollution, 2019, 254, 113079.        | 3.7 | 15        |
| 46 | Methylmercury's chemistry: From the environment to the mammalian brain. Biochimica Et Biophysica<br>Acta - General Subjects, 2019, 1863, 129284.  | 1.1 | 78        |
| 47 | Mercury in Our Food. Chemical Research in Toxicology, 2019, 32, 1459-1461.  | 1.7 | 20        |
| 48 | Tacrine-pyrimidine photoactive molecular hybrids: Synthesis, photophysics, docking and BSA<br>interaction study. Journal of Molecular Liquids, 2019, 287, 110983.   | 2.3 | 4         |
| 49 | Research trends in food chemistry: A bibliometric review of its 40†years anniversary (1976–2016). Food<br>Chemistry, 2019, 294, 448-457.  | 4.2 | 95        |
| 50 | Simultaneous exposure to vinylcyclohexene and methylmercury in Drosophila melanogaster:<br>biochemical and molecular analyses. BMC Pharmacology & Toxicology, 2019, 20, 83.   | 1.0 | 14        |
| 51 | Biochemical CuSO4 Toxicity in Drosophila melanogaster Depends on Sex and Developmental Stage of<br>Exposure. Biological Trace Element Research, 2019, 189, 574-585.   | 1.9 | 24        |
| 52 | Methylglyoxal disturbs the expression of antioxidant, apoptotic and glycation responsive genes and triggers programmed cell death in human leukocytes. Toxicology in Vitro, 2019, 55, 33-42.                                    | 1.1 | 19        |
| 53 | Thimerosal inhibits <i>Drosophila melanogaster</i> tyrosine hydroxylase ( <i>Dm</i> TyrH) leading to changes in dopamine levels and impaired motor behavior: implications for neurotoxicity. Metallomics, 2019, 11, 362-374.    | 1.0 | 21        |
| 54 | Diphenyl diselenide protects neuronal cells against oxidative stress and mitochondrial dysfunction:<br>Involvement of the glutathione-dependent antioxidant system. Redox Biology, 2019, 20, 118-129.                           | 3.9 | 41        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Coffee, caffeine, chlorogenic acid, and the purinergic system. Food and Chemical Toxicology, 2019, 123, 298-313.  | 1.8 | 74        |
| 56 | Productivity of CNPq Researchers from Different Fields in Biomedical Sciences: The Need for Objective<br>Bibliometric Parameters—A Report from Brazil. Science and Engineering Ethics, 2019, 25, 1037-1055.                                       | 1.7 | 14        |
| 57 | Extending the analysis of zebrafish behavioral endophenotypes for modeling psychiatric disorders:<br>Fear conditioning to conspecific alarm response. Behavioural Processes, 2018, 149, 35-42.  | 0.5 | 37        |
| 58 | Oxidative stress, caspase-3 activation and cleavage of ROCK-1 play an essential role in MeHg-induced cell death in primary astroglial cells. Food and Chemical Toxicology, 2018, 113, 328-336.  | 1.8 | 31        |
| 59 | Angiotensinâ€1â€converting enzyme inhibition, antioxidant activity, and modulation of cerebral Na+/K+<br>ATPase by free phenolics of African locust bean ( <scp><i>Parkia biglobosa</i></scp> ). Health Science<br>Reports, 2018, 1, e17.         | 0.6 | 9         |
| 60 | Ethyl acetate fraction of <i>Cymbopogon citratus</i> as a potential source of antioxidant compounds. New Journal of Chemistry, 2018, 42, 3642-3652.   | 1.4 | 12        |
| 61 | Gender-based behavioral and biochemical effects of diphenyl diselenide in Drosophila melanogaster.<br>Chemico-Biological Interactions, 2018, 279, 196-202.  | 1.7 | 9         |
| 62 | 1,1-Difluoro-3-aryl(heteroaryl)-1 <i>H</i> -pyrido[1,2- <i>c</i> ][1,3,5,2]oxadiazaborinin-9-ium-1-uides:<br>synthesis; structure; and photophysical, electrochemical, and BSA-binding studies. New Journal of<br>Chemistry, 2018, 42, 1913-1920. | 1.4 | 17        |
| 63 | Caffeine-supplemented diet modulates oxidative stress markers and improves locomotor behavior in the lobster cockroach Nauphoeta cinerea. Chemico-Biological Interactions, 2018, 282, 77-84.  | 1.7 | 15        |
| 64 | Hyperglycemia elicits anxiety-like behaviors in zebrafish: Protective role of dietary diphenyl diselenide.<br>Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2018, 85, 128-135.  | 2.5 | 21        |
| 65 | Diselenoamino acid derivatives as GPx mimics and as substrates of TrxR:in vitroandin silicostudies.<br>Organic and Biomolecular Chemistry, 2018, 16, 3777-3787.   | 1.5 | 22        |
| 66 | The Relationship Between Copper, Iron, and Selenium Levels and Alzheimer Disease. Biological Trace<br>Element Research, 2018, 181, 185-191.   | 1.9 | 42        |
| 67 | Syzygium cumini leaf extract inhibits LDL oxidation, but does not protect the liproprotein from glycation. Journal of Ethnopharmacology, 2018, 210, 69-79.  | 2.0 | 16        |
| 68 | Protective effect of (â^')-α-bisabolol on rotenone-induced toxicity in <i>Drosophila melanogaster</i> .<br>Canadian Journal of Physiology and Pharmacology, 2018, 96, 359-365.  | 0.7 | 23        |
| 69 | Peumus boldus attenuates copper-induced toxicity in Drosophila melanogaster. Biomedicine and<br>Pharmacotherapy, 2018, 97, 1-8.   | 2.5 | 18        |
| 70 | Diphenyl diselenide abrogates brain oxidative injury and neurobehavioural deficits associated with pesticide chlorpyrifos exposure in rats. Chemico-Biological Interactions, 2018, 296, 105-116.  | 1.7 | 45        |
| 71 | Dietary co-exposure to methylmercury and monosodium glutamate disrupts cellular and behavioral<br>responses in the lobster cockroach, Nauphoeta cinerea model. Environmental Toxicology and<br>Pharmacology, 2018, 64, 70-77.                     | 2.0 | 10        |
| 72 | Lophine and pyrimidine based photoactive molecular hybrids. Synthesis, photophysics, BSA interaction and DFT study. New Journal of Chemistry, 2018, 42, 17126-17137.  | 1.4 | 7         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | De novo transcriptome assembly of the lobster cockroach Nauphoeta cinerea (Blaberidae). Genetics<br>and Molecular Biology, 2018, 41, 713-721.  | 0.6 | 8         |
| 74 | Interaction of metals from group 10 (Ni, Pd, and Pt) and 11 (Cu, Ag, and Au) with human blood δ-ALA-D: in vitro and in silico studies. Environmental Science and Pollution Research, 2018, 25, 30557-30566.                                | 2.7 | 5         |
| 75 | Molecular Pathways Associated With Methylmercury-Induced Nrf2 Modulation. Frontiers in Genetics, 2018, 9, 373.   | 1.1 | 46        |
| 76 | Honey protects against wings posture error and molecular changes related to mitochondrial pathways induced by hypoxia/reoxygenation in adult Drosophila melanogaster. Chemico-Biological Interactions, 2018, 291, 245-252.                 | 1.7 | 5         |
| 77 | Molecular docking analysis of acetylcholinesterase corroborates the protective effect of pralidoxime against chlorpyrifos-induced behavioral and neurochemical impairments in Nauphoeta cinerea. Computational Toxicology, 2018, 8, 25-33. | 1.8 | 9         |
| 78 | Safety profile of AZT derivatives: Organoselenium moieties confer different cytotoxic responses in<br>fresh human erythrocytes during in vitro exposures. Journal of Trace Elements in Medicine and<br>Biology, 2018, 50, 240-248.         | 1.5 | 6         |
| 79 | Oxidative Stress in Methylmercury-Induced Cell Toxicity. Toxics, 2018, 6, 47.  | 1.6 | 66        |
| 80 | Selenothymidine protects against biochemical and behavioral alterations induced by ICV-STZ model of dementia in mice. Chemico-Biological Interactions, 2018, 294, 135-143.   | 1.7 | 19        |
| 81 | Evaluation of methylglyoxal toxicity in human erythrocytes, leukocytes and platelets. Toxicology<br>Mechanisms and Methods, 2017, 27, 307-317.   | 1.3 | 14        |
| 82 | High-sucrose diet induces diabetic-like phenotypes and oxidative stress in Drosophila melanogaster:<br>Protective role of Syzygium cumini and Bauhinia forficata. Biomedicine and Pharmacotherapy, 2017, 89,<br>605-616.                   | 2.5 | 61        |
| 83 | Diphenyl Diselenide Protects against Methylmercury-Induced Toxicity in <i>Saccharomyces<br/>cerevisiae</i> via the Yap1 Transcription Factor. Chemical Research in Toxicology, 2017, 30, 1134-1144.  | 1.7 | 15        |
| 84 | Effect of dietary supplementation with olive and sunflower oils on lipid profile and liver histology in rats fed high cholesterol diet. Asian Pacific Journal of Tropical Medicine, 2017, 10, 539-543.                                     | 0.4 | 11        |
| 85 | Insights into the differential toxicological and antioxidant effects of<br>4-phenylchalcogenil-7-chloroquinolines in Caenorhabditis elegans. Free Radical Biology and Medicine,<br>2017, 110, 133-141.                                     | 1.3 | 39        |
| 86 | Induction of reactive oxygen species by diphenyl diselenide is preceded by changes in cell morphology and permeability in <i>Saccharomyces cerevisiae</i> . Free Radical Research, 2017, 51, 657-668.                                      | 1.5 | 16        |
| 87 | Chalcogenozidovudine Derivatives With Antitumor Activity: Comparative Toxicities in Cultured<br>Human Mononuclear Cells. Toxicological Sciences, 2017, 160, 30-46.   | 1.4 | 18        |
| 88 | Resveratrol Protects Against Vacuous Chewing Movements Induced by Chronic Treatment with Fluphenazine. Neurochemical Research, 2017, 42, 3033-3040.  | 1.6 | 8         |
| 89 | Organoselenium compounds as mimics of selenoproteins and thiol modifier agents. Metallomics, 2017, 9, 1703-1734.   | 1.0 | 119       |
| 90 | African locust bean (Parkia biglobosa, Jacq Benth) leaf extract affects mitochondrial redox chemistry<br>and inhibits angiotensin-converting enzyme in vitro. Clinical Phytoscience, 2017, 3, .  | 0.8 | 6         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Scientific Performance of Brazilian Researchers in Pharmacology with grants from CNPq: A<br>comparative study within the Brazilian categories. Anais Da Academia Brasileira De Ciencias, 2016, 88,<br>1735-1742.   | 0.3 | 15        |
| 92  | Selenium and mercury levels in rat liver slices co-treated with diphenyl diselenide and methylmercury.<br>BioMetals, 2016, 29, 543-550.  | 1.8 | 9         |
| 93  | Diphenyl diselenide attenuates oxidative stress and inflammatory parameters in ulcerative colitis: A comparison with ebselen. Pathology Research and Practice, 2016, 212, 755-760.                                 | 1.0 | 19        |
| 94  | Effect of dietary supplementation of Padauk (Pterocarpus soyauxii) leaf on high fat<br>diet/streptozotocin induced diabetes in rats' brain and platelets. Biomedicine and Pharmacotherapy,<br>2016, 84, 1194-1201. | 2.5 | 18        |
| 95  | Hepatic and renal toxicological evaluations of an industrial ovotoxic chemical, 4-vinylcyclohexene<br>diepoxide, in both sexes of Wistar rats. Environmental Toxicology and Pharmacology, 2016, 45, 28-40.         | 2.0 | 10        |
| 96  | Neurobehavioral and biochemical changes in Nauphoeta cinerea following dietary exposure to chlorpyrifos. Pesticide Biochemistry and Physiology, 2016, 130, 22-30.  | 1.6 | 29        |
| 97  | Diphenyl Diselenide Protects Against Mortality, Locomotor Deficits and Oxidative Stress in<br>Drosophila melanogaster Model of Manganese-Induced Neurotoxicity. Neurochemical Research, 2016,<br>41, 1430-1438.    | 1.6 | 73        |
| 98  | Diclofenac pretreatment effects on the toll-like receptor 4/nuclear factor kappa B-mediated inflammatory response to eccentric exercise in rat liver. Life Sciences, 2016, 148, 247-253.                           | 2.0 | 30        |
| 99  | Methylmercury and brain development: A review of recent literature. Journal of Trace Elements in<br>Medicine and Biology, 2016, 38, 99-107.  | 1.5 | 132       |
| 100 | Neuroprotection of luteolin against methylmercury-induced toxicity in lobster cockroach Nauphoeta cinerea. Environmental Toxicology and Pharmacology, 2016, 42, 243-251.   | 2.0 | 25        |
| 101 | Behavioral and neurochemical effects induced by reserpine in mice. Psychopharmacology, 2016, 233, 457-467.   | 1.5 | 44        |
| 102 | Brazilian Pampa Biome Honey Protects Against Mortality, Locomotor Deficits and Oxidative Stress<br>Induced by Hypoxia/Reperfusion in Adult Drosophila melanogaster. Neurochemical Research, 2016, 41,<br>116-129.  | 1.6 | 8         |
| 103 | Therapeutic Potential of Plant Extracts and Phytochemicals Against Brain Ischemia-Reperfusion Injury:<br>A Review. Natural Products Journal, 2016, 6, 250-284.   | 0.1 | 11        |
| 104 | Synthesis and Biological Evaluation of 2-Picolylamide-Based Diselenides with Non-Bonded<br>Interactions. Molecules, 2015, 20, 10095-10109.   | 1.7 | 39        |
| 105 | Diphenyl Ditelluride Intoxication Triggers Histological Changes in Liver, Kidney, and Lung of Mice.<br>Analytical Cellular Pathology, 2015, 2015, 1-10.  | 0.7 | 2         |
| 106 | Influence of diphenyl diselenide on chlorpyrifos-induced toxicity in Drosophila melanogaster. Journal of Trace Elements in Medicine and Biology, 2015, 32, 52-59.  | 1.5 | 25        |
| 107 | In vitro evaluation of glutathione peroxidase (GPx)-like activity and antioxidant properties of an organoselenium compound. Toxicology in Vitro, 2015, 29, 947-952.  | 1.1 | 38        |
| 108 | New Organochalcogen Multitarget Drug: Synthesis and Antioxidant and Antitumoral Activities of Chalcogenozidovudine Derivatives. Journal of Medicinal Chemistry, 2015, 58, 3329-3339.                               | 2.9 | 107       |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Ovotoxicants 4-vinylcyclohexene 1,2-monoepoxide and 4-vinylcyclohexene diepoxide disrupt redox status and modify different electrophile sensitive target enzymes and genes in Drosophila melanogaster. Redox Biology, 2015, 5, 328-339.      | 3.9 | 63        |
| 110 | Diphenyl diselenide (PhSe)2 inhibits biofilm formation by Candida albicans, increasing both ROS<br>production and membrane permeability. Journal of Trace Elements in Medicine and Biology, 2015, 29,<br>289-295.                            | 1.5 | 32        |
| 111 | Effects of diphenyl diselenide on behavioral and biochemical changes induced by amphetamine in mice.<br>Journal of Neural Transmission, 2015, 122, 201-209.  | 1.4 | 11        |
| 112 | Effect of Syzygium cumini and Bauhinia forficata aqueous-leaf extracts on oxidative and mitochondrial parameters in vitro. EXCLI Journal, 2015, 14, 1219-31.   | 0.5 | 5         |
| 113 | Caffeine Intake May Modulate Inflammation Markers in Trained Rats. Nutrients, 2014, 6, 1678-1690.  | 1.7 | 24        |
| 114 | Chromatographic Analysis and Antioxidant Capacity of Tabernaemontana catharinensis. Natural<br>Product Communications, 2014, 9, 1934578X1400900.   | 0.2 | 8         |
| 115 | <i>Parkia biglobosa</i> Improves Mitochondrial Functioning and Protects against Neurotoxic Agents<br>in Rat Brain Hippocampal Slices. BioMed Research International, 2014, 2014, 1-15.   | 0.9 | 13        |
| 116 | Diphenyl Diselenide Modulates Gene Expression of Antioxidant Enzymes in the Cerebral Cortex,<br>Hippocampus and Striatum of Female Hypothyroid Rats. Neuroendocrinology, 2014, 100, 45-59.   | 1.2 | 16        |
| 117 | Inflammatory Response in Patients under Coronary Artery Bypass Grafting Surgery and Clinical<br>Implications: A Review of the Relevance of Dexmedetomidine Use. ISRN Anesthesiology, 2014, 2014, 1-28.                                       | 0.3 | 9         |
| 118 | Brazilian scientific production in areas of biological sciences: a comparative study on the modalities of full doctorate in Brazil or abroad. Scientometrics, 2014, 98, 415-427.   | 1.6 | 8         |
| 119 | Herbicide Clomazone Effects on Î <sup>-</sup> Aminolevulinic Acid Activity and Metabolic Parameters in Cyprinus carpio. Bulletin of Environmental Contamination and Toxicology, 2014, 92, 393-398.   | 1.3 | 8         |
| 120 | Chemical composition, antioxidant and anticholinesterase activity of Melissa officinalis. Industrial<br>Crops and Products, 2014, 53, 34-45.   | 2.5 | 62        |
| 121 | Antioxidant activity of Peumus boldus extract and alkaloid boldine against damage induced by<br>Fe(II)–citrate in rat liver mitochondria in vitro. Industrial Crops and Products, 2014, 54, 240-247.   | 2.5 | 38        |
| 122 | Diphenyl diselenide supplemented diet reduces depressive-like behavior in hypothyroid female rats.<br>Physiology and Behavior, 2014, 124, 116-122.   | 1.0 | 22        |
| 123 | Synthesis and biological evaluation of new nitrogen-containing diselenides. European Journal of<br>Medicinal Chemistry, 2014, 87, 131-139.   | 2.6 | 64        |
| 124 | Diphenyl diselenide administration enhances cortical mitochondrial number and activity by increasing hemeoxygenase type 1 content in a methylmercury-induced neurotoxicity mouse model. Molecular and Cellular Biochemistry, 2014, 390, 1-8. | 1.4 | 34        |
| 125 | 1-(2-(2-(2-(1-Aminoethyl)phenyl)diselanyl)phenyl)ethanamine: An amino organoselenium compound with<br>interesting antioxidant profile. Toxicology in Vitro, 2014, 28, 524-530.   | 1.1 | 17        |
| 126 | Diphenyl diselenide protects endothelial cells against oxidized low density lipoprotein-induced injury:<br>Involvement of mitochondrial function. Biochimie, 2014, 105, 172-181.   | 1.3 | 25        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Caffeine supplementation modulates oxidative stress markers in the liver of trained rats. Life<br>Sciences, 2014, 96, 40-45.   | 2.0 | 44        |
| 128 | Involvement of oxidative stress in 4-vinylcyclohexene-induced toxicity in Drosophila melanogaster.<br>Free Radical Biology and Medicine, 2014, 71, 99-108.   | 1.3 | 84        |
| 129 | Anxiolytic effects of diphenyl diselenide on adult zebrafish in a novelty paradigm. Progress in<br>Neuro-Psychopharmacology and Biological Psychiatry, 2014, 54, 187-194.                                      | 2.5 | 37        |
| 130 | InÂVitro Antioxidant Activity and Effect of Parkia biglobosa Bark Extract on Mitochondrial Redox<br>Status. JAMS Journal of Acupuncture and Meridian Studies, 2014, 7, 202-210.                                | 0.3 | 20        |
| 131 | Association of Oxidative Stress to the Genesis of Anxiety: Implications for Possible Therapeutic<br>Interventions. Current Neuropharmacology, 2014, 12, 120-139.   | 1.4 | 75        |
| 132 | Effects of Tapinanthus globiferus and Zanthoxylum zanthoxyloides extracts on human leukocytes in vitro. Journal of Intercultural Ethnopharmacology, 2014, 3, 167.  | 0.9 | 14        |
| 133 | Antioxidant and antiulcer potential of aqueous leaf extract of Kigelia africana against<br>ethanol-induced ulcer in rats. EXCLI Journal, 2014, 13, 323-30.   | 0.5 | 19        |
| 134 | Chromatographic analysis and antioxidant capacity of Tabernaemontana catharinensis. Natural<br>Product Communications, 2014, 9, 61-4.  | 0.2 | 4         |
| 135 | Diphenyl Diselenide Prevents Cortico-cerebral Mitochondrial Dysfunction and Oxidative Stress<br>Induced by Hypercholesterolemia in LDL Receptor Knockout Mice. Neurochemical Research, 2013, 38,<br>2028-2036. | 1.6 | 32        |
| 136 | Diphenyl diselenide modulates oxLDL-induced cytotoxicity in macrophage by improving the redox signaling. Biochimie, 2013, 95, 1544-1551.   | 1.3 | 29        |
| 137 | Protective effects of diphenyl diselenide in a mouse model of brain toxicity. Chemico-Biological<br>Interactions, 2013, 206, 18-26.  | 1.7 | 42        |
| 138 | Diphenyl diselenide supplementation reduces biochemical alterations associated with oxidative stress in rats fed with fructose and hydrochlorothiazide. Chemico-Biological Interactions, 2013, 204, 191-199.   | 1.7 | 19        |
| 139 | Effects of diphenyl diselenide and diphenyl ditellurite on chicken embryo development. Toxicology<br>Mechanisms and Methods, 2013, 23, 660-664.  | 1.3 | 5         |
| 140 | Cryotherapy reduces skeletal muscle damage after ischemia/reperfusion in rats. Journal of Anatomy, 2013, 222, 223-230.   | 0.9 | 17        |
| 141 | Association between oxidative stress and contextual fear conditioning in Carioca high- and low-conditioned freezing rats. Brain Research, 2013, 1512, 60-67.   | 1.1 | 31        |
| 142 | Protective effect of diphenyl diselenide against peroxynitrite-mediated endothelial cell death: A<br>comparison with ebselen. Nitric Oxide - Biology and Chemistry, 2013, 31, 20-30.                           | 1.2 | 58        |
| 143 | Evaluation of in vitro antioxidant effect of new mono and diselenides. Toxicology in Vitro, 2013, 27, 1433-1439.   | 1.1 | 62        |
| 144 | Metals, oxidative stress and neurodegeneration: A focus on iron, manganese and mercury.<br>Neurochemistry International, 2013, 62, 575-594.  | 1.9 | 439       |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Valeriana officinalis attenuates the rotenone-induced toxicity in Drosophila melanogaster.<br>NeuroToxicology, 2013, 37, 118-126.   | 1.4 | 96        |
| 146 | HPLC Analysis of Polyphenolic Compounds and Antioxidant Activity in <i>Nasturtium officinale</i> .<br>International Journal of Food Properties, 2013, 16, 61-69.  | 1.3 | 31        |
| 147 | Toxicity of ethylmercury (and Thimerosal): a comparison with methylmercury. Journal of Applied Toxicology, 2013, 33, 700-711.   | 1.4 | 103       |
| 148 | Mitochondrial electron transfer chain complexes inhibition by different organochalcogens.<br>Toxicology in Vitro, 2013, 27, 59-70.  | 1.1 | 35        |
| 149 | Effects of Diphenyl Diselenide on Methylmercury Toxicity in Rats. BioMed Research International, 2013, 2013, 1-12.  | 0.9 | 31        |
| 150 | Cytotoxicity and Genotoxicity Evaluation of Organochalcogens in Human Leucocytes: A Comparative<br>Study between Ebselen, Diphenyl Diselenide, and Diphenyl Ditelluride. BioMed Research International,<br>2013, 2013, 1-6.                     | 0.9 | 34        |
| 151 | Hydrochlorothiazide and high-fat diets reduce plasma magnesium levels and increase hepatic oxidative stress in rats. Magnesium Research, 2013, 26, 32-40.   | 0.4 | 9         |
| 152 | Major Components of Energy Drinks (Caffeine, Taurine, and Guarana) Exert Cytotoxic Effects on<br>Human Neuronal SH-SY5Y Cells by Decreasing Reactive Oxygen Species Production. Oxidative Medicine<br>and Cellular Longevity, 2013, 2013, 1-22. | 1.9 | 70        |
| 153 | Role of Calcium and Mitochondria in MeHg-Mediated Cytotoxicity. Journal of Biomedicine and<br>Biotechnology, 2012, 2012, 1-15.  | 3.0 | 45        |
| 154 | Fe(II) and sodium nitroprusside induce oxidative stress: a comparative study of diphenyl diselenide and diphenyl ditelluride with their napthyl analog. Drug and Chemical Toxicology, 2012, 35, 48-56.  | 1.2 | 7         |
| 155 | Diphenyl ditelluride targets brain selenoproteins in vivo: inhibition of cerebral thioredoxin<br>reductase and glutathione peroxidase in mice after acute exposure. Molecular and Cellular<br>Biochemistry, 2012, 370, 173-182.                 | 1.4 | 18        |
| 156 | Antioxidant properties of diorganoyl diselenides and ditellurides: modulation by organic aryl or naphthyl moiety. Molecular and Cellular Biochemistry, 2012, 371, 97-104.   | 1.4 | 33        |
| 157 | Modulation of diorganoyl dichalcogenides reactivity by non-bonded nitrogen interactions.<br>Chemico-Biological Interactions, 2012, 199, 96-105.   | 1.7 | 11        |
| 158 | Behavior and brain enzymatic changes after long-term intoxication with cadmium salt or contaminated potatoes. Food and Chemical Toxicology, 2012, 50, 3709-3718.  | 1.8 | 68        |
| 159 | Isatin-3-N4-benzilthiosemicarbazone, a non-toxic thiosemicarbazone derivative, protects and reactivates rat and human cholinesterases inhibited by methamidophos in vitro and in silico. Toxicology in Vitro, 2012, 26, 1030-1039.              | 1.1 | 8         |
| 160 | Diphenyl diselenide diet intake improves spatial learning and memory deficits in hypothyroid female<br>rats. International Journal of Developmental Neuroscience, 2012, 30, 83-89.  | 0.7 | 26        |
| 161 | Brazilian scientific production in science education. Scientometrics, 2012, 92, 697-710.  | 1.6 | 20        |
| 162 | Catuaba (Trichilia catigua) Prevents Against Oxidative Damage Induced by In Vitro<br>Ischemia–Reperfusion in Rat Hippocampal Slices. Neurochemical Research, 2012, 37, 2826-2835.   | 1.6 | 23        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | An Organoselenium Drug with Antioxidant Activity and Free Radical Scavenging Capacity In Vitro.<br>Biological Trace Element Research, 2012, 149, 399-404.   | 1.9 | 12        |
| 164 | Aminolevulinate dehydratase (δ-ALA-D) as marker protein of intoxication with metals and other pro-oxidant situations. Toxicology Research, 2012, 1, 85.   | 0.9 | 97        |
| 165 | Cooperation of Non-Effective Concentration of Glutamatergic System Modulators and Antioxidant<br>Against Oxidative Stress Induced by Quinolinic Acid. Neurochemical Research, 2012, 37, 1993-2003.                          | 1.6 | 7         |
| 166 | Antioxidant Effect of Stryphnodendron rotundifolium Martius Extracts from Cariri-CearÃ <sub>i</sub> State<br>(Brazil): Potential Involvement in Its Therapeutic Use. Molecules, 2012, 17, 934-950.                          | 1.7 | 18        |
| 167 | Antioxidant activity and low toxicity of (E)-1-(1-(methylthio)-1-(selenopheny) hept-1-en-2-yl) pyrrolidin-2-one. Cell Biology and Toxicology, 2012, 28, 213-223.  | 2.4 | 4         |
| 168 | Antioxidant activity of β-selenoamines and their capacity to mimic different enzymes. Molecular and<br>Cellular Biochemistry, 2012, 365, 85-92.   | 1.4 | 25        |
| 169 | Ethanol-Induced Oxidative Stress: The Role of Binaphthyl Diselenide as a Potent Antioxidant.<br>Biological Trace Element Research, 2012, 147, 309-314.  | 1.9 | 14        |
| 170 | Evaluation of the Neurotoxic/Neuroprotective Role of Organoselenides Using Differentiated Human<br>Neuroblastoma SH-SY5Y Cell Line Challenged with 6-Hydroxydopamine. Neurotoxicity Research, 2012,<br>22, 138-149.         | 1.3 | 41        |
| 171 | The combination of organoselenium compounds and guanosine prevents glutamate-induced oxidative stress in different regions of rat brains. Brain Research, 2012, 1430, 101-111.  | 1.1 | 17        |
| 172 | Effect of Different Oximes on Rat and Human Cholinesterases Inhibited by Methamidophos: A<br>Comparative <i>In Vitro</i> and <i>In Silico</i> Study. Basic and Clinical Pharmacology and<br>Toxicology, 2012, 111, 362-370. | 1.2 | 11        |
| 173 | Resveratrol reduces vacuous chewing movements induced by acute treatment with fluphenazine.<br>Pharmacology Biochemistry and Behavior, 2012, 101, 307-310.  | 1.3 | 26        |
| 174 | Ascorbic acid oxidation of thiol groups from dithiotreitol is mediated by its conversion to dehydroascorbic acid. EXCLI Journal, 2012, 11, 604-612.   | 0.5 | 5         |
| 175 | Therapeutic cold: An effective kind to modulate the oxidative damage resulting of a skeletal muscle contusion. Free Radical Research, 2011, 45, 133-146.  | 1.5 | 38        |
| 176 | Inhibitory effect of ebselen on lactate dehydrogenase activity from mammals: a comparative study with diphenyl diselenide and diphenyl ditelluride. Drug and Chemical Toxicology, 2011, 34, 66-76.                          | 1.2 | 29        |
| 177 | Diphenyl diselenide and analogs are substrates of cerebral rat thioredoxin reductase: A pathway for their neuroprotective effects. Neuroscience Letters, 2011, 503, 1-5.  | 1.0 | 59        |
| 178 | Methylmercury-induced alterations in astrocyte functions are attenuated by ebselen.<br>NeuroToxicology, 2011, 32, 291-299.  | 1.4 | 79        |
| 179 | Effect of repeated restraint stress and clomipramine on Na <sup>+</sup> /K <sup>+</sup> â€ATPase activity and behavior in rats. International Journal of Developmental Neuroscience, 2011, 29, 909-916.                     | 0.7 | 9         |
| 180 | Thiosemicarbazone derivate protects from AAPH and Cu2+-induced LDL oxidation. Life Sciences, 2011, 89, 20-28.   | 2.0 | 15        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Mechanisms of methylmercury-induced neurotoxicity: Evidence from experimental studies. Life<br>Sciences, 2011, 89, 555-563.   | 2.0 | 349       |
| 182 | Diphenyl Diselenide Effectively Reduces Atherosclerotic Lesions in LDLr â~'/â~' Mice by Attenuation of Oxidative Stress and Inflammation. Journal of Cardiovascular Pharmacology, 2011, 58, 91-101.   | 0.8 | 58        |
| 183 | Modulation of methylmercury uptake by methionine: Prevention of mitochondrial dysfunction in rat liver slices by a mimicry mechanism. Toxicology and Applied Pharmacology, 2011, 252, 28-35.  | 1.3 | 35        |
| 184 | Oxidative stress in MeHg-induced neurotoxicity. Toxicology and Applied Pharmacology, 2011, 256, 405-417.  | 1.3 | 270       |
| 185 | Involvement of catalase in the protective effect of binaphthyl diselenide against renal damage induced by glycerol. Experimental and Toxicologic Pathology, 2011, 63, 331-335.  | 2.1 | 15        |
| 186 | Inhibition of δ-aminolevulinate dehydratase is not closely related to the development of hyperglycemia<br>in alloxan-induced diabetic mice. Experimental and Toxicologic Pathology, 2011, 63, 443-451.  | 2.1 | 6         |
| 187 | Valeriana officinalis ameliorates vacuous chewing movements induced by reserpine in rats. Journal of<br>Neural Transmission, 2011, 118, 1547-1557.  | 1.4 | 27        |
| 188 | Evaluation of the biological effects of (S)-dimethyl 2-(3-(phenyltellanyl) propanamido) succinate, a new telluroamino acid derivative of aspartic acid. Archives of Toxicology, 2011, 85, 43-49.  | 1.9 | 7         |
| 189 | Toxicology and pharmacology of selenium: emphasis on synthetic organoselenium compounds.<br>Archives of Toxicology, 2011, 85, 1313-1359.  | 1.9 | 416       |
| 190 | Dexmedetomidine protects blood δ-aminolevulinate dehydratase from inactivation caused by<br>hyperoxygenation in total intravenous anesthesia. Human and Experimental Toxicology, 2011, 30,<br>289-295.  | 1.1 | 7         |
| 191 | Reduction of Diphenyl Diselenide and Analogs by Mammalian Thioredoxin Reductase Is Independent of<br>Their Gluthathione Peroxidase-Like Activity: A Possible Novel Pathway for Their Antioxidant Activity.<br>Molecules, 2010, 15, 7699-7714. | 1.7 | 23        |
| 192 | Reduction of Diphenyl Diselenide and Analogs by Mammalian Thioredoxin Reductase Is Independent of<br>Their Gluthathione Peroxidase-Like Activity: A Possible Novel Pathway for Their Antioxidant Activity.<br>Molecules, 2010, 15, 7699-7714. | 1.7 | 72        |
| 193 | In vivo and in vitro inhibition of mice thioredoxin reductase by methylmercury. BioMetals, 2010, 23, 1171-1177.   | 1.8 | 70        |
| 194 | Clomipramine Treatment and Repeated Restraint Stress Alter Parameters of Oxidative Stress in Brain<br>Regions of Male Rats. Neurochemical Research, 2010, 35, 1761-1770.  | 1.6 | 25        |
| 195 | Involvement of l-arginine–nitric oxide–cyclic guanosine monophosphate pathway in the<br>antidepressant-like effect of bis selenide in the mouse tail suspension test. European Journal of<br>Pharmacology, 2010, 635, 135-141.                | 1.7 | 20        |
| 196 | Protective effect of binaphthyl diselenide, a synthetic organoselenium compound, on<br>2â€nitropropaneâ€induced hepatotoxicity in rats. Cell Biochemistry and Function, 2010, 28, 258-265.  | 1.4 | 24        |
| 197 | Mitochondrial Dysfunction Induced by Different Organochalchogens Is Mediated by Thiol Oxidation<br>and Is Not Dependent of the Classical Mitochondrial Permeability Transition Pore Opening.<br>Toxicological Sciences, 2010, 117, 133-143.   | 1.4 | 48        |
| 198 | A Possible Neuroprotective Action of a Vinylic Telluride against Mn-Induced Neurotoxicity.<br>Toxicological Sciences, 2010, 115, 194-201.   | 1.4 | 66        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Acute Treatment with Diphenyl Diselenide Inhibits Glutamate Uptake into Rat Hippocampal Slices and<br>Modifies Glutamate Transporters, SNAP-25, and GFAP Immunocontent. Toxicological Sciences, 2010, 113,<br>434-443.                                      | 1.4 | 25        |
| 200 | Mercury and Selenium – A Review on Aspects Related to the Health of Human Populations in the<br>Amazon. Environmental Bioindicators, 2009, 4, 222-245.  | 0.4 | 36        |
| 201 | Butane-2,3-dionethiosemicarbazone: An oxime with antioxidant properties. Chemico-Biological<br>Interactions, 2009, 177, 153-160.  | 1.7 | 31        |
| 202 | Highâ€fat diet and hydrochlorothiazide increase oxidative stress in brain of rats. Cell Biochemistry and Function, 2009, 27, 473-478.   | 1.4 | 23        |
| 203 | Efficient Synthesis of Modular Amino Acid Derivatives Containing Selenium with Pronounced GPx‣ike<br>Activity. European Journal of Organic Chemistry, 2009, 2009, 4211-4214.  | 1.2 | 59        |
| 204 | Diphenyl diselenide protects against glycerolâ€induced renal damage in rats. Journal of Applied<br>Toxicology, 2009, 29, 612-618.   | 1.4 | 22        |
| 205 | Antioxidant Effects of Different Extracts from Melissa officinalis, Matricaria recutita and<br>Cymbopogon citratus. Neurochemical Research, 2009, 34, 973-983.  | 1.6 | 169       |
| 206 | In vitro Antioxidant Activity of Valeriana officinalis Against Different Neurotoxic Agents.<br>Neurochemical Research, 2009, 34, 1372-1379.   | 1.6 | 59        |
| 207 | Diphenyl Diselenide Decreases Serum Levels of Total Cholesterol and Tissue Oxidative Stress in<br>Cholesterol-fed Rabbits. Basic and Clinical Pharmacology and Toxicology, 2009, 105, 17-23.  | 1.2 | 45        |
| 208 | Oxidative stress and δ-ALA-D activity in different conditioning regimens in allogeneic bone marrow transplantation patients. Clinical Biochemistry, 2009, 42, 602-610.  | 0.8 | 18        |
| 209 | Diphenyl diselenide, a simple organoselenium compound, decreases methylmercury-induced cerebral,<br>hepatic and renal oxidative stress and mercury deposition in adult mice. Brain Research Bulletin, 2009,<br>79, 77-84.                                   | 1.4 | 116       |
| 210 | Guanosine and synthetic organoselenium compounds modulate methylmercury-induced oxidative<br>stress in rat brain cortical slices: Involvement of oxidative stress and glutamatergic system.<br>Toxicology in Vitro, 2009, 23, 302-307.                      | 1.1 | 63        |
| 211 | Hemolytic and genotoxic evaluation of organochalcogens in human blood cells in vitro. Toxicology<br>in Vitro, 2009, 23, 1195-1204.  | 1.1 | 36        |
| 212 | Synthesis of telluroamino acid derivatives with remarkable GPx like activity. Organic and Biomolecular Chemistry, 2009, 7, 43-45.   | 1.5 | 53        |
| 213 | δ-Aminolevulinate dehydratase activity and oxidative stress during melphalan and<br>cyclophosphamide–BCNU–etoposide (CBV) conditioning regimens in autologous bone marrow<br>transplantation patients. Pharmacological Research, 2009, 59, 279-284.         | 3.1 | 10        |
| 214 | Comparative Studies on Dicholesteroyl Diselenide and Diphenyl Diselenide as Antioxidant Agents and<br>their Effect on the Activities of Na+/K+ ATPase and δ-Aminolevulinic acid Dehydratase in the Rat Brain.<br>Neurochemical Research, 2008, 33, 167-178. | 1.6 | 45        |
| 215 | Diphenyl diselenide supplementation delays the development of N-nitroso-N-methylurea-induced mammary tumors. Archives of Toxicology, 2008, 82, 655-663.   | 1.9 | 26        |
| 216 | Diphenyl diselenide confers neuroprotection against hydrogen peroxide toxicity in hippocampal slices. Brain Research, 2008, 1199, 138-147.  | 1.1 | 38        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | Prenatal methylmercury exposure hampers glutathione antioxidant system ontogenesis and causes long-lasting oxidative stress in the mouse brain. Toxicology and Applied Pharmacology, 2008, 227, 147-154.   | 1.3 | 191       |
| 218 | Oximes as inhibitors of low density lipoprotein oxidation. Life Sciences, 2008, 83, 878-885.   | 2.0 | 13        |
| 219 | An organotellurium compound with antioxidant activity against excitotoxic agents without neurotoxic effects in brain of rats. Brain Research Bulletin, 2008, 76, 114-123.  | 1.4 | 39        |
| 220 | Dietary diphenyl diselenide reduces the STZ-induced toxicity. Food and Chemical Toxicology, 2008, 46, 186-194.   | 1.8 | 58        |
| 221 | Diphenyl diselenide, a simple glutathione peroxidase mimetic, inhibits human LDL oxidation in vitro.<br>Atherosclerosis, 2008, 201, 92-100.  | 0.4 | 54        |
| 222 | A Single High Dose of Ascorbic Acid and Iron Is Not Correlated with Oxidative Stress in Healthy Volunteers. Annals of Nutrition and Metabolism, 2008, 53, 79-85.   | 1.0 | 15        |
| 223 | Acute Diphenyl Diselenide Treatment Reduces Hyperglycemia But Does Not Change<br>Delta-Aminolevulinate Dehydratase Activity in Alloxan-Induced Diabetes in Rats. Biological and<br>Pharmaceutical Bulletin, 2008, 31, 2200-2204.                               | 0.6 | 20        |
| 224 | 45Ca2+ Influx in Rat Brain: Effect of Diorganylchalcogenides Compounds. Toxicological Sciences, 2007, 99, 566-571.   | 1.4 | 17        |
| 225 | Valeriana officinalis does not alter the orofacial dyskinesia induced by haloperidol in rats: Role of<br>dopamine transporter. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2007, 31,<br>1478-1486.   | 2.5 | 50        |
| 226 | Oxidative stress and δ-ALA-D activity in chronic renal failure patients. Biomedicine and Pharmacotherapy, 2007, 61, 180-185.   | 2.5 | 26        |
| 227 | Opioid consumption in total intravenous anesthesia is reduced with dexmedetomidine: a comparative study with remifentanil in gynecologic videolaparoscopic surgery. Journal of Clinical Anesthesia, 2007, 19, 280-285.   | 0.7 | 73        |
| 228 | Antioxidant properties of Krebs cycle intermediates against malonate pro-oxidant activity in vitro: A comparative study using the colorimetric method and HPLC analysis to determine malondialdehyde in rat brain homogenates. Life Sciences, 2007, 81, 51-62. | 2.0 | 77        |
| 229 | Low Toxicity of Diphenyl Diselenide in Rabbits: A Long-Term Study. Basic and Clinical Pharmacology and Toxicology, 2007, 101, 47-55.   | 1.2 | 40        |
| 230 | Involvement of oxidative stress in seizures induced by diphenyl diselenide in rat pups. Brain Research, 2007, 1147, 226-232.   | 1.1 | 38        |
| 231 | Oxalate modulates thiobarbituric acid reactive species (TBARS) production in supernatants of homogenates from rat brain, liver and kidney: Effect of diphenyl diselenide and diphenyl ditelluride. Chemico-Biological Interactions, 2007, 165, 87-98.          | 1.7 | 41        |
| 232 | Adult male rats sub-chronically exposed to diphenyl diselenide: Effects on their progeny.<br>Reproductive Toxicology, 2007, 23, 119-123.   | 1.3 | 6         |
| 233 | Long-term sucrose and glucose consumption decreases the δ-aminolevulinate dehydratase activity in mice. Nutrition, 2007, 23, 818-826.  | 1.1 | 27        |
| 234 | Diphenyl diselenide decreases the prevalence of vacuous chewing movements induced by fluphenazine<br>in rats. Psychopharmacology, 2007, 194, 423-432.  | 1.5 | 23        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 235 | Delta-aminolevulinate dehydratase (δ-ALA-D) activity in diabetes and hypothyroidism. Clinical<br>Biochemistry, 2007, 40, 321-325.   | 0.8 | 17        |
| 236 | Antisecretory and antiulcer effects of diphenyl diselenide. Environmental Toxicology and Pharmacology, 2006, 21, 86-92.   | 2.0 | 70        |
| 237 | Effects of ethanol and diphenyl diselenide exposure on the activity of Î-aminolevulinate dehydratase from mouse liver and brain. Food and Chemical Toxicology, 2006, 44, 588-594. | 1.8 | 14        |
| 238 | Diphenyl diselenide and 2,3-dimercaptopropanol increase the PTZ-induced chemical seizure and mortality in mice. Brain Research Bulletin, 2006, 68, 414-418.                       | 1.4 | 20        |
| 239 | Effects of diphenyl–diselenide on orofacial dyskinesia model in rats. Brain Research Bulletin, 2006, 70,<br>165-170.  | 1.4 | 37        |
| 240 | Diethyl 2-phenyl-2 tellurophenyl vinylphosphonate: An organotellurium compound with low toxicity.<br>Toxicology, 2006, 224, 100-107.  | 2.0 | 32        |
| 241 | Acute liver damage induced by 2-nitropropane in rats: Effect of diphenyl diselenide on antioxidant defenses. Chemico-Biological Interactions, 2006, 160, 99-107.                  | 1.7 | 77        |
| 242 | Diphenyl diselenide reduces temporarily hyperglycemia: Possible relationship with oxidative stress.<br>Chemico-Biological Interactions, 2006, 163, 230-238.                       | 1.7 | 88        |
| 243 | Quercitrin, a glycoside form of quercetin, prevents lipid peroxidation in vitro. Brain Research, 2006, 1107, 192-198.   | 1.1 | 90        |
| 244 | Diphenyl diselenide changes behavior in female pups. Neurotoxicology and Teratology, 2006, 28, 607-616.   | 1.2 | 13        |
| 245 | Bis selenide alkene derivatives: A class of potential antioxidant and antinociceptive agents.<br>Pharmacology Biochemistry and Behavior, 2006, 83, 221-229.                       | 1.3 | 50        |
| 246 | Oxidation of .DELTAALA-D and DTT Mediated by Ascorbic Acid: Modulation by Buffers Depends on Free<br>Iron. Biological and Pharmaceutical Bulletin, 2005, 28, 1485-1489.           | 0.6 | 6         |
| 247 | Acute reserpine and subchronic haloperidol treatments change synaptosomal brain glutamate uptake and elicit orofacial dyskinesia in rats. Brain Research, 2005, 1031, 202-210.    | 1.1 | 53        |
| 248 | Effect of ebselen and organochalcogenides on excitotoxicity induced by glutamate in isolated chick retina. Brain Research, 2005, 1039, 146-152.                                   | 1.1 | 18        |
| 249 | High fat diet increases the incidence of orofacial dyskinesia and oxidative stress in specific brain regions of rats. Pharmacology Biochemistry and Behavior, 2005, 81, 585-592.  | 1.3 | 37        |
| 250 | Ebselen attenuates haloperidol-induced orofacial dyskinesia and oxidative stress in rat brain.<br>Pharmacology Biochemistry and Behavior, 2005, 81, 608-615.                      | 1.3 | 70        |
| 251 | Highly Stereoselective One-Pot Procedure to Prepare Bis- and Tris-chalcogenide Alkenes via Addition of Disulfides and Diselenides to Terminal Alkynes ChemInform, 2005, 36, no.   | 0.1 | 0         |
| 252 | Protective effect of diphenyl diselenide on acute liver damage induced by 2-nitropropane in rats.<br>Toxicology, 2005, 210, 1-8.  | 2.0 | 74        |

| #   | Article  | IF              | CITATIONS     |
|-----|--|-----------------|---------------|
| 253 | Krebs Cycle Intermediates Modulate Thiobarbituric Acid Reactive Species (TBARS) Production in Rat<br>Brain In Vitro. Neurochemical Research, 2005, 30, 225-235.  | 1.6             | 287           |
| 254 | N-methyl-D-aspartate Receptors are Involved in the Quinolinic Acid, but not in the Malonate<br>Pro-oxidative Activity in vitro. Neurochemical Research, 2005, 30, 417-424.                                     | 1.6             | 15            |
| 255 | Highly Stereoselective One-Pot Procedure To Prepare Bis- and Tris-chalcogenide Alkenes via Addition of Disulfides and Diselenides to Terminal Alkynes. Journal of Organic Chemistry, 2005, 70, 5257-5268.      | 1.7             | 66            |
| 256 | Ebselen and diphenyl diselenide do not change the inhibitory effect of lead acetate on<br>delta-aminolevulinate dehidratase. Environmental Toxicology and Pharmacology, 2005, 19, 239-248.                     | 2.0             | 24            |
| 257 | Effect of Group 13 metals on porphobilinogen synthase in vitro. Toxicology and Applied Pharmacology, 2004, 200, 169-176.   | 1.3             | 37            |
| 258 | Polyamines reduces lipid peroxidation induced by different pro-oxidant agents. Brain Research, 2004, 1008, 245-251.  | 1.1             | 231           |
| 259 | Effects of age on reserpine-induced orofacial dyskinesia and possible protection of diphenyl diselenide. Brain Research Bulletin, 2004, 64, 339-345.   | 1.4             | 64            |
| 260 | Effects of mercury and selenite on $\hat{l}$ aminolevulinate dehydratase activity and on selected oxidative stress parameters in rats. Environmental Research, 2004, 95, 166-173.                              | 3.7             | 45            |
| 261 | Organoselenium and Organotellurium Compounds:  Toxicology and Pharmacology. Chemical Reviews, 2004, 104, 6255-6286.  | 23.0            | 1,637         |
| 262 | Ebselen protects against methylmercury-induced inhibition of glutamate uptake by cortical slices from adult mice. Toxicology Letters, 2003, 144, 351-357.  | 0.4             | 78            |
| 263 | A High Fat Diet Inhibits δ-Aminolevulinate Dehydratase and Increases Lipid Peroxidation in Mice (Mus) Tj ETQq1 1   | 0,784314<br>1.3 | l rgBT /Overl |
| 264 | δ-Aminolevulinate Dehydratase Inhibition by Phenyl Selenoacetylene: Effect of Reaction with Hydrogen<br>Peroxide. Basic and Clinical Pharmacology and Toxicology, 2002, 90, 214-219.                           | 0.0             | 24            |
| 265 | Diphenyl diselenide and diphenyl ditelluride affect the rat glutamatergic system in vitro and in vivo.<br>Brain Research, 2001, 906, 157-163.  | 1.1             | 108           |
| 266 | Effect of Organic Forms of Selenium on δ-Aminolevulinate Dehydratase from Liver, Kidney, and Brain of<br>Adult Rats. Toxicology and Applied Pharmacology, 1998, 149, 243-253.                                  | 1.3             | 165           |
| 267 | Undernutrition During Suckling Changes the Sensitivity to Haloperidol and Chlorpromazine in Two<br>Behavioural Measures in Weaning Rats. Basic and Clinical Pharmacology and Toxicology, 1997, 81,<br>114-123. | 0.0             | 12            |