

H Sunny Sun

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4148930/publications.pdf>

Version: 2024-02-01

123
papers

4,570
citations

117453

34
h-index

114278

63
g-index

127
all docs

127
docs citations

127
times ranked

6751
citing authors

#	ARTICLE	IF	CITATIONS
1	Estradiol-mediated inhibition of Sp1 decreases miR-3194-5p expression to enhance CD44 expression during lung cancer progression. <i>Journal of Biomedical Science</i> , 2022, 29, 3.	2.6	12
2	Fibroblast Growth Factor 9 Stimulates Neuronal Length Through NF- κ B Signaling in Striatal Cell Huntington's Disease Models. <i>Molecular Neurobiology</i> , 2021, 58, 2396-2406.	1.9	9
3	FGF9 induces neurite outgrowth upon ERK signaling in knock-in striatal Huntington's disease cells. <i>Life Sciences</i> , 2021, 267, 118952.	2.0	10
4	Gene expression analysis of combined RNA-seq experiments using a receiver operating characteristic calibrated procedure. <i>Computational Biology and Chemistry</i> , 2021, 93, 107515.	1.1	4
5	Development and validation of an expanded targeted sequencing panel for non-invasive prenatal diagnosis of sporadic skeletal dysplasia. <i>BMC Medical Genomics</i> , 2021, 14, 212.	0.7	4
6	TIAM2S as a novel regulator for serotonin level enhances brain plasticity and locomotion behavior. <i>FASEB Journal</i> , 2020, 34, 3267-3288.	0.2	11
7	TIAM2S Mediates Serotonin Homeostasis and Provokes a Pro-Inflammatory Immune Microenvironment Permissive for Colorectal Tumorigenesis. <i>Cancers</i> , 2020, 12, 1844.	1.7	9
8	Novel Compound Heterozygous Mutations in CRTAP Cause Rare Autosomal Recessive Osteogenesis Imperfecta. <i>Frontiers in Genetics</i> , 2020, 11, 897.	1.1	4
9	Genomic amplification of chromosome 20q13.33 is the early biomarker for the development of sporadic colorectal carcinoma. <i>BMC Medical Genomics</i> , 2020, 13, 149.	0.7	8
10	FGF9 is a downstream target of SRY and sufficient to determine male sex fate in ex vivo XX gonad culture. <i>Biology of Reproduction</i> , 2020, 103, 1300-1313.	1.2	6
11	DNA-induced 2 β -cGAMP enhances haplotype-specific human STING cleavage by dengue protease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 15947-15954.	3.3	18
12	Behavioral and brain- transcriptomic synchronization between the two opponents of a fighting pair of the fish <i>Betta splendens</i> . <i>PLoS Genetics</i> , 2020, 16, e1008831.	1.5	22
13	Establishment of tetracycline-regulated bimolecular fluorescence complementation assay to detect protein-protein interactions in <i>Candida albicans</i> . <i>Scientific Reports</i> , 2020, 10, 2936.	1.6	3
14	FGF9 induces functional differentiation to Schwann cells from human adipose derived stem cells. <i>Theranostics</i> , 2020, 10, 2817-2831.	4.6	20
15	Title is missing!. , 2020, 16, e1008831.		0
16	Title is missing!. , 2020, 16, e1008831.		0
17	Title is missing!. , 2020, 16, e1008831.		0
18	Title is missing!. , 2020, 16, e1008831.		0

#	ARTICLE	IF	CITATIONS
19	Title is missing!. , 2020, 16, e1008831.		0
20	Title is missing!. , 2020, 16, e1008831.		0
21	Nuclear KIT induces a NFKBIB-RELA-KIT autoregulatory loop in imatinib-resistant gastrointestinal stromal tumors. <i>Oncogene</i> , 2019, 38, 6550-6565.	2.6	14
22	hnRNPM induces translation switch under hypoxia to promote colon cancer development. <i>EBioMedicine</i> , 2019, 41, 299-309.	2.7	25
23	Fibroblast growth factor 9 activates anti-oxidative functions of Nrf2 through ERK signalling in striatal cell models of Huntington's disease. <i>Free Radical Biology and Medicine</i> , 2019, 130, 256-266.	1.3	25
24	Fibroblast growth factors: Potential novel targets for regenerative therapy of osteoarthritis. <i>Chinese Journal of Physiology</i> , 2019, 62, 2.	0.4	25
25	NTF3 Is a Novel Target Gene of the Transcription Factor POU3F2 and Is Required for Neuronal Differentiation. <i>Molecular Neurobiology</i> , 2018, 55, 8403-8413.	1.9	25
26	FGF9/FGFR2 increase cell proliferation by activating <sc>ERK</sc> 1/2, Rb/E2F1, and cell cycle pathways in mouse Leydig tumor cells. <i>Cancer Science</i> , 2018, 109, 3503-3518.	1.7	32
27	The role of HGF-MET pathway and CCDC66 cirRNA expression in EGFR resistance and epithelial-to-mesenchymal transition of lung adenocarcinoma cells. <i>Journal of Hematology and Oncology</i> , 2018, 11, 74.	6.9	60
28	Fibroblast Growth Factor 9 Suppresses Striatal Cell Death Dominantly Through ERK Signaling in Huntingtonâ€™s Disease. <i>Cellular Physiology and Biochemistry</i> , 2018, 48, 605-617.	1.1	19
29	Validation of simplified postoperative nausea and vomiting intensity scale in Taiwan. <i>Journal of Clinical Monitoring and Computing</i> , 2018, 32, 937-944.	0.7	1
30	Noncoding Effects of Circular RNA CCDC66 Promote Colon Cancer Growth and Metastasis. <i>Cancer Research</i> , 2017, 77, 2339-2350.	0.4	538
31	Circular RNA â€œ New member of noncoding RNA with novel functions. <i>Experimental Biology and Medicine</i> , 2017, 242, 1136-1141.	1.1	340
32	Hypoxia-Induced Downregulation of DUSP-2 Phosphatase Drives Colon Cancer Stemness. <i>Cancer Research</i> , 2017, 77, 4305-4316.	0.4	56
33	Low-cell-number, single-tube amplification (STA) of total RNA revealed transcriptome changes from pluripotency to endothelium. <i>BMC Biology</i> , 2017, 15, 22.	1.7	5
34	MicroRNAs regulate gene plasticity during cold shock in zebrafish larvae. <i>BMC Genomics</i> , 2016, 17, 922.	1.2	39
35	<sc>DDX</sc>3 functions in antiviral innate immunity through translational control of <sc>PACT</sc>. <i>FEBS Journal</i> , 2016, 283, 88-101.	2.2	29
36	The expression profiles of fibroblast growth factor 9 and its receptors in developing mice testes. <i>Organogenesis</i> , 2016, 12, 61-77.	0.4	9

#	ARTICLE	IF	CITATIONS
37	Targeting TYRO3 inhibits epithelialâ€mesenchymal transition and increases drug sensitivity in colon cancer. <i>Oncogene</i> , 2016, 35, 5872-5881.	2.6	57
38	Sp1â€mediated ectopic expression of Tâ€cell lymphoma invasion and metastasis 2 in hepatocellular carcinoma. <i>Cancer Medicine</i> , 2016, 5, 465-477.	1.3	21
39	The oncometabolite R-2-hydroxyglutarate activates NF-ÎB-dependent tumor-promoting stromal niche for acute myeloid leukemia cells. <i>Scientific Reports</i> , 2016, 6, 32428.	1.6	68
40	Effectiveness and Mechanism of Preoperative Lugol Solution for Reducing Thyroid Blood Flow in Patients with Euthyroid Gravesâ€™ Disease. <i>World Journal of Surgery</i> , 2016, 40, 505-509.	0.8	20
41	A new rapid and efficient system with dominant selection developed to inactivate and conditionally express genes in <i>Candida albicans</i> . <i>Current Genetics</i> , 2016, 62, 213-235.	0.8	15
42	Hypoxia Induces Autophagy through Translational Up-Regulation of Lysosomal Proteins in Human Colon Cancer Cells. <i>PLoS ONE</i> , 2016, 11, e0153627.	1.1	35
43	Complete Genome Sequence of <i>Xanthomonas campestris</i> pv. <i>campestris</i> Strain 17 from Taiwan. <i>Genome Announcements</i> , 2015, 3, .	0.8	18
44	Applicability of Risk Scores for Postoperative Nausea and Vomiting in a Taiwanese Population Undergoing General Anaesthesia. <i>Anaesthesia and Intensive Care</i> , 2015, 43, 473-478.	0.2	12
45	Global Oct4 target gene analysis reveals novel downstream <i>PTEN</i> and <i>TNC</i> genes required for drug-resistance and metastasis in lung cancer. <i>Nucleic Acids Research</i> , 2015, 43, 1593-1608.	6.5	51
46	Genome Sequences of Three <i>Helicobacter pylori</i> Strains from Patients with Gastric Mucosa-Associated Lymphoid Tissue Lymphoma. <i>Genome Announcements</i> , 2015, 3, .	0.8	10
47	Characterization and distribution of repetitive elements in association with genes in the human genome. <i>Computational Biology and Chemistry</i> , 2015, 57, 29-38.	1.1	11
48	FGF9-induced changes in cellular redox status and HO-1 upregulation are FGFR-dependent and proceed through both ERK and AKT to induce CREB and Nrf2 activation. <i>Free Radical Biology and Medicine</i> , 2015, 89, 274-286.	1.3	38
49	Clinical and genetic analysis of Taiwanese patients with hereditary spastic paraplegia type 5. <i>European Journal of Neurology</i> , 2015, 22, 211-214.	1.7	10
50	Coordination of AUF1 and miR-148a destabilizes DNA methyltransferase 1 mRNA under hypoxia in endometriosis. <i>Molecular Human Reproduction</i> , 2015, 21, 894-904.	1.3	48
51	Trafficking protein particle complex 6A delta (TRAPPC6AÎ”) is an extracellular plaque-forming protein in the brain. <i>Oncotarget</i> , 2015, 6, 3578-3589.	0.8	52
52	Overexpression of FGF9 in colon cancer cells is mediated by hypoxia-induced translational activation. <i>Nucleic Acids Research</i> , 2014, 42, 2932-2944.	6.5	40
53	Exploring the associations between genetic variants in genes encoding for subunits of calcium channel and subtypes of bipolar disorder. <i>Journal of Affective Disorders</i> , 2014, 157, 80-86.	2.0	18
54	Identification of fungal pathogens from clinical specimens using multi-locus PCR coupled with electrospray ionization mass spectrometry. <i>Diagnostic Microbiology and Infectious Disease</i> , 2014, 78, 141-143.	0.8	6

#	ARTICLE	IF	CITATIONS
55	Comprehensive analysis of common coding sequence variants in Taiwanese Han population. <i>Biomarkers and Genomic Medicine</i> , 2014, 6, 133-143.	0.2	1
56	Rapid Identification of Bacteria and Candida Pathogens in Peritoneal Dialysis Effluent from Patients with Peritoneal Dialysis-Related Peritonitis by Use of Multilocus PCR Coupled with Electrospray Ionization Mass Spectrometry. <i>Journal of Clinical Microbiology</i> , 2014, 52, 1217-1219.	1.8	16
57	Identification of novel loci for bipolar I disorder in a multi-stage genome-wide association study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014, 51, 58-64.	2.5	26
58	Hypoxia-induced tumor malignancy and drug resistance: Role of microRNAs. <i>Biomarkers and Genomic Medicine</i> , 2014, 6, 1-11.	0.2	17
59	Association of aberrant expression of sex-determining gene fibroblast growth factor 9 with Sertoli cell-only syndrome. <i>Fertility and Sterility</i> , 2013, 100, 1547-1554.e4.	0.5	17
60	Effects of increasing concentrations of corn distillers dried grains with solubles on chemical composition and nutrient content of egg. <i>Poultry Science</i> , 2013, 92, 233-242.	1.5	26
61	Non-mosaic uniparental trisomy 16 presenting with asplenia syndrome and placental abruption: A case report and literature review. <i>European Journal of Medical Genetics</i> , 2013, 56, 197-201.	0.7	2
62	AQU-1, a chromosomal class C β -lactamase, among clinical <i>Aeromonas dhakensis</i> isolates: Distribution and clinical significance. <i>International Journal of Antimicrobial Agents</i> , 2013, 42, 456-461.	1.1	15
63	Expression of EBV-encoded oncogenes and EBV-like virions in multiple canine tumors. <i>Veterinary Microbiology</i> , 2013, 163, 79-89.	0.8	9
64	<i>In silico</i> identification of oncogenic potential of fyn-related kinase in hepatocellular carcinoma. <i>Bioinformatics</i> , 2013, 29, 420-427.	1.8	113
65	Human DDX3 Interacts with the HIV-1 Tat Protein to Facilitate Viral mRNA Translation. <i>PLoS ONE</i> , 2013, 8, e68665.	1.1	54
66	Vitamin D receptor 1a promotor \sim 1521 G/C and \sim 1012 A/G polymorphisms in polycystic ovary syndrome. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2012, 51, 565-571.	0.5	23
67	Menstrual cycle-dependent febrile episode mediated by sequence-specific repression of poly(ADP-ribose) polymerase-1 on the transcription of the human serotonin receptor 1A gene. <i>Human Mutation</i> , 2012, 33, 209-217.	1.1	5
68	Expression of T-cell lymphoma invasion and metastasis 2 (TIAM2) promotes proliferation and invasion of liver cancer. <i>International Journal of Cancer</i> , 2012, 130, 1302-1313.	2.3	43
69	Differential expression of porcine testis proteins during postnatal development. <i>Animal Reproduction Science</i> , 2011, 123, 221-233.	0.5	18
70	Analysis of global methylation using a Zta-expressing nasopharyngeal carcinoma cell line. <i>Genomics</i> , 2011, 97, 205-213.	1.3	2
71	FUBP3 interacts with FGF9 3' microsatellite and positively regulates FGF9 translation. <i>Nucleic Acids Research</i> , 2011, 39, 3582-3593.	6.5	22
72	Targeted Methylation of Two Tumor Suppressor Genes Is Sufficient to Transform Mesenchymal Stem Cells into Cancer Stem/Initiating Cells. <i>Cancer Research</i> , 2011, 71, 4653-4663.	0.4	91

#	ARTICLE	IF	CITATIONS
73	Fibroblast growth factor 9 stimulates steroidogenesis in postnatal Leydig cells. <i>Journal of Developmental and Physical Disabilities</i> , 2010, 33, 545-553.	3.6	38
74	Novel exon nucleotide substitution at the splice junction causes a neonatal Marfan syndrome. <i>Clinical Genetics</i> , 2010, 77, 453-463.	1.0	10
75	AUF1 p42 isoform selectively controls both steady-state and PGE2-induced FGF9 mRNA decay. <i>Nucleic Acids Research</i> , 2010, 38, 8061-8071.	6.5	26
76	Affinity purification of <i>Candida albicans</i> CaCdc4-associated proteins reveals the presence of novel proteins involved in morphogenesis. <i>Biochemical and Biophysical Research Communications</i> , 2010, 395, 152-157.	1.0	14
77	DNA methylation of the Trip10 promoter accelerates mesenchymal stem cell lineage determination. <i>Biochemical and Biophysical Research Communications</i> , 2010, 400, 305-312.	1.0	45
78	Population-specific functional variant of the TPH2 gene 2755C>A polymorphism contributes risk association to major depression and anxiety in Chinese peripartum women. <i>Archives of Women's Mental Health</i> , 2009, 12, 401-408.	1.2	32
79	Association analysis of monoamine oxidase A gene and bipolar affective disorder in Han Chinese. <i>Behavioral and Brain Functions</i> , 2008, 4, 21.	1.4	11
80	Genetic and Environmental Influences on Adiponectin, Leptin, and BMI Among Adolescents in Taiwan: A Multivariate Twin/Sibling Analysis. <i>Twin Research and Human Genetics</i> , 2008, 11, 495-504.	0.3	19
81	Association of Functional Polymorphisms of the Human Tryptophan Hydroxylase 2 Gene With Risk for Bipolar Disorder in Han Chinese. <i>Archives of General Psychiatry</i> , 2007, 64, 1015.	13.8	110
82	Microsatellite in the 3' untranslated region of human fibroblast growth factor 9 (FGF9) gene exhibits pleiotropic effect on modulating FGF9 protein expression. <i>Human Mutation</i> , 2007, 28, 98-98.	1.1	29
83	Association of NRAMP 1 Gene Polymorphism with Susceptibility to Tuberculosis in Taiwanese Aborigines. <i>Journal of the Formosan Medical Association</i> , 2006, 105, 363-369.	0.8	37
84	Association of DAZL haplotypes with spermatogenic failure in infertile men. <i>Fertility and Sterility</i> , 2006, 86, 129-135.	0.5	29
85	Computational analysis and refinement of sequence structure on chromosome 22q11.2 region: Application to the development of quantitative real-time PCR assay for clinical diagnosis. <i>Genomics</i> , 2006, 87, 290-297.	1.3	9
86	Abundantly expressed genes in pig adipose tissue: An expressed sequence tag approach. <i>Journal of Animal Science</i> , 2006, 84, 2673-2683.	0.2	34
87	Identification of Medically Important Yeast Species by Sequence Analysis of the Internal Transcribed Spacer Regions. <i>Journal of Clinical Microbiology</i> , 2006, 44, 693-699.	1.8	275
88	Prostaglandin E 2 Induces Fibroblast Growth Factor 9 via EP3-Dependent Protein Kinase C β and Elk-1 Signaling. <i>Molecular and Cellular Biology</i> , 2006, 26, 8281-8292.	1.1	48
89	A Functional Polymorphism in the Promoter Region of the Tryptophan Hydroxylase Gene Is Associated With Alcohol Dependence in One Aboriginal Group in Taiwan. <i>Alcoholism: Clinical and Experimental Research</i> , 2005, 29, 1-7.	1.4	18
90	Polymorphism screening and haplotype analysis of the tryptophan hydroxylase gene (TPH1) and association with bipolar affective disorder in Taiwan. <i>BMC Medical Genetics</i> , 2005, 6, 14.	2.1	26

#	ARTICLE	IF	CITATIONS
91	A reference map and identification of porcine testis proteins using 2-DE and MS. <i>Proteomics</i> , 2005, 5, 4205-4212.	1.3	46
92	Transcriptional repression of human cad gene by hypoxia inducible factor-1. <i>Nucleic Acids Research</i> , 2005, 33, 5190-5198.	6.5	77
93	Association of tryptophan hydroxylase gene polymorphism with depression, anxiety and comorbid depression and anxiety in a population-based sample of postpartum Taiwanese women. <i>Genes, Brain and Behavior</i> , 2004, 3, 328-336.	1.1	50
94	Sequence variants and haplotype analysis of serotonin transporter gene and association with bipolar affective disorder in Taiwan. <i>Pharmacogenetics and Genomics</i> , 2004, 14, 173-179.	5.7	11
95	A 2.6 Mb interval on chromosome 6q25.2-q25.3 is commonly deleted in human nasal natural killer/T-cell lymphoma. <i>British Journal of Haematology</i> , 2003, 122, 590-599.	1.2	47
96	Receptor mediated effect of serotonergic transmission in patients with bipolar affective disorder. <i>Journal of Medical Genetics</i> , 2003, 40, 781-786.	1.5	8
97	Transactivation of Steroidogenic Acute Regulatory Protein in Human Endometriotic Stromal Cells Is Mediated by the Prostaglandin EP2 Receptor. <i>Endocrinology</i> , 2003, 144, 3934-3942.	1.4	102
98	Distinct mechanisms regulate cyclooxygenase-1 and -2 in peritoneal macrophages of women with and without endometriosis. <i>Molecular Human Reproduction</i> , 2002, 8, 1103-1110.	1.3	96
99	Successful Matched-Unrelated Bone Marrow Transplantation in a Patient With Beta-Thalassemia Major. <i>Journal of Pediatric Hematology/Oncology</i> , 2002, 24, 579-581.	0.3	4
100	Association study of novel human serotonin 5-HT1B polymorphisms with alcohol dependence in taiwanese han. <i>Biological Psychiatry</i> , 2002, 51, 896-901.	0.7	83
101	Presence of DAZL transcript and protein in mature human spermatozoa. <i>Fertility and Sterility</i> , 2002, 77, 626-629.	0.5	30
102	Neonatal Meishan pigs show POU1F1 genotype effects on plasma GH and PRL concentration. <i>Animal Reproduction Science</i> , 2002, 69, 223-237.	0.5	41
103	Precise mapping of breakpoints in conserved synteny between human chromosome 1 and pig chromosomes 4, 6 and 9. <i>Animal Genetics</i> , 2002, 33, 91-96.	0.6	13
104	Association of the gamma-aminobutyric acid A receptor gene cluster with alcohol dependence in Taiwanese Han. <i>Molecular Psychiatry</i> , 2002, 7, 828-829.	4.1	13
105	CLONING OF THE FULL LENGTH PIGPIT1(POU1F1)CDNA AND A NOVEL ALTERNATIVEPIT1TRANSCRIPT, AND FUNCTIONAL STUDIES OF THEIR ENCODED PROTEINS. <i>Animal Biotechnology</i> , 2001, 12, 1-19.	0.7	14
106	Detection of putative periodontal pathogens in non-insulin-dependent diabetes mellitus and non-diabetes mellitus by polymerase chain reaction. <i>Journal of Periodontal Research</i> , 2001, 36, 18-24.	1.4	71
107	Regulation of Steroidogenic Acute Regulatory Protein Expression and Progesterone Production in Endometriotic Stromal Cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 5765-5773.	1.8	131
108	Y-chromosome microdeletion and its effect on reproductive decisions in Taiwanese patients presenting with nonobstructive azoospermia. <i>Urology</i> , 2000, 56, 1041-1046.	0.5	25

#	ARTICLE	IF	CITATIONS
109	Implication of Screening for FMR1 and FMR2 Gene Mutation in Individuals With Nonspecific Mental Retardation in Taiwan. <i>Diagnostic Molecular Pathology</i> , 2000, 9, 75-80.	2.1	17
110	Assignment of porcine serotonin receptor subtype 2 alpha and endothelin-B receptor to chromosome 11 by linkage analysis.. <i>Journal of Animal Science</i> , 1999, 77, 795.	0.2	2
111	Physical assignments of human chromosome 13 genes on pig chromosome 11 demonstrate extensive synteny and gene order conservation between pig and human. <i>Animal Genetics</i> , 1999, 30, 304-308.	0.6	10
112	Alleles that may influence HIV-1 pathogenesis in Chinese subjects. <i>Aids</i> , 1999, 13, 421.	1.0	12
113	A strategy to rapidly identify restriction fragment length polymorphism (RFLP) in PCR products for gene mapping in animal families. <i>Technical Tips Online</i> , 1998, 3, 102-105.	0.2	1
114	Mapping of the natural resistance-associated macrophage protein 1 (NRAMP1) gene to pig chromosome 15. <i>Animal Genetics</i> , 1998, 29, 138-140.	0.6	19
115	Comparative Linkage Mapping of Human Chromosome 13 and Bovine Chromosome 12. <i>Genomics</i> , 1997, 39, 47-54.	1.3	12
116	Rapid communication: mapping the pig VCAM1 locus to chromosome 4 using a double-stranded conformation polymorphism marker (VCAM1-2).. <i>Journal of Animal Science</i> , 1997, 75, 2286.	0.2	2
117	Mapping of growth hormone releasing hormone receptor to swine chromosome 18. <i>Animal Genetics</i> , 1997, 28, 351-353.	0.6	8
118	A medium-density genetic linkage map of the bovine genome. <i>Mammalian Genome</i> , 1997, 8, 21-28.	1.0	313
119	Assignment of porcine ceruloplasmin and v-RAF1 murine viral oncogene homolog 1 to Chromosome 13 by linkage analysis. <i>Mammalian Genome</i> , 1997, 8, 626-627.	1.0	6
120	Exploiting dinucleotide microsatellites conserved among mammalian species. <i>Mammalian Genome</i> , 1996, 7, 128-132.	1.0	45
121	Syntenic assignment of human serotonin receptor subtype 2 (HTR2), esterase D (ESD), and fms-related tyrosine kinase (FLT) homologs to bovine Chromosome 12. <i>Mammalian Genome</i> , 1996, 7, 518-519.	1.0	1
122	Syntenic assignment of dopamine tautomerase (DCT) to bovine chromosome 12. <i>Animal Genetics</i> , 1996, 27, 421-422.	0.6	0
123	Rapid communication: UWCA46, a polymorphic bovine microsatellite marker1. <i>Journal of Animal Science</i> , 1995, 73, 1530-1530.	0.2	8