

Khaldoun G Tarakji

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4149331/publications.pdf>

Version: 2024-02-01

69
papers

3,448
citations

318942

23
h-index

169272

56
g-index

69
all docs

69
docs citations

69
times ranked

3987
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk Factors for CIED Infection After Secondary Procedures. <i>JACC: Clinical Electrophysiology</i> , 2022, 8, 101-111.	1.3	20
2	Bradyarrhythmias detected by extended rhythm recording in patients undergoing transcatheter aortic valve replacement (Brady-TAVR Study). <i>Heart Rhythm</i> , 2022, 19, 381-388.	0.3	4
3	Early Resolution of New-Onset Left Bundle Branch Block After Transcatheter Aortic Valve Implantation With the SAPIEN 3 Valve. <i>American Journal of Cardiology</i> , 2022, 168, 117-127.	0.7	2
4	Increasing Lesion Dimensions of Bipolar Ablation by Modulating the Surface Area of the Return Electrode. <i>JACC: Clinical Electrophysiology</i> , 2022, 8, 498-510.	1.3	4
5	Evaluation of the 2021 European Society of Cardiology guidelines in pre-existing right bundle branch block patients undergoing transcatheter aortic valve implantation with a balloon-expandable valve. <i>European Heart Journal Open</i> , 2022, 2, .	0.9	2
6	Comparative Analysis of Procedural Outcomes and Complications Between De Novo and Upgraded Cardiac Resynchronization Therapy. <i>JACC: Clinical Electrophysiology</i> , 2021, 7, 62-72.	1.3	6
7	Predictors of permanent pacemaker requirement after cardiac surgery for infective endocarditis. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 329-334.	0.4	12
8	Smartwatch diagnosis of atrial fibrillation in patient with embolic stroke of unknown source: A case report. <i>Cardiovascular Digital Health Journal</i> , 2021, 2, 84-87.	0.5	6
9	Smart wearable devices in cardiovascular care: where we are and how to move forward. <i>Nature Reviews Cardiology</i> , 2021, 18, 581-599.	6.1	319
10	Use of healthcare claims to validate the Prevention of Arrhythmia Device Infection Trial cardiac implantable electronic device infection risk score. <i>Europace</i> , 2021, 23, 1446-1455.	0.7	23
11	Atrial fibrillation future clinic. Novel platform to integrate smart device electrocardiogram into clinical practice. <i>Cardiovascular Digital Health Journal</i> , 2021, 2, 92-100.	0.5	12
12	Cardiac Resynchronization Therapy With or Without Defibrillation in Patients With Nonischemic Cardiomyopathy: A Systematic Review and Meta-Analysis. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2021, 14, e008991.	2.1	10
13	Fighting the invisible enemy. <i>Heart Rhythm</i> , 2021, 18, 760-761.	0.3	0
14	Infections associated with cardiac electronic implantable devices: economic perspectives and impact of the TYRXâ„¢ antibacterial envelope. <i>Europace</i> , 2021, 23, iv33-iv44.	0.7	14
15	Antibiotic eluting envelopes: evidence, technology, and defining high-risk populations. <i>Europace</i> , 2021, 23, iv28-iv32.	0.7	6
16	Infectious consequences of hematoma from cardiac implantable electronic device procedures and the role of the antibiotic envelope: A WRAP-IT trial analysis. <i>Heart Rhythm</i> , 2021, 18, 2080-2086.	0.3	19
17	Performance of first pacemaker to use smart device app for remote monitoring. <i>Heart Rhythm O2</i> , 2021, 2, 463-471.	0.6	17
18	HRS White Paper on Clinical Utilization of Digital Health Technology. <i>Cardiovascular Digital Health Journal</i> , 2021, 2, 196-211.	0.5	9

#	ARTICLE	IF	CITATIONS
19	Super and Nonresponders to Catheter Ablation for Atrial Fibrillation: A Quality-of-Life Assessment Using Patient Reported Outcomes. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2021, 14, e009938.	2.1	6
20	Cardiac resynchronisation therapy in anthracycline-induced cardiomyopathy. <i>Heart</i> , 2021,, heartjnl-2020-318333.	1.2	3
21	Impact of High-Power Short-Duration Radiofrequency Ablation on Esophageal Temperature Dynamic. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2021, 14, e010205.	2.1	4
22	Left atrial appendage closure device implantation in patients at very high risk for stroke. <i>Heart Rhythm</i> , 2020, 17, 27-32.	0.3	9
23	Baseline Right Ventricular Dysfunction Predicts Worse Outcomes in Patients Undergoing Cardiac Resynchronization Therapy Implantation. <i>Journal of Cardiac Failure</i> , 2020, 26, 227-232.	0.7	8
24	The gap between what patients know and desire to learn about their cardiac implantable electronic devices. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020, 43, 118-122.	0.5	8
25	Digital Health and the Care of the Patient With Arrhythmia. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020, 13, e007953.	2.1	20
26	Cost-Effectiveness of an Antibacterial Envelope for Cardiac Implantable Electronic Device Infection Prevention in the US Healthcare System From the WRAP-IT Trial. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020, 13, e008503.	2.1	39
27	Obesity Predicts Survival After Cardiac Resynchronization Therapy Independent of Effect on Left Ventricular Ejection Fraction. <i>Circulation: Heart Failure</i> , 2020, 13, e007424.	1.6	1
28	Ablation of Atrial Fibrillation Without Left Atrial Appendage Imaging in Patients Treated With Direct Oral Anticoagulants. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020, 13, e008301.	2.1	12
29	Survey of current perspectives on consumer-available digital health devices for detecting atrial fibrillation. <i>Cardiovascular Digital Health Journal</i> , 2020, 1, 21-29.	0.5	28
30	Clinical Outcomes and Characteristics With Dofetilide in Atrial Fibrillation Patients Considered for Implantable Cardioverter-Defibrillator. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020, 13, e008168.	2.1	3
31	Predictors of long-term outcomes greater than 10 years after cardiac resynchronization therapy implantation. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 1182-1186.	0.8	6
32	Artificial Intelligence and Machine Learning in Arrhythmias and Cardiac Electrophysiology. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020, 13, e007952.	2.1	96
33	The World-wide Randomized Antibiotic Envelope Infection Prevention (WRAP-IT) trial: Long-term follow-up. <i>Heart Rhythm</i> , 2020, 17, 1115-1122.	0.3	42
34	Impact of Cardiac Implantable Electronic Device Infection. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020, 13, e008280.	2.1	41
35	Catheter Ablation in Patients With Cardiogenic Shock and Refractory Ventricular Tachycardia. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020, 13, e007669.	2.1	13
36	Use of virtual visits for the care of the arrhythmia patient. <i>Heart Rhythm</i> , 2020, 17, 1779-1783.	0.3	18

#	ARTICLE	IF	CITATIONS
37	Association between pre-ablation bariatric surgery and atrial fibrillation recurrence in morbidly obese patients undergoing atrial fibrillation ablation. <i>Europace</i> , 2019, 21, 1476-1483.	0.7	50
38	Transparent sharing of digital health data: A call to action. <i>Heart Rhythm</i> , 2019, 16, e95-e106.	0.3	24
39	Life-Threatening Complications of Atrial Fibrillation Ablation. <i>JACC: Clinical Electrophysiology</i> , 2019, 5, 284-291.	1.3	25
40	Antibacterial Envelope to Prevent Cardiac Implantable Device Infection. <i>New England Journal of Medicine</i> , 2019, 380, 1895-1905.	13.9	251
41	Cardiovascular Implantable Electronic Device Infection. <i>JACC: Clinical Electrophysiology</i> , 2019, 5, 1081-1083.	1.3	4
42	Lead Location as Assessed on Cardiac Computed Tomography and Difficulty of Percutaneous Transvenous Extraction. <i>JACC: Clinical Electrophysiology</i> , 2019, 5, 1432-1438.	1.3	18
43	Left atrial appendage closure device implantation in patients with prior intracranial hemorrhage. <i>Heart Rhythm</i> , 2019, 16, 663-668.	0.3	18
44	Recurrent Atrial Fibrillation After Initial Long-Term Ablation Success. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2018, 11, e005785.	2.1	53
45	Unrecognized venous injuries after cardiac implantable electronic device transvenous lead extraction. <i>Heart Rhythm</i> , 2018, 15, 318-325.	0.3	15
46	Transvenous Lead Extraction in Chronic Kidney Disease and Dialysis Patients With Infected Cardiac Devices. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2018, 11, e005706.	2.1	17
47	Smartwatch Algorithm for Automated Detection of Atrial Fibrillation. <i>Journal of the American College of Cardiology</i> , 2018, 71, 2381-2388.	1.2	334
48	Transvenous Extraction of Pacemaker and Defibrillator Leads and the Risk of Tricuspid Valve Regurgitation. <i>JACC: Clinical Electrophysiology</i> , 2018, 4, 1421-1428.	1.3	42
49	Reimplantation After Lead Removal. <i>Cardiac Electrophysiology Clinics</i> , 2018, 10, 667-674.	0.7	4
50	Reply. <i>Journal of the American College of Cardiology</i> , 2018, 72, 1434-1435.	1.2	0
51	Success of pacemaker remote monitoring using app-based technology: Does patient age matter?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018, 41, 1329-1335.	0.5	18
52	Advances in cardiac implantable electronic device infection prevention: should we push the envelope?. <i>Future Cardiology</i> , 2018, 14, 359-366.	0.5	4
53	Removal of subcutaneous defibrillator shocking coils: Lessons to learn for future extraction of subcutaneous defibrillator systems. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018, 41, 1341-1344.	0.5	6
54	Assessing the accuracy of an automated atrial fibrillation detection algorithm using smartphone technology: The iREAD Study. <i>Heart Rhythm</i> , 2018, 15, 1561-1565.	0.3	127

#	ARTICLE	IF	CITATIONS
55	Incidence, indications, risk factors, and survival of patients undergoing cardiac implantable electronic device implantation after open heart surgery. <i>Europace</i> , 2017, 19, euw234.	0.7	21
56	Incidence and predictors of late atrioventricular conduction recovery among patients requiring permanent pacemaker for complete heart block after cardiac surgery. <i>Heart Rhythm</i> , 2017, 14, 1786-1792.	0.3	21
57	Cardiac implantable electronic device infection. <i>Cleveland Clinic Journal of Medicine</i> , 2017, 84, 47-53.	0.6	14
58	Microbiology of Cardiac Implantable Electronic Device Infections. <i>JACC: Clinical Electrophysiology</i> , 2016, 2, 498-505.	1.3	79
59	Worldwide Randomized Antibiotic Envelope Infection Prevention Trial (WRAP-IT). <i>American Heart Journal</i> , 2016, 180, 12-21.	1.2	53
60	Using a novel wireless system for monitoring patients after the atrial fibrillation ablation procedure: The iTransmit study. <i>Heart Rhythm</i> , 2015, 12, 554-559.	0.3	125
61	Catheter Ablation for Atrial Fibrillation in Heart Failure Patients. <i>JACC: Clinical Electrophysiology</i> , 2015, 1, 200-209.	1.3	86
62	The Impact of Changing Antiseptic Skin Preparation Agent used for Cardiac Implantable Electronic Device (CIED) Procedures on the Risk of Infection. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015, 38, 240-246.	0.5	28
63	Risk factors for 1-year mortality among patients with cardiac implantable electronic device infection undergoing transvenous lead extraction: the impact of the infection type and the presence of vegetation on survival. <i>Europace</i> , 2014, 16, 1490-1495.	0.7	151
64	Outcomes of patients requiring emergent surgical or endovascular intervention for catastrophic complications during transvenous lead extraction. <i>Heart Rhythm</i> , 2014, 11, 419-425.	0.3	137
65	Clinical predictors of adverse patient outcomes in an experience of more than 5000 chronic endovascular pacemaker and defibrillator lead extractions. <i>Heart Rhythm</i> , 2014, 11, 799-805.	0.3	183
66	Management of cardiac implantable electronic device infections: the challenges of understanding the scope of the problem and its associated mortality. <i>Expert Review of Cardiovascular Therapy</i> , 2013, 11, 607-616.	0.6	25
67	Temporal Onset, Risk Factors, and Outcomes Associated With Stroke After Coronary Artery Bypass Grafting. <i>JAMA - Journal of the American Medical Association</i> , 2011, 305, 381.	3.8	282
68	Cardiac implantable electronic device infections: Presentation, management, and patient outcomes. <i>Heart Rhythm</i> , 2010, 7, 1043-1047.	0.3	242
69	Myocardial Viability Testing and the Effect of Early Intervention in Patients With Advanced Left Ventricular Systolic Dysfunction. <i>Circulation</i> , 2006, 113, 230-237.	1.6	149