Joanne Chory

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4150610/joanne-chory-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

161	30,632	87	173
papers	citations	h-index	g-index
173	34,989 ext. citations	17.3	7.14
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
161	Singlet Oxygen Leads to Structural Changes to Chloroplasts During their Degradation in the Arabidopsis thaliana plastid ferrochelatase two Mutant. <i>Plant and Cell Physiology</i> , 2021 ,	4.9	2
160	Two interacting ethylene response factors regulate heat stress response. <i>Plant Cell</i> , 2021 , 33, 338-357	11.6	21
159	Stretch-activated ion channels identified in the touch-sensitive structures of carnivorous Droseraceae plants. <i>ELife</i> , 2021 , 10,	8.9	11
158	PHYTOCHROME-INTERACTING FACTORs trigger environmentally responsive chromatin dynamics in plants. <i>Nature Genetics</i> , 2021 , 53, 955-961	36.3	11
157	Multikingdom diffusion barrier control. <i>Science</i> , 2021 , 371, 125	33.3	O
156	HY5 and phytochrome activity modulate shoot-to-root coordination during thermomorphogenesis in. <i>Development (Cambridge)</i> , 2020 , 147,	6.6	11
155	Local HY5 Activity Mediates Hypocotyl Growth and Shoot-to-Root Communication. <i>Plant Communications</i> , 2020 , 1,	9	16
154	Chimeric Activators and Repressors Define HY5 Activity and Reveal a Light-Regulated Feedback Mechanism. <i>Plant Cell</i> , 2020 , 32, 967-983	11.6	52
153	The Many Models of Strigolactone Signaling. <i>Trends in Plant Science</i> , 2020 , 25, 395-405	13.1	48
152	Unraveling the Linkage between Retrograde Signaling and RNA Metabolism in Plants. <i>Trends in Plant Science</i> , 2020 , 25, 141-147	13.1	18
151	Roles for the chloroplast-localized pentatricopeptide repeat protein 30 and the SmitochondrialS transcription termination factor 9 in chloroplast quality control. <i>Plant Journal</i> , 2020 , 104, 735-751	6.9	9
150	GSNOR provides plant tolerance to iron toxicity via preventing iron-dependent nitrosative and oxidative cytotoxicity. <i>Nature Communications</i> , 2019 , 10, 3896	17.4	35
149	Network trade-offs and homeostasis in Arabidopsis shoot architectures. <i>PLoS Computational Biology</i> , 2019 , 15, e1007325	5	O
148	Structural Basis of Karrikin and Non-natural Strigolactone Perception in Physcomitrella patens. <i>Cell Reports</i> , 2019 , 26, 855-865.e5	10.6	42
147	Big Data to the Bench: Transcriptome Analysis for Undergraduates. <i>CBE Life Sciences Education</i> , 2019 , 18, ar19	3.4	1
146	GUN1 interacts with MORF2 to regulate plastid RNA editing during retrograde signaling. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 10162-10167.	7 ^{11.5}	48
145	Co-targeting RNA Polymerases IV and V Promotes Efficient De Novo DNA Methylation in Arabidopsis. <i>Cell</i> , 2019 , 176, 1068-1082.e19	56.2	68

144	Stressed Out About Hormones: How Plants Orchestrate Immunity. <i>Cell Host and Microbe</i> , 2019 , 26, 163-	-127324	85
143	Epigenetic silencing of a multifunctional plant stress regulator. <i>ELife</i> , 2019 , 8,	8.9	16
142	The Arabidopsis Transcriptome Responds Specifically and Dynamically to High Light Stress. <i>Cell Reports</i> , 2019 , 29, 4186-4199.e3	10.6	46
141	BRASSINOSTEROID-SIGNALING KINASE 3, a plasma membrane-associated scaffold protein involved in early brassinosteroid signaling. <i>PLoS Genetics</i> , 2019 , 15, e1007904	6	38
140	ZINC-FINGER interactions mediate transcriptional regulation of hypocotyl growth in. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E4503-E4511	11.5	13
139	RNA-directed DNA methylation involves co-transcriptional small-RNA-guided slicing of polymerase V transcripts in Arabidopsis. <i>Nature Plants</i> , 2018 , 4, 181-188	11.5	51
138	Long-Day Photoperiod Enhances Jasmonic Acid-Related Plant Defense. <i>Plant Physiology</i> , 2018 , 178, 163	8-6.763	12
137	Next Generation of Plant-Associated Bacterial Genome Data. <i>Cell Host and Microbe</i> , 2018 , 24, 10-11	23.4	1
136	A WW Domain-Containing Protein Forms Immune Nuclear Bodies against Begomoviruses. <i>Molecular Plant</i> , 2018 , 11, 1449-1465	14.4	8
135	Structural and chemical biology of deacetylases for carbohydrates, proteins, small molecules and histones. <i>Communications Biology</i> , 2018 , 1, 217	6.7	8
134	Mutants Are Hypersensitive to Norflurazon and Lincomycin. <i>Plant Physiology</i> , 2018 , 178, 960-964	6.6	17
133	In Vivo Imaging of Diacylglycerol at the Cytoplasmic Leaflet of Plant Membranes. <i>Plant and Cell Physiology</i> , 2017 , 58, 1196-1207	4.9	22
132	Dancing in the dark: darkness as a signal in plants. Plant, Cell and Environment, 2017, 40, 2487-2501	8.4	40
131	High-Resolution Laser Scanning Reveals Plant Architectures that Reflect Universal Network Design Principles. <i>Cell Systems</i> , 2017 , 5, 53-62.e3	10.6	22
130	Mechanism of early light signaling by the carboxy-terminal output module of Arabidopsis phytochrome B. <i>Nature Communications</i> , 2017 , 8, 1905	17.4	42
129	A Statistical Description of Plant Shoot Architecture. <i>Current Biology</i> , 2017 , 27, 2078-2088.e3	6.3	18
128	A hydrophobic anchor mechanism defines a deacetylase family that suppresses host response against YopJ effectors. <i>Nature Communications</i> , 2017 , 8, 2201	17.4	16
127	The Role of Phytochromes in Triggering Plant Developmental Transitions 2016 , 1-11		3

126	Mapping transcription factor interactome networks using HaloTag protein arrays. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, E4238-47	11.5	52
125	Cryptochromes Interact Directly with PIFs to Control Plant Growth in Limiting Blue Light. <i>Cell</i> , 2016 , 164, 233-245	56.2	295
124	The epidermis coordinates auxin-induced stem growth in response to shade. <i>Genes and Development</i> , 2016 , 30, 1529-41	12.6	68
123	Brassinosteroids multi-modular interaction with the general stress network customizes stimulus-specific responses in Arabidopsis. <i>Plant Science</i> , 2016 , 250, 165-177	5.3	9
122	Overexpression of the bacterial tryptophan oxidase RebO affects auxin biosynthesis and Arabidopsis development. <i>Science Bulletin</i> , 2016 , 61, 859-867	10.6	10
121	Nascent RNA sequencing reveals distinct features in plant transcription. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 12316-12321	11.5	90
120	An histidine covalent receptor and butenolide complex mediates strigolactone perception. <i>Nature Chemical Biology</i> , 2016 , 12, 787-794	11.7	176
119	Local auxin metabolism regulates environment-induced hypocotyl elongation. <i>Nature Plants</i> , 2016 , 2, 16025	11.5	74
118	Internalization and vacuolar targeting of the brassinosteroid hormone receptor BRI1 are regulated by ubiquitination. <i>Nature Communications</i> , 2015 , 6, 6151	17.4	106
117	Sustained NIK-mediated antiviral signalling confers broad-spectrum tolerance to begomoviruses in cultivated plants. <i>Plant Biotechnology Journal</i> , 2015 , 13, 1300-1311	11.6	32
116	NIK1-mediated translation suppression functions as a plant antiviral immunity mechanism. <i>Nature</i> , 2015 , 520, 679-82	50.4	132
115	Ubiquitin facilitates a quality-control pathway that removes damaged chloroplasts. <i>Science</i> , 2015 , 350, 450-4	33.3	117
114	Integration of Light and Photoperiodic Signaling in Transcriptional Nuclear Foci. <i>Developmental Cell</i> , 2015 , 35, 311-21	10.2	56
113	Characterization of tub4(P287L), a Etubulin mutant, revealed new aspects of microtubule regulation in shade. <i>Journal of Integrative Plant Biology</i> , 2015 , 57, 757-69	8.3	15
112	A current perspective on the role of AGCVIII kinases in PIN-mediated apical hook development. <i>Frontiers in Plant Science</i> , 2015 , 6, 767	6.2	9
111	Unfolding the mysteries of strigolactone signaling. <i>Molecular Plant</i> , 2014 , 7, 934-936	14.4	11
110	PIL1 participates in a negative feedback loop that regulates its own gene expression in response to shade. <i>Molecular Plant</i> , 2014 , 7, 1582-5	14.4	19
109	The growth-defense pivot: crisis management in plants mediated by LRR-RK surface receptors. <i>Trends in Biochemical Sciences</i> , 2014 , 39, 447-56	10.3	100

(2011-2014)

108	Phytochrome A antagonizes PHYTOCHROME INTERACTING FACTOR 1 to prevent over-activation of photomorphogenesis. <i>Molecular Plant</i> , 2014 , 7, 1415-1428	14.4	9
107	Molecular mechanism of action of plant DRM de novo DNA methyltransferases. <i>Cell</i> , 2014 , 157, 1050-60) 56.2	179
106	Cotyledon-Generated Auxin Is Required for Shade-Induced Hypocotyl Growth in Brassica rapa. <i>Plant Physiology</i> , 2014 , 165, 1285-1301	6.6	85
105	Tyrosine phosphorylation regulates the activity of phytochrome photoreceptors. <i>Cell Reports</i> , 2013 , 3, 1970-9	10.6	55
104	Sigma factor-mediated plastid retrograde signals control nuclear gene expression. <i>Plant Journal</i> , 2013 , 73, 1-13	6.9	117
103	An open letter to the metabolomics community: looking forward to a future of integrative plant biology. <i>Metabolomics</i> , 2013 , 9, 268-270	4.7	
102	Subset of heat-shock transcription factors required for the early response of Arabidopsis to excess light. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 14474-	9 ^{11.5}	108
101	Smoke-derived karrikin perception by the Æhydrolase KAI2 from Arabidopsis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 8284-9	11.5	120
100	Image-based analysis of light-grown seedling hypocotyls in Arabidopsis. <i>Methods in Molecular Biology</i> , 2012 , 918, 1-7	1.4	2
99	Linking photoreceptor excitation to changes in plant architecture. <i>Genes and Development</i> , 2012 , 26, 785-90	12.6	334
98	Brassinosteroids modulate the efficiency of plant immune responses to microbe-associated molecular patterns. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 297-302	11.5	238
97	Proteasome-mediated turnover of Arabidopsis MED25 is coupled to the activation of FLOWERING LOCUS T transcription. <i>Plant Physiology</i> , 2012 , 160, 1662-73	6.6	33
96	Tyrosine phosphorylation controls brassinosteroid receptor activation by triggering membrane release of its kinase inhibitor. <i>Genes and Development</i> , 2011 , 25, 232-7	12.6	197
95	Methylation of a phosphatase specifies dephosphorylation and degradation of activated brassinosteroid receptors. <i>Science Signaling</i> , 2011 , 4, ra29	8.8	106
94	Crosstalk in cellular signaling: background noise or the real thing?. Developmental Cell, 2011, 21, 985-91	10.2	87
93	Structural basis of steroid hormone perception by the receptor kinase BRI1. <i>Nature</i> , 2011 , 474, 467-71	50.4	279
92	Cryptochrome 1 and phytochrome B control shade-avoidance responses in Arabidopsis via partially independent hormonal cascades. <i>Plant Journal</i> , 2011 , 67, 195-207	6.9	182
91	Automated analysis of hypocotyl growth dynamics during shade avoidance in Arabidopsis. <i>Plant Journal</i> , 2011 , 65, 991-1000	6.9	61

90	Phytochrome signaling mechanisms and the control of plant development. <i>Trends in Cell Biology</i> , 2011 , 21, 664-71	18.3	281
89	Heme synthesis by plastid ferrochelatase I regulates nuclear gene expression in plants. <i>Current Biology</i> , 2011 , 21, 897-903	6.3	224
88	Conversion of tryptophan to indole-3-acetic acid by TRYPTOPHAN AMINOTRANSFERASES OF ARABIDOPSIS and YUCCAs in Arabidopsis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 18518-23	11.5	418
87	Brassinosteroid perception in the epidermis controls root meristem size. <i>Development (Cambridge)</i> , 2011 , 138, 839-48	6.6	253
86	Extracellular leucine-rich repeats as a platform for receptor/coreceptor complex formation. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 8503-7	11.5	120
85	Unraveling the paradoxes of plant hormone signaling integration. <i>Nature Structural and Molecular Biology</i> , 2010 , 17, 642-5	17.6	195
84	Light signal transduction: an infinite spectrum of possibilities. <i>Plant Journal</i> , 2010 , 61, 982-91	6.9	91
83	Arabidopsis HEMERA/pTAC12 initiates photomorphogenesis by phytochromes. <i>Cell</i> , 2010 , 141, 1230-40	56.2	164
82	Synergism of red and blue light in the control of Arabidopsis gene expression and development. <i>Current Biology</i> , 2009 , 19, 1216-20	6.3	63
81	Arabidopsis MYB30 is a direct target of BES1 and cooperates with BES1 to regulate brassinosteroid-induced gene expression. <i>Plant Journal</i> , 2009 , 58, 275-86	6.9	176
80	Chemical inhibition of a subset of Arabidopsis thaliana GSK3-like kinases activates brassinosteroid signaling. <i>Chemistry and Biology</i> , 2009 , 16, 594-604		189
79	QTL mapping in new Arabidopsis thaliana advanced intercross-recombinant inbred lines. <i>PLoS ONE</i> , 2009 , 4, e4318	3.7	77
78	Coordination of gene expression between organellar and nuclear genomes. <i>Nature Reviews Genetics</i> , 2008 , 9, 383-95	30.1	470
77	Growth coordination and the shoot epidermis. Current Opinion in Plant Biology, 2008, 11, 42-8	9.9	70
76	Rapid synthesis of auxin via a new tryptophan-dependent pathway is required for shade avoidance in plants. <i>Cell</i> , 2008 , 133, 164-76	56.2	757
75	The impact of Arabidopsis on human health: diversifying our portfolio. <i>Cell</i> , 2008 , 133, 939-43	56.2	79
74	A zinc knuckle protein that negatively controls morning-specific growth in Arabidopsis thaliana. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 17193-8	11.5	58
73	Modulation of brassinosteroid-regulated gene expression by Jumonji domain-containing proteins ELF6 and REF6 in Arabidopsis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 7618-23	11.5	236

(2005-2008)

72	Genetically encoded photoswitching of actin assembly through the Cdc42-WASP-Arp2/3 complex pathway. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 127	79 7 -80	2 ⁸³
71	Network discovery pipeline elucidates conserved time-of-day-specific cis-regulatory modules. <i>PLoS Genetics</i> , 2008 , 4, e14	6	389
70	A morning-specific phytohormone gene expression program underlying rhythmic plant growth. <i>PLoS Biology</i> , 2008 , 6, e225	9.7	174
69	Amino acid polymorphisms in Arabidopsis phytochrome B cause differential responses to light. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 3157-62	11.5	85
68	The epidermis both drives and restricts plant shoot growth. <i>Nature</i> , 2007 , 446, 199-202	50.4	319
67	Genome-wide patterns of single-feature polymorphism in Arabidopsis thaliana. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 12057-62	11.5	147
66	Endosomal signaling of plant steroid receptor kinase BRI1. <i>Genes and Development</i> , 2007 , 21, 1598-602	12.6	302
65	. Science,	33.3	
64	Signals from Chloroplasts Converge to Regulate Nuclear Gene Expression. <i>Science</i> , 2007 , 316, 715-719	33.3	116
63	Arabidopsis brassinosteroid signaling pathway. <i>SciencemSTKE: Signal Transduction Knowledge Environment</i> , 2006 , 2006, cm5		21
62	Brassinosteroid signaling pathway. <i>SciencensSTKE: Signal Transduction Knowledge Environment</i> , 2006 , 2006, cm4		14
61	Brassinosteroids regulate dissociation of BKI1, a negative regulator of BRI1 signaling, from the plasma membrane. <i>Science</i> , 2006 , 313, 1118-22	33.3	370
60	Brassinosteroid signaling: a paradigm for steroid hormone signaling from the cell surface. <i>Science</i> , 2006 , 314, 1410-1	33.3	128
59	Different plant hormones regulate similar processes through largely nonoverlapping transcriptional responses. <i>Cell</i> , 2006 , 126, 467-75	56.2	710
58	Plastid-to-nucleus retrograde signaling. Annual Review of Plant Biology, 2006, 57, 739-59	30.7	450
57	The PHYTOCHROME C photoreceptor gene mediates natural variation in flowering and growth responses of Arabidopsis thaliana. <i>Nature Genetics</i> , 2006 , 38, 711-5	36.3	171
56	Downstream nuclear events in brassinosteroid signalling. <i>Nature</i> , 2006 , 441, 96-100	50.4	302
55	Molecular mechanisms of steroid hormone signaling in plants. <i>Annual Review of Cell and Developmental Biology</i> , 2005 , 21, 177-201	12.6	322

54	A new class of transcription factors mediates brassinosteroid-regulated gene expression in Arabidopsis. <i>Cell</i> , 2005 , 120, 249-59	56.2	539
53	Autoregulation and homodimerization are involved in the activation of the plant steroid receptor BRI1. <i>Developmental Cell</i> , 2005 , 8, 855-65	10.2	219
52	Binding of brassinosteroids to the extracellular domain of plant receptor kinase BRI1. <i>Nature</i> , 2005 , 433, 167-71	50.4	477
51	FRIGIDA-independent variation in flowering time of natural Arabidopsis thaliana accessions. <i>Genetics</i> , 2005 , 170, 1197-207	4	128
50	Quantitative trait locus mapping and DNA array hybridization identify an FLM deletion as a cause for natural flowering-time variation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 2460-5	11.5	167
49	Interdependency of brassinosteroid and auxin signaling in Arabidopsis. <i>PLoS Biology</i> , 2004 , 2, E258	9.7	443
48	BRL1 and BRL3 are novel brassinosteroid receptors that function in vascular differentiation in Arabidopsis. <i>Development (Cambridge)</i> , 2004 , 131, 5341-51	6.6	391
47	Light-response quantitative trait loci identified with composite interval and eXtreme array mapping in Arabidopsis thaliana. <i>Genetics</i> , 2004 , 167, 907-17	4	74
46	Nuclear protein phosphatases with Kelch-repeat domains modulate the response to brassinosteroids in Arabidopsis. <i>Genes and Development</i> , 2004 , 18, 448-60	12.6	289
45	Genomics tools for QTL analysis and gene discovery. Current Opinion in Plant Biology, 2004, 7, 132-6	9.9	103
44	Light signal transduction in higher plants. Annual Review of Genetics, 2004, 38, 87-117	14.5	703
43	HY5, Circadian Clock-Associated 1, and a cis-element, DET1 dark response element, mediate DET1 regulation of chlorophyll a/b-binding protein 2 expression. <i>Plant Physiology</i> , 2003 , 133, 1565-77	6.6	45
42	Regulation of flowering time by light quality. <i>Nature</i> , 2003 , 423, 881-5	50.4	381
41	GUN4, a regulator of chlorophyll synthesis and intracellular signaling. <i>Science</i> , 2003 , 299, 902-6	33.3	411
40	Large-scale identification of single-feature polymorphisms in complex genomes. <i>Genome Research</i> , 2003 , 13, 513-23	9.7	307
39	Building integrated models of plant growth and development. <i>Plant Physiology</i> , 2003 , 132, 436-9	6.6	21
38	De-etiolated 1 and damaged DNA binding protein 1 interact to regulate Arabidopsis photomorphogenesis. <i>Current Biology</i> , 2002 , 12, 1462-72	6.3	188
37	The extent of linkage disequilibrium in Arabidopsis thaliana. <i>Nature Genetics</i> , 2002 , 30, 190-3	36.3	393

(2000-2002)

36	Photomorphogenesis. <i>The Arabidopsis Book</i> , 2002 , 1, e0054	3	31
35	A crucial role for the putative Arabidopsis topoisomerase VI in plant growth and development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 10191-6	11.5	98
34	Steroid signaling in plants and insectscommon themes, different pathways. <i>Genes and Development</i> , 2002 , 16, 3113-29	12.6	120
33	BES1 accumulates in the nucleus in response to brassinosteroids to regulate gene expression and promote stem elongation. <i>Cell</i> , 2002 , 109, 181-91	56.2	858
32	Nuclear-localized BZR1 mediates brassinosteroid-induced growth and feedback suppression of brassinosteroid biosynthesis. <i>Developmental Cell</i> , 2002 , 2, 505-13	10.2	749
31	Quantitative trait loci controlling light and hormone response in two accessions of Arabidopsis thaliana. <i>Genetics</i> , 2002 , 160, 683-96	4	101
30	Steroid signaling in plants: from the cell surface to the nucleus. <i>BioEssays</i> , 2001 , 23, 1028-36	4.1	68
29	Natural variation in light sensitivity of Arabidopsis. <i>Nature Genetics</i> , 2001 , 29, 441-6	36.3	229
28	Weaving the complex web of signal transduction. <i>Plant Physiology</i> , 2001 , 125, 77-80	6.6	44
27	BIN2, a new brassinosteroid-insensitive locus in Arabidopsis. <i>Plant Physiology</i> , 2001 , 127, 14-22	6.6	356
26	A role for flavin monooxygenase-like enzymes in auxin biosynthesis. <i>Science</i> , 2001 , 291, 306-9	33.3	885
25	BRI1 is a critical component of a plasma-membrane receptor for plant steroids. <i>Nature</i> , 2001 , 410, 380-	350.4	635
24	Brassinosteroid signal transduction: still casting the actors. <i>Current Opinion in Plant Biology</i> , 2000 , 3, 79-84	9.9	114
23	Phytobilin biosynthesis: the Synechocystis sp. PCC 6803 heme oxygenase-encoding ho1 gene complements a phytochrome-deficient Arabidopsis thalianna hy1 mutant. <i>Plant Molecular Biology</i> , 2000 , 43, 113-20	4.6	25
22	Brassinosteroid-insensitive-1 is a ubiquitously expressed leucine-rich repeat receptor serine/threonine kinase. <i>Plant Physiology</i> , 2000 , 123, 1247-56	6.6	376
21	Activation tagging in Arabidopsis. <i>Plant Physiology</i> , 2000 , 122, 1003-13	6.6	813
20	RSF1, an Arabidopsis locus implicated in phytochrome A signaling. <i>Plant Physiology</i> , 2000 , 124, 39-45	6.6	105
19	Cloning of the Arabidopsis RSF1 gene by using a mapping strategy based on high-density DNA arrays and denaturing high-performance liquid chromatography. <i>Plant Cell</i> , 2000 , 12, 2485-2498	11.6	55

18	Natural variation in phytochrome signaling. Seminars in Cell and Developmental Biology, 2000, 11, 523-30	0 7.5	27
17	Perception of brassinosteroids by the extracellular domain of the receptor kinase BRI1. <i>Science</i> , 2000 , 288, 2360-3	33.3	381
16	Interactions between hy1 and gun mutants of Arabidopsis, and their implications for plastid/nuclear signalling. <i>Plant Journal</i> , 2000 , 24, 883-94	6.9	77
15	Arabidopsis det2 is defective in the conversion of (24R)-24-methylcholest-4-En-3-one to (24R)-24-methyl-5alpha-cholestan-3-one in brassinosteroid biosynthesis. <i>Plant Physiology</i> , 1999 , 120, 833-40	6.6	134
14	The phosphoenolpyruvate/phosphate translocator is required for phenolic metabolism, palisade cell development, and plastid-dependent nuclear gene expression. <i>Plant Cell</i> , 1999 , 11, 1609-22	11.6	228
13	PKS1, a substrate phosphorylated by phytochrome that modulates light signaling in Arabidopsis. <i>Science</i> , 1999 , 284, 1539-41	33.3	371
12	Activation tagging of the floral inducer FT. <i>Science</i> , 1999 , 286, 1962-5	33.3	1126
11	dCAPS, a simple technique for the genetic analysis of single nucleotide polymorphisms: experimental applications in Arabidopsis thaliana genetics. <i>Plant Journal</i> , 1998 , 14, 387-92	6.9	589
10	An Arabidopsis mutant defective in the plastid general protein import apparatus. <i>Science</i> , 1998 , 282, 100-3	33.3	261
9	New Arabidopsis cue mutants suggest a close connection between plastid- and phytochrome regulation of nuclear gene expression. <i>Plant Physiology</i> , 1998 , 118, 803-15	6.6	96
8	Genetic interactions between phytochrome A, phytochrome B, and cryptochrome 1 during Arabidopsis development. <i>Plant Physiology</i> , 1998 , 118, 27-35	6.6	385
7	Suppressors of an Arabidopsis thaliana phyB mutation identify genes that control light signaling and hypocotyl elongation. <i>Genetics</i> , 1998 , 148, 1295-310	4	93
6	Light control of plant development. Annual Review of Cell and Developmental Biology, 1997, 13, 203-29	12.6	371
5	A putative leucine-rich repeat receptor kinase involved in brassinosteroid signal transduction. <i>Cell</i> , 1997 , 90, 929-38	56.2	1285
4	DET1, a negative regulator of light-mediated development and gene expression in arabidopsis, encodes a novel nuclear-localized protein. <i>Cell</i> , 1994 , 78, 109-16	56.2	273
3	Signal transduction mutants of Arabidopsis uncouple nuclear CAB and RBCS gene expression from chloroplast development. <i>Cell</i> , 1993 , 74, 787-99	56.2	510
2	Arabidopsis thaliana mutant that develops as a light-grown plant in the absence of light. <i>Cell</i> , 1989 , 58, 991-9	56.2	422
1	Stretch-activated ion channels identified in the touch-sensitive structures of carnivorous Droseraceae plants		1