Michael K Wendt

List of Publications by Citations

Source: https://exaly.com/author-pdf/4151016/michael-k-wendt-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

42 2,003 23 44 g-index

46 2,410 6.8 5.22 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
42	Mechanisms of the epithelial-mesenchymal transition by TGF-beta. Future Oncology, 2009, 5, 1145-68	3.6	238
41	Phosphoproteins in extracellular vesicles as candidate markers for breast cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 3175-3180	11.5	201
40	Deconstructing the mechanisms and consequences of TGF-Induced EMT during cancer progression. <i>Cell and Tissue Research</i> , 2012 , 347, 85-101	4.2	171
39	Down-regulation of epithelial cadherin is required to initiate metastatic outgrowth of breast cancer. <i>Molecular Biology of the Cell</i> , 2011 , 22, 2423-35	3.5	130
38	Therapeutic targeting of the focal adhesion complex prevents oncogenic TGF-beta signaling and metastasis. <i>Breast Cancer Research</i> , 2009 , 11, R68	8.3	127
37	STAT3 and epithelial-mesenchymal transitions in carcinomas. <i>Jak-stat</i> , 2014 , 3, e28975		120
36	Epithelial to mesenchymal transition promotes breast cancer progression via a fibronectin-dependent STAT3 signaling pathway. <i>Journal of Biological Chemistry</i> , 2013 , 288, 17954-67	5.4	102
35	Spleen Tyrosine Kinase-Mediated Autophagy Is Required for Epithelial-Mesenchymal Plasticity and Metastasis in Breast Cancer. <i>Cancer Research</i> , 2019 , 79, 1831-1843	10.1	70
34	Autocrine Fibronectin Inhibits Breast Cancer Metastasis. <i>Molecular Cancer Research</i> , 2018 , 16, 1579-158	9 6.6	70
33	Transglutaminase-2 facilitates extracellular vesicle-mediated establishment of the metastatic niche. <i>Oncogenesis</i> , 2020 , 9, 16	6.6	61
32	p130Cas is required for mammary tumor growth and transforming growth factor-beta-mediated metastasis through regulation of Smad2/3 activity. <i>Journal of Biological Chemistry</i> , 2009 , 284, 34145-56	5.4	58
31	The paradoxical functions of EGFR during breast cancer progression. <i>Signal Transduction and Targeted Therapy</i> , 2017 , 2,	21	57
30	Regulation of epithelial-mesenchymal transition and metastasis by TGF-[IP-bodies, and autophagy. <i>Oncotarget</i> , 2017 , 8, 103302-103314	3.3	56
29	The Dynamic Relationship of Breast Cancer Cells and Fibroblasts in Fibronectin Accumulation at Primary and Metastatic Tumor Sites. <i>Cancers</i> , 2020 , 12,	6.6	51
28	Pyruvate carboxylase supports the pulmonary tropism of metastatic breast cancer. <i>Breast Cancer Research</i> , 2018 , 20, 76	8.3	51
27	Selection of DNA-Encoded Libraries to Protein Targets within and on Living Cells. <i>Journal of the American Chemical Society</i> , 2019 , 141, 17057-17061	16.4	51
26	Covalent Targeting of Fibroblast Growth Factor Receptor Inhibits Metastatic Breast Cancer. Molecular Cancer Therapeutics, 2016, 15, 2096-106	6.1	51

(2021-2014)

25	Fibroblast growth factor receptor splice variants are stable markers of oncogenic transforming growth factor 1 signaling in metastatic breast cancers. <i>Breast Cancer Research</i> , 2014 , 16, R24	8.3	41	
24	FGFR signaling maintains a drug persistent cell population following epithelial-mesenchymal transition. <i>Oncotarget</i> , 2016 , 7, 83424-83436	3.3	36	
23	Analytical Pipeline for Discovery and Verification of Glycoproteins from Plasma-Derived Extracellular Vesicles as Breast Cancer Biomarkers. <i>Analytical Chemistry</i> , 2018 , 90, 6307-6313	7.8	35	
22	Deptor enhances triple-negative breast cancer metastasis and chemoresistance through coupling to survivin expression. <i>Neoplasia</i> , 2015 , 17, 317-28	6.4	33	
21	B integrin-EGF receptor cross-talk activates p190RhoGAP in mouse mammary gland epithelial cells. <i>Molecular Biology of the Cell</i> , 2011 , 22, 4288-301	3.5	28	
20	The antitumorigenic function of EGFR in metastatic breast cancer is regulated by expression of Mig6. <i>Neoplasia</i> , 2015 , 17, 124-33	6.4	26	
19	Hyaluronic acid, CD44 and RHAMM regulate myoblast behavior during embryogenesis. <i>Matrix Biology</i> , 2019 , 78-79, 236-254	11.4	18	
18	SHP2 is a multifunctional therapeutic target in drug resistant metastatic breast cancer. <i>Oncogene</i> , 2020 , 39, 7166-7180	9.2	18	
17	Ubiquitin C-Terminal Hydrolase L1: Biochemical and Cellular Characterization of a Covalent Cyanopyrrolidine-Based Inhibitor. <i>ChemBioChem</i> , 2020 , 21, 712-722	3.8	16	
16	Selective Inhibition of STAT3 Phosphorylation Using a Nuclear-Targeted Kinase Inhibitor. <i>ACS Chemical Biology</i> , 2017 , 12, 2371-2378	4.9	11	
15	Epigenetic targeting of neuropilin-1 prevents bypass signaling in drug-resistant breast cancer. <i>Oncogene</i> , 2021 , 40, 322-333	9.2	11	
14	Biased signaling downstream of epidermal growth factor receptor regulates proliferative versus apoptotic response to ligand. <i>Cell Death and Disease</i> , 2018 , 9, 976	9.8	11	
13	Application of a Substrate-Mediated Selection with c-Src Tyrosine Kinase to a DNA-Encoded Chemical Library. <i>Molecules</i> , 2019 , 24,	4.8	10	
12	Fibronectin-Expressing Mesenchymal Tumor Cells Promote Breast Cancer Metastasis. <i>Cancers</i> , 2020 , 12,	6.6	9	
11	PBRM1 Regulates Stress Response in Epithelial Cells. <i>IScience</i> , 2019 , 15, 196-210	6.1	8	
10	Pyruvate carboxylase and cancer progression. <i>Cancer & Metabolism</i> , 2021 , 9, 20	5.4	7	
9	High-Throughput Magnetic Actuation Platform for Evaluating the Effect of Mechanical Force on 3D Tumor Microenvironment. <i>Advanced Functional Materials</i> , 2021 , 31,	15.6	4	
8	Fibroblast growth factor receptor facilitates recurrence of minimal residual disease following trastuzumab emtansine therapy. <i>Npj Breast Cancer</i> , 2021 , 7, 5	7.8	4	

7	Pyruvate carboxylase supports the pulmonary tropism of metastatic breast cancer		3	
6	Transglutaminase-2 facilitates extracellular vesicle-mediated establishment of the metastatic niche		3	
5	Fibroblast growth factor receptor facilitates recurrence of minimal residual disease following trastuzumab emtansine therapy		2	
4	Biased signaling downstream of epidermal growth factor receptor regulates proliferative versus apoptotic response to ligand		1	
3	Targeting FGFR for the Treatment of Breast Cancer. <i>Resistance To Targeted Anti-cancer Therapeutics</i> , 2017 , 117-137	0.3	1	
2	Optimization and Anti-Cancer Properties of Fluoromethylketones as Covalent Inhibitors for Ubiquitin C-Terminal Hydrolase L1. <i>Molecules</i> , 2021 , 26,	4.8	1	
1	Increased Ammonium Toxicity in Response to Exogenous Glutamine in Metastatic Breast Cancer Cells, Metabolites, 2022 , 12, 469	5.6		