Robert Gros

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4152022/robert-gros-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

3,828 60 89 36 h-index g-index citations papers 6.4 4.87 4,203 97 avg, IF L-index ext. papers ext. citations

#	Paper	IF	Citations
89	Proteinase-Activated Receptor 4 Activation Triggers Cell Membrane Blebbing through RhoA and -Arrestin. <i>Molecular Pharmacology</i> , 2020 , 97, 365-376	4.3	2
88	From Cells-to-Organism: Impact of Dyslipidemia on Inwardly Rectifying K+ Channels and Cerebral Vascular Function. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	
87	Aldosterone mediates a mineralocorticoid receptor-mediated increase in prostate cancer cell migration. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	
86	Modulation of hippocampal neuronal resilience during aging by the Hsp70/Hsp90 co-chaperone STI1. <i>Journal of Neurochemistry</i> , 2020 , 153, 727-758	6	8
85	Translation of Cardiovascular Animal Models to Human Randomized Trials. <i>American Journal of Cardiology</i> , 2020 , 137, 141	3	3
84	Striatal Acetylcholine Helps to Preserve Functional Outcomes in a Mouse Model of Stroke. <i>ASN Neuro</i> , 2020 , 12, 1759091420961612	5.3	1
83	Ablation of both Cx40 and Panx1 results in similar cardiovascular phenotypes exhibited in Cx40 knockout mice. <i>Bioscience Reports</i> , 2019 , 39,	4.1	4
82	Forebrain Cholinergic Signaling Regulates Innate Immune Responses and Inflammation. <i>Frontiers in Immunology</i> , 2019 , 10, 585	8.4	28
81	Selective decrease of cholinergic signaling from pedunculopontine and laterodorsal tegmental nuclei has little impact on cognition but markedly increases susceptibility to stress. <i>FASEB Journal</i> , 2019 , 33, 7018-7036	0.9	14
80	Pannexin 1 and Pannexin 3 regulate body fat accumulation in mouse models of dietinduced obesity. <i>FASEB Journal</i> , 2019 , 33, 796.13	0.9	
79	Cardiac-specific inducible overexpression of human plasma membrane Ca ATPase 4b is cardioprotective and improves survival in mice following ischemic injury. <i>Clinical Science</i> , 2018 , 132, 641	-6 5 4	7
78	GRK2 knockdown in mice exacerbates kidney injury and alters renal mechanisms of blood pressure regulation. <i>Scientific Reports</i> , 2018 , 8, 11415	4.9	7
77	Changes in aortic reactivity associated with the loss of equilibrative nucleoside transporter 1 (ENT1) in mice. <i>PLoS ONE</i> , 2018 , 13, e0207198	3.7	2
76	Pannexin 1 regulates adipose stromal cell differentiation and fat accumulation. <i>Scientific Reports</i> , 2018 , 8, 16166	4.9	11
75	Nicotinamide Phosphoribosyltransferase in Smooth Muscle Cells Maintains Genome Integrity, Resists Aortic Medial Degeneration, and Is Suppressed in Human Thoracic Aortic Aneurysm Disease. <i>Circulation Research</i> , 2017 , 120, 1889-1902	15.7	34
74	Deletion of the vesicular acetylcholine transporter from pedunculopontine/laterodorsal tegmental neurons modifies gait. <i>Journal of Neurochemistry</i> , 2017 , 140, 787-798	6	21
73	Extent of Vascular Remodeling Is Dependent on the Balance Between Estrogen Receptor and G-Protein-Coupled Estrogen Receptor. <i>Hypertension</i> , 2016 , 68, 1225-1235	8.5	11

(2013-2016)

72	Aldosterone mediates metastatic spread of renal cancer via the G protein-coupled estrogen receptor (GPER). <i>FASEB Journal</i> , 2016 , 30, 2086-96	0.9	26	
71	Cardiac acetylcholine inhibits ventricular remodeling and dysfunction under pathologic conditions. <i>FASEB Journal</i> , 2016 , 30, 688-701	0.9	25	
70	Fibroblast Growth Factor 9 Imparts Hierarchy and Vasoreactivity to the Microcirculation of Renal Tumors and Suppresses Metastases. <i>Journal of Biological Chemistry</i> , 2015 , 290, 22127-42	5.4	11	
69	G-protein estrogen receptor as a regulator of low-density lipoprotein cholesterol metabolism: cellular and population genetic studies. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015 , 35, 21.	3-2 ¹⁴	33	
68	GPER-independent effects of estrogen in rat aortic vascular endothelial cells. <i>Molecular and Cellular Endocrinology</i> , 2015 , 399, 60-8	4.4	16	
67	Hyperactivity and attention deficits in mice with decreased levels of stress-inducible phosphoprotein 1 (STIP1). <i>DMM Disease Models and Mechanisms</i> , 2015 , 8, 1457-66	4.1	22	
66	GRK2 targeted knock-down results in spontaneous hypertension, and altered vascular GPCR signaling. <i>Journal of Biological Chemistry</i> , 2015 , 290, 5141-5155	5.4	16	
65	Cholinergic activity as a new target in diseases of the heart. <i>Molecular Medicine</i> , 2015 , 20, 527-37	6.2	47	
64	Nuclear 82-kDa choline acetyltransferase decreases amyloidogenic APP metabolism in neurons from APP/PS1 transgenic mice. <i>Neurobiology of Disease</i> , 2014 , 69, 32-42	7.5	12	
63	Collagenase-resistant collagen promotes mouse aging and vascular cell senescence. <i>Aging Cell</i> , 2014 , 13, 121-30	9.9	41	
62	PPARIactivation attenuates hepatic steatosis in Ldlr-/- mice by enhanced fat oxidation, reduced lipogenesis, and improved insulin sensitivity. <i>Journal of Lipid Research</i> , 2014 , 55, 1254-66	6.3	49	
61	Response. FASEB Journal, 2014, 28, 2-3	0.9	4	
60	A common hypofunctional genetic variant of GPER is associated with increased blood pressure in women. <i>British Journal of Clinical Pharmacology</i> , 2014 , 78, 1441-52	3.8	28	
59	Low birth weight followed by postnatal over-nutrition in the guinea pig exposes a predominant player in the development of vascular dysfunction. <i>Journal of Physiology</i> , 2014 , 592, 5429-43	3.9	19	
58	The eIF2B-interacting domain of RGS2 protects against GPCR agonist-induced hypertrophy in neonatal rat cardiomyocytes. <i>Cellular Signalling</i> , 2014 , 26, 1226-34	4.9	12	
57	Vascular effects of aldosterone: sorting out the receptors and the ligands. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2013 , 40, 916-21	3	24	
56	Naringenin prevents cholesterol-induced systemic inflammation, metabolic dysregulation, and atherosclerosis in Ldlr?/? mice. <i>Journal of Lipid Research</i> , 2013 , 54, 711-724	6.3	89	
55	Stress-inducible phosphoprotein 1 has unique cochaperone activity during development and regulates cellular response to ischemia via the prion protein. <i>FASEB Journal</i> , 2013 , 27, 3594-607	0.9	65	

54	Aldosterone mediates its rapid effects in vascular endothelial cells through GPER activation. <i>American Journal of Physiology - Cell Physiology</i> , 2013 , 304, C532-40	5.4	122
53	Mice with selective elimination of striatal acetylcholine release are lean, show altered energy homeostasis and changed sleep/wake cycle. <i>Journal of Neurochemistry</i> , 2013 , 124, 658-69	6	18
52	Regulation of cholinergic activity by the vesicular acetylcholine transporter. <i>Biochemical Journal</i> , 2013 , 450, 265-74	3.8	85
51	ChAT-ChR2-EYFP mice have enhanced motor endurance but show deficits in attention and several additional cognitive domains. <i>Journal of Neuroscience</i> , 2013 , 33, 10427-38	6.6	95
50	Cardiomyocyte-secreted acetylcholine is required for maintenance of homeostasis in the heart. <i>FASEB Journal</i> , 2013 , 27, 5072-82	0.9	63
49	Choreographing the adenylyl cyclase signalosome: sorting out the partners and the steps. <i>Naunyn-Schmiedebergs Archives of Pharmacology</i> , 2012 , 385, 5-12	3.4	37
48	Non-neuronal cholinergic machinery present in cardiomyocytes offsets hypertrophic signals. <i>Journal of Molecular and Cellular Cardiology</i> , 2012 , 53, 206-16	5.8	64
47	An analysis of the myocardial transcriptome in a mouse model of cardiac dysfunction with decreased cholinergic neurotransmission. <i>PLoS ONE</i> , 2012 , 7, e39997	3.7	8
46	Type I collagen cleavage is essential for effective fibrotic repair after myocardial infarction. <i>American Journal of Pathology</i> , 2011 , 179, 2189-98	5.8	15
45	Unraveling the mechanisms underlying the rapid vascular effects of steroids: sorting out the receptors and the pathways. <i>British Journal of Pharmacology</i> , 2011 , 163, 1163-9	8.6	32
44	Central stiffening in adulthood linked to aberrant aortic remodeling under suboptimal intrauterine conditions. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2011 , 301, R1731-7	3.2	25
43	Delineating the receptor mechanisms underlying the rapid vascular contractile effects of aldosterone and estradiol. <i>Canadian Journal of Physiology and Pharmacology</i> , 2011 , 89, 655-63	2.4	22
42	GPR30 expression is required for the mineralocorticoid receptor-independent rapid vascular effects of aldosterone. <i>Hypertension</i> , 2011 , 57, 442-51	8.5	185
41	Fibroblast growth factor 9 delivery during angiogenesis produces durable, vasoresponsive microvessels wrapped by smooth muscle cells. <i>Nature Biotechnology</i> , 2011 , 29, 421-7	44.5	89
40	The small GTPase Ral couples the angiotensin II type 1 receptor to the activation of phospholipase C-delta 1. <i>Molecular Pharmacology</i> , 2010 , 77, 388-95	4.3	16
39	Increased blood pressure and hyperdynamic cardiovascular responses in carriers of a common hyperfunctional variant of adenylyl cyclase 6. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010 , 335, 451-7	4.7	17
38	Dysautonomia due to reduced cholinergic neurotransmission causes cardiac remodeling and heart failure. <i>Molecular and Cellular Biology</i> , 2010 , 30, 1746-56	4.8	64
37	Rapid vascular effects of steroids - a question of balance?. <i>Canadian Journal of Cardiology</i> , 2010 , 26 Suppl A, 22A-26A	3.8	16

(2005-2009)

36	Phosphorylation-independent regulation of metabotropic glutamate receptor 5 desensitization and internalization by G protein-coupled receptor kinase 2 in neurons. <i>Journal of Biological Chemistry</i> , 2009 , 284, 23444-53	5.4	57
35	Translational control by RGS2. <i>Journal of Cell Biology</i> , 2009 , 186, 755-65	7-3	39
34	Estradiol-mediated ERK phosphorylation and apoptosis in vascular smooth muscle cells requires GPR 30. <i>American Journal of Physiology - Cell Physiology</i> , 2009 , 297, C1178-87	5.4	92
33	Rapid vascular effects of estrogen and aldosterone on MAP kinase activation: A role for GPR30 <i>FASEB Journal</i> , 2009 , 23, 941.13	0.9	
32	The role of GPR30 in mediating the rapid vascular effects of aldosterone and estrogen. <i>FASEB Journal</i> , 2008 , 22, 910.6	0.9	
31	Rapid effects of aldosterone on clonal human vascular smooth muscle cells. <i>American Journal of Physiology - Cell Physiology</i> , 2007 , 292, C788-94	5.4	51
30	Choreographing the rapid vascular effects of estrogen: sorting out the partners and the steps. <i>Hypertension</i> , 2007 , 49, 1222-4	8.5	2
29	Increased enzyme activity and beta-adrenergic mediated vasodilation in subjects expressing a single-nucleotide variant of human adenylyl cyclase 6. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007 , 27, 2657-63	9.4	9
28	New insights into the regulation of cAMP synthesis beyond GPCR/G protein activation: implications in cardiovascular regulation. <i>Life Sciences</i> , 2007 , 81, 267-71	6.8	16
27	Decreased Abdominal Girth and Increased Blood Pressure Associated With a Single Nucleotide Variant of Human Adenylyl Cyclase 6. <i>FASEB Journal</i> , 2007 , 21, A795	0.9	
26	Adenylyl cyclase isoform-selective regulation of vascular smooth muscle proliferation and cytoskeletal reorganization. <i>Circulation Research</i> , 2006 , 99, 845-52	15.7	48
25	A calmodulin-binding site on cyclin E mediates Ca2+-sensitive G1/s transitions in vascular smooth muscle cells. <i>Circulation Research</i> , 2006 , 98, 1273-81	15.7	42
24	Regulator of G-protein signaling-2 as a candidate gene: the road to hypertension or just another roadside marker?. <i>Hypertension</i> , 2006 , 47, 337-8	8.5	7
23	The impact of blunted beta-adrenergic responsiveness on growth regulatory pathways in hypertension. <i>Molecular Pharmacology</i> , 2006 , 69, 317-27	4.3	7
22	Defective vasodilatory mechanisms in hypertension: a G-protein-coupled receptor perspective. <i>Current Opinion in Nephrology and Hypertension</i> , 2006 , 15, 135-40	3.5	8
21	Identification of a dysfunctional missense single nucleotide variant of human adenylyl cyclase VI. <i>Clinical Pharmacology and Therapeutics</i> , 2005 , 77, 271-8	6.1	5
20	A role for endoglin in coupling eNOS activity and regulating vascular tone revealed in hereditary hemorrhagic telangiectasia. <i>Circulation Research</i> , 2005 , 96, 684-92	15.7	207
19	Isoform-specific regulation of adenylyl cyclase function by disruption of membrane trafficking. Molecular Pharmacology, 2005 , 67, 564-71	4.3	10

18	Raf Kinase Activation of Adenylyl Cyclases: Isoform-Selective Regulation. <i>Molecular Pharmacology</i> , 2004 , 66, 921-928	4.3	48
17	Conditional cardiac overexpression of endothelin-1 induces inflammation and dilated cardiomyopathy in mice. <i>Circulation</i> , 2004 , 109, 255-61	16.7	136
16	Raf kinase activation of adenylyl cyclases: isoform-selective regulation. <i>Molecular Pharmacology</i> , 2004 , 66, 921-8	4.3	25
15	Plasma membrane calcium ATPase overexpression in arterial smooth muscle increases vasomotor responsiveness and blood pressure. <i>Circulation Research</i> , 2003 , 93, 614-21	15.7	75
14	Cardiac function in mice lacking the glucagon-like peptide-1 receptor. <i>Endocrinology</i> , 2003 , 144, 2242-52	24.8	170
13	Calcineurin-independent regulation of plasma membrane Ca2+ ATPase-4 in the vascular smooth muscle cell cycle. <i>American Journal of Physiology - Cell Physiology</i> , 2003 , 285, C88-95	5.4	44
12	Aldosterone regulates vascular reactivity: short-term effects mediated by phosphatidylinositol 3-kinase-dependent nitric oxide synthase activation. <i>Circulation</i> , 2003 , 108, 2400-6	16.7	144
11	Conditional expression of a dominant-negative c-Myb in vascular smooth muscle cells inhibits arterial remodeling after injury. <i>Circulation Research</i> , 2003 , 92, 314-21	15.7	36
10	Effects of age, gender, and blood pressure on myogenic responses of mesenteric arteries from C57BL/6 mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002 , 282, H380-8	5.2	68
9	Cardiomyocyte overexpression of iNOS in mice results in peroxynitrite generation, heart block, and sudden death. <i>Journal of Clinical Investigation</i> , 2002 , 109, 735-743	15.9	206
8	Cardiomyocyte overexpression of iNOS in mice results in peroxynitrite generation, heart block, and sudden death. <i>Journal of Clinical Investigation</i> , 2002 , 109, 735-43	15.9	96
7	Conditional and targeted overexpression of vascular chymase causes hypertension in transgenic mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 7469-74	11.5	89
6	G-Protein-coupled receptor kinase activity in hypertension: increased vascular and lymphocyte G-protein receptor kinase-2 protein expression. <i>Hypertension</i> , 2000 , 35, 38-42	8.5	118
5	G-protein-coupled receptor kinase expression in hypertension. <i>Clinical Pharmacology and Therapeutics</i> , 1999 , 65, 545-51	6.1	43
4	Impaired vasodilator function in hypertension: the role of alterations in receptor-G protein coupling. <i>Trends in Cardiovascular Medicine</i> , 1998 , 8, 297-305	6.9	53
3	G-protein-coupled receptor kinase activity is increased in hypertension. <i>Journal of Clinical Investigation</i> , 1997 , 99, 2087-93	15.9	178
2	Vascular beta-adrenoceptor-mediated responses in hypertension and ageing in rats. <i>Autonomic and Autacoid Pharmacology</i> , 1992 , 12, 389-401		21
1	Proteinase-Activated Receptor 4 (PAR4) Activation Triggers Cell Membrane Blebbing through RhoA and 🗗		1