

Manoj Kumar Karmakar

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4155100/manoj-kumar-karmakar-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

131
papers

4,395
citations

36
h-index

63
g-index

141
ext. papers

5,131
ext. citations

3.5
avg, IF

5.68
L-index

#	Paper	IF	Citations
131	Ultrasound-Guided Thoracic Paravertebral Block 2022 , 421-443		
130	Aberrant vascular anatomy at the costoclavicular space: a word of caution for costoclavicular brachial plexus block. <i>Regional Anesthesia and Pain Medicine</i> , 2021 , 46, 95-96	3.4	1
129	Response to comments by Dr Forero to our daring discourse. <i>Regional Anesthesia and Pain Medicine</i> , 2021 , 46, 837-838	3.4	
128	Response to Dr Howle and colleagues. <i>Regional Anesthesia and Pain Medicine</i> , 2021 , 46, 929-930	3.4	
127	Dry spinal tap during real-time ultrasound-guided paramedian spinal injection with patient in the lateral decubitus position: A single-centre retrospective study. <i>European Journal of Anaesthesiology</i> , 2021 , 38, 259-264	2.3	0
126	Accumulating marginal gains. <i>Regional Anesthesia and Pain Medicine</i> , 2021 , 46, 459	3.4	0
125	High-definition ultrasound imaging defines the paraneural sheath and fascial compartments surrounding the cords of the brachial plexus at the costoclavicular space and lateral infraclavicular fossa. <i>Regional Anesthesia and Pain Medicine</i> , 2021 , 46, 500-506	3.4	5
124	Reliability of a sequential ultrasound imaging technique (SUIT) to identify the individual elements of the brachial plexus above the clavicle. <i>Regional Anesthesia and Pain Medicine</i> , 2021 , 46, 1107-1109	3.4	0
123	Standardizing nomenclature in regional anesthesia: an ASRA-ESRA Delphi consensus study of abdominal wall, paraspinal, and chest wall blocks. <i>Regional Anesthesia and Pain Medicine</i> , 2021 , 46, 571-580	3.4	22
122	Selective trunk block (SeTB): a simple alternative to hybrid brachial plexus block techniques for proximal humeral fracture surgery during the COVID-19 pandemic. <i>Regional Anesthesia and Pain Medicine</i> , 2021 , 46, 376-378	3.4	5
121	Ultrasound-guided subparaneural popliteal sciatic nerve block: there is more to it than meets the eyes. <i>Regional Anesthesia and Pain Medicine</i> , 2021 , 46, 268-275	3.4	1
120	Daring discourse: should the ESP block be renamed RIP II block?. <i>Regional Anesthesia and Pain Medicine</i> , 2021 , 46, 57-60	3.4	15
119	Reconfiguring the scope and practice of regional anesthesia in a pandemic: the COVID-19 perspective. <i>Regional Anesthesia and Pain Medicine</i> , 2020 , 45, 536-543	3.4	10
118	High definition ultrasound imaging of the individual elements of the brachial plexus above the clavicle. <i>Regional Anesthesia and Pain Medicine</i> , 2020 , 45, 344-350	3.4	6
117	Response to comments on our Editorial. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 277	1.9	
116	Regional analgesia for patients with traumatic rib fractures: A narrative review. <i>Journal of Trauma and Acute Care Surgery</i> , 2020 , 88, e22-e30	3.3	8
115	Reply to: ipsilateral hemidiaphragmatic paresis after a supraclavicular and costoclavicular brachial plexus block. <i>European Journal of Anaesthesiology</i> , 2020 , 37, 417-418	2.3	

114	Minimum effective volume of 0.5% ropivacaine for ultrasound-guided costoclavicular brachial plexus block: A dose finding study. <i>European Journal of Anaesthesiology</i> , 2020 , 37, 780-786	2.3	3
113	Ultrasound-Guided Selective Trunk Block to Produce Surgical Anesthesia of the Whole Upper Extremity: A Case Report. <i>A&A Practice</i> , 2020 , 14, e01274	0.8	3
112	Ultrasound-Guided Multilevel Thoracic Paravertebral Block and Its Efficacy for Surgical Anesthesia During Primary Breast Cancer Surgery. <i>Journal of Pain Research</i> , 2020 , 13, 1713-1723	2.9	2
111	Brachial plexus blockade with anomalous location of the T1 ventral ramus at the supraclavicular fossa. <i>British Journal of Anaesthesia</i> , 2020 , 125, e412-e414	5.4	0
110	Ultrasound visualization of the anatomy relevant for lumbar plexus block: comparison of the paramedian transverse and Shamrock scan technique. <i>Regional Anesthesia and Pain Medicine</i> , 2019 ,	3.4	3
109	Ultrasound-Guided Regional Anesthesia 2019 , 988-1022.e4		
108	Ipsilateral hemidiaphragmatic paresis after a supraclavicular and costoclavicular brachial plexus block: A randomised observer blinded study. <i>European Journal of Anaesthesiology</i> , 2019 , 36, 787-795	2.3	21
107	Thoracic Paravertebral Block 2019 , 286-315		2
106	Ultrasound guided interscalene brachial plexus block with low dose sedation - Technique of choice for reducing shoulder dislocation. <i>American Journal of Emergency Medicine</i> , 2018 , 36, 717-718	2.9	3
105	Reply to Dr Cornish. <i>Regional Anesthesia and Pain Medicine</i> , 2018 , 43, 337-338	3.4	1
104	Ultrasound-Guided Infraclavicular Brachial Plexus Block: Prospective Randomized Comparison of the Lateral Sagittal and Costoclavicular Approach. <i>Regional Anesthesia and Pain Medicine</i> , 2018 , 43, 825-831	3.4	17
103	Ultrasound-Guided Thoracic Paravertebral Block 2018 , 103-116		
102	Ultrasound-Guided Costoclavicular Brachial Plexus Block: Sonoanatomy, Technique, and Block Dynamics. <i>Regional Anesthesia and Pain Medicine</i> , 2017 , 42, 233-240	3.4	49
101	Sonographic tracking of trunk nerves: essential for ultrasound-guided pain management and research. <i>Journal of Pain Research</i> , 2017 , 10, 79-88	2.9	29
100	Survival Analysis of Patients with Breast Cancer Undergoing a Modified Radical Mastectomy With or Without a Thoracic Paravertebral Block: a 5-Year Follow-up of a Randomized Controlled Trial. <i>Anticancer Research</i> , 2017 , 37, 5813-5820	2.3	16
99	Low-Volume Brachial Plexus Block Providing Surgical Anesthesia for Distal Arm Surgery Comparing Supraclavicular, Infraclavicular, and Axillary Approach: A Randomized Observer Blind Trial. <i>BioMed Research International</i> , 2016 , 2016, 7094121	3	15
98	Lumbar neuraxial anatomical changes throughout pregnancy: a longitudinal study using serial ultrasound scans. <i>Anaesthesia</i> , 2016 , 71, 669-74	6.6	5
97	Anatomic Basis for Brachial Plexus Block at the Costoclavicular Space: A Cadaver Anatomic Study. <i>Regional Anesthesia and Pain Medicine</i> , 2016 , 41, 387-91	3.4	40

96	Age-related differences in the quantitative echo texture of the median nerve. <i>Journal of Ultrasound in Medicine</i> , 2015 , 34, 797-804	2.9	7
95	The traditional vs "1:1:1" approach debate on massive transfusion in trauma should not be treated as a dichotomy. <i>American Journal of Emergency Medicine</i> , 2015 , 33, 1501-4	2.9	13
94	Ultrasound-guided lumbar plexus block using a transverse scan through the lumbar intertransverse space: a prospective case series. <i>Regional Anesthesia and Pain Medicine</i> , 2015 , 40, 75-81	3.4	29
93	Randomized Comparison of Extradiscal Versus Subfascial Injection of Local Anesthetic During Ultrasound-Guided Supraclavicular Brachial Plexus Block. <i>Regional Anesthesia and Pain Medicine</i> , 2015 , 40, 337-43	3.4	19
92	Benefits of the costoclavicular space for ultrasound-guided infraclavicular brachial plexus block: description of a costoclavicular approach. <i>Regional Anesthesia and Pain Medicine</i> , 2015 , 40, 287-8	3.4	51
91	High-Definition and Three-Dimensional Volumetric Ultrasound Imaging of the Sciatic Nerve 2015 , 355-381		
90	Does circumferential spread of local anaesthetic improve the success of peripheral nerve block?. <i>British Journal of Anaesthesia</i> , 2014 , 113, 177-85	5.4	22
89	Reply to Drs Wolf and Gray. <i>Regional Anesthesia and Pain Medicine</i> , 2014 , 39, 261-2	3.4	
88	Thoracic paravertebral block and its effects on chronic pain and health-related quality of life after modified radical mastectomy. <i>Regional Anesthesia and Pain Medicine</i> , 2014 , 39, 289-98	3.4	82
87	Left mainstem bronchial tear manifesting as sudden upsurge in end-tidal CO ₂ during thoracoscopic tracheoesophageal fistula repair. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2013 , 27, 539-41	2.1	5
86	Assessment of the spine with CT and MRI prior to interspinous/interlaminar spinal procedures: a pictorial review. <i>British Journal of Radiology</i> , 2013 , 86, 20130066	3.4	3
85	Multiplanar 3D ultrasound imaging to assess the anatomy of the upper airway and measure the subglottic and tracheal diameters in adults. <i>British Journal of Radiology</i> , 2013 , 86, 20130253	3.4	17
84	High-definition ultrasound imaging defines the paraneural sheath and the fascial compartments surrounding the sciatic nerve at the popliteal fossa. <i>Regional Anesthesia and Pain Medicine</i> , 2013 , 38, 447-51	3.4	58
83	Sonoanatomy relevant for lumbar plexus block in volunteers correlated with cross-sectional anatomic and magnetic resonance images. <i>Regional Anesthesia and Pain Medicine</i> , 2013 , 38, 391-7	3.4	31
82	Volumetric three-dimensional ultrasound imaging of the anatomy relevant for thoracic paravertebral block. <i>Anesthesia and Analgesia</i> , 2012 , 115, 1246-50	3.9	24
81	The medial-transverse approach for internal jugular vein cannulation: an example of lateral thinking. <i>Journal of Emergency Medicine</i> , 2012 , 42, 174-7	1.5	11
80	Quantitative evaluation of the echo intensity of the median nerve and flexor muscles of the forearm in the young and the elderly. <i>British Journal of Radiology</i> , 2012 , 85, e140-5	3.4	14
79	Sonoanatomy relevant for ultrasound-guided central neuraxial blocks via the paramedian approach in the lumbar region. <i>British Journal of Radiology</i> , 2012 , 85, e262-9	3.4	33

78	Regional hemodynamic changes after an axillary brachial plexus block: a pulsed-wave Doppler ultrasound study. <i>Regional Anesthesia and Pain Medicine</i> , 2012 , 37, 111-8	3.4	36
77	Three-dimensional/four-dimensional volumetric ultrasound imaging of the sciatic nerve. <i>Regional Anesthesia and Pain Medicine</i> , 2012 , 37, 60-6	3.4	18
76	Electron-microscopic imaging of endothoracic fascia in the thoracic paravertebral space in rats. <i>Regional Anesthesia and Pain Medicine</i> , 2012 , 37, 215-8	3.4	14
75	Prevalence of survivor bias in observational studies on fresh frozen plasma:erythrocyte ratios in trauma requiring massive transfusion. <i>Anesthesiology</i> , 2012 , 116, 716-28	4.3	107
74	Ultrasonography of the adult thoracic and lumbar spine for central neuraxial blockade. <i>Anesthesiology</i> , 2011 , 114, 1459-85	4.3	152
73	Acute pain management of patients with multiple fractured ribs: a focus on regional techniques. <i>Current Opinion in Critical Care</i> , 2011 , 17, 323-7	3.5	94
72	Gelatin-agar lumbosacral spine phantom: a simple model for learning the basic skills required to perform real-time sonographically guided central neuraxial blocks. <i>Journal of Ultrasound in Medicine</i> , 2011 , 30, 263-72	2.9	24
71	Right thoracic paravertebral anaesthesia for percutaneous radiofrequency ablation of liver tumours. <i>British Journal of Radiology</i> , 2011 , 84, 785-9	3.4	19
70	A practical review of perineural versus intraneural injections: a call for standard nomenclature. <i>International Anesthesiology Clinics</i> , 2011 , 49, 1-12	0.6	38
69	Ultrasound-Guided Central Neuraxial Blocks 2011 , 161-178		2
68	Ultrasound-Guided Thoracic Paravertebral Block 2011 , 133-148		3
67	The analgesic efficacy of continuous wound instillation with ropivacaine after open hepatic surgery. <i>Anaesthesia</i> , 2010 , 65, 1180-6	6.6	39
66	Pig carcass spine phantom--a model to learn ultrasound-guided neuraxial interventions. <i>Regional Anesthesia and Pain Medicine</i> , 2010 , 35, 472-3	3.4	4
65	Fresh-frozen plasma transfusion strategy in trauma with massive and ongoing bleeding. Common (sense) and sensibility. <i>Resuscitation</i> , 2010 , 81, 1079-81	4	16
64	Real-time ultrasound-guided paramedian epidural access: evaluation of a novel in-plane technique. <i>British Journal of Anaesthesia</i> , 2009 , 102, 845-54	5.4	151
63	Timing of tracheal intubation in traumatic cardiac tamponade: a word of caution. <i>Resuscitation</i> , 2009 , 80, 272-4	4	16
62	Ultrasound-guided thoracic paravertebral block. <i>Techniques in Regional Anesthesia and Pain Management</i> , 2009 , 13, 142-149		21
61	Ultrasound for central neuraxial blocks. <i>Techniques in Regional Anesthesia and Pain Management</i> , 2009 , 13, 161-170		13

60	Placental transfer and fetal metabolic effects of phenylephrine and ephedrine during spinal anesthesia for cesarean delivery. <i>Anesthesiology</i> , 2009 , 111, 506-12	4.3	189
59	Ultrasound-Guided Regional Anesthesia 2009 , 911-938		2
58	The Water-based Spine Phantom? - A Small Step Towards Learning the Basics of Spinal Sonography. <i>British Journal of Anaesthesia</i> , 2009 , 103,	5.4	6
57	Choosing the correct laryngeal mask airway sizes and cuff inflation volumes in pediatric patients. <i>Journal of Emergency Medicine</i> , 2008 , 35, 299-300	1.5	10
56	Placing the tip of the endotracheal tube at the carina and passing the endobronchial blocker through the Murphy eye may reduce the risk of blocker retrograde dislodgement during one-lung anaesthesia in small children. <i>British Journal of Anaesthesia</i> , 2008 , 101, 690-3	5.4	18
55	Ultrasound-guided lumbar plexus block through the acoustic window of the lumbar ultrasound trident. <i>British Journal of Anaesthesia</i> , 2008 , 100, 533-7	5.4	79
54	A randomized double-blinded comparison of phenylephrine and ephedrine infusion combinations to maintain blood pressure during spinal anesthesia for cesarean delivery: the effects on fetal acid-base status and hemodynamic control. <i>Anesthesia and Analgesia</i> , 2008 , 107, 1295-302	3.9	148
53	General anesthesia with or without thoracic epidural block for cardiac surgery [A decision analysis. <i>Canadian Journal of Anaesthesia</i> , 2008 , 55, 4737371-4737372	3	
52	Anesthesia for Pediatric Laparoscopy 2008 , 229-232		
51	Closed-loop feedback computer-controlled infusion of phenylephrine for maintaining blood pressure during spinal anaesthesia for caesarean section: a preliminary descriptive study. <i>Anaesthesia</i> , 2007 , 62, 1251-6	6.6	58
50	Case report: Use of two balloon-tipped catheters during thoracoscopic repair of a type C tracheoesophageal fistula in a neonate. <i>Canadian Journal of Anaesthesia</i> , 2007 , 54, 223-6	3	8
49	Ultrasound-guided sciatic nerve block: description of a new approach at the subgluteal space. <i>British Journal of Anaesthesia</i> , 2007 , 98, 390-5	5.4	85
48	Ultrasound-guided sciatic nerve block: description of a new approach at the subgluteal space. <i>British Journal of Anaesthesia</i> , 2007 , 99, 445-6; author reply 445-6	5.4	4
47	A prospective comparison of vasopressor requirement and hemodynamic changes during spinal anesthesia for cesarean delivery in patients with multiple gestation versus singleton pregnancy. <i>Anesthesia and Analgesia</i> , 2007 , 104, 407-11	3.9	11
46	Flooding with carbon dioxide prevents airway fire induced by diathermy during open tracheostomy. <i>Journal of Trauma</i> , 2007 , 63, 228-31		10
45	Hemostatic parameters after hepatectomy for cancer. <i>Hepato-Gastroenterology</i> , 2007 , 54, 1494-8		3
44	A systematic review (meta-analysis) of the accuracy of the Mallampati tests to predict the difficult airway. <i>Anesthesia and Analgesia</i> , 2006 , 102, 1867-78	3.9	191
43	Facilitating endotracheal tube advancement during fiberscope-assisted intubation: giving due credit. <i>Anesthesiology</i> , 2006 , 104, 376; author reply 379-80	4.3	1

42	Risk of hematoma after epidural anesthesia and analgesia for cardiac surgery. <i>Anesthesia and Analgesia</i> , 2006 , 103, 1327; author reply 1327-8	3.9	8
41	Radiation exposure in children. <i>Anesthesia and Analgesia</i> , 2006 , 103, 1630	3.9	3
40	Are we giving enough coagulation factors during major trauma resuscitation?. <i>American Journal of Surgery</i> , 2005 , 190, 479-84	2.7	159
39	Arterial and venous pharmacokinetics of ropivacaine with and without epinephrine after thoracic paravertebral block. <i>Anesthesiology</i> , 2005 , 103, 704-11	4.3	69
38	Ultrasound for central venous cannulation: economic evaluation of cost effectiveness. <i>Anaesthesia</i> , 2005 , 60, 407-8; author reply 409-11	6.6	3
37	Safer central venous access. <i>Anaesthesia</i> , 2005 , 60, 617-8; author reply 619	6.6	2
36	Accuracy of central venous pressure monitoring during simultaneous continuous infusion through the same catheter. <i>Anaesthesia</i> , 2005 , 60, 1027-30	6.6	11
35	Expected utilities of epidural or I.V./I.M. opioid analgesia for labor. <i>Canadian Journal of Anaesthesia</i> , 2005 , 52, A180-A180	3	
34	Images in anesthesia: Airway obstruction after peanut aspiration--air trapping is due to airway distension and narrowing. <i>Canadian Journal of Anaesthesia</i> , 2005 , 52, 205-6	3	1
33	Central apnoea after balanced general anaesthesia that included dexmedetomidine. <i>British Journal of Anaesthesia</i> , 2005 , 95, 773-5	5.4	25
32	An unusual complication of interscalene brachial plexus catheterization: delayed catheter migration. <i>British Journal of Anaesthesia</i> , 2005 , 95, 535-7	5.4	15
31	A mathematical model for fresh frozen plasma transfusion strategies during major trauma resuscitation with ongoing hemorrhage. <i>Canadian Journal of Surgery</i> , 2005 , 48, 470-8	2	75
30	Right thoracic paravertebral analgesia for hepatectomy. <i>British Journal of Anaesthesia</i> , 2004 , 93, 458-61	5.4	22
29	On research and originality. <i>Anaesthesia</i> , 2004 , 59, 404-5; author reply 405	6.6	2
28	Total airway obstruction during local anesthesia in a non-sedated patient with a compromised airway. <i>Canadian Journal of Anaesthesia</i> , 2004 , 51, 838-41	3	56
27	Postthoracotomy pain syndrome. <i>Thoracic Surgery Clinics</i> , 2004 , 14, 345-52	3.1	143
26	Cardiac tamponade and sternal fracture. <i>Journal of Trauma</i> , 2004 , 56, 212-3		2
25	Does the presence of a tracheal bronchus affect the margin of safety of double-lumen tube placement?. <i>Anesthesia and Analgesia</i> , 2004 , 99, 293-295	3.9	8

24	Potential eye injury due to protective face shields. <i>Anesthesiology</i> , 2004 , 100, 201	4.3	5
23	Continuous thoracic paravertebral infusion of bupivacaine for pain management in patients with multiple fractured ribs. <i>Chest</i> , 2003 , 123, 424-31	5.3	105
22	Heliox vs air-oxygen mixtures for the treatment of patients with acute asthma: a systematic overview. <i>Chest</i> , 2003 , 123, 882-90	5.3	76
21	Facial skin injuries caused by adhesive tapes in a patient receiving cosmetic skin exfoliants. <i>Anesthesia and Analgesia</i> , 2003 , 97, 1310-1311	3.9	2
20	Acute pain management of patients with multiple fractured ribs. <i>Journal of Trauma</i> , 2003 , 54, 615-25		192
19	The timing for the use of heparinase and tromboelastography to prevent excessive bleeding coronary artery bypass graft surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2003 , 17, 413-4; author reply 414-5	2.1	1
18	Use of recombinant activated factor VII in patients with severe coagulopathy and bleeding. <i>Anesthesiology</i> , 2003 , 98, 1025-6; author reply 1026-7	4.3	5
17	Combined paravertebral lumbar plexus and parasacral sciatic nerve block for reduction of hip fracture in a patient with severe aortic stenosis. <i>Canadian Journal of Anaesthesia</i> , 2002 , 49, 946-50	3	43
16	Co-administration of alfentanil-propofol improves laryngeal mask airway insertion compared to fentanyl-propofol. <i>Canadian Journal of Anaesthesia</i> , 2002 , 49, 508-12	3	33
15	Use of heliox in critical upper airway obstruction. Physical and physiologic considerations in choosing the optimal helium:oxygen mix. <i>Resuscitation</i> , 2002 , 52, 297-300	4	35
14	The resolution of ST segment depressions after high right thoracic paravertebral block during general anesthesia. <i>Anesthesia and Analgesia</i> , 2002 , 95, 227-8, table of contents	3.9	5
13	Ropivacaine Undergoes Slower Systemic Absorption from the Caudal Epidural Space in Children than Bupivacaine. <i>Anesthesia and Analgesia</i> , 2002 , 94, 259-265	3.9	32
12	The effect of the addition of epinephrine on early systemic absorption of epidural ropivacaine in humans. <i>Anesthesia and Analgesia</i> , 2002 , 95, 1402-7, table of contents	3.9	30
11	Ropivacaine undergoes slower systemic absorption from the caudal epidural space in children than bupivacaine. <i>Anesthesia and Analgesia</i> , 2002 , 94, 259-65, table of contents	3.9	50
10	Rigid cervical collar and intracranial pressure of patients with severe head injury. <i>Journal of Trauma</i> , 2002 , 53, 1185-8		43
9	Estimating with confidence the risk of rare adverse events, including those with observed rates of zero. <i>Regional Anesthesia and Pain Medicine</i> , 2002 , 27, 207-10	3.4	17
8	Ipsilateral thoraco-lumbar anaesthesia and paravertebral spread after low thoracic paravertebral injection. <i>British Journal of Anaesthesia</i> , 2001 , 87, 312-6	5.4	50
7	Excessive use of normal saline in managing traumatized patients in shock: a preventable contributor to acidosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001 , 51, 173-7	9.4	50

6	Thoracic Paravertebral Block for Management of Pain Associated With Multiple Fractured Ribs in Patients With Concomitant Lumbar Spinal Trauma. <i>Regional Anesthesia and Pain Medicine</i> , 2001 , 26, 169-173	34	30
5	Thoracic paravertebral block. <i>Anesthesiology</i> , 2001 , 95, 771-80	43	416
4	Variability of a Thoracic Paravertebral Block. Are We Ignoring the Endothoracic Fascia?. <i>Regional Anesthesia and Pain Medicine</i> , 2000 , 25, 325-327	34	39
3	Thoracic paravertebral block: radiological evidence of contralateral spread anterior to the vertebral bodies. <i>British Journal of Anaesthesia</i> , 2000 , 84, 263-5	54	58
2	Bilateral continuous paravertebral block used for postoperative analgesia in an infant having bilateral thoracotomy. <i>Paediatric Anaesthesia</i> , 1997 , 7, 469-71	18	17
1	Continuous extrapleural paravertebral infusion of bupivacaine for post-thoracotomy analgesia in young infants. <i>British Journal of Anaesthesia</i> , 1996 , 76, 811-5	54	62