
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4155174/publications.pdf Version: 2024-02-01



FRIC | ROFLAND

#	Article	IF	CITATIONS
1	Liquid versus tissue biopsy for detecting acquired resistance and tumor heterogeneity in gastrointestinal cancers. Nature Medicine, 2019, 25, 1415-1421.	30.7	359
2	Management of Cancer Cachexia: ASCO Guideline. Journal of Clinical Oncology, 2020, 38, 2438-2453.	1.6	292
3	Minimal Residual Disease Detection using a Plasma-only Circulating Tumor DNA Assay in Patients with Colorectal Cancer. Clinical Cancer Research, 2021, 27, 5586-5594.	7.0	178
4	Cancer Cachexia: Beyond Weight Loss. Journal of Oncology Practice, 2016, 12, 1163-1171.	2.5	162
5	NCCN Guidelines Insights: Antiemesis, Version 2.2017. Journal of the National Comprehensive Cancer Network: JNCCN, 2017, 15, 883-893.	4.9	137
6	The development of a prediction tool to identify cancer patients at high risk for chemotherapy-induced nausea and vomiting. Annals of Oncology, 2017, 28, 1260-1267.	1.2	134
7	Management of Dyspnea in Advanced Cancer: ASCO Guideline. Journal of Clinical Oncology, 2021, 39, 1389-1411.	1.6	74
8	Serial ctDNA Monitoring to Predict Response to Systemic Therapy in Metastatic Gastrointestinal Cancers. Clinical Cancer Research, 2020, 26, 1877-1885.	7.0	67
9	Early Palliative Care for Patients with Hematologic Malignancies: Is It Really so Difficult to Achieve?. Current Hematologic Malignancy Reports, 2017, 12, 300-308.	2.3	66
10	When Open-Ended Questions Don't Work: The Role of Palliative Paternalism in Difficult Medical Decisions. Journal of Palliative Medicine, 2014, 17, 415-420.	1.1	65
11	Effect of Palliative Care on Aggressiveness of End-of-Life Care Among Patients With Advanced Cancer. Journal of Oncology Practice, 2017, 13, e760-e769.	2.5	61
12	A first-in-human phase 1 study of a hepcidin monoclonal antibody, LY2787106, in cancer-associated anemia. Journal of Hematology and Oncology, 2017, 10, 73.	17.0	57
13	Current concepts in malignant bowel obstruction management. Current Oncology Reports, 2009, 11, 298-303.	4.0	55
14	Predictors of Progression in High-Grade Appendiceal or Colorectal Peritoneal Carcinomatosis After Cytoreductive Surgery and Hyperthermic Intraperitoneal Chemotherapy. Annals of Surgical Oncology, 2015, 22, 1716-1721.	1.5	54
15	Patterns of Palliative Care Consultation Among Elderly Patients With Cancer. Journal of the National Comprehensive Cancer Network: JNCCN, 2016, 14, 439-445.	4.9	52
16	Feeling Heard and Understood: A Patient-Reported Quality Measure for the Inpatient Palliative Care Setting. Journal of Pain and Symptom Management, 2016, 51, 150-154.	1.2	48
17	What do transplant physicians think about palliative care? A national survey study. Cancer, 2018, 124, 4556-4566.	4.1	47
18	Impact of Postoperative Complication and Completion of Multimodality Therapy on Survival in Patients Undergoing Gastrectomy for Advanced Gastric Cancer. Journal of the American College of Surgeons, 2020, 230, 912-924.	0.5	42

#	Article	IF	CITATIONS
19	Age Disparity in Palliative Radiation Therapy Among Patients With Advanced Cancer. International Journal of Radiation Oncology Biology Physics, 2014, 90, 224-230.	0.8	40
20	Concordance of Advance Care Plans With Inpatient Directives in the Electronic Medical Record for Older Patients Admitted From the Emergency Department. Journal of Pain and Symptom Management, 2016, 51, 647-651.	1.2	39
21	Computed Tomography–based Body Composition Analysis and Its Role in Lung Cancer Care. Journal of Thoracic Imaging, 2020, 35, 91-100.	1.5	39
22	Palliative chemotherapy: oxymoron or misunderstanding?. BMC Palliative Care, 2016, 15, 33.	1.8	31
23	Weight loss versus muscle loss: re-evaluating inclusion criteria for future cancer cachexia interventional trials. Supportive Care in Cancer, 2017, 25, 365-369.	2.2	31
24	Multisite, Randomized Trial of Early Integrated Palliative and Oncology Care in Patients with Advanced Lung and Gastrointestinal Cancer: Alliance A221303. Journal of Palliative Medicine, 2020, 23, 922-929.	1.1	31
25	Phase III safety study of intravenous NEPA: a novel fixed antiemetic combination of fosnetupitant and palonosetron in patients receiving highly emetogenic chemotherapy. Annals of Oncology, 2018, 29, 1535-1540.	1.2	27
26	A systematic review of patient-reported outcome instruments of dermatologic adverse events associated with targeted cancer therapies. Supportive Care in Cancer, 2015, 23, 2231-2244.	2.2	25
27	Advance Care Planning and Palliative Care Integration for Patients Undergoing Hematopoietic Stem-Cell Transplantation. Journal of Oncology Practice, 2017, 13, e721-e728.	2.5	24
28	Endâ€ofâ€life care among adolescent and young adult patients with cancer living in poverty. Cancer, 2020, 126, 886-893.	4.1	24
29	Spanning the canyon between stem cell transplantation and palliative care. Hematology American Society of Hematology Education Program, 2015, 2015, 484-489.	2.5	21
30	Phase IIIb Safety and Efficacy of Intravenous NEPA for Prevention of Chemotherapy-Induced Nausea and Vomiting (CINV) in Patients with Breast Cancer Receiving Initial and Repeat Cycles of Anthracycline and Cyclophosphamide (AC) Chemotherapy. Oncologist, 2020, 25, e589-e597.	3.7	21
31	Barriers to Optimal End-of-Life Care for Adolescents and Young Adults With Cancer: Bereaved Caregiver Perspectives. Journal of the National Comprehensive Cancer Network: JNCCN, 2021, 19, 528-533.	4.9	20
32	Operationalizing the Measuring What Matters Spirituality Quality Metric in a Population of Hospitalized, Critically III Patients and Their Family Members. Journal of Pain and Symptom Management, 2017, 53, 650-655.	1.2	19
33	Early Weight Loss as a Prognostic Factor in Patients with Advanced Gastric Cancer: Analyses from <scp>REGARD</scp> , <scp>RAINBOW</scp> , and <scp>RAINFALL</scp> Phase <scp>III</scp> Studies. Oncologist, 2021, 26, e1538-e1547.	3.7	19
34	Addressing unmet needs for people with cancer cachexia: recommendations from a multistakeholder workshop. Journal of Cachexia, Sarcopenia and Muscle, 2022, 13, 1418-1425.	7.3	19
35	What the HEC? Clinician Adherence to Evidence-Based Antiemetic Prophylaxis for Highly Emetogenic Chemotherapy. Journal of the National Comprehensive Cancer Network: JNCCN, 2020, 18, 676-681.	4.9	18
36	Novel investigational biologics for the treatment of cancer cachexia. Expert Opinion on Biological Therapy, 2014, 14, 1113-1120.	3.1	17

#	Article	IF	CITATIONS
37	Adherence to Measuring What Matters Measures Using Point-of-Care Data Collection Across Diverse Clinical Settings. Journal of Pain and Symptom Management, 2016, 51, 497-503.	1.2	17
38	Evidence-based Palliative Care Approaches to Non-pain Physical Symptom Management in Cancer Patients. Seminars in Oncology Nursing, 2018, 34, 227-240.	1.5	17
39	Symptom control in stem cell transplantation: a multidisciplinary palliative care team approach. Part 1: Physical symptoms. The Journal of Supportive Oncology, 2010, 8, 100-16.	2.3	16
40	Assessing Emotional Suffering in Palliative Care: Use of a Structured Note Template to Improve Documentation. Journal of Pain and Symptom Management, 2016, 52, 1-7.	1.2	15
41	Adherence to Measuring What Matters Items When Caring for Patients With Hematologic Malignancies Versus Solid Tumors. Journal of Pain and Symptom Management, 2016, 52, 775-782.	1.2	15
42	Pain Syndromes and Management in Adult Hematopoietic Stem Cell Transplantation. Hematology/Oncology Clinics of North America, 2018, 32, 551-567.	2.2	15
43	Symptom control in stem cell transplantation: a multidisciplinary palliative care team approach. Part 2: psychosocial concerns. The Journal of Supportive Oncology, 2010, 8, 179-83.	2.3	15
44	Percentileâ€based averaging and skeletal muscle gauge improve body composition analysis: validation at multiple vertebral levels. Journal of Cachexia, Sarcopenia and Muscle, 2022, 13, 190-202.	7.3	13
45	In Chemotherapy for Lung Cancer, Sometimes Less is More. Journal of the National Comprehensive Cancer Network: JNCCN, 2013, 11, 232-235.	4.9	12
46	Variable Patterns of Continuous Morphine Infusions at End of Life. Journal of Palliative Medicine, 2015, 18, 786-789.	1.1	12
47	Palliative Radiation Before Hospice: The Long and the Short of It. Journal of Pain and Symptom Management, 2014, 48, 1070-1079.	1.2	11
48	Enhancing legacy in palliative care: study protocol for a randomized controlled trial of Dignity Therapy focused on positive outcomes. BMC Palliative Care, 2015, 14, 44.	1.8	11
49	Concordance Between Veterans' Self-Report and Documentation of Surrogate Decision Makers: Implications for Quality Measurement. Journal of Pain and Symptom Management, 2017, 53, 1-4.	1.2	11
50	Avoidable Acute Care Use Associated with Nausea and Vomiting Among Patients Receiving Highly Emetogenic Chemotherapy or Oxaliplatin. Oncologist, 2021, 26, 325-331.	3.7	11
51	Addressing Hereditary Cancer Risk at the End of Life. Journal of Oncology Practice, 2017, 13, e851-e856.	2.5	10
52	Cost Savings Associated With Palliative Care Among Older Adults With Advanced Cancer. American Journal of Hospice and Palliative Medicine, 2021, 38, 1250-1257.	1.4	10
53	Associations of Skeletal Muscle With Symptom Burden and Clinical Outcomes in Hospitalized Patients With Advanced Cancer. Journal of the National Comprehensive Cancer Network: JNCCN, 2021, 19, 319-327.	4.9	10
54	Tailoring Palliative Care to the Changing Needs of People Facing Cancer. Journal of Clinical Oncology, 2017, 35, 813-815.	1.6	9

#	Article	IF	CITATIONS
55	Top Ten Tips for Palliative Care Clinicians Caring for Cancer Patients Receiving Immunotherapies. Journal of Palliative Medicine, 2018, 21, 694-699.	1.1	9
56	Muscle Loss Is Associated with Overall Survival in Patients with Metastatic Colorectal Cancer Independent of Tumor Mutational Status and Weight Loss. Oncologist, 2021, 26, e963-e970.	3.7	9
57	Care Patterns and Overall Survival in Patients With Early-Onset Metastatic Colorectal Cancer. JCO Oncology Practice, 2021, 17, e1846-e1855.	2.9	9
58	Octreotide prescribing patterns in the palliation of symptomatic inoperable malignant bowel obstruction patients at a single US academic hospital. Supportive Care in Cancer, 2013, 21, 2817-2824.	2.2	8
59	Olanzapine in the Treatment of Refractory Nausea and Vomiting: A Case Report and Review of the Literature. Journal of Pain and Palliative Care Pharmacotherapy, 2015, 29, 148-152.	0.8	8
60	Transfusion practices at end of life for hematopoietic stem cell transplant patients. Supportive Care in Cancer, 2018, 26, 1927-1931.	2.2	8
61	Top Ten Tips Palliative Care Clinicians Should Know About Caring for Patients with Hematologic Malignancies. Journal of Palliative Medicine, 2019, 22, 1449-1454.	1.1	8
62	Results and Molecular Correlates from a Pilot Study of Neoadjuvant Induction FOLFIRINOX Followed by Chemoradiation and Surgery for Gastroesophageal Adenocarcinomas. Clinical Cancer Research, 2021, 27, 6343-6353.	7.0	8
63	Single-dose netupitant/palonosetronÂversus 3-day aprepitant for preventing chemotherapy-induced nausea and vomiting: aÂpooled analysis. Future Oncology, 2021, 17, 3027-3035.	2.4	8
64	Hospitalization costs for nausea and vomiting: A savings opportunity Journal of Clinical Oncology, 2017, 35, 155-155.	1.6	8
65	Cancer cachexia: the elephant in the room?. Journal of Cachexia, Sarcopenia and Muscle, 2022, 13, 3-4.	7.3	8
66	Leveraging the Potential Synergy Between Patientâ€Reported Outcomes and Body Composition Analysis in Patients with Cancer. Oncologist, 2020, 25, 271-273.	3.7	7
67	Associations of baseline patientâ€reported outcomes with treatment outcomes in advanced gastrointestinal cancer. Cancer, 2021, 127, 619-627.	4.1	7
68	Implementing inpatient, evidence-based, antihistamine-transfusion premedication guidelines at a single academic US hospital. Journal of Community and Supportive Oncology, 2014, 12, 56-64.	0.1	7
69	The Implementation of Measuring What Matters in Research and Practice: Series Commentary. Journal of Pain and Symptom Management, 2017, 54, 772-775.	1.2	6
70	More opioids, more constipation? Evaluation of longitudinal total oral opioid consumption and self-reported constipation in patients with cancer. Supportive Care in Cancer, 2020, 28, 1793-1797.	2.2	6
71	Leveraging patientâ€reported outcomes (PROs) in patients with pancreatic cancer: The Pancreatic Cancer Action Network (PanCAN) online patient registry experience. Cancer Medicine, 2021, 10, 7152-7161.	2.8	6
72	Supportive Oncology Care at Home Intervention for Patients With Pancreatic Cancer. JCO Oncology Practice, 2022, 18, e1587-e1593.	2.9	6

#	Article	IF	CITATIONS
73	Lack of Documentation of Evidence-Based Prognostication in Cancer Patients by Inpatient Palliative Care Consultants. Journal of Palliative Medicine, 2015, 18, 382-385.	1.1	5
74	Patient-Controlled Analgesia for Cancer-Related Pain: Clinical Predictors of Patient Outcomes. Journal of the National Comprehensive Cancer Network: JNCCN, 2017, 15, 595-600.	4.9	5
75	Opioid and Benzodiazepine Relative Use in Breast Cancer Patients Before, During, and After Curative Chemotherapy. Journal of Pain and Palliative Care Pharmacotherapy, 2018, 32, 27-29.	0.8	5
76	Unscheduled hydrations: redefining complete response in chemotherapy-induced nausea and vomiting studies. Future Oncology, 2020, 16, 1863-1872.	2.4	5
77	Efficacy of intravenous NEPA, a fixed NK1/5-HT3 receptor antagonist combination, for the prevention of chemotherapy-induced nausea and vomiting (CINV) during cisplatin- and anthracycline cyclophosphamide (AC)-based chemotherapy: A review of phase 3 studies. Critical Reviews in Oncology/Hematology. 2021, 157, 103143.	4.4	5
78	Caregiver Reported Quality of End-of-Life Care of Adolescent and Young Adult Decedents With Cancer. Journal of Palliative Care, 2022, 37, 87-92.	1.0	5
79	FIT: Functional and imaging testing for patients with metastatic cancer Journal of Clinical Oncology, 2018, 36, 208-208.	1.6	5
80	Rapidly progressive subcutaneous metastases from gallbladder cancer: insight into a rare presentation in gastrointestinal malignancies. Journal of Gastrointestinal Oncology, 2014, 5, E58-64.	1.4	5
81	Exploring the Definition of an Informed Health Care Proxy. Journal of Palliative Medicine, 2016, 19, 250-251.	1.1	4
82	A Pilot Study of Neoadjuvant FOLFIRINOX followed by Chemoradiation for Gastric and Gastroesophageal Cancer: Preliminary Results and Prognostic Implications of ctDNA. International Journal of Radiation Oncology Biology Physics, 2019, 105, S85-S86.	0.8	4
83	Neoadjuvant versus Postoperative Chemoradiotherapy is Associated with Improved Survival for Patients with Resectable Gastric and Gastroesophageal Cancer. Annals of Surgical Oncology, 2022, 29, 242-252.	1.5	4
84	Phase 1 Study of a Hepcidin Antagonist, LY2787106, in Cancer-Associated Anemia. Blood, 2015, 126, 537-537.	1.4	4
85	Advance care planning and palliative care consultation for stem cell transplant patients Journal of Clinical Oncology, 2016, 34, 113-113.	1.6	4
86	Evaluation of daily breakthrough chemotherapy-induced nausea and vomiting (CINV) rates in a phase III study of NEPA versus an aprepitant (APR)/granisetron (GRAN) regimen Journal of Clinical Oncology, 2017, 35, 120-120.	1.6	4
87	Inpatient hospitalization costs associated with nausea and vomiting among patients with cancer Journal of Clinical Oncology, 2018, 36, 112-112.	1.6	4
88	A pilot study of neoadjuvant FOLFIRINOX followed by chemoradiation for gastric and gastroesophageal cancer: Preliminary results Journal of Clinical Oncology, 2019, 37, 4057-4057.	1.6	4
89	Efficacy of intravenous (IV) NEPA, a fixed NK1/5-HT3 receptor antagonist combination, for prevention of emesis following highly emetogenic chemotherapy (HEC) Journal of Clinical Oncology, 2018, 36, 194-194.	1.6	4
90	Work loss and activity impairment due to duration of nausea and vomiting in patients with breast cancer receiving CINV prophylaxis Journal of Clinical Oncology, 2020, 38, e24133-e24133.	1.6	4

#	Article	IF	CITATIONS
91	Bereaved Caregivers Perspectives of Negative Communication Experiences Near the End of Life for Adolescents and Young Adults with Cancer. Journal of Adolescent and Young Adult Oncology, 2022, 11, 498-505.	1.3	4
92	The Cambia Sojourns Scholars Leadership Program: Projects and Reflections on Leadership in Palliative Care. Journal of Palliative Medicine, 2019, 22, 823-829.	1.1	3
93	Impact of Addition of Carboplatin AUC ≥ 4 to Antiemetic Guidelines for Triple Antiemetic Prophylaxis: A Gap in Quality of Care, Guideline Adoption, and Avoiding Acute Care. JCO Oncology Practice, 2020, 16, e132-e138.	2.9	3
94	Exploring the Expanded Role of Pharmacists in Advance Care Planning. JCO Oncology Practice, 2021, 17, 102-106.	2.9	3
95	A single-center, retrospective chart review evaluating outpatient code status documentation in the EPIC electronic medical record for patients with advanced solid tumor cancer Journal of Clinical Oncology, 2013, 31, 242-242.	1.6	3
96	Economic impact of palliative care among elderly cancer patients Journal of Clinical Oncology, 2017, 35, 91-91.	1.6	3
97	Managing Malignant Bowel Obstruction: Moving Beyond Drip and Suck. Journal of Oncology Practice, 2017, 13, 437-438.	2.5	2
98	PARP-ness in metastatic colorectal cancer. Annals of Oncology, 2019, 30, iv117.	1.2	2
99	Reply to O. Huillard et al. Journal of Clinical Oncology, 2020, 38, 3819-3819.	1.6	2
100	FIT: Functional and imaging testing for patients with metastatic cancer. Supportive Care in Cancer, 2021, 29, 2771-2775.	2.2	2
101	The Impact of Early Referrals to Dietitians for Patients With Esophagogastric Cancer. Journal of the National Comprehensive Cancer Network: JNCCN, 2021, 19, 235-238.	4.9	2
102	Healthcare utilization and costs associated with cancer-related diarrhea Journal of Clinical Oncology, 2021, 39, e18623-e18623.	1.6	2
103	Supportive oncology care at home intervention for patients with pancreatic cancer Journal of Clinical Oncology, 2021, 39, 6558-6558.	1.6	2
104	1696TiP Phase Ib study to assess the effect of PF-06946860 on appetite following subcutaneous administration in patients with anorexia and advanced cancer. Annals of Oncology, 2021, 32, S1185.	1.2	2
105	Supportive oncology care at home intervention for patients with pancreatic cancer Journal of Clinical Oncology, 2021, 39, 155-155.	1.6	2
106	Evaluating the incidence of chemotherapy-induced nausea and vomiting in patients with B-cell lymphoma receiving dose-adjusted EPOCH and rituximab. Journal of Oncology Pharmacy Practice, 2022, 28, 119-126.	0.9	2
107	Inclusion criteria for cancer cachexia clinical trials: CT-defined skeletal muscle loss versus body weight loss Journal of Clinical Oncology, 2015, 33, 67-67.	1.6	2
108	Efficacy of an intravenous formulation of NEPA, a fixed combination of fosnetupitant and palonosetron, compared with oral NEPA studies in the prevention of chemotherapy-induced nausea and vomiting (CINV): An analysis of 1026 patient experiences Journal of Clinical Oncology, 2018, 36, e22177-e22177.	1.6	2

#	Article	IF	CITATIONS
109	What the HEC? Physician variation and attainable compliance targets in antiemetic prophylaxis Journal of Clinical Oncology, 2018, 36, 74-74.	1.6	2
110	Physician concordance with update to ASCO guidelines for antiemetic use with carboplatin AUC ≥ 4 Journal of Clinical Oncology, 2019, 37, 11595-11595.	1.6	2
111	BPI19-019: Avoidable Acute Care Use Associated With Nausea and Vomiting Among Patients Receiving Highly Emetogenic Chemotherapy or Oxaliplatin. Journal of the National Comprehensive Cancer Network: JNCCN, 2019, 17, BPI19-019.	4.9	2
112	CACHEXIO: Evaluation of body composition changes and immunotherapy in patients with metastatic cancer Journal of Clinical Oncology, 2018, 36, 209-209.	1.6	2
113	The impact of emergency general surgery on end-of-life care among older patients with metastatic cancer Journal of Clinical Oncology, 2018, 36, 56-56.	1.6	2
114	Aggressiveness of care and overall survival in young metastatic colorectal cancer patients Journal of Clinical Oncology, 2019, 37, 3563-3563.	1.6	2
115	Acute care and hydration due to chemotherapy-induced nausea and vomiting (CINV) among patients receiving NEPA prophylaxis for anthracycline + cyclophosphamide (AC) Journal of Clinical Oncology, 2019, 37, 112-112.	1.6	2
116	Leveraging patient-reported outcomes (PROs) in patients with pancreatic cancer: The Pancreatic Cancer Action Network (PanCAN) online patient registry experience Journal of Clinical Oncology, 2020, 38, 154-154.	1.6	2
117	Serial circulating tumor DNA (ctDNA) monitoring to predict response to treatment in metastatic gastrointestinal cancers. Annals of Oncology, 2019, 30, iv112.	1.2	1
118	Revisiting <i>MET</i> : Clinical Characteristics and Treatment Outcomes of Patients with Locally Advanced or Metastatic, <i>MET</i> -Amplified Esophagogastric Cancers. Oncologist, 2020, 25, e1691-e1700.	3.7	1
119	Clinical and mutational profile of ARID1A-mutated gastrointestinal cancers: Duration of response to platinum-based chemotherapy Journal of Clinical Oncology, 2021, 39, e15611-e15611.	1.6	1
120	Important news on nutritional support in cancer patients – but some EFFORT is still ahead. Annals of Oncology, 2021, 32, 954-956.	1.2	1
121	Early outcome of a phase I study of interrupted pulse dosed axitinib combined with FOLFOX or FOLFIRI in refractory metastatic colorectal cancer Journal of Clinical Oncology, 2012, 30, 473-473.	1.6	1
122	Analysis of weight loss as a prognostic factor in patients (pts) with advanced gastric cancer from REGARD, RAINBOW and RAINFALL phase III studies Journal of Clinical Oncology, 2020, 38, 348-348.	1.6	1
123	Noninvasive comprehensive genomic profiling from plasma ctDNA in pancreatic cancer patients Journal of Clinical Oncology, 2020, 38, 753-753.	1.6	1
124	inSIRT trial: Single-center phase II study of yttrium-90 radioactive resin microspheres in the treatment of liver-predominant metastatic colorectal adenocarcinoma after failure of first-line combination chemotherapy Journal of Clinical Oncology, 2012, 30, e14079-e14079.	1.6	1
125	A single center, retrospective analysis evaluating aberrant drug behavior stratification utilizing the opioid risk tool in patients with cancer Journal of Clinical Oncology, 2013, 31, 167-167.	1.6	1
126	Molecular tumor profiling ordering trends in cancer patients Journal of Clinical Oncology, 2016, 34, 165-165.	1.6	1

#	Article	IF	CITATIONS
127	Palliative care and health care utilization at the end of life Journal of Clinical Oncology, 2016, 34, 152-152.	1.6	1
128	Blood transfusions at end of life for stem cell transplant patients Journal of Clinical Oncology, 2016, 34, 115-115.	1.6	1
129	Chemotherapy-Induced Nausea and Vomiting (CINV) in Hematologic Malignancy Patients Receiving Multi-Day Highly Emetogenic Chemotherapy (HEC). Blood, 2016, 128, 2410-2410.	1.4	1
130	Advance care planning in Hispanic/Latino and non-Hispanic white patients with cancer Journal of Clinical Oncology, 2017, 35, 10-10.	1.6	1
131	More opioids, more constipation? Evaluation of longitudinal total oral opioid consumption and self-reported constipation in patients with cancer Journal of Clinical Oncology, 2018, 36, 211-211.	1.6	1
132	Abstract P5-14-07: Avoidable acute care involving chemotherapy-induced nausea and vomiting (CINV) among patients with breast cancer receiving anthracycline + cyclophosphamide (AC) with NEPA prophylaxis relative to other antiemetics: An external control arm analysis. , 2020, , .		1
133	Preliminary analysis of total neoadjuvant therapy for patients with locally advanced gastric (G) and gastroesophageal (GE) adenocarcinoma Journal of Clinical Oncology, 2020, 38, 393-393.	1.6	1
134	Missing Voices: Lessons Learned from Nonparticipating Caregivers in Palliative Care Research. Journal of Palliative Medicine, 2022, 25, 455-460.	1.1	1
135	Associations of sarcopenia with hematologic toxicity, treatment intensity, and healthcare utilization in patients with metastatic colorectal cancer Journal of Clinical Oncology, 2022, 40, 84-84.	1.6	1
136	Leading from the Heart. Journal of Pain and Symptom Management, 2022, 63, e645-e646.	1.2	1
137	Darkness is No More. Journal of Palliative Medicine, 2009, 12, 389-390.	1.1	0
138	Redefining the Role of Paternalism in Palliative Medicine (SA511). Journal of Pain and Symptom Management, 2013, 45, 400.	1.2	0
139	Octreotide Prescribing Patterns in the Palliation of Symptomatic Inoperable Malignant Bowel Obstruction Patients at a Single US Academic Hospital (FR416-B). Journal of Pain and Symptom Management, 2013, 45, 373-374.	1.2	0
140	Clinical Supervision: An Antidote to Personal and Team Compassion Fatigue (SA504). Journal of Pain and Symptom Management, 2014, 47, 447-448.	1.2	0
141	1590 Patient-related factors in determining the emetic risk potential for patients undergoing chemotherapy: An evaluation of predictive models for the development of a risk assessment tool. European Journal of Cancer, 2015, 51, S234.	2.8	0
142	The Polypharmacy Police Versus the Patient Advocate: An Evidence-Based, Patient-Tailored Approach to Medication Simplification Strategies for the Palliative Care Patient (SA517). Journal of Pain and Symptom Management, 2015, 49, 395-396.	1.2	0
143	Titrate to Death? Prescribing Patterns of Continuous Morphine Infusions at End of Life (S758). Journal of Pain and Symptom Management, 2015, 49, 437.	1.2	0
144	The Default Dilemma: Code Status Regardless of Medical Context. Journal of Palliative Medicine, 2016, 19, 1134-1134.	1.1	0

#	Article	IF	CITATIONS
145	Patient-Controlled Analgesia for Cancer-Related Pain: Clinical Predictors of Patient Outcomes (S785). Journal of Pain and Symptom Management, 2016, 51, 454-455.	1.2	Ο
146	Evaluation of Cost of Hospitalizations Related to Nausea and Vomiting Among Cancer Patients. Value in Health, 2018, 21, S27.	0.3	0
147	A National Survey Study of Transplant Physicians' Attitudes About Palliative Care. Biology of Blood and Marrow Transplantation, 2018, 24, S59-S60.	2.0	0
148	Analysis of weight loss as a prognostic factor in patients with advanced gastric cancer from the Phase 3 RAINBOW study. Annals of Oncology, 2019, 30, iv111.	1.2	0
149	What's the Deal with Blood Cancers? Navigating a New Frontier in Palliative Cancer Care (TH313). Journal of Pain and Symptom Management, 2019, 57, 371.	1.2	Ο
150	Total Neoadjuvant Therapy versus Neoadjuvant Chemoradiotherapy in the Management of Gastric Cancer. International Journal of Radiation Oncology Biology Physics, 2020, 108, e602-e603.	0.8	0
151	Neoadjuvant versus Postoperative Chemoradiotherapy in Gastric Cancer. International Journal of Radiation Oncology Biology Physics, 2020, 108, e632.	0.8	Ο
152	The impact of cancer-related diarrhea on changes in cancer therapy patterns Journal of Clinical Oncology, 2021, 39, 12111-12111.	1.6	0
153	Changes in patient-reported outcomes (PROs) and tumor markers (TMs) to predict treatment response and survival outcomes in patients with metastatic gastrointestinal (GI) cancer Journal of Clinical Oncology, 2021, 39, 6560-6560.	1.6	0
154	Characterizing unplanned resource utilization associated with cancer-related diarrhea Journal of Clinical Oncology, 2021, 39, e18625-e18625.	1.6	0
155	Assessing duration of breakthrough chemotherapy-induced nausea and vomiting (CINV): A pooled study analysis of NEPA versus aprepitant Journal of Clinical Oncology, 2021, 39, 12091-12091.	1.6	0
156	ASO Visual Abstract:ÂNeoadjuvant versusÂPostoperative Chemoradiotherapy Is Associated with Improved Survival in Patients with Resectable Gastric and Gastroesophageal Cancer. Annals of Surgical Oncology, 2021, 28, 690-691.	1.5	0
157	Changes in patient-reported outcomes (PROs) and tumor markers (TMs) to predict treatment response and survival in patients with metastatic gastrointestinal (GI) cancer Journal of Clinical Oncology, 2021, 39, 154-154.	1.6	0
158	Early outcome of a phase II study of yttrium-90 radioactive resin microspheres in the treatment of colorectal adenocarcinoma metastatic to the liver after failure of first-line combination chemotherapy (inSIRT Trial) Journal of Clinical Oncology, 2011, 29, 626-626.	1.6	0
159	inSIRT trial: Single-center phase II study of yttrium-90 radioactive resin microspheres in the treatment of liver-predominant metastatic colorectal adenocarcinoma after failure of first-line combination chemotherapy Journal of Clinical Oncology, 2012, 30, 685-685.	1.6	0
160	Molecular predictors of treatment response in colon and gastric cancer Journal of Clinical Oncology, 2012, 30, 619-619.	1.6	0
161	Abstract 3692: Single center phase II study of yttrium-90 radioactive resin microspheres in the treatment of liver predominant metastatic colorectal adenocarcinoma after failure of 1st-line combination chemotherapy. , 2012, , .		0
162	Molecular predictors of treatment response in colon and gastric cancer Journal of Clinical Oncology, 2012, 30, e14069-e14069.	1.6	0

#	Article	IF	CITATIONS
163	Re-evaluating the inpatient use of routine diphenhydramine transfusion premedication practices Journal of Clinical Oncology, 2013, 31, 164-164.	1.6	0
164	Single-center, prospective pilot study to evaluate advance care planning implementing the 3 Questions and 3 Elements to identify an informed health care proxy in an outpatient oncology palliative care clinic Journal of Clinical Oncology, 2014, 32, TPS9655-TPS9655.	1.6	0
165	Predictors of progression in patients with high-grade appendiceal or colorectal adenocarcinoma after cytoreductive surgery and hyperthermic intraperitoneal chemotherapy Journal of Clinical Oncology, 2014, 32, e14573-e14573.	1.6	0
166	Patterns of palliative care consultation among elderly cancer patients Journal of Clinical Oncology, 2015, 33, e17557-e17557.	1.6	0
167	Code status documentation in the electronic medical record for patients with stage IV pancreatic cancer Journal of Clinical Oncology, 2016, 34, 125-125.	1.6	0
168	Administration of the ASCO Pain Survey to identify patient education deficiencies in patients with cancer Journal of Clinical Oncology, 2017, 35, 68-68.	1.6	0
169	Palliative care pharmacists as advocates to conduct advance care planning Journal of Clinical Oncology, 2017, 35, 73-73.	1.6	0
170	Next-generation sequencing ordering trends in the cancer trajectory Journal of Clinical Oncology, 2017, 35, 10104-10104.	1.6	0
171	Abstract P4-16-05: Avoidable acute care use associated with nausea and emesis among patients receiving AC, carboplatin, or cisplatin for breast cancer. , 2019, , .		0
172	Potentially avoidable acute care use among patients receiving oxaliplatin Journal of Clinical Oncology, 2019, 37, 651-651.	1.6	0
173	Ondansetron versus palonosetron as a marker of non-adherence to antiemetic prophylaxis guidelines in highly emetogenic chemotherapy Journal of Clinical Oncology, 2019, 37, e23108-e23108.	1.6	0
174	Abstract LB-257: Liquid biopsy versus tissue biopsy to assess acquired resistance and tumor heterogeneity in gastrointestinal cancers. , 2019, , .		0
175	The role of circulating tumor DNA (ctDNA), tumor markers (TMs), and patient-reported outcomes (PROs) in predicting treatment response in patients with metastatic gastrointestinal (GI) cancer Journal of Clinical Oncology, 2020, 38, 833-833.	1.6	0
176	Relationships among skeletal muscle, symptom burden, health care use, and survival in hospitalized patients with advanced cancer Journal of Clinical Oncology, 2020, 38, 7006-7006.	1.6	0
177	Use of patient-reported outcomes (PROs) to predict treatment outcomes in patients with advanced cancer Journal of Clinical Oncology, 2020, 38, 186-186.	1.6	0
178	A phase II study of niraparib and dostarlimab with radiation in patients with metastatic pancreatic cancer Journal of Clinical Oncology, 2022, 40, 564-564.	1.6	0
179	Changes in Functional Assessment of Cancer Therapy: General (FACT-G) to predict treatment response and survival outcomes in patients with metastatic gastrointestinal (GI) cancer Journal of Clinical Oncology, 2022, 40, 6570-6570.	1.6	0