Hilja Maarit Anniina Laaksonen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4156012/publications.pdf

Version: 2024-02-01

66 papers 2,391 citations

304368 22 h-index 205818 48 g-index

67 all docs

67
docs citations

67 times ranked

3876 citing authors

#	Article	IF	CITATIONS
1	Serum Vitamin D and Subsequent Occurrence of Type 2 Diabetes. Epidemiology, 2008, 19, 666-671.	1.2	286
2	Serum 25-Hydroxyvitamin D Concentration and Subsequent Risk of Type 2 Diabetes. Diabetes Care, 2007, 30, 2569-2570.	4.3	283
3	Randomized trial on the effectiveness of long-and short-term psychodynamic psychotherapy and solution-focused therapy on psychiatric symptoms during a 3-year follow-up. Psychological Medicine, 2008, 38, 689-703.	2.7	223
4	Prospective study of coffee consumption and risk of Parkinson's disease. European Journal of Clinical Nutrition, 2008, 62, 908-915.	1.3	158
5	FTO genetic variants, dietary intake and body mass index: insights from 177 330 individuals. Human Molecular Genetics, 2014, 23, 6961-6972.	1.4	143
6	Plant foods and the risk of cerebrovascular diseases: a potential protection of fruit consumption. British Journal of Nutrition, 2009, 102, 1075-1083.	1.2	93
7	Quasi-experimental study on the effectiveness of psychoanalysis, long-term and short-term psychotherapy on psychiatric symptoms, work ability and functional capacity during a 5-year follow-up. Journal of Affective Disorders, 2011, 132, 37-47.	2.0	91
8	A Metabolic Shift Favoring Sphingosine 1-Phosphate at the Expense of Ceramide Controls Glioblastoma Angiogenesis. Journal of Biological Chemistry, 2013, 288, 37355-37364.	1.6	90
9	Effectiveness of short-term and long-term psychotherapy on work ability and functional capacity — A randomized clinical trial on depressive and anxiety disorders. Journal of Affective Disorders, 2008, 107, 95-106.	2.0	89
10	The relative importance of modifiable potential risk factors of type 2 diabetes: a meta-analysis of two cohorts. European Journal of Epidemiology, 2010, 25, 115-124.	2.5	76
11	Therapists' professional and personal characteristics as predictors of outcome in short- and long-term psychotherapy. Journal of Affective Disorders, 2012, 138, 301-312.	2.0	74
12	A meta-analysis of genome-wide association studies of the electrocardiographic early repolarization pattern. Heart Rhythm, 2012, 9, 1627-1634.	0.3	58
13	Estimation of population attributable fraction (PAF) for disease occurrence in a cohort study design. Statistics in Medicine, 2010, 29, 860-874.	0.8	47
14	Sagittal Abdominal Diameter as a New Predictor for Incident Diabetes. Diabetes Care, 2013, 36, 283-288.	4.3	43
15	The Molecular Genetic Architecture of Self-Employment. PLoS ONE, 2013, 8, e60542.	1.1	41
16	Use of auxiliary psychiatric treatment during a 5-year follow-up among patients receiving short- or long-term psychotherapy. Journal of Affective Disorders, 2011, 135, 221-230.	2.0	32
17	Estimation of the Population Attributable Fraction for Mortality in a Cohort Study Using a Piecewise Constant Hazards Model. American Journal of Epidemiology, 2010, 171, 837-847.	1.6	30
18	Cancer incidence and cancer death in relation to tobacco smoking in a populationâ€based Australian cohort study. International Journal of Cancer, 2021, 149, 1076-1088.	2.3	29

#	Article	IF	Citations
19	Suitability for Psychotherapy Scale (SPS) and its reliability, validity, and prediction. British Journal of Clinical Psychology, 2012, 51, 351-375.	1.7	28
20	Drug–gene interactions and the search for missing heritability: a cross-sectional pharmacogenomics study of the QT interval. Pharmacogenomics Journal, 2014, 14, 6-13.	0.9	28
21	<i>SAS</i> Macros for Calculation of Population Attributable Fraction in a Cohort Study Design. Journal of Statistical Software, 2011, 43, .	1.8	27
22	Psychological predictors of the recovery from mood or anxiety disorder in short-term and long-term psychotherapy during a 3-year follow-up. Psychiatry Research, 2013, 208, 162-173.	1.7	25
23	Changes in lifestyle for psychiatric patients three years after the start of short- and long-term psychodynamic psychotherapy and solution-focused therapy. European Psychiatry, 2010, 25, 1-7.	0.1	24
24	High azathioprine dose and lip cancer risk in liver, heart, and lung transplant recipients: A population-based cohort study. Journal of the American Academy of Dermatology, 2016, 74, 1144-1152.e6.	0.6	23
25	latrogenic immunosuppression and risk of nonâ€Hodgkin lymphoma in solid organ transplantation: A populationâ€based cohort study in Australia. British Journal of Haematology, 2016, 174, 550-562.	1.2	22
26	The burden of cancer attributable to modifiable risk factors: the Australian cancer-PAF cohort consortium. BMJ Open, 2017, 7, e016178.	0.8	22
27	Demographic, social and lifestyle risk factors for cancer registry-notified cancer of unknown primary site (CUP). Cancer Epidemiology, 2019, 60, 156-161.	0.8	19
28	Nationwide Registry-Based Analysis of Cancer Clustering Detects Strong Familial Occurrence of Kaposi Sarcoma. PLoS ONE, 2013, 8, e55209.	1.1	18
29	The Effectiveness of Solution-Focused Therapy and Short- and Long-Term Psychodynamic Psychotherapy on Self-Concept During a 3-Year Follow-Up. Journal of Nervous and Mental Disease, 2012, 200, 946-953.	0.5	17
30	Psychological Predictors on the Outcome of Short-Term Psychodynamic Psychotherapy and Solution-Focused Therapy in the Treatment of Mood and Anxiety Disorder. European Psychiatry, 2013, 28, 117-124.	0.1	16
31	The future burden of kidney and bladder cancers preventable by behavior modification in Australia: A pooled cohort study. International Journal of Cancer, 2020, 146, 874-883.	2.3	15
32	The preventable burden of breast cancers for premenopausal and postmenopausal women in Australia: A pooled cohort study. International Journal of Cancer, 2019, 145, 2383-2394.	2.3	14
33	Cost of cancer care for patients undergoing chemotherapy: The <scp>E</scp> lements of <scp>C</scp> ancer <scp>C</scp> are study. Asia-Pacific Journal of Clinical Oncology, 2015, 11, 178-186.	0.7	13
34	Patterns and trends in the incidence of paediatric and adult germ cell tumours in Australia, 1982–2011. Cancer Epidemiology, 2016, 43, 15-21.	0.8	12
35	Prediction of the outcome of short- and long-term psychotherapy based on socio-demographic factors. Journal of Affective Disorders, 2012, 141, 331-342.	2.0	11
36	Fatty liver score and 15-year incidence of type 2 diabetes. Hepatology International, 2013, 7, 610-621.	1.9	11

#	Article	IF	CITATIONS
37	Long term followup of aortic root size after repair of tetralogy of Fallot. International Journal of Cardiology, 2014, 177, 136-138.	0.8	11
38	The preventable burden of endometrial and ovarian cancers in Australia: A pooled cohort study. Gynecologic Oncology, 2019, 153, 580-588.	0.6	10
39	High-resolution SNP array analysis of patients with developmental disorder and normal array CGH results. BMC Medical Genetics, 2012, 13, 84.	2.1	9
40	Selfâ€reported immature defense style as a predictor of outcome in shortâ€term and longâ€term psychotherapy. Brain and Behavior, 2014, 4, 495-503.	1.0	9
41	Pharmacogenomics study of thiazide diuretics and QT interval in multi-ethnic populations: the cohorts for heart and aging research in genomic epidemiology. Pharmacogenomics Journal, 2018, 18, 215-226.	0.9	9
42	The Future Colorectal Cancer Burden Attributable to Modifiable Behaviors: A Pooled Cohort Study. JNCI Cancer Spectrum, 2018, 2, pky033.	1.4	9
43	The future burden of lung cancer attributable to current modifiable behaviours: a pooled study of seven Australian cohorts. International Journal of Epidemiology, 2018, 47, 1772-1783.	0.9	9
44	Pretreatment clinical and psychosocial predictors of remission from depression after short-term psychodynamic psychotherapy and solution-focused therapy: a 1-year follow-up study. Psychotherapy Research, 2008, 18, 191-199.	1.1	8
45	Incidence trends and risk factors of lung cancer in never smokers: Pooled analyses of seven cohorts. International Journal of Cancer, 2021, 149, 2010-2019.	2.3	8
46	Thyroid cancers potentially preventable by reducing overweight and obesity in Australia: A pooled cohort study. International Journal of Cancer, 2022, 150, 1281-1290.	2.3	8
47	Pooling of Finnish population-based health studies: lifestyle risk factors of colorectal and lung cancer. Acta Oncol $ ilde{A}^3$ gica, 2020, 59, 1338-1342.	0.8	7
48	The Helsinki Psychotherapy Study: Effectiveness, Sufficiency, and Suitability of Short- and Long-Term Psychotherapy., 2012,, 71-94.		7
49	Longitudinal dose and type of immunosuppression in a national cohort of Australian liver, heart, and lung transplant recipients, 1984–2006. Clinical Transplantation, 2015, 29, 978-990.	0.8	6
50	Health-related predictors of cancer registry-notified cancer of unknown primary site (CUP). Cancer Epidemiology, 2019, 61, 1-7.	0.8	6
51	The burden of pancreatic cancer in Australia attributable to smoking. Medical Journal of Australia, 2019, 210, 213-220.	0.8	6
52	Diagnostic and health service pathways to diagnosis of cancer-registry notified cancer of unknown primary site (CUP). PLoS ONE, 2020, 15, e0230373.	1.1	6
53	Review: long term psychodynamic psychotherapy improves outcomes in people with complex mental disorders. Evidence-Based Mental Health, 2009, 12, 56-56.	2.2	5
54	Estimating efficacy in the presence of non-ignorable non-trial interventions in the Helsinki Psychotherapy Study. Statistical Methods in Medical Research, 2016, 25, 885-901.	0.7	5

#	Article	IF	CITATIONS
55	Association between overall diet quality and postmenopausal breast cancer risk in five Finnish cohort studies. Scientific Reports, 2021, 11, 16718.	1.6	5
56	Pairwise association of key lifestyle factors and risk of colorectal cancer: a prospective pooled multicohort study. Cancer Reports, 2022, 5, e1612.	0.6	4
57	Sensitivity and Specificity of Automated Detection of Early Repolarization in Standard 12â€Lead Electrocardiography. Annals of Noninvasive Electrocardiology, 2015, 20, 355-361.	0.5	3
58	Commentary: Unusual pancreatic cancer incidence and mortality patterns. International Journal of Epidemiology, 2017, 46, 1772-1773.	0.9	3
59	Longitudinal immunosuppression data can minimize misclassification bias in solid organ transplantation cohorts. Clinical Transplantation, 2019, 33, e13470.	0.8	2
60	Self-reported health, lifestyle and social circumstances of Australian adult cancer survivors: A propensity score weighted cross-sectional study. Cancer Epidemiology, 2020, 67, 101773.	0.8	2
61	The Future Burden of Head and Neck Cancers Attributable to Modifiable Behaviors in Australia: A Pooled Cohort Study. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 1566-1574.	1.1	2
62	Pathways to a cancer-free future: a protocol for modelled evaluations to minimise the future burden of colorectal cancer in Australia. BMJ Open, 2020, 10, e036475.	0.8	1
63	Preventable fractions of cancer incidence attributable to 7-years weight gain in the Norwegian Women and Cancer (NOWAC) study. Scientific Reports, 2021, 11, 3800.	1.6	0
64	Abstract 2283: Population-level relevance of lifestyle-related risk factors for pancreatic cancer in Australia. , $2017, \dots$		0
65	Abstract 2280: Burden of lung cancer in Australia avoidable by modifications to lifestyle-related risk factors. , 2017, , .		0
66	Abstract 2279: Burden of colorectal cancer attributable to lifestyle-related risk factors: a pooled study of seven Australian cohorts., 2017,,.		0