## Paul M Szumita

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4157686/publications.pdf

Version: 2024-02-01

103 papers

3,781 citations

20 h-index 58 g-index

105 all docs 105 docs citations

105 times ranked 3710 citing authors

#	Article	IF	CITATIONS
1	Safety of Intravenous Push Ertapenem Compared to Intravenous Piggyback at a Tertiary Academic Medical Center. Journal of Pharmacy Practice, 2023, 36, 281-285.	1.0	2
2	Safety and efficacy of transitioning from intravenous to subcutaneous insulin in critically ill patients. International Journal of Clinical Pharmacy, 2022, 44, 146-152.	2.1	2
3	Safety of Intravenous Push Levetiracetam Compared to Intravenous Piggyback at a Tertiary Academic Medical Center: A Retrospective Analysis. Drug Safety, 2022, 45, 19-26.	3.2	6
4	Analgesia-first sedation and nonopioid multimodal analgesia in the intensive care unit., 2022,, 57-68.		O
5	907: ASSOCIATION BETWEEN NONOPIOID ANALGESIC USE AND OPIOID EXPOSURE IN CRITICALLY ILL SURGICAL ADULTS. Critical Care Medicine, 2022, 50, 450-450.	0.9	O
6	Managing Clinical Programs in Pharmacy at an Academic Medical Center in the United States Farmacia Hospitalaria, 2022, 46, 84-87.	0.6	0
7	Evaluation of the safety of 500 mg intravenous push thiamine at a tertiary academic medical center. Science Progress, 2022, 105, 003685042210965.	1.9	1
8	Practical approach to clinical controversies in glycemic control for hospitalized surgical patients. Nutrition in Clinical Practice, 2022, , .	2.4	1
9	Evaluation of Cost, Workflow, and Safety of Implementing a Vial Transfer Device for Ready-to-Mix Drugs at an Academic Medical Center. Journal of Pharmacy Practice, 2021, 34, 908-912.	1.0	O
10	Safety of Intravenous Push Lacosamide Compared With Intravenous Piggyback at a Tertiary Academic Medical Center. Annals of Pharmacotherapy, 2021, 55, 181-186.	1.9	13
11	Evaluation of Hypertriglyceridemia in Critically III Patients With Coronavirus Disease 2019 Receiving Propofol., 2021, 3, e0330.		17
12	Management of a parenteral opioid shortage using ASHP guidelines. American Journal of Health-System Pharmacy, 2021, 78, 426-435.	1.0	2
13	Characterization of Nocturnal Neuroactive Medication Use and Related Sleep Documentation in Critically Ill Adults., 2021, 3, e0367.		12
14	Fever Associated With Dexmedetomidine in Adult Acute Care Patients: A Systematic Review of the Literature. Journal of Clinical Pharmacology, 2021, 61, 848-856.	2.0	8
15	Intravenous levothyroxine stewardship program at a tertiary academic medical center. American Journal of Health-System Pharmacy, 2021, 78, 1200-1206.	1.0	1
16	Evaluation of Desmopressin in Critically Ill Patients with Hyponatremia Requiring 3% Hypertonic Saline. American Journal of the Medical Sciences, 2021, 361, 711-717.	1.1	5
17	Evaluating the Safety of Continuous Infusion Lidocaine for Postoperative Pain. Clinical Journal of Pain, 2021, 37, 657-663.	1.9	3
18	Impact of the 2018 Society of Critical Care Medicine Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Guidelines on Nonopioid Analgesic Use and Related Outcomes in Critically Ill Adults After Major Surgery., 2021, 3, e0564.		1

#	Article	IF	Citations
19	259: Evaluation of Hypertriglyceridemia in Critically III Patients With COVID-19 Receiving Propofol. Critical Care Medicine, 2021, 49, 116-116.	0.9	O
20	1143: Evaluation of Desmopressin in Critically Ill Patients With Hyponatremia Receiving 3% Sodium Chloride. Critical Care Medicine, 2021, 49, 573-573.	0.9	0
21	550: The Incidence of Propofol-Induced Hypertriglyceridemia and Identification of Associated Risk Factors. Critical Care Medicine, 2021, 49, 268-268.	0.9	0
22	299: Evaluation of Rocuronium in Critically Ill Patients During the COVID-19 Pandemic. Critical Care Medicine, 2021, 49, 136-136.	0.9	1
23	Transition From Continuous Infusion Fentanyl to Hydromorphone in Critically III Patients. Journal of Pharmacy Practice, 2020, 33, 129-135.	1.0	11
24	Evaluation of the Efficacy and Safety of Inhaled Epoprostenol and Inhaled Nitric Oxide for Refractory Hypoxemia in Patients With Coronavirus Disease 2019., 2020, 2, e0259.		34
25	The Incidence of Propofol-Induced Hypertriglyceridemia and Identification of Associated Risk Factors. , 2020, 2, e0282.		20
26	Evaluation of Sedation Outcomes Following Increased Dexmedetomidine Use in the ICU., 2020, 2, e0100.		1
27	Evaluation of a Phenobarbital-Based Protocol for Severe Alcohol Withdrawal in Critically III Patients. Hospital Pharmacy, 2020, 56, 001857872093146.	1.0	5
28	Adjuvant Analgesic Use in the Critically III: A Systematic Review and Meta-Analysis., 2020, 2, e0157.		26
29	Safety of intravenous push thiamine administration at a tertiary academic medical center. Journal of the American Pharmacists Association: JAPhA, 2020, 60, 598-601.	1.5	10
30	1200-P: Use of SGLT2 Inhibitors in Hospitalized Patients in an Academic Center. Diabetes, 2020, 69, .	0.6	0
31	2218-PUB: Initiation of SGLT2 Inhibitors in Hospitalized Patients with CVD. Diabetes, 2020, 69, .	0.6	0
32	Defining the Role of Corticosteroids in Sepsis: Adjunctive Therapy for Shock Reversal. Critical Care Medicine, 2019, 47, e157-e158.	0.9	3
33	Implementation of pharmacy morbidity, mortality, and process improvement rounds. American Journal of Health-System Pharmacy, 2019, 76, 413-414.	1.0	1
34	Cangrelor in cardiogenic shock and after cardiopulmonary resuscitation: A global, multicenter, matched pair analysis with oral P2Y12 inhibition from the IABP-SHOCK II trial. Resuscitation, 2019, 137, 205-212.	3.0	31
35	945. Critical Care Medicine, 2019, 47, 451.	0.9	0
36	1329. Critical Care Medicine, 2019, 47, 641.	0.9	0

#	Article	IF	Citations
37	The Effect of Concomitant Sirolimus and Propofol Therapy on Triglyceride Concentrations in Critically Ill Patients. American Journal of Therapeutics, 2019, 26, e103-e109.	0.9	2
38	A Psychometric Analysis Update of Behavioral Pain Assessment Tools for Noncommunicative, Critically Ill Adults. AACN Advanced Critical Care, 2019, 30, 365-387.	1.1	42
39	Journal Club Standardization Tool: Helping participants get the JIST. Currents in Pharmacy Teaching and Learning, 2018, 10, 367-372.	1.0	4
40	Evaluation of the Effects of Quetiapine on QTc Prolongation in Critically Ill Patients. Journal of Pharmacy Practice, 2018, 31, 292-297.	1.0	20
41	894: TRANSITION FROM CONTINUOUS-INFUSION FENTANYL TO HYDROMORPHONE IN CRITICALLY ILL PATIENTS. Critical Care Medicine, 2018, 46, 431-431.	0.9	1
42	Executive Summary: Clinical Practice Guidelines for the Prevention and Management of Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption in Adult Patients in the ICU. Critical Care Medicine, 2018, 46, 1532-1548.	0.9	197
43	Clinical Practice Guidelines for the Prevention and Management of Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption in Adult Patients in the ICU. Critical Care Medicine, 2018, 46, e825-e873.	0.9	2,074
44	Etanercept for the Treatment of Transplantation-Related Lung Injury After Hematopoietic Stem Cell Transplantation. American Journal of Therapeutics, 2017, 24, e386-e392.	0.9	3
45	Neuroendocrine Derangements in Early Septic Shock. Shock, 2017, 48, 284-293.	2.1	8
46	Cangrelor Use Since FDAÂApproval. Journal of the American College of Cardiology, 2017, 69, 463-464.	2.8	20
47	Safety of Propofol for Oxygenator Exchange in Extracorporeal Membrane Oxygenation. ASAIO Journal, 2017, 63, 179-184.	1.6	27
48	Intravenous Immune Globulin Stewardship Program at a Tertiary Academic Medical Center. Annals of Pharmacotherapy, 2017, 51, 135-139.	1.9	13
49	Stability of Dexmedetomidine in 0.9% Sodium Chloride in Two Types of Intravenous Infusion Bags. International Journal of Pharmaceutical Compounding, 2017, 21, 436-439.	0.0	1
50	Admission hyperglycemia in sepsis is associated with poor outcomes: where do we go from here?. Journal of Thoracic Disease, 2016, 8, E567-E570.	1.4	3
51	Implementation of a Prolonged Infusion Guideline for Time-Dependent Antimicrobial Agents at a Tertiary Academic Medical Center. American Journal of Therapeutics, 2016, 23, e1768-e1773.	0.9	5
52	Associations Between Ventilator Bundle Components and Outcomes. JAMA Internal Medicine, 2016, 176, 1277.	5.1	112
53	Facilitating the safe use of insulin pens in hospitals through a mentored quality-improvement program. American Journal of Health-System Pharmacy, 2016, 73, S17-S31.	1.0	5
54	Utilization of a Pharmacy Clinical Surveillance System for Pharmacist Alerting and Communication at a Tertiary Academic Medical Center. Journal of Medical Systems, 2016, 40, 24.	3.6	3

#	Article	lF	Citations
55	The Relationship Between Sedatives, Sedative Strategy, and Healthcare-Associated Infection: A Systematic Review. Infection Control and Hospital Epidemiology, 2016, 37, 1234-1242.	1.8	12
56	Associations Between Different Sedatives and Ventilator-Associated Events, Length of Stay, and Mortality in Patients Who Were Mechanically Ventilated. Chest, 2016, 149, 1373-1379.	0.8	48
57	Clinical and Economic Impact of Formulary Conversion From Inhaled Flolan to Inhaled Veletri for Refractory Hypoxemia in Critically III Patients. Annals of Pharmacotherapy, 2016, 50, 106-112.	1.9	15
58	Prospective evaluation of inappropriate unable-to-assess CAM-ICU documentations of critically ill adult patients. Journal of Intensive Care, 2015, 3, 52.	2.9	21
59	Evaluating the transition from dexmedetomidine to clonidine for agitation management in the intensive care unit. SAGE Open Medicine, 2015, 3, 205031211562176.	1.8	21
60	Evaluation of a Pharmacist-Directed Vancomycin Dosing and Monitoring Pilot Program at a Tertiary Academic Medical Center. Annals of Pharmacotherapy, 2015, 49, 1009-1014.	1.9	29
61	Evaluation of glucose management during therapeutic hypothermia at a Tertiary Academic Medical Center. Resuscitation, 2015, 89, 64-69.	3.0	8
62	Pathophysiology, assessment, and management of pain in critically ill adults. American Journal of Health-System Pharmacy, 2015, 72, 1531-1543.	1.0	25
63	Improvements in a program to convert i.v. to oral medications at an academic medical center. American Journal of Health-System Pharmacy, 2015, 72, S145-S149.	1.0	5
64	Moving away from benzodiazepine as a primary sedative in the intensive care unit; is clonidine a viable alternative?. Indian Journal of Critical Care Medicine, 2014, 18, 419-420.	0.9	2
65	Implementation of an Automated Dispensing Cabinet Stewardship Program at a Tertiary Academic Medical Center. Journal of Pharmacy Technology, 2014, 30, 191-194.	1.0	4
66	Safety of Compounded Calcium Chloride Admixtures for Peripheral Intravenous Administration in the Setting of a Calcium Gluconate Shortage. Journal of Pharmacy Practice, 2014, 27, 474-477.	1.0	7
67	Pharmacodynamic target attainment with high-dose extended-interval tobramycin therapy in patients with cystic fibrosis. Journal of Chemotherapy, 2014, 26, 101-104.	1.5	5
68	Recombinant Factor VII Activated and Prothrombin Complex Concentrate Use at a Tertiary Academic Medical Center. Current Emergency and Hospital Medicine Reports, 2014, 2, 151-155.	1.5	0
69	Early vasopressin reduces incidence of new onset arrhythmias. Journal of Critical Care, 2014, 29, 482-485.	2.2	33
70	585. Critical Care Medicine, 2014, 42, A1500-A1501.	0.9	0
71	Impact of ideal body weight dosing for all inpatient i.v. immune globulin indications. American Journal of Health-System Pharmacy, 2013, 70, 751-752.	1.0	15
72	Inhaled epoprostenol vs inhaled nitric oxide for refractory hypoxemia in critically ill patients. Journal of Critical Care, 2013, 28, 844-848.	2.2	90

#	Article	IF	CITATIONS
73	Role of dexmedetomidine in adults in the intensive care unit: An update. American Journal of Health-System Pharmacy, 2013, 70, 767-777.	1.0	40
74	An Intervention to Improve the Timing of Vancomycin Levels. American Journal of Clinical Pathology, 2013, 140, 801-806.	0.7	22
75	Evaluation of an Institution-Wide Guideline for Hyperglycemic Emergencies at a Tertiary Academic Medical Center. Annals of Pharmacotherapy, 2013, 47, 1260-1265.	1.9	10
76	Implementation of a Dexmedetomidine Stewardship Program at a Tertiary Academic Medical Center. Annals of Pharmacotherapy, 2013, 47, 1400-1405.	1.9	12
77	854. Critical Care Medicine, 2013, 41, A213-A214.	0.9	0
78	Evaluation of the maximum beyond-use-date stability of regular human insulin extemporaneously prepared in 0.9% sodium chloride in a polyvinyl chloride bag. Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2013, 6, 389.	2.4	8
79	Evaluation of recombinant activated protein C for severe sepsis at a tertiary academic medical center. Therapeutics and Clinical Risk Management, 2013, 9, 277.	2.0	4
80	Implementation of a journal surveillance program. American Journal of Health-System Pharmacy, 2012, 69, 194-197.	1.0	0
81	What Proportion of Vancomycin Trough Levels Are Drawn Too Early?. American Journal of Clinical Pathology, 2012, 137, 472-478.	0.7	62
82	Stability of Regular Human Insulin Extemporaneously Prepared in 0.9% Sodium Chloride in a Polyvinyl Chloride Bag. Hospital Pharmacy, 2012, 47, 367-370.	1.0	7
83	Evaluation of a local ICU sedation guideline on goal-directed administration of sedatives and analgesics. Journal of Pain Research, 2011, 4, 127.	2.0	18
84	Implementation of a guideline for the treatment of pain, sedation, agitation and neuromuscular blockade in the mechanically ventilated adult patient in the emergency department. Open Access Emergency Medicine, 2011, 3, 21.	1.3	2
85	Letter to the Editor - Fixed Dose Intravenous Insulin Protocol. Hospital Pharmacy, 2010, 45, 189-189.	1.0	0
86	Evaluation of Dexmedetomidine Versus Propofol-based Sedation Therapy in Mechanically Ventilated Cardiac Surgery Patients at a Tertiary Academic Medical Center. Critical Pathways in Cardiology, 2010, 9, 221-226.	0.5	41
87	Implementation of a Hospital-wide Protocol for Induced Hypothermia Following Successfully Resuscitated Cardiac Arrest. Critical Pathways in Cardiology, 2010, 9, 216-220.	0.5	21
88	Understanding and Managing Patients with Chronic Pain. Oral and Maxillofacial Surgery Clinics of North America, 2010, 22, 481-494.	1.0	5
89	Evaluation of Compliance with a Paper-based, Multiplication-factor, Intravenous Insulin Protocol. Annals of Pharmacotherapy, 2009, 43, 1413-1418.	1.9	26
90	The hospital pharmacist: an integral part of the hyperglycaemic management team. Journal of Clinical Pharmacy and Therapeutics, 2009, 34, 613-621.	1.5	6

#	Article	IF	CITATIONS
91	Incidence of propofol-related infusion syndrome in critically ill adults: a prospective, multicenter study. Critical Care, 2009, 13, R169.	5.8	169
92	Pharmacist-Driven Aminoglycoside Quality Improvement Program. Journal of Chemotherapy, 2009, 21, 42-45.	1.5	8
93	Implementation of clinical pharmacy services in a dialysis unit. American Journal of Health-System Pharmacy, 2008, 65, 2011-2013.	1.0	6
94	Conversion to insulin devices in the inpatient setting. American Journal of Health-System Pharmacy, 2008, 65, 698-699.	1.0	4
95	Sedation and analgesia in the intensive care unit: Evaluating the role of dexmedetomidine. American Journal of Health-System Pharmacy, 2007, 64, 37-44.	1.0	103
96	Error Rates Among Clinical Pharmacists in Calculating the APACHE II Score. Pharmacotherapy, 2007, 27, 285-289.	2.6	6
97	S214: Hemostasis: A Clinical Review of Pathophysiology, Pharmacotherapy, and Perioperative Management. Journal of Oral and Maxillofacial Surgery, 2007, 65, 88-89.	1.2	1
98	Barriers to Glucose Control in the Intensive Care Unit. Pharmacotherapy, 2006, 26, 214-228.	2.6	42
99	Using the high-dose corticotropin test to diagnose relative adrenal insufficiency in vasopressor-dependent septic shock. American Journal of Health-System Pharmacy, 2006, 63, 466-471.	1.0	4
100	Azacitidine-Induced Interstitial and Alveolar Fibrosis in a Patient with Myelodysplastic Syndrome. Pharmacotherapy, 2005, 25, 765-768.	2.6	22
101	Extensive Prolongation of aPTT with Argatroban in an Elderly Patient with Improving Renal Function, Normal Hepatic Enzymes, and Metastatic Lung Cancer. Annals of Pharmacotherapy, 2005, 39, 1119-1123.	1.9	19
102	Vasopressin for vasopressor-dependent septic shock. American Journal of Health-System Pharmacy, 2005, 62, 1931-1936.	1.0	7
103	PIES Method of Critique. Critical Pathways in Cardiology, 2004, 3, 205-208.	0.5	7