

Oleg Palygin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4158096/oleg-palygin-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

110
papers

1,977
citations

26
h-index

42
g-index

154
ext. papers

2,513
ext. citations

4.1
avg, IF

4.88
L-index

#	Paper	IF	Citations
110	Acute and long-term effects of cannabinoids on hypertension and kidney injury.. <i>Scientific Reports</i> , 2022 , 12, 6080	4.9	1
109	Nitric-Oxide-Mediated Signaling in Podocyte Pathophysiology. <i>Biomolecules</i> , 2022 , 12, 745	5.9	
108	Role of collecting duct principal cell NOS1 α in sodium and potassium homeostasis. <i>Physiological Reports</i> , 2021 , 9, e15080	2.6	0
107	Scanning ion conductance microscopy of live human glomerulus. <i>Journal of Cellular and Molecular Medicine</i> , 2021 , 25, 4216-4219	5.6	1
106	Defects in KCNJ16 Cause a Novel Tubulopathy with Hypokalemia, Salt Wasting, Disturbed Acid-Base Homeostasis, and Sensorineural Deafness. <i>Journal of the American Society of Nephrology: JASN</i> , 2021 , 32, 1498-1512	12.7	9
105	Characterization of purinergic receptor 2 signaling in podocytes from diabetic kidneys. <i>IScience</i> , 2021 , 24, 102528	6.1	2
104	Sexual dimorphism in the progression of type 2 diabetic kidney disease in T2DN rats. <i>Physiological Genomics</i> , 2021 , 53, 223-234	3.6	1
103	The Mechanisms of Cellular Plasticity in Collecting Duct Cells: Intermediate Cell Type and Notch-mediated Transdifferentiation. <i>Function</i> , 2021 , 2, zqab032	6.1	
102	Kcnj16 knockout produces audiogenic seizures in the Dahl salt-sensitive rat. <i>JCI Insight</i> , 2021 , 6,	9.9	2
101	Loss of Chloride Channel 6 (CLC-6) Affects Vascular Smooth Muscle Contractility and Arterial Stiffness via Alterations to Golgi Calcium Stores. <i>Hypertension</i> , 2021 , 77, 582-593	8.5	0
100	p66Shc-mediated hydrogen peroxide production impairs nephrogenesis causing reduction of number of glomeruli. <i>Life Sciences</i> , 2021 , 279, 119661	6.8	2
99	Behavioral, metabolic, and renal outcomes of 1-month isolation in adolescent male Dahl salt-sensitive rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2020 , 319, R684-R689	3.2	1
98	Effects of uric acid dysregulation on the kidney. <i>American Journal of Physiology - Renal Physiology</i> , 2020 , 318, F1252-F1257	4.3	4
97	Metabolic rewiring of the hypertensive kidney. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	
96	The Role of Xanthine Dehydrogenase (XDH) and Uric Acid in the Kidney Development and Renal Injury. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	
95	Role of Kir4.1 (Kcnj10) in the Regulation of Salt-Induced Hypertension. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	
94	Potential Role of cGAS-STING Pathway in the Induction of Diabetic Kidney Disease. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	

93	Fructose Consumption Increases Blood Pressure and Induces Changes in Renal Microvascular Function. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	
92	Sex Hormones and Development of Advanced Diabetic Nephropathy in Diabetic Kidney Disease. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	
91	Type 1 Diabetes Results in Significant Purinergic Receptor Remodeling in Podocytes. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	
90	The Protective Effects of Ketodiet in Salt-Sensitive Hypertension. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	
89	Role of opioid signaling in kidney damage during the development of salt-induced hypertension. <i>Life Science Alliance</i> , 2020 , 3,	5.8	3
88	The Role of Opioid Receptors in Podocyte Injury and Kidney Damage During the Development of Salt-Induced Hypertension. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	
87	Contribution of Kir4.1/Kir5.1 Channels to the Control of ENaC-Mediated Apical Sodium Transport in the Cortical Collecting Duct. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	1
86	Expression, localization, and functional properties of inwardly rectifying K channels in the kidney. <i>American Journal of Physiology - Renal Physiology</i> , 2020 , 318, F332-F337	4.3	8
85	NOX4-dependent regulation of ENaC in hypertension and diabetic kidney disease. <i>FASEB Journal</i> , 2020 , 34, 13396-13408	0.9	6
84	Progression of diabetic kidney disease in T2DN rats. <i>American Journal of Physiology - Renal Physiology</i> , 2019 , 317, F1450-F1461	4.3	16
83	Role of TRPC6 in Progression of Diabetic Kidney Disease. <i>Current Hypertension Reports</i> , 2019 , 21, 48	4.7	23
82	Increased ENaC activity during kidney preservation in Wisconsin solution. <i>BMC Nephrology</i> , 2019 , 20, 145	2.7	4
81	Human genotyping and an experimental model reveal NPR-C as a possible contributor to morbidity in coarctation of the aorta. <i>Physiological Genomics</i> , 2019 , 51, 177-185	3.6	5
80	Postprandial Effects on ENaC-Mediated Sodium Absorption. <i>Scientific Reports</i> , 2019 , 9, 4296	4.9	10
79	Vibrodissociation method for isolation of defined nephron segments from human and rodent kidneys. <i>American Journal of Physiology - Renal Physiology</i> , 2019 , 317, F1398-F1403	4.3	6
78	New Vibro-Dissociation Method for Isolation of Defined Nephron Segments and Small Renal Vessels. <i>FASEB Journal</i> , 2019 , 33, 748.10	0.9	
77	Metabolic Insults Drive the Development of Glomerular Sclerosis and Proteinuria in Salt-Sensitive Hypertensive Nephropathy. <i>FASEB Journal</i> , 2019 , 33, 571.3	0.9	
76	Kir5.1-Mediated Changes in Renin-Angiotensin-Aldosterone System Balance in Salt Sensitive Hypertension. <i>FASEB Journal</i> , 2019 , 33, 862.12	0.9	

75	Role of Nox4 in Angiotensin II-Mediated Changes in Volume Dynamics and Nitric Oxide Production in Podocytes. <i>FASEB Journal</i> , 2019 , 33, 575.1	0.9	
74	EET Analogs and the Dual-Inhibition of sEH/COX-2 for the Treatment of Focal Segmental Glomerular Sclerosis. <i>FASEB Journal</i> , 2019 , 33, 863.8	0.9	
73	Postprandial Effects on ENaC-Mediated Sodium Absorption. <i>FASEB Journal</i> , 2019 , 33, 751.15	0.9	
72	Fluorescent Imaging and Microscopy for Dynamic Processes in Rats. <i>Methods in Molecular Biology</i> , 2019 , 2018, 151-175	1.4	3
71	Relationship between the renin-angiotensin-aldosterone system and renal Kir5.1 channels. <i>Clinical Science</i> , 2019 , 133, 2449-2461	6.5	3
70	Metabolic rewiring of the hypertensive kidney. <i>Science Signaling</i> , 2019 , 12,	8.8	16
69	Genetic mutation of Kcnj16 identifies Kir5.1-containing channels as key regulators of acute and chronic pH homeostasis. <i>FASEB Journal</i> , 2019 , 33, 5067-5075	0.9	10
68	Endothelin receptor A and p66Shc regulate spontaneous Ca oscillations in smooth muscle cells controlling renal arterial spontaneous motion. <i>FASEB Journal</i> , 2019 , 33, 2636-2645	0.9	5
67	Protective role of Trpc6 knockout in the progression of diabetic kidney disease. <i>American Journal of Physiology - Renal Physiology</i> , 2018 , 315, F1091-F1097	4.3	35
66	Distal tubule basolateral potassium channels: cellular and molecular mechanisms of regulation. <i>Current Opinion in Nephrology and Hypertension</i> , 2018 , 27, 373-378	3.5	11
65	Knockout of Kcnj16 (Kir5.1) in Dahl Salt-Sensitive Rats Produces Seizure Phenotype. <i>FASEB Journal</i> , 2018 , 32, 750.3	0.9	
64	Acute and Chronic Respiratory Effects from Repeated Audiogenic Seizures in SSKcnj16 ^{-/-} Rats. <i>FASEB Journal</i> , 2018 , 32, 894.14	0.9	
63	L-lysine Control of Albumin Reabsorption by the Renal Proximal Tubule Prevents the Development of Salt-Sensitive Hypertension. <i>FASEB Journal</i> , 2018 , 32, 716.5	0.9	
62	The Effect of Voltage-Sensitive Chloride Channel 6 on Development of Salt-Sensitive Hypertension. <i>FASEB Journal</i> , 2018 , 32, 750.23	0.9	
61	Purinergic Receptors Profile in the ARPKD Cystic Epithelia. <i>FASEB Journal</i> , 2018 , 32, 624.4	0.9	
60	Kcnj10 (Kir 4.1) Knockout in Dahl SS Rats Determines the Expression of Kcnj10 and Kcnj16 Proteins in Brain and Kidney. <i>FASEB Journal</i> , 2018 , 32, 620.3	0.9	
59	Nitric oxide production by glomerular podocytes. <i>Nitric Oxide - Biology and Chemistry</i> , 2018 , 72, 24-31	5	8
58	Characterization of purinergic receptor expression in ARPKD cystic epithelia. <i>Purinergic Signalling</i> , 2018 , 14, 485-497	3.8	12

57	Keratinocytes mediate innocuous and noxious touch via ATP-P2X4 signaling. <i>ELife</i> , 2018 , 7,	8.9	84
56	A NOX4/TRPC6 Pathway in Podocyte Calcium Regulation and Renal Damage in Diabetic Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2018 , 29, 1917-1927	12.7	64
55	Role and mechanisms of regulation of the basolateral K 4.1/K 5.1K channels in the distal tubules. <i>Acta Physiologica</i> , 2017 , 219, 260-273	5.6	19
54	Intravital imaging of the kidney in a rat model of salt-sensitive hypertension. <i>American Journal of Physiology - Renal Physiology</i> , 2017 , 313, F163-F173	4.3	12
53	The Role of Angiotensin II in Glomerular Volume Dynamics and Podocyte Calcium Handling. <i>Scientific Reports</i> , 2017 , 7, 299	4.9	32
52	Acute In Vivo Analysis of ATP Release in Rat Kidneys in Response to Changes of Renal Perfusion Pressure. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	15
51	Essential role of Kir5.1 channels in renal salt handling and blood pressure control. <i>JCI Insight</i> , 2017 , 2,	9.9	48
50	Lack of Effects of Metformin and AICAR Chronic Infusion on the Development of Hypertension in Dahl Salt-Sensitive Rats. <i>Frontiers in Physiology</i> , 2017 , 8, 227	4.6	11
49	Transcriptome-wide co-expression analysis identifies LRRC2 as a novel mediator of mitochondrial and cardiac function. <i>PLoS ONE</i> , 2017 , 12, e0170458	3.7	8
48	ATP from synaptic terminals and astrocytes regulates NMDA receptors and synaptic plasticity through PSD-95 multi-protein complex. <i>Scientific Reports</i> , 2016 , 6, 33609	4.9	43
47	Two-photon imaging of endothelin-1-mediated intracellular Ca(2+) handling in smooth muscle cells of rat renal resistance arteries. <i>Life Sciences</i> , 2016 , 159, 140-143	6.8	4
46	p66Shc regulates renal vascular tone in hypertension-induced nephropathy. <i>Journal of Clinical Investigation</i> , 2016 , 126, 2533-46	15.9	28
45	Mechanosensory and ATP Release Deficits following Keratin14-Cre-Mediated TRPA1 Deletion Despite Absence of TRPA1 in Murine Keratinocytes. <i>PLoS ONE</i> , 2016 , 11, e0151602	3.7	19
44	Functional and therapeutic importance of purinergic signaling in polycystic kidney disease. <i>American Journal of Physiology - Renal Physiology</i> , 2016 , 311, F1135-F1139	4.3	12
43	Insulin and IGF-1 activate Kir4.1/5.1 channels in cortical collecting duct principal cells to control basolateral membrane voltage. <i>American Journal of Physiology - Renal Physiology</i> , 2016 , 310, F311-21	4.3	26
42	Protease-activated receptors in kidney disease progression. <i>American Journal of Physiology - Renal Physiology</i> , 2016 , 311, F1140-F1144	4.3	22
41	Chronic central serotonin depletion attenuates ventilation and body temperature in young but not adult Tph2 knockout rats. <i>Journal of Applied Physiology</i> , 2016 , 120, 1070-81	3.7	23
40	Impaired epithelial Na+ channel activity contributes to cystogenesis and development of autosomal recessive polycystic kidney disease in PCK rats. <i>Pediatric Research</i> , 2015 , 77, 64-9	3.2	16

39	Podocyte injury in diabetic nephropathy: implications of angiotensin II-dependent activation of TRPC channels. <i>Scientific Reports</i> , 2015 , 5, 17637	4.9	65
38	Single-channel Analysis and Calcium Imaging in the Podocytes of the Freshly Isolated Glomeruli. <i>Journal of Visualized Experiments</i> , 2015 , e52850	1.6	15
37	Implementing Patch Clamp and Live Fluorescence Microscopy to Monitor Functional Properties of Freshly Isolated PKD Epithelium. <i>Journal of Visualized Experiments</i> , 2015 ,	1.6	6
36	Two-photon Imaging of Intracellular Ca ²⁺ Handling and Nitric Oxide Production in Endothelial and Smooth Muscle Cells of an Isolated Rat Aorta. <i>Journal of Visualized Experiments</i> , 2015 , e52734	1.6	3
35	Use of Enzymatic Biosensors to Quantify Endogenous ATP or H ₂ O ₂ in the Kidney. <i>Journal of Visualized Experiments</i> , 2015 ,	1.6	9
34	Utilizing a Type 1 Diabetic Nephropathy Model Developed on the Basis of Streptozotocin-Treated Dahl SS Rats for the Studies of Calcium Handling in the Podocytes. <i>FASEB Journal</i> , 2015 , 29, 964.2	0.9	
33	Mechanism of Angiotensin II - Mediated Changes in Glomeruli Permeability and Calcium Influx in Podocytes. <i>FASEB Journal</i> , 2015 , 29, 808.22	0.9	
32	Nox4-mediated and Hydrogen Peroxide Dependent Regulation of ENaC In Salt-Sensitive Hypertension. <i>FASEB Journal</i> , 2015 , 29, 811.23	0.9	
31	Role of Renal Interstitial ATP in Pressure Natriuresis/Diuresis Relationship. <i>FASEB Journal</i> , 2015 , 29, 811.16	0.9	
30	The Regulatory Pathways of Nitric Oxide Production in Glomeruli Podocytes. <i>FASEB Journal</i> , 2015 , 29, 808.9	0.9	
29	Two-Photon Imaging of Intracellular Ca ²⁺ Handling and Nitric Oxide Production in Endothelial and Smooth Muscle Cells of Isolated Rat Vessels. <i>FASEB Journal</i> , 2015 , 29, 808.18	0.9	
28	Angiotensin II Dependent Regulation of TRPC6 Calcium Channels in the Podocytes of the STZ-induced Type 1 Diabetic Dahl SS Rats. <i>FASEB Journal</i> , 2015 , 29, 964.1	0.9	2
27	The MK2/3 cascade regulates AMPAR trafficking and cognitive flexibility. <i>Nature Communications</i> , 2014 , 5, 4701	17.4	39
26	Mutation of Plekha7 attenuates salt-sensitive hypertension in the rat. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 12817-22	11.5	41
25	Angiotensin II has acute effects on TRPC6 channels in podocytes of freshly isolated glomeruli. <i>Kidney International</i> , 2014 , 86, 506-14	9.9	60
24	Exocytosis of ATP from astrocytes modulates phasic and tonic inhibition in the neocortex. <i>PLoS Biology</i> , 2014 , 12, e1001747	9.7	168
23	Cannabinoid receptors contribute to astroglial Ca ²⁺ -signalling and control of synaptic plasticity in the neocortex. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2014 , 369, 20140077	5.8	41
22	Arp2/3 complex inhibitors adversely affect actin cytoskeleton remodeling in the cultured murine kidney collecting duct M-1 cells. <i>Cell and Tissue Research</i> , 2013 , 354, 783-92	4.2	16

21	Pharmacological characterization of the P2 receptors profile in the podocytes of the freshly isolated rat glomeruli. <i>American Journal of Physiology - Cell Physiology</i> , 2013 , 305, C1050-9	5.4	29
20	Epidermal growth factors in the kidney and relationship to hypertension. <i>American Journal of Physiology - Renal Physiology</i> , 2013 , 305, F12-20	4.3	26
19	Real-time electrochemical detection of ATP and H ₂ O ₂ release in freshly isolated kidneys. <i>American Journal of Physiology - Renal Physiology</i> , 2013 , 305, F134-41	4.3	29
18	Direct inhibition of basolateral Kir4.1/5.1 and Kir4.1 channels in the cortical collecting duct by dopamine. <i>American Journal of Physiology - Renal Physiology</i> , 2013 , 305, F1277-87	4.3	40
17	Deficiency of renal cortical EGF increases ENaC activity and contributes to salt-sensitive hypertension. <i>Journal of the American Society of Nephrology: JASN</i> , 2013 , 24, 1053-62	12.7	58
16	Detection of endogenous substances with enzymatic microelectrode biosensors in the kidney. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2013 , 305, R89-91	3.2	1
15	miR-132/212 knockout mice reveal roles for these miRNAs in regulating cortical synaptic transmission and plasticity. <i>PLoS ONE</i> , 2013 , 8, e62509	3.7	103
14	The role of the Arp2/3 complex in the cytoskeleton organization and actin-mediated sodium reabsorption in kidney epithelial cells. <i>FASEB Journal</i> , 2013 , 27, 1145.8	0.9	
13	Pharmacological characterization of the P2 receptors profile in the podocytes of the Sprague Dawley rat glomeruli. <i>FASEB Journal</i> , 2013 , 27, 912.22	0.9	
12	Real-time electrochemical detection of endogenous substance release in freshly isolated organs. <i>FASEB Journal</i> , 2013 , 27, 910.16	0.9	0
11	Role of the epithelial Na ⁺ channels (ENaC) in development of ARPKD. <i>FASEB Journal</i> , 2013 , 27, 1148.1	0.9	
10	MSK1 regulates homeostatic and experience-dependent synaptic plasticity. <i>Journal of Neuroscience</i> , 2012 , 32, 13039-51	6.6	56
9	Modulation of ATP-induced LTP by cannabinoid receptors in rat hippocampus. <i>Purinergic Signalling</i> , 2012 , 8, 705-13	3.8	6
8	Age-dependent remodelling of ionotropic signalling in cortical astroglia. <i>Aging Cell</i> , 2011 , 10, 392-402	9.9	68
7	Distinct pharmacological and functional properties of NMDA receptors in mouse cortical astrocytes. <i>British Journal of Pharmacology</i> , 2011 , 163, 1755-66	8.6	76
6	Compartmentalization of the MAPK scaffold protein KSR1 modulates synaptic plasticity in hippocampal neurons. <i>FASEB Journal</i> , 2011 , 25, 2362-72	0.9	17
5	Ionotropic NMDA and P2X1/5 receptors mediate synaptically induced Ca ²⁺ signalling in cortical astrocytes. <i>Cell Calcium</i> , 2010 , 48, 225-31	4	118
4	Gs[Protein-Mediated and Protein Kinase A-Independent Regulation of Caveolar Sodium Channels in Rat Cardiomyocytes. <i>Neurophysiology</i> , 2009 , 41, 8-15	0.6	

3	Ca ²⁺ -dependent modulation of GABAA and NMDA receptors by extracellular ATP: implication for function of tripartite synapse. <i>Biochemical Society Transactions</i> , 2009 , 37, 1407-11	5.1	19
2	Voltage-gated Nav channel targeting in the heart requires an ankyrin-G dependent cellular pathway. <i>Journal of Cell Biology</i> , 2008 , 180, 173-86	7.3	136
1	Regulation of caveolar cardiac sodium current by a single G α histidine residue. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008 , 294, H1693-9	5.2	34