
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4159015/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The association between health care professional attitudes and beliefs and the attitudes and beliefs, clinical management, and outcomes of patients with low back pain: A systematic review. European Journal of Pain, 2012, 16, 3-17.	2.8	341
2	Home-based versus centre-based cardiac rehabilitation. The Cochrane Library, 2017, 2017, CD007130.	2.8	234
3	The Enduring Impact of What Clinicians Say to People With Low Back Pain. Annals of Family Medicine, 2013, 11, 527-534.	1.9	205
4	ls goal planning in rehabilitation effective? A systematic review. Clinical Rehabilitation, 2006, 20, 739-755.	2.2	198
5	A systematic review of measures of self-reported adherence to unsupervised home-based rehabilitation exercise programmes, and their psychometric properties. BMJ Open, 2014, 4, e005044-e005044.	1.9	158
6	Navigating patient-centered goal setting in inpatient stroke rehabilitation: How clinicians control the process to meet perceived professional responsibilities. Patient Education and Counseling, 2011, 85, 206-213.	2.2	132
7	Goal setting and strategies to enhance goal pursuit for adults with acquired disability participating in rehabilitation. The Cochrane Library, 2015, 2015, CD009727.	2.8	119
8	Purposes and mechanisms of goal planning in rehabilitation: The need for a critical distinction. Disability and Rehabilitation, 2006, 28, 741-749.	1.8	117
9	Easy to Harm, Hard to Heal. Spine, 2015, 40, 842-850.	2.0	101
10	Home-based versus centre-based cardiac rehabilitation: abridged Cochrane systematic review and meta-analysis. Open Heart, 2016, 3, e000463.	2.3	101
11	Home-based cardiac rehabilitation for people with heart failure: A systematic review and meta-analysis. International Journal of Cardiology, 2016, 221, 963-969.	1.7	92
12	Factors Influencing the Use of Outcome Measures for Patients With Low Back Pain: A Survey of New Zealand Physical Therapists. Physical Therapy, 2008, 88, 1492-1505.	2.4	88
13	Home-based versus centre-based cardiac rehabilitation. , 2015, , CD007130.		87
14	2014 consensus statement on improving pelvic floor muscle training adherence: International Continence Society 2011 Stateâ€ofâ€theâ€5cience Seminar. Neurourology and Urodynamics, 2015, 34, 600-605.	. 1.5	85
15	Managing time: An interpretative phenomenological analysis of patients' and physiotherapists' perceptions of adherence to therapeutic exercise for low back pain. Disability and Rehabilitation, 2005, 27, 625-636.	1.8	76
16	Survival, momentum, and things that make me "me― patients' perceptions of goal setting after stroke. Disability and Rehabilitation, 2014, 36, 1020-1026.	1.8	69
17	Goal planning for adults with acquired brain injury: How clinicians talk about involving family. Brain Injury, 2009, 23, 192-202.	1.2	64
18	Effectiveness of the Healthy Lifestyles Programme (HeLP) to prevent obesity in UK primary-school children: a cluster randomised controlled trial. The Lancet Child and Adolescent Health. 2018. 2, 35-45.	5.6	64

#	Article	IF	CITATIONS
19	â€ĩt's a double edged sword': A qualitative analysis of the experiences of exercise amongst people with Bipolar Disorder. Journal of Affective Disorders, 2012, 136, 634-642.	4.1	61
20	Leaving a spinal unit and returning to the wider community: an interpretative phenomenological analysis. Disability and Rehabilitation, 2013, 35, 1164-1173.	1.8	55
21	Psychological consequences of false-positive screening mammograms in the UK. Evidence-Based Medicine, 2013, 18, 54-61.	0.6	55
22	Pelvicâ€floorâ€muscleâ€training adherence "modifiersâ€t A review of primary qualitative studies— <i>2011 Stateâ€ofâ€theâ€Science Seminar research paper III of IV</i> . Neurourology and Urodynamics, 2015, 34, 622-631.	ICS 1.5	55
23	Singing for people with aphasia (SPA): a protocol for a pilot randomised controlled trial of a group singing intervention to improve well-being. BMJ Open, 2018, 8, e025167.	1.9	54
24	Effectiveness of pelvic floor muscle training with and without electromyographic biofeedback for urinary incontinence in women: multicentre randomised controlled trial. BMJ, The, 2020, 371, m3719.	6.0	50
25	Pelvicâ€Floorâ€Muscle Training Adherence: Tools, Measurements and Strategies— <i>2011 ICS Stateâ€ofâ€theâ€Science Seminar Research Paper II of IV</i> . Neurourology and Urodynamics, 2015, 34, 615-62	1. ^{1.5}	44
26	Theory development and a science of rehabilitation. Disability and Rehabilitation, 2005, 27, 1493-1501.	1.8	42
27	Motivators for uptake and maintenance of exercise: perceptions of long-term stroke survivors and implications for design of exercise programmes. Disability and Rehabilitation, 2015, 37, 795-801.	1.8	42
28	ls Pelvic-Floor Muscle Training a Physical Therapy or a Behavioral Therapy? A Call to Name and Report the Physical, Cognitive, and Behavioral Elements. Physical Therapy, 2017, 97, 425-437.	2.4	39
29	Creating psychological connections between intervention recipients: development and focus group evaluation of a group singing session for people with aphasia. BMJ Open, 2016, 6, e009652.	1.9	38
30	Clinical practitioner's attitudes towards the use of Routine Outcome Monitoring within Child and Adolescent Mental Health Services: A qualitative study of two Child and Adolescent Mental Health Services. Clinical Child Psychology and Psychiatry, 2014, 19, 576-595.	1.6	37
31	Quitting patient care and career break intentions among general practitioners in South West England: findings of a census survey of general practitioners. BMJ Open, 2017, 7, e015853.	1.9	37
32	Utility of the RT3 triaxial accelerometer in free living: An investigation of adherence and data loss. Applied Ergonomics, 2010, 41, 469-476.	3.1	36
33	Assessing the impact of upper limb disability following stroke: a qualitative enquiry using internet-based personal accounts of stroke survivors. Disability and Rehabilitation, 2016, 38, 945-951.	1.8	36
34	How clinicians talk about the application of goal planning to rehabilitation for people with brain injury–variable interpretations of value and purpose. Brain Injury, 2006, 20, 1439-1449.	1.2	33
35	Implementing pelvic floor muscle training in women's childbearing years: A critical interpretive synthesis of individual, professional, and service issues. Neurourology and Urodynamics, 2020, 39, 863-870.	1.5	32
36	Scoping review of adherence promotion theories in pelvic floor muscle training – 2011 ics stateâ€ofâ€ŧheâ€science seminar research paper i of iv. Neurourology and Urodynamics, 2015, 34, 606-614.	1.5	31

#	Article	IF	CITATIONS
37	Community-based rehabilitation training after stroke: results of a pilot randomised controlled trial (ReTrain) investigating acceptability and feasibility. BMJ Open, 2018, 8, e018409.	1.9	31
38	An indigenous approach to explore health-related experiences among MÄori parents: the Pukapuka Hauora asthma study. BMC Public Health, 2013, 13, 228.	2.9	30
39	The Fear Reduction Exercised Early (FREE) approach to management of low back pain in general practice: A pragmatic cluster-randomised controlled trial. PLoS Medicine, 2019, 16, e1002897.	8.4	29
40	The silent, private exercise: experiences of pelvic floor muscle training in a sample of women with stress urinary incontinence. Physiotherapy, 2007, 93, 53-61.	0.4	28
41	Exercise adherence: integrating theory, evidence and behaviour change techniques. Physiotherapy, 2016, 102, 7-9.	0.4	28
42	Why do GPs leave direct patient care and what might help to retain them? A qualitative study of GPs in South West England. BMJ Open, 2018, 8, e019849.	1.9	28
43	Musculoskeletal pain and treatment choice: an exploration of illness perceptions and choices of conventional or complementary therapies. Disability and Rehabilitation, 2010, 32, 1645-1657.	1.8	27
44	Rural Workers' Experience of Low Back Pain: Exploring Why They Continue to Work. Journal of Occupational Rehabilitation, 2011, 21, 395-409.	2.2	27
45	Acute low back pain management in general practice: uncertainty and conflicting certainties. Family Practice, 2014, 31, 723-732.	1.9	27
46	Intervention fidelity: Developing an experience-based model for rehabilitation research. Journal of Rehabilitation Medicine, 2014, 46, 609-615.	1.1	27
47	Differential association of general and health self-efficacy with disability, health-related quality of life and psychological distress from musculoskeletal pain in a cross-sectional general adult population survey. Pain, 2006, 125, 225-232.	4.2	24
48	The Healthy Lifestyles Programme (HeLP), a novel school-based intervention to prevent obesity in school children: study protocol for a randomised controlled trial. Trials, 2013, 14, 95.	1.6	23
49	Physical activity, sleep, and fatigue in community dwelling Stroke Survivors. Scientific Reports, 2018, 8, 7900.	3.3	21
50	"Are you doing your pelvic floor?―An ethnographic exploration of the interaction between women and midwives about pelvic floor muscle exercises (PFME) during pregnancy. Midwifery, 2020, 83, 102647.	2.3	20
51	Putting Physical Activity While Experiencing Low Back Pain in Context: Balancing the Risks and Benefits. Archives of Physical Medicine and Rehabilitation, 2016, 97, 245-251.e7.	0.9	19
52	Basic versus biofeedback-mediated intensive pelvic floor muscle training for women with urinary incontinence: the OPAL RCT. Health Technology Assessment, 2020, 24, 1-144.	2.8	19
53	Understanding why primary care doctors leave direct patient care: a systematic review of qualitative research. BMJ Open, 2020, 10, e029846.	1.9	18
54	Variables associated with active spondylolysis. Physical Therapy in Sport, 2009, 10, 121-124.	1.9	17

#	Article	IF	CITATIONS
55	A pilot cluster randomized controlled trial of structured goal-setting following stroke. Clinical Rehabilitation, 2012, 26, 327-338.	2.2	17
56	Community-based Rehabilitation Training after stroke: protocol of a pilot randomised controlled trial (ReTrain). BMJ Open, 2016, 6, e012375.	1.9	16
57	Effectiveness and cost-effectiveness of basic versus biofeedback-mediated intensive pelvic floor muscle training for female stress or mixed urinary incontinence: protocol for the OPAL randomised trial. BMJ Open, 2019, 9, e024153.	1.9	14
58	Singing for people with aphasia (SPA): results of a pilot feasibility randomised controlled trial of a group singing intervention investigating acceptability and feasibility. BMJ Open, 2021, 11, e040544.	1.9	14
59	Intervention fidelity in the definitive cluster randomised controlled trial of the Healthy Lifestyles Programme (HeLP) trial: findings from the process evaluation. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 163.	4.6	13
60	Synthesising practice guidelines for the development of community-based exercise programmes after stroke. Implementation Science, 2013, 8, 115.	6.9	11
61	"lt Makes You Feel That You Are There†Exploring the Acceptability of Virtual Reality Nature Environments for People with Memory Loss. Geriatrics (Switzerland), 2021, 6, 27.	1.7	11
62	Policies and strategies to retain and support the return of experienced GPs in direct patient care: the ReGROUP mixed-methods study. Health Services and Delivery Research, 2019, 7, 1-288.	1.4	11
63	Shared social identity and perceived social support among stroke groups during the COVIDâ€19 pandemic: Relationship with psychosocial health. Applied Psychology: Health and Well-Being, 2023, 15, 172-192.	3.0	11
64	Are We Overestimating Physical Activity Prevalence in Children?. Journal of Physical Activity and Health, 2018, 15, 941-945.	2.0	10
65	Hope and despair: a qualitative exploration of the experiences and impact of trial processes in a rehabilitation trial. Trials, 2019, 20, 525.	1.6	10
66	Randomised controlled trial of an augmented exercise referral scheme using web-based behavioural support for inactive adults with chronic health conditions: the e-coachER trial. British Journal of Sports Medicine, 2021, 55, 444-450.	6.7	10
67	Adding web-based behavioural support to exercise referral schemes for inactive adults with chronic health conditions: the e-coachER RCT. Health Technology Assessment, 2020, 24, 1-106.	2.8	10
68	Opportunities, challenges and concerns for the implementation and uptake of pelvic floor muscle assessment and exercises during the childbearing years: protocol for a critical interpretive synthesis. Systematic Reviews, 2017, 6, 18.	5.3	9
69	Knowledge about osteoarthritis: Development of the Hip and Knee Osteoarthritis Knowledge Scales and protocol for testing their measurement properties. Osteoarthritis and Cartilage Open, 2021, 3, 100160.	2.0	9
70	The relationship between chronic low back pain and fatigue: a systematic review. Physical Therapy Reviews, 2016, 21, 173-183.	0.8	7
71	Detailed statistical analysis plan for a cluster randomised controlled trial of the Healthy Lifestyles Programme (HeLP), a novel school-based intervention to prevent obesity in school children. Trials, 2016, 17, 599.	1.6	7
72	A pilot study investigating the use of the Orthosense Posture Monitor during a real-world moving and handling task. Journal of Bodywork and Movement Therapies, 2006, 10, 220-226.	1.2	6

#	Article	IF	CITATIONS
73	Multicentred randomised controlled trial of an augmented exercise referral scheme using web-based behavioural support in individuals with metabolic, musculoskeletal and mental health conditions: protocol for the e-coachER trial. BMJ Open, 2018, 8, e022382.	1.9	6
74	Identifying policies and strategies for general practitioner retention in direct patient care in the United Kingdom: a RAND/UCLA appropriateness method panel study. BMC Family Practice, 2019, 20, 130.	2.9	6
75	Workforce predictive risk modelling: development of a model to identify general practices at risk of a supplyâ~'demand imbalance. BMJ Open, 2020, 10, e027934.	1.9	6
76	Cluster randomised controlled trial and economic and process evaluation to determine the effectiveness and cost-effectiveness of a novel intervention [Healthy Lifestyles Programme (HeLP)] to prevent obesity in school children. Public Health Research, 2018, 6, 1-204.	1.3	6
77	Informing the design of a randomised controlled trial of an exercise-based programme for long term stroke survivors: lessons from a before-and-after case series study. BMC Research Notes, 2013, 6, 324.	1.4	5
78	Trial baseline characteristics of a cluster randomised controlled trial of a school-located obesity prevention programme; the Healthy Lifestyles Programme (HeLP) trial. BMC Public Health, 2017, 17, 291.	2.9	5
79	The Fear Reduction Exercised Early (FREE) approach to low back pain: study protocol for a randomised controlled trial. Trials, 2017, 18, 484.	1.6	5
80	Children's Compliance With Wrist-Worn Accelerometry Within a Cluster-Randomized Controlled Trial: Findings From the Healthy Lifestyles Programme. Pediatric Exercise Science, 2018, 30, 281-287.	1.0	5
81	Effects of Telerehabilitation on Patient Adherence to a Rehabilitation Plan: Protocol for a Mixed Methods Trial. JMIR Research Protocols, 2021, 10, e32134.	1.0	5
82	Acceptability and experience of a functional training programme (ReTrain) in community-dwelling stroke survivors in South West England: a qualitative study. BMJ Open, 2018, 8, e022175.	1.9	4
83	Effectiveness and cost-effectiveness randomised controlled trial of basic versus biofeedback-mediated intensive pelvic floor muscle training for female stress or mixed urinary incontinence: protocol for the OPAL (optimising pelvic floor exercises to achieve long-term benefits) trial mixed methods longitudinal qualitative case study and process evaluation. BMJ Open, 2019, 9,	1.9	4
84	Theory development and a science of rehabilitation: Authors' response to commentaries. Disability and Rehabilitation, 2005, 27, 1517-1519.	1.8	3
85	Fear Avoidance Beliefs, Held by Occupational Therapists, are Associated with Treatment Recommendations. British Journal of Occupational Therapy, 2014, 77, 304-312.	0.9	3
86	Rasch analysis of the Back Pain Attitudes Questionnaire (Back-PAQ). Disability and Rehabilitation, 2022, 44, 3228-3235.	1.8	3
87	Clinical and cost-effectiveness of an online-delivered group-based pain management programme in improving pain-related disability for people with persistent pain—protocol for a non-inferiority randomised controlled trial (iSelf-help trial). BMJ Open, 2021, 11, e046376.	1.9	3
88	Comments on article by Lewis and Johnson: †The clinical effectiveness of therapeutic massage for musculoskeletal pain: a systematic review. Physiotherapy 2006;92:146–58'. Physiotherapy, 2007, 93, 78-7	9. ^{0.4}	2
89	Independently getting off the floor: a feasibility study of teaching people with stroke to get up after a fall. International Journal of Therapy and Rehabilitation, 2019, 26, 1-17.	0.3	2
90	Measurement of Shared Social Identity in Singing Groups for People With Aphasia. Frontiers in Psychology, 2021, 12, 669899.	2.1	2

#	Article	IF	CITATIONS
91	Challenges of Recruiting Patients Into Group-Based Stroke Rehabilitation Research: Reflections on Clinician Equipoise Within the Singing for People With Aphasia (SPA) Pilot Trial. Frontiers in Psychology, 2021, 12, 624952.	2.1	2
92	Knowledge needs and use in longâ€ŧerm care homes for older people: A qualitative interview study of managers' views. Health and Social Care in the Community, 2020, , .	1.6	1
93	Assessing the fidelity of the independently getting up off the floor (IGO) technique as part of the ReTrain pilot feasibility randomised controlled trial for stroke survivors. Disability and Rehabilitation, 2021, , 1-10.	1.8	0
94	Pelvic floor exercises and female stress urinary incontinence. British Journal of General Practice, 2022, 72, 185-187.	1.4	0