

Sarah G Dean

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4159015/publications.pdf>

Version: 2024-02-01

94
papers

3,848
citations

136885

32
h-index

143943

57
g-index

102
all docs

102
docs citations

102
times ranked

5110
citing authors

#	ARTICLE	IF	CITATIONS
1	Shared social identity and perceived social support among stroke groups during the COVID-19 pandemic: Relationship with psychosocial health. <i>Applied Psychology: Health and Well-Being</i> , 2023, 15, 172-192.	1.6	11
2	Rasch analysis of the Back Pain Attitudes Questionnaire (Back-PAQ). <i>Disability and Rehabilitation</i> , 2022, 44, 3228-3235.	0.9	3
3	Pelvic floor exercises and female stress urinary incontinence. <i>British Journal of General Practice</i> , 2022, 72, 185-187.	0.7	0
4	Singing for people with aphasia (SPA): results of a pilot feasibility randomised controlled trial of a group singing intervention investigating acceptability and feasibility. <i>BMJ Open</i> , 2021, 11, e040544.	0.8	14
5	Clinical and cost-effectiveness of an online-delivered group-based pain management programme in improving pain-related disability for people with persistent pain: protocol for a non-inferiority randomised controlled trial (iSelf-help trial). <i>BMJ Open</i> , 2021, 11, e046376.	0.8	3
6	It Makes You Feel That You Are There: Exploring the Acceptability of Virtual Reality Nature Environments for People with Memory Loss. <i>Geriatrics (Switzerland)</i> , 2021, 6, 27.	0.6	11
7	Measurement of Shared Social Identity in Singing Groups for People With Aphasia. <i>Frontiers in Psychology</i> , 2021, 12, 669899.	1.1	2
8	Challenges of Recruiting Patients Into Group-Based Stroke Rehabilitation Research: Reflections on Clinician Equipoise Within the Singing for People With Aphasia (SPA) Pilot Trial. <i>Frontiers in Psychology</i> , 2021, 12, 624952.	1.1	2
9	Knowledge about osteoarthritis: Development of the Hip and Knee Osteoarthritis Knowledge Scales and protocol for testing their measurement properties. <i>Osteoarthritis and Cartilage Open</i> , 2021, 3, 100160.	0.9	9
10	Effects of Telerehabilitation on Patient Adherence to a Rehabilitation Plan: Protocol for a Mixed Methods Trial. <i>JMIR Research Protocols</i> , 2021, 10, e32134.	0.5	5
11	Randomised controlled trial of an augmented exercise referral scheme using web-based behavioural support for inactive adults with chronic health conditions: the e-coachER trial. <i>British Journal of Sports Medicine</i> , 2021, 55, 444-450.	3.1	10
12	Assessing the fidelity of the independently getting up off the floor (IGO) technique as part of the ReTrain pilot feasibility randomised controlled trial for stroke survivors. <i>Disability and Rehabilitation</i> , 2021, , 1-10.	0.9	0
13	Implementing pelvic floor muscle training in women's childbearing years: A critical interpretive synthesis of individual, professional, and service issues. <i>Neurourology and Urodynamics</i> , 2020, 39, 863-870.	0.8	32
14	Effectiveness of pelvic floor muscle training with and without electromyographic biofeedback for urinary incontinence in women: multicentre randomised controlled trial. <i>BMJ</i> , The, 2020, 371, m3719.	3.0	50
15	Knowledge needs and use in long-term care homes for older people: A qualitative interview study of managers' views. <i>Health and Social Care in the Community</i> , 2020, , .	0.7	1
16	Workforce predictive risk modelling: development of a model to identify general practices at risk of a supply-demand imbalance. <i>BMJ Open</i> , 2020, 10, e027934.	0.8	6
17	Understanding why primary care doctors leave direct patient care: a systematic review of qualitative research. <i>BMJ Open</i> , 2020, 10, e029846.	0.8	18
18	Are you doing your pelvic floor? An ethnographic exploration of the interaction between women and midwives about pelvic floor muscle exercises (PFME) during pregnancy. <i>Midwifery</i> , 2020, 83, 102647.	1.0	20

#	ARTICLE	IF	CITATIONS
19	Basic versus biofeedback-mediated intensive pelvic floor muscle training for women with urinary incontinence: the OPAL RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-144.	1.3	19
20	Adding web-based behavioural support to exercise referral schemes for inactive adults with chronic health conditions: the e-coachER RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-106.	1.3	10
21	Hope and despair: a qualitative exploration of the experiences and impact of trial processes in a rehabilitation trial. <i>Trials</i> , 2019, 20, 525.	0.7	10
22	The Fear Reduction Exercised Early (FREE) approach to management of low back pain in general practice: A pragmatic cluster-randomised controlled trial. <i>PLoS Medicine</i> , 2019, 16, e1002897.	3.9	29
23	Identifying policies and strategies for general practitioner retention in direct patient care in the United Kingdom: a RAND/UCLA appropriateness method panel study. <i>BMC Family Practice</i> , 2019, 20, 130.	2.9	6
24	Effectiveness and cost-effectiveness of basic versus biofeedback-mediated intensive pelvic floor muscle training for female stress or mixed urinary incontinence: protocol for the OPAL randomised trial. <i>BMJ Open</i> , 2019, 9, e024153.	0.8	14
25	Effectiveness and cost-effectiveness of basic versus biofeedback-mediated intensive pelvic floor muscle training for female stress or mixed urinary incontinence: protocol for the OPAL (optimising pelvic floor exercises to achieve long-term benefits) trial mixed methods longitudinal qualitative case study and process evaluation. <i>BMJ Open</i> , 2019, 9, e024153.	0.8	4
26	Independently getting off the floor: a feasibility study of teaching people with stroke to get up after a fall. <i>International Journal of Therapy and Rehabilitation</i> , 2019, 26, 1-17.	0.1	2
27	Policies and strategies to retain and support the return of experienced GPs in direct patient care: the ReGROUP mixed-methods study. <i>Health Services and Delivery Research</i> , 2019, 7, 1-288.	1.4	11
28	Community-based rehabilitation training after stroke: results of a pilot randomised controlled trial (ReTrain) investigating acceptability and feasibility. <i>BMJ Open</i> , 2018, 8, e018409.	0.8	31
29	Children's Compliance With Wrist-Worn Accelerometry Within a Cluster-Randomized Controlled Trial: Findings From the Healthy Lifestyles Programme. <i>Pediatric Exercise Science</i> , 2018, 30, 281-287.	0.5	5
30	Why do GPs leave direct patient care and what might help to retain them? A qualitative study of GPs in South West England. <i>BMJ Open</i> , 2018, 8, e019849.	0.8	28
31	Effectiveness of the Healthy Lifestyles Programme (HeLP) to prevent obesity in UK primary-school children: a cluster randomised controlled trial. <i>The Lancet Child and Adolescent Health</i> , 2018, 2, 35-45.	2.7	64
32	Multicentred randomised controlled trial of an augmented exercise referral scheme using web-based behavioural support in individuals with metabolic, musculoskeletal and mental health conditions: protocol for the e-coachER trial. <i>BMJ Open</i> , 2018, 8, e022382.	0.8	6
33	Are We Overestimating Physical Activity Prevalence in Children?. <i>Journal of Physical Activity and Health</i> , 2018, 15, 941-945.	1.0	10
34	Singing for people with aphasia (SPA): a protocol for a pilot randomised controlled trial of a group singing intervention to improve well-being. <i>BMJ Open</i> , 2018, 8, e025167.	0.8	54
35	Physical activity, sleep, and fatigue in community dwelling Stroke Survivors. <i>Scientific Reports</i> , 2018, 8, 7900.	1.6	21
36	Acceptability and experience of a functional training programme (ReTrain) in community-dwelling stroke survivors in South West England: a qualitative study. <i>BMJ Open</i> , 2018, 8, e022175.	0.8	4

#	ARTICLE	IF	CITATIONS
37	Cluster randomised controlled trial and economic and process evaluation to determine the effectiveness and cost-effectiveness of a novel intervention [Healthy Lifestyles Programme (HeLP)] to prevent obesity in school children. <i>Public Health Research</i> , 2018, 6, 1-204.	0.5	6
38	Is Pelvic-Floor Muscle Training a Physical Therapy or a Behavioral Therapy? A Call to Name and Report the Physical, Cognitive, and Behavioral Elements. <i>Physical Therapy</i> , 2017, 97, 425-437.	1.1	39
39	Opportunities, challenges and concerns for the implementation and uptake of pelvic floor muscle assessment and exercises during the childbearing years: protocol for a critical interpretive synthesis. <i>Systematic Reviews</i> , 2017, 6, 18.	2.5	9
40	Quitting patient care and career break intentions among general practitioners in South West England: findings of a census survey of general practitioners. <i>BMJ Open</i> , 2017, 7, e015853.	0.8	37
41	Trial baseline characteristics of a cluster randomised controlled trial of a school-located obesity prevention programme; the Healthy Lifestyles Programme (HeLP) trial. <i>BMC Public Health</i> , 2017, 17, 291.	1.2	5
42	Home-based versus centre-based cardiac rehabilitation. <i>The Cochrane Library</i> , 2017, 2017, CD007130.	1.5	234
43	The Fear Reduction Exercised Early (FREE) approach to low back pain: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 484.	0.7	5
44	Intervention fidelity in the definitive cluster randomised controlled trial of the Healthy Lifestyles Programme (HeLP) trial: findings from the process evaluation. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 163.	2.0	13
45	Home-based cardiac rehabilitation for people with heart failure: A systematic review and meta-analysis. <i>International Journal of Cardiology</i> , 2016, 221, 963-969.	0.8	92
46	Community-based Rehabilitation Training after stroke: protocol of a pilot randomised controlled trial (ReTrain). <i>BMJ Open</i> , 2016, 6, e012375.	0.8	16
47	The relationship between chronic low back pain and fatigue: a systematic review. <i>Physical Therapy Reviews</i> , 2016, 21, 173-183.	0.3	7
48	Home-based versus centre-based cardiac rehabilitation: abridged Cochrane systematic review and meta-analysis. <i>Open Heart</i> , 2016, 3, e000463.	0.9	101
49	Detailed statistical analysis plan for a cluster randomised controlled trial of the Healthy Lifestyles Programme (HeLP), a novel school-based intervention to prevent obesity in school children. <i>Trials</i> , 2016, 17, 599.	0.7	7
50	Creating psychological connections between intervention recipients: development and focus group evaluation of a group singing session for people with aphasia. <i>BMJ Open</i> , 2016, 6, e009652.	0.8	38
51	Assessing the impact of upper limb disability following stroke: a qualitative enquiry using internet-based personal accounts of stroke survivors. <i>Disability and Rehabilitation</i> , 2016, 38, 945-951.	0.9	36
52	Exercise adherence: integrating theory, evidence and behaviour change techniques. <i>Physiotherapy</i> , 2016, 102, 7-9.	0.2	28
53	Putting Physical Activity While Experiencing Low Back Pain in Context: Balancing the Risks and Benefits. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016, 97, 245-251.e7.	0.5	19
54	Easy to Harm, Hard to Heal. <i>Spine</i> , 2015, 40, 842-850.	1.0	101

#	ARTICLE	IF	CITATIONS
55	Home-based versus centre-based cardiac rehabilitation. , 2015, , CD007130.		87
56	Goal setting and strategies to enhance goal pursuit for adults with acquired disability participating in rehabilitation. The Cochrane Library, 2015, 2015, CD009727.	1.5	119
57	Pelvic floor muscle training adherence – modifiers: A review of primary qualitative studies” <i>2011 ICS State of the Science Seminar research paper III of IV</i>. Neurourology and Urodynamics, 2015, 34, 622-631.	0.8	55
58	Pelvic Floor Muscle Training Adherence: Tools, Measurements and Strategies” <i>2011 ICS State of the Science Seminar Research Paper II of IV</i>. Neurourology and Urodynamics, 2015, 34, 615-621.	0.8	44
59	2014 consensus statement on improving pelvic floor muscle training adherence: International Continence Society 2011 State of the Science Seminar. Neurourology and Urodynamics, 2015, 34, 600-605.	0.8	85
60	Scoping review of adherence promotion theories in pelvic floor muscle training – 2011 ics state of the science seminar research paper I of IV. Neurourology and Urodynamics, 2015, 34, 606-614.	0.8	31
61	Motivators for uptake and maintenance of exercise: perceptions of long-term stroke survivors and implications for design of exercise programmes. Disability and Rehabilitation, 2015, 37, 795-801.	0.9	42
62	Survival, momentum, and things that make me – patients’ perceptions of goal setting after stroke. Disability and Rehabilitation, 2014, 36, 1020-1026.	0.9	69
63	A systematic review of measures of self-reported adherence to unsupervised home-based rehabilitation exercise programmes, and their psychometric properties. BMJ Open, 2014, 4, e005044-e005044.	0.8	158
64	Clinical practitioners’ attitudes towards the use of Routine Outcome Monitoring within Child and Adolescent Mental Health Services: A qualitative study of two Child and Adolescent Mental Health Services. Clinical Child Psychology and Psychiatry, 2014, 19, 576-595.	0.8	37
65	Fear Avoidance Beliefs, Held by Occupational Therapists, are Associated with Treatment Recommendations. British Journal of Occupational Therapy, 2014, 77, 304-312.	0.5	3
66	Acute low back pain management in general practice: uncertainty and conflicting certainties. Family Practice, 2014, 31, 723-732.	0.8	27
67	Intervention fidelity: Developing an experience-based model for rehabilitation research. Journal of Rehabilitation Medicine, 2014, 46, 609-615.	0.8	27
68	An indigenous approach to explore health-related experiences among Māori parents: the Pukapuka Hauora asthma study. BMC Public Health, 2013, 13, 228.	1.2	30
69	Synthesising practice guidelines for the development of community-based exercise programmes after stroke. Implementation Science, 2013, 8, 115.	2.5	11
70	Informing the design of a randomised controlled trial of an exercise-based programme for long term stroke survivors: lessons from a before-and-after case series study. BMC Research Notes, 2013, 6, 324.	0.6	5
71	The Healthy Lifestyles Programme (HeLP), a novel school-based intervention to prevent obesity in school children: study protocol for a randomised controlled trial. Trials, 2013, 14, 95.	0.7	23
72	The Enduring Impact of What Clinicians Say to People With Low Back Pain. Annals of Family Medicine, 2013, 11, 527-534.	0.9	205

#	ARTICLE	IF	CITATIONS
73	Leaving a spinal unit and returning to the wider community: an interpretative phenomenological analysis. <i>Disability and Rehabilitation</i> , 2013, 35, 1164-1173.	0.9	55
74	Psychological consequences of false-positive screening mammograms in the UK. <i>Evidence-Based Medicine</i> , 2013, 18, 54-61.	0.6	55
75	A pilot cluster randomized controlled trial of structured goal-setting following stroke. <i>Clinical Rehabilitation</i> , 2012, 26, 327-338.	1.0	17
76	The association between health care professional attitudes and beliefs and the attitudes and beliefs, clinical management, and outcomes of patients with low back pain: A systematic review. <i>European Journal of Pain</i> , 2012, 16, 3-17.	1.4	341
77	“It's a double edged sword”: A qualitative analysis of the experiences of exercise amongst people with Bipolar Disorder. <i>Journal of Affective Disorders</i> , 2012, 136, 634-642.	2.0	61
78	Navigating patient-centered goal setting in inpatient stroke rehabilitation: How clinicians control the process to meet perceived professional responsibilities. <i>Patient Education and Counseling</i> , 2011, 85, 206-213.	1.0	132
79	Rural Workers’ Experience of Low Back Pain: Exploring Why They Continue to Work. <i>Journal of Occupational Rehabilitation</i> , 2011, 21, 395-409.	1.2	27
80	Utility of the RT3 triaxial accelerometer in free living: An investigation of adherence and data loss. <i>Applied Ergonomics</i> , 2010, 41, 469-476.	1.7	36
81	Musculoskeletal pain and treatment choice: an exploration of illness perceptions and choices of conventional or complementary therapies. <i>Disability and Rehabilitation</i> , 2010, 32, 1645-1657.	0.9	27
82	Variables associated with active spondylolysis. <i>Physical Therapy in Sport</i> , 2009, 10, 121-124.	0.8	17
83	Goal planning for adults with acquired brain injury: How clinicians talk about involving family. <i>Brain Injury</i> , 2009, 23, 192-202.	0.6	64
84	Factors Influencing the Use of Outcome Measures for Patients With Low Back Pain: A Survey of New Zealand Physical Therapists. <i>Physical Therapy</i> , 2008, 88, 1492-1505.	1.1	88
85	The silent, private exercise: experiences of pelvic floor muscle training in a sample of women with stress urinary incontinence. <i>Physiotherapy</i> , 2007, 93, 53-61.	0.2	28
86	Comments on article by Lewis and Johnson: “The clinical effectiveness of therapeutic massage for musculoskeletal pain: a systematic review. <i>Physiotherapy</i> 2006;92:146-158”. <i>Physiotherapy</i> , 2007, 93, 78-79.	0.2	2
87	How clinicians talk about the application of goal planning to rehabilitation for people with brain injury—variable interpretations of value and purpose. <i>Brain Injury</i> , 2006, 20, 1439-1449.	0.6	33
88	Purposes and mechanisms of goal planning in rehabilitation: The need for a critical distinction. <i>Disability and Rehabilitation</i> , 2006, 28, 741-749.	0.9	117
89	A pilot study investigating the use of the Orthosense Posture Monitor during a real-world moving and handling task. <i>Journal of Bodywork and Movement Therapies</i> , 2006, 10, 220-226.	0.5	6
90	Differential association of general and health self-efficacy with disability, health-related quality of life and psychological distress from musculoskeletal pain in a cross-sectional general adult population survey. <i>Pain</i> , 2006, 125, 225-232.	2.0	24

#	ARTICLE	IF	CITATIONS
91	Is goal planning in rehabilitation effective? A systematic review. <i>Clinical Rehabilitation</i> , 2006, 20, 739-755.	1.0	198
92	Managing time: An interpretative phenomenological analysis of patients' and physiotherapists' perceptions of adherence to therapeutic exercise for low back pain. <i>Disability and Rehabilitation</i> , 2005, 27, 625-636.	0.9	76
93	Theory development and a science of rehabilitation: Authors' response to commentaries. <i>Disability and Rehabilitation</i> , 2005, 27, 1517-1519.	0.9	3
94	Theory development and a science of rehabilitation. <i>Disability and Rehabilitation</i> , 2005, 27, 1493-1501.	0.9	42