
## Elmar Schiebel

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4159341/publications.pdf Version: 2024-02-01



| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | A versatile toolbox for PCR-based tagging of yeast genes: new fluorescent proteins, more markers and promoter substitution cassettes. Yeast, 2004, 21, 947-962.   | 0.8  | 1,837     |
| 2  | Epitope tagging of yeast genes using a PCR-based strategy: more tags and improved practical routines. ,<br>1999, 15, 963-972.   |      | 946       |
| 3  | The Bub2p Spindle Checkpoint Links Nuclear Migration with Mitotic Exit. Molecular Cell, 2000, 6, 1-10.  | 4.5  | 299       |
| 4  | Components of the Hippo pathway cooperate with Nek2 kinase to regulate centrosome disjunction.<br>Nature Cell Biology, 2010, 12, 1166-1176.   | 4.6  | 168       |
| 5  | Receptors determine the cellular localization of a $\hat{1}^3$ -tubulin complex and thereby the site of microtubule formation. EMBO Journal, 1998, 17, 3952-3967.   | 3.5  | 162       |
| 6  | Cdc14: a highly conserved family of phosphatases with non-conserved functions?. Journal of Cell Science, 2010, 123, 2867-2876.  | 1.2  | 157       |
| 7  | Targeting of Î <sup>3</sup> -tubulin complexes to microtubule organizing centers: conservation and divergence.<br>Trends in Cell Biology, 2015, 25, 296-307.  | 3.6  | 127       |
| 8  | Plk1 Controls the Nek2A-PP1Î <sup>3</sup> Antagonism in Centrosome Disjunction. Current Biology, 2011, 21, 1145-1151.   | 1.8  | 115       |
| 9  | Insights into the assembly and activation of the microtubule nucleator Î <sup>3</sup> -TuRC. Nature, 2020, 578, 467-471.  | 13.7 | 106       |
| 10 | The yeast centrosome translates the positional information of the anaphase spindle into a cell cycle signal. Journal of Cell Biology, 2007, 179, 423-436.   | 2.3  | 103       |
| 11 | Vertebrate cells genetically deficient for Cdc14A or Cdc14B retain DNA damage checkpoint proficiency<br>but are impaired in DNA repair. Journal of Cell Biology, 2010, 189, 631-639.  | 2.3  | 99        |
| 12 | Spc98p Directs the Yeast γ-Tubulin Complex into the Nucleus and Is Subject to Cell Cycle-dependent<br>Phosphorylation on the Nuclear Side of the Spindle Pole Body. Molecular Biology of the Cell, 1998, 9,<br>775-793.                         | 0.9  | 86        |
| 13 | Cell-cycle dependent phosphorylation of yeast pericentrin regulates Î <sup>3</sup> -TuSC-mediated microtubule nucleation. ELife, 2014, 3, e02208.   | 2.8  | 84        |
| 14 | The SESA network links duplication of the yeast centrosome with the protein translation machinery.<br>Genes and Development, 2009, 23, 1559-1570.   | 2.7  | 73        |
| 15 | The XMAP215 homologue Stu2 at yeast spindle pole bodies regulates microtubule dynamics and anchorage. EMBO Journal, 2003, 22, 4779-4793.  | 3.5  | 71        |
| 16 | STED nanoscopy of the centrosome linker reveals a CEP68-organized, periodic rootletin network anchored to a C-Nap1 ring at centrioles. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E2246-E2253. | 3.3  | 61        |
| 17 | The Centrosomal Linker and Microtubules Provide Dual Levels of Spatial Coordination of Centrosomes. PLoS Genetics, 2015, 11, e1005243.  | 1.5  | 57        |
| 18 | The microtubule polymerase Stu2 promotes oligomerization of the γ-TuSC for cytoplasmic microtubule nucleation. ELife, 2018, 7, .  | 2.8  | 53        |

Elmar Schiebel

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | N-terminal regions of Mps1 kinase determine functional bifurcation. Journal of Cell Biology, 2010, 189, 41-56.   | 2.3  | 51        |
| 20 | MOZART1 and γ-tubulin complex receptors are both required to turn γ-TuSC into an active microtubule nucleation template. Journal of Cell Biology, 2016, 215, 823-840.  | 2.3  | 48        |
| 21 | An extended Î <sup>3</sup> -tubulin ring functions as a stable platform in microtubule nucleation. Journal of Cell<br>Biology, 2012, 197, 59-74.   | 2.3  | 46        |
| 22 | Segregation of yeast nuclear pores. Nature, 2010, 466, E1-E1.  | 13.7 | 45        |
| 23 | Molecular Mechanisms that Restrict Yeast Centrosome Duplication to One Event per Cell Cycle.<br>Current Biology, 2014, 24, 1456-1466.  | 1.8  | 45        |
| 24 | Microtubule nucleation: The waltz between γ-tubulin ring complexÂand associated proteins. Current<br>Opinion in Cell Biology, 2021, 68, 124-131.   | 2.6  | 45        |
| 25 | TheSaccharomyces cerevisiaeSpindle Pole Body (SPB) Component Nbp1p Is Required for SPB Membrane<br>Insertion and Interacts with the Integral Membrane Proteins Ndc1p and Mps2p. Molecular Biology of<br>the Cell, 2006, 17, 1959-1970. | 0.9  | 42        |
| 26 | Phosphorylation of the Yeast Î <sup>3</sup> -Tubulin Tub4 Regulates Microtubule Function. PLoS ONE, 2011, 6, e19700.   | 1.1  | 42        |
| 27 | The balance between KIFC3 and EC5 tetrameric kinesins controls the onset of mitotic spindle assembly.<br>Nature Cell Biology, 2019, 21, 1138-1151.   | 4.6  | 41        |
| 28 | Brr6 and Brl1 locate to nuclear pore complex assembly sites to promote their biogenesis. Journal of<br>Cell Biology, 2018, 217, 877-894.   | 2.3  | 40        |
| 29 | Duplication of the Yeast Spindle Pole Body Once per Cell Cycle. Molecular and Cellular Biology, 2016, 36, 1324-1331.   | 1.1  | 33        |
| 30 | Targeting of Nbp1 to the inner nuclear membrane is essential for spindle pole body duplication. EMBO<br>Journal, 2011, 30, 3337-3352.  | 3.5  | 32        |
| 31 | Human phosphatase CDC14A is recruited to the cell leading edge to regulate cell migration and adhesion. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 990-995.                           | 3.3  | 31        |
| 32 | Characterization of spindle pole body duplication reveals a regulatory role for nuclear pore complexes. Journal of Cell Biology, 2017, 216, 2425-2442.   | 2.3  | 30        |
| 33 | GTP regulates the microtubule nucleation activity of Î <sup>3</sup> -tubulin. Nature Cell Biology, 2013, 15, 1317-1327.  | 4.6  | 28        |
| 34 | The human phosphatase <scp>CDC</scp> 14A modulates primary cilium length by regulating centrosomal actin nucleation. EMBO Reports, 2019, 20, .   | 2.0  | 27        |
| 35 | Spindle pole bodies. Current Biology, 2013, 23, R858-R860.   | 1.8  | 25        |
| 36 | Kar1 binding to Sfi1 C-terminal regions anchors the SPB bridge to the nuclear envelope. Journal of<br>Cell Biology, 2015, 209, 843-861.  | 2.3  | 25        |

Elmar Schiebel

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | The Centrosome Linker and Its Role in Cancer and Genetic Disorders. Trends in Molecular Medicine, 2020, 26, 380-393.   | 3.5 | 25        |
| 38 | CEP44 ensures the formation of bona fide centriole wall, a requirement for the centriole-to-centrosome conversion. Nature Communications, 2020, 11, 903.   | 5.8 | 25        |
| 39 | Duplication and Nuclear Envelope Insertion of the Yeast Microtubule Organizing Centre, the Spindle<br>Pole Body. Cells, 2018, 7, 42.   | 1.8 | 24        |
| 40 | Human phosphatase CDC14A regulates actin organization through dephosphorylation of epithelial protein lost in neoplasm. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 5201-5206. | 3.3 | 23        |
| 41 | The structure of the γ-TuRC: a 25-years-old molecular puzzle. Current Opinion in Structural Biology, 2021, 66, 15-21.  | 2.6 | 20        |
| 42 | Modular assembly of the principal microtubule nucleator Î <sup>3</sup> -TuRC. Nature Communications, 2022, 13, 473.  | 5.8 | 18        |
| 43 | Genome editing through large insertion leads to the skipping of targeted exon. BMC Genomics, 2015, 16, 1082.   | 1.2 | 15        |
| 44 | A ternary membrane protein complex anchors the spindle pole body in the nuclear envelope in budding yeast. Journal of Biological Chemistry, 2017, 292, 8447-8458.  | 1.6 | 13        |
| 45 | Reconstitution of the recombinant human $\hat{I}^3$ -tubulin ring complex. Open Biology, 2021, 11, 200325.   | 1.5 | 11        |
| 46 | A short perinuclear amphipathic α-helix in Apq12 promotes nuclear pore complex biogenesis. Open<br>Biology, 2021, 11, 210250.  | 1.5 | 11        |
| 47 | Polo-like kinase Cdc5 regulates Spc72 recruitment to spindle pole body in the methylotrophic yeast<br>Ogataea polymorpha. ELife, 2017, 6, .  | 2.8 | 9         |
| 48 | The gammaâ€ŧubulin ring complex: Deciphering the molecular organization and assembly mechanism of a<br>major vertebrate microtubule nucleator. BioEssays, 2021, 43, e2100114.  | 1.2 | 8         |
| 49 | The cryo-EM structure of a $\hat{I}^3$ -TuSC elucidates architecture and regulation of minimal microtubule nucleation systems. Nature Communications, 2020, 11, 5705.  | 5.8 | 7         |
| 50 | The N-terminus of Sfi1 and yeast centrin Cdc31 provide the assembly site for a new spindle pole body.<br>Journal of Cell Biology, 2021, 220, .   | 2.3 | 7         |
| 51 | Human cells lacking CDC14A and CDC14B show differences in ciliogenesis but not in mitotic progression. Journal of Cell Science, 2021, 134, .   | 1.2 | 6         |
| 52 | A perinuclear $\hat{I}_{\pm}$ -helix with amphipathic features in Brl1 promotes NPC assembly. Molecular Biology of the Cell, 2022, 33, mbcE21120616.   | 0.9 | 6         |
| 53 | Centrosome linker protein Câ€Nap1 maintains stem cells in mouse testes. EMBO Reports, 0, , .   | 2.0 | 3         |