

# Pablo Romero-Sanchiz

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4159398/publications.pdf>

Version: 2024-02-01

30  
papers

557  
citations

777949

13  
h-index

759306

22  
g-index

33  
all docs

33  
docs citations

33  
times ranked

1157  
citing authors

#	ARTICLE	IF	CITATIONS
1	Craving and emotional responses to trauma and cannabis cues in trauma-exposed cannabis users: Influence of PTSD symptom severity. <i>Addictive Behaviors</i> , 2022, 125, 107126.	1.7	10
2	Plasma concentrations of granulocyte colony-stimulating factor (G-CSF) in patients with substance use disorders and comorbid major depressive disorder. <i>Scientific Reports</i> , 2021, 11, 13629.	1.6	5
3	Posttraumatic Stress Disorder Symptoms and Coping Motives are Independently Associated with Cannabis Craving Elicited by Trauma Cues. <i>Journal of Traumatic Stress</i> , 2021, , .	1.0	3
4	Reasons for Listening to Music Vary by Listeners's Anxiety Sensitivity Levels. <i>Journal of Music Therapy</i> , 2021, 58, 463-492.	0.6	0
5	Gender differences in physical activity are partially explained by anxiety sensitivity in post-secondary students. <i>Journal of American College Health</i> , 2020, 68, 219-222.	0.8	27
6	Variation in chemokines plasma concentrations in primary care depressed patients associated with Internet-based cognitive-behavioral therapy. <i>Scientific Reports</i> , 2020, 10, 1078.	1.6	11
7	Bupropion, a possible antidepressant without negative effects on alcohol relapse. <i>European Neuropsychopharmacology</i> , 2019, 29, 756-765.	0.3	2
8	Cross-cultural selection and validation of instruments to assess patient-reported outcomes in children and adolescents with achondroplasia. <i>Quality of Life Research</i> , 2019, 28, 2553-2563.	1.5	11
9	Plasma concentrations of oleoylethanolamide in a primary care sample of depressed patients are increased in those treated with selective serotonin reuptake inhibitor-type antidepressants. <i>Neuropharmacology</i> , 2019, 149, 212-220.	2.0	30
10	El estudio Andalusian Bipolar Family (ABiF): protocolo y descripci3n de la muestra. <i>Revista De PsiquiatrÃa Y Salud Mental</i> , 2018, 11, 199-207.	1.0	5
11	The Andalusian Bipolar Family (ABiF) Study: Protocol and sample description. <i>Revista De PsiquiatrÃa Y Salud Mental (English Edition)</i> , 2018, 11, 199-207.	0.2	0
12	Plasma concentrations of oleoylethanolamide and other acylethanolamides are altered in alcohol-dependent patients: effect of length of abstinence. <i>Addiction Biology</i> , 2017, 22, 1366-1377.	1.4	20
13	Assessing transdiagnostic intrusive thoughts: Factor structure, reliability and validity of the Cognitive Intrusions Questionnaire-Transdiagnostic version in a Spanish sample. <i>Personality and Individual Differences</i> , 2017, 114, 181-186.	1.6	3
14	Differences in clinical intrusive thoughts between obsessive-compulsive disorder, generalized anxiety disorder, and hypochondria. <i>Clinical Psychology and Psychotherapy</i> , 2017, 24, O1464-O1473.	1.4	9
15	Plasma Chemokines in Patients with Alcohol Use Disorders: Association of CCL11 (Eotaxin-1) with Psychiatric Comorbidity. <i>Frontiers in Psychiatry</i> , 2017, 7, 214.	1.3	25
16	Decreased plasma concentrations of BDNF and IGF-1 in abstinent patients with alcohol use disorders. <i>PLoS ONE</i> , 2017, 12, e0187634.	1.1	32
17	Differences in the Rates of Drug Polyconsumption and Psychiatric Comorbidity among Patients with Cocaine Use Disorders According to the Mental Health Service. <i>Journal of Psychoactive Drugs</i> , 2017, 49, 306-315.	1.0	11
18	Economic evaluation of a guided and unguided internet-based CBT intervention for major depression: Results from a multi-center, three-armed randomized controlled trial conducted in primary care. <i>PLoS ONE</i> , 2017, 12, e0172741.	1.1	59

#	ARTICLE	IF	CITATIONS
19	Comorbilidad psiquiátrica y valores plasmáticos de 2-acilglicerol en consumidores de alcohol en tratamiento ambulatorio. Análisis de las diferencias de género. Revista De Psicología De La Salud, 2017, 29, 83.	0.2	15
20	Evaluation of plasma cytokines in patients with cocaine use disorders in abstinence identifies transforming growth factor alpha (TGF $\alpha$ ) as a potential biomarker of consumption and dual diagnosis. PeerJ, 2017, 5, e3926.	0.9	23
21	Differences in plasma concentration of acylethanolamides and acylglycerols in paired samples of bipolar patients and first- and second-degree relatives. European Psychiatry, 2016, 33, S340-S340.	0.1	1
22	Plasma Concentrations Of Endocannabinoids And Congeners In a Primary Care Sample Of Depressed Patients: Influence Of Biological Variables, Severity And Antidepressant Medication. European Psychiatry, 2016, 33, S422-S423.	0.1	2
23	An Internet-Based Intervention for Depression in Primary Care in Spain: A Randomized Controlled Trial. Journal of Medical Internet Research, 2016, 18, e231.	2.1	59
24	Narrow Specificity of Responsibility and Intolerance of Uncertainty in Obsessive-Compulsive Behavior and Generalized Anxiety Symptoms. International Journal of Cognitive Therapy, 2015, 8, 239-257.	1.3	9
25	Plasma Concentrations of BDNF and IGF-1 in Abstinent Cocaine Users with High Prevalence of Substance Use Disorders: Relationship to Psychiatric Comorbidity. PLoS ONE, 2015, 10, e0118610.	1.1	25
26	Sex Differences in Psychiatric Comorbidity and Plasma Biomarkers for Cocaine Addiction in Abstinent Cocaine-Addicted Subjects in Outpatient Settings. Frontiers in Psychiatry, 2015, 6, 17.	1.3	31
27	Plasma profile of pro-inflammatory cytokines and chemokines in cocaine users under outpatient treatment: influence of cocaine symptom severity and psychiatric comorbidity. Addiction Biology, 2015, 20, 756-772.	1.4	85
28	Expectations Among Patients and Health Professionals Regarding Web-Based Interventions for Depression in Primary Care: A Qualitative Study. Journal of Medical Internet Research, 2015, 17, e67.	2.1	31
29	Do Cannabis Use Motives Mediate the Relationship between PTSD Symptoms and Cannabis Craving to Trauma Cues?. , 0, , .		0
30	A Scoping Review of the Literature on Trauma Cue-Induced Drug Craving in Substance Users with Trauma Histories or PTSD. , 0, , .		2