Mark C Chappell

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/416110/mark-c-chappell-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

46 10,727 103 134 h-index g-index citations papers 161 6.42 12,142 4.7 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
134	Angiotensinogen uptake and stimulation of oxidative stress in human pigment retinal epithelial cells <i>Peptides</i> , 2022 , 152, 170770	3.8	1
133	Commentary for "Endocrine significance of SARS-CoV-2ß Reliance on ACE2". <i>Endocrinology</i> , 2021 , 162,	4.8	1
132	Concerns on the Specificity of Commercial ELISAs for the Measurement of Angiotensin (1-7) and Angiotensin II in Human Plasma. <i>Hypertension</i> , 2021 , 77, e29-e31	8.5	24
131	Diet, obesity, and the gut microbiome as determinants modulating metabolic outcomes in a non-human primate model. <i>Microbiome</i> , 2021 , 9, 100	16.6	12
130	Evidence that angiotensin II does not directly stimulate the MD2-TLR4 innate inflammatory pathway. <i>Peptides</i> , 2021 , 136, 170436	3.8	2
129	A pilot study to assess the circulating renin-angiotensin system in COVID-19 acute respiratory failure. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2021 , 321, L213-L218	5.8	14
128	Lower urinary Eklotho is associated with lower angiotensin-(1-7) and higher blood pressure in young adults born preterm with very low birthweight. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 1033-1	10 2 10	7
127	COVID-19, ACE2, and the cardiovascular consequences. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2020 , 318, H1084-H1090	5.2	411
126	Association of circulating uric acid and angiotensin-(1-7) in relation to higher blood pressure in adolescents and the influence of preterm birth. <i>Journal of Human Hypertension</i> , 2020 , 34, 818-825	2.6	6
125	Urolithin A, a Product of the Microbiome, Attenuates the Palmitate-TLR4 Inflammatory Pathway in Renal Tubule Cells. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	
124	Central ANG-(1-7) infusion improves blood pressure regulation in antenatal betamethasone-exposed sheep and reveals sex-dependent effects on oxidative stress. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2019 , 316, H1458-H1467	5.2	7
123	Cardiorenal Syndrome and Heart Failure-Challenges and Opportunities. <i>Canadian Journal of Cardiology</i> , 2019 , 35, 1208-1219	3.8	21
122	Renal function and blood pressure are altered in adolescents born preterm. <i>Pediatric Nephrology</i> , 2019 , 34, 137-144	3.2	30
121	The Microbiome Product Urolithin A Abolishes TGFDependent Stimulation of PAI-1 in Renal Epithelial Cells. <i>FASEB Journal</i> , 2019 , 33, lb530	0.9	
120	The Angiotensin-(1-7) Axis: Formation and Metabolism Pathways 2019 , 1-26		9
119	Comparison of Candesartan and Angiotensin-(1-7) Combination to Mito-TEMPO Treatment for Normalizing Blood Pressure and Sympathovagal Balance in (mREN2)27 Rats. <i>Journal of Cardiovascular Pharmacology</i> , 2019 , 73, 143-148	3.1	4
118	Obesity is Associated with Higher Blood Pressure and Higher Levels of Angiotensin II but Lower Angiotensin-(1-7) in Adolescents Born Preterm. <i>Journal of Pediatrics</i> , 2019 , 205, 55-60.e1	3.6	19

(2016-2019)

117	Fetal programming and the angiotensin-(1-7) axis: a review of the experimental and clinical data. <i>Clinical Science</i> , 2019 , 133, 55-74	6.5	61	
116	Attenuation of pulmonary ACE2 activity impairs inactivation of des-Arg bradykinin/BKB1R axis and facilitates LPS-induced neutrophil infiltration. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2018 , 314, L17-L31	5.8	220	
115	Sex-dependent expression of brain medullary MAP and PI3 kinases in adult sheep with antenatal betamethasone exposure. <i>Clinical Science</i> , 2018 , 132, 1953-1962	6.5	2	
114	Preterm Adolescents Exhibit Higher Blood Pressure and Sodium Retention with Higher Uric Acid and Differential Circulating Renin-Angiotensin System Expression. <i>FASEB Journal</i> , 2018 , 32, 883.6	0.9	1	
113	Association between preterm birth and the renin-angiotensin system in adolescence: influence of sex and obesity. <i>Journal of Hypertension</i> , 2018 , 36, 2092-2101	1.9	31	
112	Measurement of Angiotensin Peptides: HPLC-RIA. <i>Methods in Molecular Biology</i> , 2017 , 1527, 81-99	1.4	19	
111	Angiotensin-(1-7)-dependent vasorelaxation of the renal artery exhibits unique angiotensin and bradykinin receptor selectivity. <i>Peptides</i> , 2017 , 90, 10-16	3.8	18	
110	Assessment of the Renin-Angiotensin System in Cellular Organelle: New Arenas for Study in the Mitochondria. <i>Methods in Molecular Biology</i> , 2017 , 1614, 99-121	1.4		
109	Antenatal betamethasone attenuates the angiotensin-(1-7)-Mas receptor-nitric oxide axis in isolated proximal tubule cells. <i>American Journal of Physiology - Renal Physiology</i> , 2017 , 312, F1056-F106	52 ^{4.3}	8	
108	Angiotensinogen import in isolated proximal tubules: evidence for mitochondrial trafficking and uptake. <i>American Journal of Physiology - Renal Physiology</i> , 2017 , 312, F879-F886	4.3	12	
107	Angiotensin-(1-7) and the Regulation of Anti-Fibrotic Signaling Pathways. <i>Journal of Cell Signaling</i> , 2017 , 2,		18	
106	Stabilization of Angiotensin-(1-7) by key substitution with a cyclic non-natural amino acid. <i>Amino Acids</i> , 2017 , 49, 1733-1742	3.5	11	
105	Antenatal corticosteroids and the renin-angiotensin-aldosterone system in adolescents born preterm. <i>Pediatric Research</i> , 2017 , 81, 88-93	3.2	19	
104	Peptidases and the Renin-Angiotensin System: The Alternative Angiotensin-(1-7) Cascade 2017 ,		4	
103	Sex-Specific Changes in Renal Angiotensin-Converting Enzyme and Angiotensin-Converting Enzyme 2 Gene Expression and Enzyme Activity at Birth and Over the First Year of Life. <i>Reproductive Sciences</i> , 2016 , 23, 200-10	3	19	
102	Evidence for a mitochondrial angiotensin-(1-7) system in the kidney. <i>American Journal of Physiology</i> - <i>Renal Physiology</i> , 2016 , 310, F637-F645	4.3	26	
101	Identification of dipeptidyl peptidase 3 as the Angiotensin-(1-7) degrading peptidase in human HK-2 renal epithelial cells. <i>Peptides</i> , 2016 , 83, 29-37	3.8	21	
100	Reply to "Letter to the editor: Angiotensin quantification by mass spectrometry". <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016 , 310, H454	5.2	1	

99	Biochemical evaluation of the renin-angiotensin system: the good, bad, and absolute?. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016 , 310, H137-52	5.2	162
98	GPER activation ameliorates aortic remodeling induced by salt-sensitive hypertension. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016 , 310, H953-61	5.2	28
97	An angiotensin-(1-7) peptidase in the kidney cortex, proximal tubules, and human HK-2 epithelial cells that is distinct from insulin-degrading enzyme. <i>American Journal of Physiology - Renal Physiology</i> , 2015 , 308, F594-601	4.3	16
96	Antenatal glucocorticoid treatment alters Na+ uptake in renal proximal tubule cells from adult offspring in a sex-specific manner. <i>American Journal of Physiology - Renal Physiology</i> , 2015 , 308, F1268-7	7 5 4·3	16
95	Nuclear expression of renin-angiotensin system components in NRK-52E renal epithelial cells. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2015 , 16, 1135-48	3	25
94	The renin-angiotensin-aldosterone system in adolescent offspring born prematurely to mothers with preeclampsia. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2015 , 16, 529-38	3	19
93	Downregulation of apelin in the human placental chorionic villi from preeclamptic pregnancies. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2015 , 309, E852-60	6	32
92	Intracerebroventricular Infusion of Angiotensin-(1-7) Improves Baroreflex Sensitivity in Antenatal Betamethasone Exposed Sheep. <i>FASEB Journal</i> , 2015 , 29, 811.30	0.9	
91	Angiotensin-(1-7) abolishes AGE-induced cellular hypertrophy and myofibroblast transformation via inhibition of ERK1/2. <i>Cellular Signalling</i> , 2014 , 26, 3027-35	4.9	39
90	Enhanced activity of an angiotensin-(1-7) neuropeptidase in glucocorticoid-induced fetal programming. <i>Peptides</i> , 2014 , 52, 74-81	3.8	14
89	The ins and outs of angiotensin processing within the kidney. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2014 , 307, R487-9	3.2	16
88	Sex-specific effect of antenatal betamethasone exposure on renal oxidative stress induced by angiotensins in adult sheep. <i>American Journal of Physiology - Renal Physiology</i> , 2014 , 307, F1013-22	4.3	16
87	Update on the Angiotensin converting enzyme 2-Angiotensin (1-7)-MAS receptor axis: fetal programing, sex differences, and intracellular pathways. <i>Frontiers in Endocrinology</i> , 2014 , 4, 201	5.7	136
86	Evidence for an angiotensin-(1-7) neuropeptidase expressed in the brain medulla and CSF of sheep. Journal of Neurochemistry, 2014 , 130, 313-23	6	14
85	Vasodilation by GPER in mesenteric arteries involves both endothelial nitric oxide and smooth muscle cAMP signaling. <i>Steroids</i> , 2014 , 81, 99-102	2.8	68
84	Fetal betamethasone exposure attenuates angiotensin-(1-7)-Mas receptor expression in the dorsal medulla of adult sheep. <i>Peptides</i> , 2013 , 44, 25-31	3.8	24
83	Antenatal betamethasone exposure is associated with lower ANG-(1-7) and increased ACE in the CSF of adult sheep. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2013 , 305, R679-88	3.2	20
82	The brain Renin-Angiotensin system and mitochondrial function: influence on blood pressure and baroreflex in transgenic rat strains. <i>International Journal of Hypertension</i> , 2013 , 2013, 136028	2.4	11

(2011-2013)

81	Differential Expression of Renin-Angiotensin System Components in the Choroid Plexus of Betamethasone Exposed and Control Sheep. <i>FASEB Journal</i> , 2013 , 27, 1107.12	0.9	
8o	Renal Mitochondria Predominantly Express [des-Ang I]-Angiotensinogen and Renin. <i>FASEB Journal</i> , 2013 , 27, 909.5	0.9	
79	Processing of Angiotensinogen to Angiotensin-(1 1 2) by a Non-Renin Enzyme in the Salt-Sensitive mRen2.Lewis Rat. <i>FASEB Journal</i> , 2013 , 27, 909.1	0.9	
78	High Glucose Differentially Influences Endocannabinoid CB-1 and CB-2 Receptors in Renal Epithelial Cells. <i>FASEB Journal</i> , 2013 , 27, 917.9	0.9	
77	Divergent pathways for the angiotensin-(1-12) metabolism in the rat circulation and kidney. <i>Peptides</i> , 2012 , 35, 190-5	3.8	29
76	Nonclassical renin-angiotensin system and renal function. <i>Comprehensive Physiology</i> , 2012 , 2, 2733-52	7.7	79
75	Novel roles of nuclear angiotensin receptors and signaling mechanisms. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2012 , 302, R518-30	3.2	104
74	Differences in oxidative stress status and expression of MKP-1 in dorsal medulla of transgenic rats with altered brain renin-angiotensin system. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2012 , 303, R799-806	3.2	15
73	Differential regulation of circulating and renal ACE2 and ACE in hypertensive mRen2.Lewis rats with early-onset diabetes. <i>American Journal of Physiology - Renal Physiology</i> , 2012 , 302, F1374-84	4.3	58
72	Angiotensin-(1-7) deficiency and baroreflex impairment precede the antenatal Betamethasone exposure-induced elevation in blood pressure. <i>Hypertension</i> , 2012 , 59, 453-8	8.5	33
71	Impact of Antenatal Betamethasone (B) on p47 phox in Kidney and 8-isoprostane Responses to Angiotensin II in Proximal Tubule Cells in Male Sheep after Uninephrectomy. <i>FASEB Journal</i> , 2012 , 26, 1101.10	0.9	
70	25-Hydroxyvitamin D and Body Mass Index in Female Adolescents. <i>FASEB Journal</i> , 2012 , 26, 1093.15	0.9	
69	Diabetes Abolishes the Cardioprotective Effect of Estrogen on Systolic Cardiac Function. <i>FASEB Journal</i> , 2012 , 26, 1057.23	0.9	
68	Salt-Dependent Hypertension and Renal Injury are Associated with Increased Excretion of Angiotensinogen and Angiotensin- (1-12) in Female mRen2.Lewis Rats. <i>FASEB Journal</i> , 2012 , 26, lb818	0.9	
67	Chymase-dependent generation of angiotensin II from angiotensin-(1-12) in human atrial tissue. <i>PLoS ONE</i> , 2011 , 6, e28501	3.7	94
66	Angiotensin-(1-7) blockade attenuates captopril- or hydralazine-induced cardiovascular protection in spontaneously hypertensive rats treated with NG-nitro-L-arginine methyl ester. <i>Journal of Cardiovascular Pharmacology</i> , 2011 , 57, 559-67	3.1	45
65	Angiotensin-converting enzyme 2 deficiency is associated with impaired gestational weight gain and fetal growth restriction. <i>Hypertension</i> , 2011 , 58, 852-8	8.5	62
64	Glucocorticoid-induced fetal programming alters the functional complement of angiotensin receptor subtypes within the kidney. <i>Hypertension</i> , 2011 , 57, 620-6	8.5	58

63	Angiotensin-converting enzyme inhibition, but not AT(1) receptor blockade, in the solitary tract nucleus improves baroreflex sensitivity in anesthetized transgenic hypertensive (mRen2)27 rats. <i>Hypertension Research</i> , 2011 , 34, 1257-62	4.7	19
62	Long-term systemic angiotensin II type 1 receptor blockade regulates mRNA expression of dorsomedial medulla renin-angiotensin system components. <i>Physiological Genomics</i> , 2011 , 43, 829-35	3.6	17
61	Estrogen receptor GPR30 reduces oxidative stress and proteinuria in the salt-sensitive female mRen2.Lewis rat. <i>Hypertension</i> , 2011 , 58, 665-71	8.5	79
60	Exaggerated sympathetic mediated responses to behavioral or pharmacological challenges following antenatal betamethasone exposure. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2011 , 300, E979-85	6	30
59	Antenatal Betamethasone (B) and Gender Affect 8-isoprostane Responses to Unilateral Nephrectomy. <i>FASEB Journal</i> , 2011 , 25, 1029.11	0.9	
58	Angiotensin-(1-7)-angiotensin-converting enzyme 2 attenuates reactive oxygen species formation to angiotensin II within the cell nucleus. <i>Hypertension</i> , 2010 , 55, 166-71	8.5	103
57	Nuclear angiotensin-(1-7) receptor is functionally coupled to the formation of nitric oxide. <i>American Journal of Physiology - Renal Physiology</i> , 2010 , 299, F983-90	4.3	64
56	Acute AT(1)-receptor blockade reverses the hemodynamic and baroreflex impairment in adult sheep exposed to antenatal betamethasone. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010 , 299, H541-7	5.2	40
55	Prenatal betamethasone exposure alters renal function in immature sheep: sex differences in effects. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2010 , 299, R793-803	3.2	32
54	Influence of estrogen depletion and salt loading on renal angiotensinogen expression in the mRen(2).Lewis strain. <i>American Journal of Physiology - Renal Physiology</i> , 2010 , 299, F35-42	4.3	25
53	Major role for ACE-independent intrarenal ANG II formation in type II diabetes. <i>American Journal of Physiology - Renal Physiology</i> , 2010 , 298, F37-48	4.3	72
52	Does ACE2 contribute to the development of hypertension?. <i>Hypertension Research</i> , 2010 , 33, 107-9	4.7	8
51	Angiotensin-(1-7) prevents diabetes-induced attenuation in PPAR-gamma and catalase activities. <i>European Journal of Pharmacology</i> , 2010 , 638, 108-14	5.3	46
50	Evidence for Protein Kinase C Dependent Stimulation of Reactive Oxygen Species in Isolated Nuclei of Renal Epithelial Cells. <i>FASEB Journal</i> , 2010 , 24, 1059.3	0.9	1
49	Type 1 Induced Diabetes Abolishes Sex Differences in Proteinuria and Angiotensinogen Excretion in mRen2.Lewis Hypertensive Rats <i>FASEB Journal</i> , 2010 , 24, 812.13	0.9	
48	Mitogen-Activated Protein Kinase Phosphatase-1 (MKP-1) Is Low In Dorsal Medulla Of Hypertensive (mRen2)27 Transgenic Rats. <i>FASEB Journal</i> , 2010 , 24, 955.11	0.9	1
47	Immunocytochemical Distribution of the Ang-(11/1)/Mas Receptor in the Sheep Kidney. <i>FASEB Journal</i> , 2010 , 24, 605.6	0.9	
46	Type I Induced Diabetes Increases Circulating ACE2 in Male and Female mRen2.Lewis Hypertensive Rats. <i>FASEB Journal</i> , 2010 , 24, 1041.2	0.9	

(2008-2009)

45	Alterations in circulatory and renal angiotensin-converting enzyme and angiotensin-converting enzyme 2 in fetal programmed hypertension. <i>Hypertension</i> , 2009 , 53, 404-8	8.5	68
44	Ectodomain shedding of angiotensin converting enzyme 2 in human airway epithelia. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2009 , 297, L84-96	5.8	222
43	Differential regulation of angiotensin-(1-12) in plasma and cardiac tissue in response to bilateral nephrectomy. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009 , 296, H1184-92	5.2	63
42	Nuclear angiotensin II type 2 (AT2) receptors are functionally linked to nitric oxide production. <i>American Journal of Physiology - Renal Physiology</i> , 2009 , 296, F1484-93	4.3	66
41	Gender differences in the effects of antenatal betamethasone exposure on renal function in adult sheep. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2009 , 296, R309-17	3.2	38
40	The angiotensin II-AT1 receptor stimulates reactive oxygen species within the cell nucleus. <i>Biochemical and Biophysical Research Communications</i> , 2009 , 384, 149-54	3.4	71
39	Chronic Angiotensin II Infusion in Lewis Rats Does Not Reveal Sex Differences in Blood Pressure or Renal Injury Apparent in the mRen2.Lewis Strain. <i>FASEB Journal</i> , 2009 , 23, 1013.3	0.9	
38	Effect of prenatal Betamethasone (B) exposure on sodium excretion in response to intrarenal infusions of Angiotensin II (Ang II) and its antagonist in male sheep <i>FASEB Journal</i> , 2009 , 23, 969.13	0.9	
37	Distinct roles for angiotensin-converting enzyme 2 and carboxypeptidase A in the processing of angiotensins within the murine heart. <i>Experimental Physiology</i> , 2008 , 93, 613-21	2.4	48
36	Injections of angiotensin-converting enzyme 2 inhibitor MLN4760 into nucleus tractus solitarii reduce baroreceptor reflex sensitivity for heart rate control in rats. <i>Experimental Physiology</i> , 2008 , 93, 694-700	2.4	66
35	Angiotensin-(1-12) is an alternate substrate for angiotensin peptide production in the heart. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008 , 294, H2242-7	5.2	75
34	Sex differences in circulating and renal angiotensins of hypertensive mRen(2). Lewis but not normotensive Lewis rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008 , 295, H10-20	5.2	92
33	Localization of the novel angiotensin peptide, angiotensin-(1-12), in heart and kidney of hypertensive and normotensive rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008 , 294, H2614-8	5.2	64
32	Angiotensin-(1-7) prevents activation of NADPH oxidase and renal vascular dysfunction in diabetic hypertensive rats. <i>American Journal of Nephrology</i> , 2008 , 28, 25-33	4.6	161
31	Experimental Hypertension is Associated with Differential Expression of Angiotensin-(1112) in Heart of Hypertensive and Normotensive Rats. <i>FASEB Journal</i> , 2008 , 22, 1210.20	0.9	
30	GPR30-Mediated Vasorelaxation is Enhanced in Female mRen2.Lewis Rats and Attenuated by High Salt. <i>FASEB Journal</i> , 2008 , 22, 968.10	0.9	
29	Exogenous Angiotensin-(1112) Impairs Baroreflex Sensitivity in the Solitary Tract Nucleus in Anesthetized Sprague-Dawley Rats. <i>FASEB Journal</i> , 2008 , 22,	0.9	1
28	Effect of prenatal exposure to Betamethasone on responses to intrarenal infusion of Angiotensin-(1🏿) (Ang 1և) and its antagonist in male sheep. <i>FASEB Journal</i> , 2008 , 22, 165-165	0.9	

27	Emerging evidence for a functional angiotensin-converting enzyme 2-angiotensin-(1-7)-MAS receptor axis: more than regulation of blood pressure?. <i>Hypertension</i> , 2007 , 50, 596-9	8.5	170
26	Angiotensin metabolism in renal proximal tubules, urine, and serum of sheep: evidence for ACE2-dependent processing of angiotensin II. <i>American Journal of Physiology - Renal Physiology</i> , 2007 , 292, F82-91	4.3	115
25	Gender Differences in the Development of Insulin Resistance in Adult Sheep As Result of Antenatal Betamethasone. <i>FASEB Journal</i> , 2007 , 21, A434	0.9	1
24	Effect of angiotensin II blockade on a new congenic model of hypertension derived from transgenic Ren-2 rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006 , 291, H2166-72	5.2	108
23	Differential expression of nuclear AT1 receptors and angiotensin II within the kidney of the male congenic mRen2. Lewis rat. <i>American Journal of Physiology - Renal Physiology</i> , 2006 , 290, F1497-506	4.3	91
22	Effects of bilateral renal denervation on blood pressure in older Sprague-Dawley rats. <i>FASEB Journal</i> , 2006 , 20, A1209	0.9	
21	Reduced Formation of Ang-(117) by ACE2 in Dorsal Medulla Oblongata of Sprague-Dawley (SD) and ASrAogen Rats During Aging. <i>FASEB Journal</i> , 2006 , 20, A1209	0.9	
20	Angiotensin converting enzyme-independent angiotensin ii production by chymase is up-regulated in the ischemic kidney in renovascular hypertension. <i>Journal of Surgical Research</i> , 2005 , 127, 65-9	2.5	23
19	Effects of renin-angiotensin system blockade on renal angiotensin-(1-7) forming enzymes and receptors. <i>Kidney International</i> , 2005 , 68, 2189-96	9.9	198
18	A crucial role of angiotensin converting enzyme 2 (ACE2) in SARS coronavirus-induced lung injury. <i>Nature Medicine</i> , 2005 , 11, 875-9	50.5	2294
17	Effect of angiotensin-converting enzyme inhibition and angiotensin II receptor blockers on cardiac angiotensin-converting enzyme 2. <i>Circulation</i> , 2005 , 111, 2605-10	16.7	1135
16	Novel aspects of the renal renin-angiotensin system: angiotensin-(1-7), ACE2 and blood pressure regulation. <i>Contributions To Nephrology</i> , 2004 , 143, 77-89	1.6	60
15	Depletion of tissue angiotensin-converting enzyme differentially influences the intrarenal and urinary expression of angiotensin peptides. <i>Hypertension</i> , 2004 , 43, 849-53	8.5	28
14	Characterization of angiotensin-(1-7) receptor subtype in mesenteric arteries. <i>Peptides</i> , 2003 , 24, 455-6	2 3.8	34
13	Angiotensin-converting enzyme 2 is an essential regulator of heart function. <i>Nature</i> , 2002 , 417, 822-8	50.4	1345
12	Vasopeptidase inhibition and Ang-(1-7) in the spontaneously hypertensive rat. <i>Kidney International</i> , 2002 , 62, 1349-57	9.9	80
11	Pathways of angiotensin-(1-7) metabolism in the kidney. <i>Nephrology Dialysis Transplantation</i> , 2001 , 16 Suppl 1, 22-6	4.3	55
10	Pathways for angiotensin-(17) metabolism in pulmonary and renal tissues. <i>American Journal of Physiology - Renal Physiology</i> , 2000 , 279, F841-50	4.3	100

LIST OF PUBLICATIONS

9	Differential actions of renal ischemic injury on the intrarenal angiotensin system. <i>American Journal of Physiology - Renal Physiology</i> , 2000 , 279, F636-45	4.3	86
8	Release of angiotensin-(1-7) from the rat hindlimb: influence of angiotensin-converting enzyme inhibition. <i>Hypertension</i> , 2000 , 35, 348-52	8.5	53
7	Evidence that prostaglandins mediate the antihypertensive actions of angiotensin-(1-7) during chronic blockade of the renin-angiotensin system. <i>Journal of Cardiovascular Pharmacology</i> , 2000 , 36, 109-17	3.1	74
6	Estrogen regulation of angiotensin-converting enzyme mRNA. <i>Hypertension</i> , 1999 , 33, 323-8	8.5	227
5	Differential response of angiotensin peptides in the urine of hypertensive animals. <i>Regulatory Peptides</i> , 1999 , 80, 57-66		33
4	Metabolism of angiotensin-(1-7) by angiotensin-converting enzyme. <i>Hypertension</i> , 1998 , 31, 362-7	8.5	242
3	Converting enzyme determines plasma clearance of angiotensin-(1-7). <i>Hypertension</i> , 1998 , 32, 496-502	8.5	154
2	Characterization of angiotensin II receptor subtypes in pancreatic acinar AR42J cells. <i>Peptides</i> , 1995 , 16, 741-7	3.8	40
1	Evidence that prolyl endopeptidase participates in the processing of brain angiotensin. <i>Journal of Hypertension</i> , 1991 , 9, 631-8	1.9	87