List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4162565/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Effects of alternative and sustainable ingredients, insect meal, microalgae and protein and lipid from tuna cooking water, on meagre (Argyrosomus regius) growth, food conversion and muscle and liver composition. Aquaculture, 2022, 548, 737549.	1.7	11
2	Linkage mapping, comparative genome analysis, and QTL detection for growth in a non-model teleost, the meagre Argyrosomus regius, using ddRAD sequencing. Scientific Reports, 2022, 12, 5301.	1.6	8
3	Brewer's Spent Dry Yeast Modulates Immunity in Gilthead Sea Bream (Sparus aurata). Frontiers in Marine Science, 2022, 9, .	1.2	2
4	Effects of Alternative and Sustainable Ingredients on Rainbow Trout (Oncorhynchus mykiss) Growth, Muscle Composition and Health. Aquaculture Journal, 2022, 2, 37-50.	0.7	2
5	An Endeavor to Find Starter Feed Alternatives and Techniques for Zebrafish First-Feeding Larvae: The Effects on Viability, Morphometric Traits, Digestive Enzymes, and Expression of Growth-Related Genes. Zebrafish, 2021, 18, 73-91.	0.5	5
6	Understanding the Interaction Effects between Dietary Lipid Content and Rearing Temperature on Growth Performance, Feed Utilization, and Fat Deposition of Sea Bass (Dicentrarchus labrax). Animals, 2021, 11, 392.	1.0	12
7	Phospholipids improve the performance, physiological, antioxidative responses and, lpl and igf1 gene expressions in juvenile stellate sturgeon (Acipenser stellatus). Aquaculture, 2021, 541, 736809.	1.7	4
8	Brewery by-products (yeast and spent grain) as protein sources in gilthead seabream (Sparus aurata) feeds. Aquaculture, 2021, 543, 736921.	1.7	26
9	Shortâ€ŧerm enrichment of microalgae with inorganic selenium and zinc and their effects on the mineral composition of microalgae and marine rotifer <i>Brachionus plicatilis</i> . Aquaculture Nutrition, 2021, 27, 2772-2785.	1.1	4
10	Parentage assignment, estimates of heritability and genetic correlation for growth-related traits in meagre Argyrosomus regius. Aquaculture, 2020, 518, 734663.	1.7	11
11	Unveiling the effect of dietary essential oils supplementation in Sparus aurata gills and its efficiency against the infestation by Sparicotyle chrysophrii. Scientific Reports, 2020, 10, 17764.	1.6	27
12	The Inclusion of the Microalga Scenedesmus sp. in Diets for Rainbow Trout, Onchorhynchus mykiss, Juveniles. Animals, 2020, 10, 1656.	1.0	16
13	Gene expression analysis of the innate immune system during early rearing and weaning of meagre (Argyrosomus regius). Fish and Shellfish Immunology, 2019, 94, 819-832.	1.6	4
14	Lecithin-enriched Artemia combined with inert diet and its effects on reproduction and digestive enzymes of Aequidens rivulatus. Aquaculture, 2019, 511, 734253.	1.7	4
15	Effects of dietary arachidonic and eicosapentaenoic acids on common dentex ( Dentex dentex Linnaeus) Tj ETQq	1 1 0.7843 1.2	314 rgBT /Ov
16	Ontogeny of lymphoid organs and mucosal associated lymphoid tissues in meagre (Argyrosomus) Tj ETQq0 0 0 r	gBT /Over 1.6	ock 10 Tf 50
17	Egg quality variability in common dentex (Dentex dentex, L.): Comparison of different quality indexes. Aquaculture, 2019, 501, 48-50.	1.7	Ο

#	Article	IF	CITATIONS
19	Muscle and liver transcriptome characterization and genetic marker discovery in the farmed meagre, Argyrosomus regius. Marine Genomics, 2018, 39, 39-44.	0.4	4
20	Metaâ€analysis approach to the effects of live prey on the growth of <i>Octopus vulgaris</i> paralarvae under culture conditions. Reviews in Aquaculture, 2018, 10, 3-14.	4.6	31
21	A comparison of recirculation aquaculture systems versus biofloc technology culture system for on-growing of fry of Tinca tinca (Cyprinidae) and fry of grey Mugil cephalus (Mugilidae). Aquaculture, 2018, 482, 155-161.	1.7	34
22	Variations in Bacterial Community of Rearing Water and Gut of Common Dentex, <i>Dentex dentex</i> (Linnaeus 1758), Larvae Using Three Microalgae Management Approaches. Journal of the World Aquaculture Society, 2018, 49, 953-963.	1.2	14
23	Consumption of feeds containing the antibiotic sulfadiazine by gilthead sea bream (Sparus aurata, L.) and rainbow trout (Onchorynchus mykiss, Walbaum). Aquaculture Research, 2017, 48, 2291-2302.	0.9	Ο
24	Effect of alternative oil sources at different dietary inclusion levels on food intake and appetite regulation via enteroendocrine and central factors in juvenile Solea senegalensis (Kaup, 1858). Aquaculture, 2017, 470, 169-181.	1.7	12
25	Optimization of emulsion properties and enrichment conditions used in live prey enrichment. Aquaculture Nutrition, 2017, 23, 1264-1273.	1.1	15
26	Early weaning in meagre <i>Argyrosomus regius</i> : Effects on growth, survival, digestion and skeletal deformities. Aquaculture Research, 2017, 48, 5289-5299.	0.9	19
27	The effect of live food enrichment with docosahexaenoic acid (22:6n-3) rich emulsions on growth, survival and fatty acid composition of meagre ( Argyrosomus regius ) larvae. Aquaculture, 2017, 478, 16-24.	1.7	12
28	Thermal imprinting modifies adult stress and innate immune responsiveness in the teleost sea bream. Journal of Endocrinology, 2017, 233, 381-394.	1.2	19
29	Ontogeny and modulation after PAMPs stimulation of β-defensin, hepcidin, and piscidin antimicrobial peptides in meagre ( Argyrosomus regius ). Fish and Shellfish Immunology, 2017, 69, 200-210.	1.6	40
30	Thermal imprinting modifies bone homeostasis in cold challenged sea bream ( <i>Sparus aurata</i> , L.). Journal of Experimental Biology, 2017, 220, 3442-3454.	0.8	26
31	Assessment of stress and nutritional biomarkers in cultured Octopus vulgaris paralarvae: Effects of geographical origin and dietary regime. Aquaculture, 2017, 468, 558-568.	1.7	17
32	Scale-dependent natural variation in larval nutritional reserves in a marine invertebrate: implications for recruitment and cross-ecosystem coupling. Marine Ecology - Progress Series, 2017, 570, 141-155.	0.9	11
33	Morphological and functional description of the development of the digestive system in meagre (Argyrosomus regius): An integrative approach. Aquaculture, 2016, 464, 381-391.	1.7	40
34	Image analysis-based classification of pigmentation patterns in fish: A case study of pseudo-albinism in Senegalese sole. Aquaculture, 2016, 464, 303-308.	1.7	22
35	Genetic assessment of three gilthead sea bream (Sparus aurata L.) populations along the Spanish coast and of three broodstocks managements. Aquaculture International, 2016, 24, 1409-1420.	1.1	10
36	Weaning wild flathead grey mullet (Mugil cephalus) fry with diets with different levels of fish meal substitution. Aquaculture, 2016, 462, 92-100.	1.7	64

#	Article	IF	CITATIONS
37	Estimates of heritabilities and genetic correlations of skeletal deformities and uninflated swimbladder in a reared gilthead sea bream (Sparus aurata L.) juvenile population sourced from three broodstocks along the Spanish coasts. Aquaculture, 2016, 464, 601-608.	1.7	13
38	New developments and biological insights into the farming of <i>Solea senegalensis</i> reinforcing its aquaculture potential. Reviews in Aquaculture, 2016, 8, 227-263.	4.6	86
39	Dietary Fatty Acid Metabolism is Affected More by Lipid Level than Source in Senegalese Sole Juveniles: Interactions for Optimal Dietary Formulation. Lipids, 2016, 51, 105-122.	0.7	17
40	Dietary fatty acid composition affects food intake and gut–brain satiety signaling in Senegalese sole (Solea senegalensis, Kaup 1858) larvae and post-larvae. General and Comparative Endocrinology, 2016, 228, 79-94.	0.8	28
41	Mechanisms of lipid metabolism and transport underlying superior performance of Senegalese sole () Tj ETQq1 1 Aquaculture, 2016, 450, 383-396.	0.784314 1.7	rgBT /Overla 27
42	Use of Ox-Aquaculture©for disinfection of live prey and meagre larvae,Argyrosomus regius(Asso,) Tj ETQq0 0 0	rgBT /Ove	rlgck 10 Tf 5
43	High environmental salinity reduces the reproductive potential of the spider crab <i><scp>M</scp>aja brachydactyla</i> ( <scp>D</scp> ecapoda, <scp>M</scp> ajidae). Marine Ecology, 2015, 36, 496-505.	0.4	8
44	Diplectanum sciaenae (Van Beneden & Hesse, 1863) (Monogenea) infecting meagre, Argyrosomus regius (Asso, 1801) broodstock in Catalonia, Spain. A case report. Veterinary Parasitology: Regional Studies and Reports, 2015, 1-2, 75-79.	0.3	7
45	Genetic parameters and genotype-environment interactions for skeleton deformities and growth traits at different ages on gilthead seabream ( <i>Sparus aurata</i> L.) in four Spanish regions. Animal Genetics, 2015, 46, 164-174.	0.6	30
46	Estimates of heritabilities and genetic correlations of carcass quality traits in a reared gilthead sea bream (Sparus aurata L.) population sourced from three broodstocks along the Spanish coasts. Aquaculture, 2015, 446, 175-180.	1.7	20
47	Estimates of heritabilities and genetic correlations of raw flesh quality traits in a reared gilthead sea bream (Sparus aurata L.) population sourced from broodstocks along the Spanish coasts. Aquaculture, 2015, 446, 181-186.	1.7	19
48	Estimates of heritabilities and genetic correlations of growth and external skeletal deformities at different ages in a reared gilthead sea bream (Sparus aurata L.) population sourced from three broodstocks along the Spanish coasts. Aquaculture, 2015, 445, 33-41.	1.7	25
49	Effect of different enrichment products rich in docosahexaenoic acid on growth and survival of meagre, <i>Argyrosomus regius</i> (Asso, 1801). Journal of the World Aquaculture Society, 2015, 46, 191-200.	1.2	9
50	The effect of male absence on the larval production of the spider crabMaja brachydactylaBalss, 1922. Aquaculture Research, 2015, 46, 937-944.	0.9	5
51	The effect of dietary oxidized lipid levels on growth performance, antioxidant enzyme activities, intestinal lipid deposition and skeletogenesis in Senegalese sole ( <i>Solea senegalensis</i> ) larvae. Aquaculture Nutrition, 2014, 20, 692-711.	1.1	16
52	The effects of dietary arachidonic acid on bone in flatfish larvae: the last but not the least of the essential fatty acids. Journal of Applied Ichthyology, 2014, 30, 643-651.	0.3	15
53	Interannual variability in the biochemical composition of newly hatched larvae of the spider crab <i>Maja brachydactyla</i> (Decapoda, Majidae). Marine Ecology, 2014, 35, 298-307.	0.4	8
54	Senegalese sole (Solea senegalensis) metamorphic larvae are more sensitive to pseudo-albinism induced by high dietary arachidonic acid levels than post-metamorphic larvae. Aquaculture, 2014, 433, 276-287.	1.7	23

#	Article	IF	CITATIONS
55	The effects of dietary arachidonic acid on Senegalese sole morphogenesis: A synthesis of recent findings. Aquaculture, 2014, 432, 443-452.	1.7	12
56	Larval growth and biochemical composition of the protected Mediterranean spider crab Maja squinado (Brachyura, Majidae). Aquatic Biology, 2014, 20, 13-21.	0.5	6
57	Effects of graded levels of arachidonic acid on the reproductive physiology of Senegalese sole (Solea) Tj ETQq1 1 bred in captivity. General and Comparative Endocrinology, 2013, 191, 92-101.	0.784314 0.8	rgBT /Over 48
58	Dietary modulation of arachidonic acid metabolism in senegalese sole (Solea Senegalensis) broodstock reared in captivity. Aquaculture, 2013, 372-375, 80-88.	1.7	44
59	Development of the first standardised panel of two new microsatellite multiplex <scp>PCR</scp> s for gilthead seabream ( <i>Sparus aurata</i> L.). Animal Genetics, 2013, 44, 533-546.	0.6	35
60	Light conditions for larval rearing of meagre (Argyrosomus regius). Aquaculture, 2013, 376-379, 15-19.	1.7	40
61	High dietary arachidonic acid levels affect the process of eye migration and head shape in pseudoalbino Senegalese sole <i>Solea senegalensis</i> early juveniles. Journal of Fish Biology, 2013, 83, 1302-1320.	0.7	25
62	Egg protein bound amino acid content and embryo/larva success in common dentex (Dentex dentex), a marine pelagophil teleost. Animal Biology, 2013, 63, 59-75.	0.6	5
63	Aquaculture production of meagre ( Argyrosomus regius ): hatchery techniques, ongrowing and market. , 2013, , 519-541.		30
64	The bioenergetic fuel for non-feeding larval development in an endemic palaemonid shrimp from the Iberian Peninsula, <i><i>Palaemonetes zariquieyi</i></i> . Marine and Freshwater Behaviour and Physiology, 2013, 46, 381-397.	0.4	8
65	Coordinated Regulation of Chromatophore Differentiation and Melanogenesis during the Ontogeny of Skin Pigmentation of Solea senegalensis (Kaup, 1858). PLoS ONE, 2013, 8, e63005.	1.1	27
66	Morphological and Molecular Characterization of Dietary-Induced Pseudo-Albinism during Post-Embryonic Development of Solea senegalensis (Kaup, 1858). PLoS ONE, 2013, 8, e68844.	1.1	24
67	Reproductive development, GnRHa-induced spawning and egg quality of wild meagre (Argyrosomus) Tj ETQq1 1	0.784314 0.9	rgBT /Over
68	Commercial products for Artemia enrichment affect growth performance, digestive system maturation, ossification and incidence of skeletal deformities in Senegalese sole (Solea senegalensis) larvae. Aquaculture, 2012, 324-325, 290-302.	1.7	59
69	Proximate and fatty acid compositions in muscle, liver and gonads of wild versus cultured broodstock of Senegalese sole (Solea senegalensis). Aquaculture, 2012, 356-357, 176-185.	1.7	33
70	Fast skeletal muscle transcriptome of the Gilthead sea bream (Sparus aurata) determined by next generation sequencing. BMC Genomics, 2012, 13, 181.	1.2	52
71	Self-selection of diets with different contents of arachidonic acid by Senegalese sole (Solea) Tj ETQq1 1 0.78431	4 rgBT /Ov £7	erlock 10 Tí
72	Development Temperature Has Persistent Effects on Muscle Growth Responses in Gilthead Sea Bream. PLoS ONE, 2012, 7, e51884.	1.1	55

#	Article	IF	CITATIONS
73	Molecular regulation of both dietary vitamin A and fatty acid absorption and metabolism associated with larval morphogenesis of Senegalese sole (Solea senegalensis). Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2012, 161, 130-139.	0.8	22
74	Isolipidic diets differing in their essential fatty acid profiles affect the deposition of unsaturated neutral lipids in the intestine, liver and vascular system of Senegalese sole larvae and early juveniles. Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2012, 162, 59-70.	0.8	31
75	Prostaglandin (F and E, 2- and 3-series) production and cyclooxygenase (COX-2) gene expression of wild and cultured broodstock of senegalese sole (Solea senegalensis). General and Comparative Endocrinology, 2012, 177, 256-262.	0.8	30
76	The effect of dietary arachidonic acid during the Artemia feeding period on larval growth and skeletogenesis in Senegalese sole, Solea senegalensis. Journal of Applied Ichthyology, 2012, 28, 411-418.	0.3	40
77	Osteology of the axial and appendicular skeletons of the meagre Argyrosomus regius (Sciaenidae) and early skeletal development at two rearing facilities. Journal of Applied Ichthyology, 2012, 28, 464-470.	0.3	22
78	Embryo and larva development in Dentex dentex, a marine pelagophil teleost: an endeavor to find a series of new fatty acid interrelations. Journal of Experimental Zoology, 2012, 317A, 55-72.	1.2	4
79	Replacement of live prey by formulated diets in larval rearing of spider crab Maja brachydactyla. Aquaculture, 2011, 313, 50-56.	1.7	10
80	Evidence for the fragmentation of VtgAb LvH in common dentex (Dentex dentex), a marine pelagophil teleost. Theriogenology, 2011, 76, 110-114.	0.9	2
81	Effects of different levels of plant proteins on the ongrowing of meagre (Argyrosomus regius) juveniles at low temperatures. Aquaculture Nutrition, 2011, 17, e572-e582.	1.1	41
82	Morphological and histological study of larval development of the Senegal sole Solea senegalensis: an integrative study. Journal of Fish Biology, 2011, 79, 3-32.	0.7	61
83	Decontamination trends in the aquacultured fish gilthead seabream (Sparus aurata) after feeding long-term a PCDD/F spiked feed. Chemosphere, 2011, 82, 64-71.	4.2	3
84	Effect of delayed first feeding on larval performance of the spider crab Maja brachydactyla assessed by digestive enzyme activities and biometric parameters. Marine Biology, 2010, 157, 2215-2227.	0.7	32
85	Differential utilization of biochemical components during larval development of the spider crab Maja brachydactyla (Decapoda: Majidae). Marine Biology, 2010, 157, 2329-2340.	0.7	13
86	Dietary Lecithin Source Affects Growth Potential and Gene Expression in <i>Sparus aurata</i> Larvae. Lipids, 2010, 45, 1011-1023.	0.7	9
87	Ontogenetic changes in digestive enzymatic capacities of the spider crab, Maja brachydactyla (Decapoda: Majidae). Journal of Experimental Marine Biology and Ecology, 2010, 389, 75-84.	0.7	26
88	Embryo and larva development in common dentex (Dentex dentex), a pelagophil teleost: The quantitative composition of egg-free amino acids and their interrelations. Theriogenology, 2010, 73, 909-919.	0.9	16
89	Annual variation in the biochemical composition of newly hatched larvae of Maja brachydactyla in captivity. Aquaculture, 2010, 310, 99-105.	1.7	25
90	Quantitative composition of vitellogeninâ€derived yolk proteins and their effects on viability of embryos and larvae of common dentex ( <i>Dentex dentex</i> ), a marine pelagophil teleost. Journal of Experimental Zoology, 2009, 311A, 504-520.	1.2	9

#	Article	IF	CITATIONS
91	Evaluation of quantitative importance of egg lipids and fatty acids during embryos and larvae development in marine pelagophil teleosts: with an emphasis on <i>Dentex dentex</i> . Journal of Experimental Zoology, 2009, 311A, 735-751.	1.2	13
92	Effects of a peroxide-based commercial product on bacterial load of larval rearing water and on larval survival of two species of Sparidae under intensive culture: preliminary study. Aquaculture Research, 2009, 40, 504-508.	0.9	4
93	Development of digestive enzymes in common dentex Dentex dentex during early ontogeny. Aquaculture, 2009, 287, 381-387.	1.7	157
94	Effect of dietary vitamin A on Senegalese sole (Solea senegalensis) skeletogenesis and larval quality. Aquaculture, 2009, 295, 250-265.	1.7	77
95	Arachidonic acid, arachidonic/eicosapentaenoic acid ratio, stearidonic acid and eicosanoids are involved in dietary-induced albinism in Senegal sole (Solea senegalensis). Aquaculture Nutrition, 2008, 14, 120-128.	1.1	34
96	Effects of dietary eicosapentaenoic acid on growth, survival, pigmentation and fatty acid composition in Senegal sole (Solea senegalensis) larvae during the Artemia feeding period. Aquaculture Nutrition, 2008, 14, 232-241.	1.1	39
97	Changes in lipid content, fatty acid composition and lipid class composition of eggs and developing larvae (040days old) of cultured common dentex ( <i>Dentex dentex</i> Linnaeus 1758). Aquaculture Nutrition, 2008, 14, 300-308.	1.1	10
98	Assessing the spawning season in common dentex (Dentex dentex) using microsatellites. Aquaculture Research, 2008, 39, 1258-1267.	0.9	9
99	Developmental patterns of larval growth in the edible spider crab, Maja brachydactyla (Decapoda:) Tj ETQq1 1 0.	784314 rg 0.7	gBT_{Overlock
100	Evaluation of fluorogenic substrates in the assessment of digestive enzymes in a decapod crustacean Maja brachydactyla larvae. Aquaculture, 2008, 282, 90-96.	1.7	42
101	Larval performance and skeletal deformities in farmed gilthead sea bream (Sparus aurata) fed with graded levels of Vitamin A enriched rotifers (Brachionus plicatilis). Aquaculture, 2008, 283, 102-115.	1.7	138
102	Effects on growth and biochemical responses in juvenile gilthead seabream â€~Sparus aurata' after long-term dietary exposure to low levels of dioxins. Chemosphere, 2008, 73, S303-S310.	4.2	21
103	The larval development ofMaja squinadoandM. brachydactyla(Decapoda, Brachyura, Majidae) described from plankton collected and laboratoryâ€reared material. Journal of Natural History, 2008, 42, 2257-2276.	0.2	35
104	Longâ€ŧerm incorporation of Selenium and Zinc in microalgae <i>Isochrysis galbana</i> and <i>Nannochloropsis oculata</i> and its effects on rotifer. Aquaculture Research, 0, , .	0.9	1