

# Nicolas Terrapon

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4164258/nicolas-terrapon-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

50  
papers

3,784  
citations

25  
h-index

60  
g-index

60  
ext. papers

5,575  
ext. citations

14.9  
avg, IF

5.19  
L-index

#	Paper	IF	Citations
50	Gut microbiome of the largest living rodent harbors unprecedented enzymatic systems to degrade plant polysaccharides.. <i>Nature Communications</i> , <b>2022</b> , 13, 629	17.4	3
49	Phenotypic and Genomic Diversification in Complex Carbohydrate-Degrading Human Gut Bacteria.. <i>MSystems</i> , <b>2022</b> , e0094721	7.6	4
48	Mechanistic insights into consumption of the food additive xanthan gum by the human gut microbiota.. <i>Nature Microbiology</i> , <b>2022</b> , 7, 556-569	26.6	3
47	Functional exploration of the glycoside hydrolase family GH113.. <i>PLoS ONE</i> , <b>2022</b> , 17, e0267509	3.7	1
46	Bioinformatic Analysis of Lytic Polysaccharide Monooxygenases Reveals the Pan-Families Occurrence of Intrinsically Disordered C-Terminal Extensions. <i>Biomolecules</i> , <b>2021</b> , 11,	5.9	3
45	The carbohydrate-active enzyme database: functions and literature. <i>Nucleic Acids Research</i> , <b>2021</b> ,	20.1	81
44	Strain-level functional variation in the human gut microbiota based on bacterial binding to artificial food particles. <i>Cell Host and Microbe</i> , <b>2021</b> , 29, 664-673.e5	23.4	4
43	Polysaccharide utilization loci-driven enzyme discovery reveals BD-FAE: a bifunctional feruloyl and acetyl xylan esterase active on complex natural xylans. <i>Biotechnology for Biofuels</i> , <b>2021</b> , 14, 127	7.8	1
42	A catalog of microbial genes from the bovine rumen unveils a specialized and diverse biomass-degrading environment. <i>GigaScience</i> , <b>2020</b> , 9,	7.6	21
41	Isolation and Characterization of Extracellular Vesicles Secreted In Vitro by Porcine Microbiota. <i>Microorganisms</i> , <b>2020</b> , 8,	4.9	4
40	Metabolism of multiple glycosaminoglycans by <i>Bacteroides thetaiotaomicron</i> is orchestrated by a versatile core genetic locus. <i>Nature Communications</i> , <b>2020</b> , 11, 646	17.4	27
39	Investigating host-microbiome interactions by droplet based microfluidics. <i>Microbiome</i> , <b>2020</b> , 8, 141	16.6	15
38	Analysis of the diversity of the glycoside hydrolase family 130 in mammal gut microbiomes reveals a novel mannoside-phosphorylase function. <i>Microbial Genomics</i> , <b>2020</b> , 6,	4.4	3
37	Harvesting of Prebiotic Fructooligosaccharides by Nonbeneficial Human Gut Bacteria. <i>MSphere</i> , <b>2020</b> , 5,	5	7
36	Microbiota-directed fibre activates both targeted and secondary metabolic shifts in the distal gut. <i>Nature Communications</i> , <b>2020</b> , 11, 5773	17.4	24
35	A subfamily roadmap of the evolutionarily diverse glycoside hydrolase family 16 (GH16). <i>Journal of Biological Chemistry</i> , <b>2019</b> , 294, 15973-15986	5.4	55
34	Interspecies Competition Impacts Targeted Manipulation of Human Gut Bacteria by Fiber-Derived Glycans. <i>Cell</i> , <b>2019</b> , 179, 59-73.e13	56.2	103

33	Bacteroidetes use thousands of enzyme combinations to break down glycans. <i>Nature Communications</i> , <b>2019</b> , 10, 2043	17.4	109
32	Discovery of novel carbohydrate-active enzymes through the rational exploration of the protein sequences space. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2019</b> , 116, 6063-6068	11.5	88
31	Comparative genomic analyses reveal diverse virulence factors and antimicrobial resistance mechanisms in clinical <i>Elizabethkingia meningoseptica</i> strains. <i>PLoS ONE</i> , <b>2019</b> , 14, e0222648	3.7	9
30	PULDB: the expanded database of Polysaccharide Utilization Loci. <i>Nucleic Acids Research</i> , <b>2018</b> , 46, D6772-D683104	2.0	104
29	Dietary pectic glycans are degraded by coordinated enzyme pathways in human colonic <i>Bacteroides</i> . <i>Nature Microbiology</i> , <b>2018</b> , 3, 210-219	26.6	142
28	Cultivation and sequencing of rumen microbiome members from the Hungate1000 Collection. <i>Nature Biotechnology</i> , <b>2018</b> , 36, 359-367	44.5	207
27	A surface endogalactanase in <i>Bacteroides thetaiotaomicron</i> confers keystone status for arabinogalactan degradation. <i>Nature Microbiology</i> , <b>2018</b> , 3, 1314-1326	26.6	57
26	A fibrolytic potential in the human ileum mucosal microbiota revealed by functional metagenomic. <i>Scientific Reports</i> , <b>2017</b> , 7, 40248	4.9	27
25	Unusual active site location and catalytic apparatus in a glycoside hydrolase family. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2017</b> , 114, 4936-4941	11.5	30
24	A bioinformatics analysis of 3400 lytic polysaccharide oxidases from family AA9. <i>Carbohydrate Research</i> , <b>2017</b> , 448, 166-174	2.9	41
23	An evolutionarily distinct family of polysaccharide lyases removes rhamnose capping of complex arabinogalactan proteins. <i>Journal of Biological Chemistry</i> , <b>2017</b> , 292, 13271-13283	5.4	20
22	Complex pectin metabolism by gut bacteria reveals novel catalytic functions. <i>Nature</i> , <b>2017</b> , 544, 65-70	50.4	291
21	The CAZy Database/the Carbohydrate-Active Enzyme (CAZy) Database: Principles and Usage Guidelines <b>2017</b> , 117-131		18
20	Ninety-nine de novo assembled genomes from the moose ( <i>Alces alces</i> ) rumen microbiome provide new insights into microbial plant biomass degradation. <i>ISME Journal</i> , <b>2017</b> , 11, 2538-2551	11.9	70
19	How members of the human gut microbiota overcome the sulfation problem posed by glycosaminoglycans. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2017</b> , 114, 7037-7042	11.5	67
18	Comparative Metagenomics of Cellulose- and Poplar Hydrolysate-Degrading Microcosms from Gut Microflora of the Canadian Beaver ( <i>Citellus richardsoni</i> ) and North American Moose ( <i>Alces alces</i> ) after Long-Term Enrichment. <i>Frontiers in Microbiology</i> , <b>2017</b> , 8, 2504	5.7	14
17	A Dietary Fiber-Deprived Gut Microbiota Degrades the Colonic Mucus Barrier and Enhances Pathogen Susceptibility. <i>Cell</i> , <b>2016</b> , 167, 1339-1353.e21	56.2	1149
16	Xylan degradation by the human gut <i>Bacteroides xylanisolvens</i> XB1A(T) involves two distinct gene clusters that are linked at the transcriptional level. <i>BMC Genomics</i> , <b>2016</b> , 17, 326	4.5	44

15	Unraveling the pectinolytic function of <i>Bacteroides xyloisolvans</i> using a RNA-seq approach and mutagenesis. <i>BMC Genomics</i> , <b>2016</b> , 17, 147	4.5	26
14	Glycan complexity dictates microbial resource allocation in the large intestine. <i>Nature Communications</i> , <b>2015</b> , 6, 7481	17.4	241
13	Genetic determinants of in vivo fitness and diet responsiveness in multiple human gut <i>Bacteroides</i> . <i>Science</i> , <b>2015</b> , 350, aac5992	33.3	138
12	Automatic prediction of polysaccharide utilization loci in <i>Bacteroidetes</i> species. <i>Bioinformatics</i> , <b>2015</b> , 31, 647-55	7.2	131
11	How do gut microbes break down dietary fiber?. <i>Trends in Biochemical Sciences</i> , <b>2014</b> , 39, 156-8	10.3	18
10	Molecular traces of alternative social organization in a termite genome. <i>Nature Communications</i> , <b>2014</b> , 5, 3636	17.4	250
9	Rapid similarity search of proteins using alignments of domain arrangements. <i>Bioinformatics</i> , <b>2014</b> , 30, 274-81	7.2	31
8	DoMosaics: software for domain arrangement visualization and domain-centric analysis of proteins. <i>Bioinformatics</i> , <b>2014</b> , 30, 282-3	7.2	34
7	Identification of divergent protein domains by combining HMM-HMM comparisons and co-occurrence detection. <i>PLoS ONE</i> , <b>2014</b> , 9, e95275	3.7	4
6	Fitting hidden Markov models of protein domains to a target species: application to <i>Plasmodium falciparum</i> . <i>BMC Bioinformatics</i> , <b>2012</b> , 13, 67	3.6	10
5	EuPathDomains: the divergent domain database for eukaryotic pathogens. <i>Infection, Genetics and Evolution</i> , <b>2011</b> , 11, 698-707	4.5	6
4	Detection of new protein domains using co-occurrence: application to <i>Plasmodium falciparum</i> . <i>Bioinformatics</i> , <b>2009</b> , 25, 3077-83	7.2	25
3	A catalog of microbial genes from the bovine rumen unveils a specialized and diverse biomass-degrading environment		1
2	Microbiota-directed fibre activates both targeted and secondary metabolic shifts in the distal gut		1
1	The Food Additive Xanthan Gum Drives Adaptation of the Human Gut Microbiota		1