

# Paulo R De Matos

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4164961/publications.pdf>

Version: 2024-02-01

46  
papers

1,092  
citations

448610

19  
h-index

466096

32  
g-index

46  
all docs

46  
docs citations

46  
times ranked

672  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | The role of sodium and sulfate sources on the rheology and hydration of C3A polymorphs. <i>Cement and Concrete Research</i> , 2022, 151, 106639.   | 4.6 | 24        |
| 2  | Ternary cements produced with non-calcined clay, limestone, and Portland clinker. <i>Journal of Building Engineering</i> , 2022, 45, 103437.   | 1.6 | 8         |
| 3  | Long-term effect of recycled aggregate on microstructure, mechanical properties, and CO <sub>2</sub> sequestration of rendering mortars. <i>Construction and Building Materials</i> , 2022, 321, 126357.   | 3.2 | 14        |
| 4  | Single-burn clinkering of endodontic calcium silicate-based cements: Effects of ZnO in the C3S phase formation and hydration rate. <i>Materials Letters</i> , 2022, 311, 131556.   | 1.3 | 1         |
| 5  | Effect of the nanosilica source on the rheology and early-age hydration of calcium sulfoaluminate cement pastes. <i>Construction and Building Materials</i> , 2022, 327, 126942.   | 3.2 | 10        |
| 6  | Evaluation of different organosilanes on multi-walled carbon nanotubes functionalization for application in cementitious composites. <i>Journal of Building Engineering</i> , 2022, 51, 104292.  | 1.6 | 12        |
| 7  | Strategies for XRD quantitative phase analysis of ordinary and blended Portland cements. <i>Cement and Concrete Composites</i> , 2022, 131, 104571.  | 4.6 | 19        |
| 8  | Effect of TiO <sub>2</sub> Nanoparticles on the Fresh Performance of 3D-Printed Cementitious Materials. <i>Materials</i> , 2022, 15, 3896.   | 1.3 | 7         |
| 9  | Effect of Activator Type and Concentration, Water-to-Solid Ratio, and Time on the Flowability of Metakaolin-Based Geopolymer Pastes. <i>Journal of Materials in Civil Engineering</i> , 2022, 34, .  | 1.3 | 3         |
| 10 | Hydration and interactions between pure and doped C3S and C3A in the presence of different calcium sulfates. <i>Cement and Concrete Research</i> , 2022, 159, 106893.  | 4.6 | 19        |
| 11 | High- and ultra-high-performance concrete produced with sulfate-resisting cement and steel microfiber: Autogenous shrinkage, fresh-state, mechanical properties and microstructure characterization. <i>Construction and Building Materials</i> , 2021, 268, 121092. | 3.2 | 25        |
| 12 | Influência de aditivos minerais na elevação da temperatura de concretos massa de elevada resistência à compressão. <i>Revista Materia</i> , 2021, 26, .  | 0.1 | 2         |
| 13 | Rheology, Hydration, and Microstructure of Portland Cement Pastes Produced with Ground AÅsaÅ-Fibers. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 3036.   | 1.3 | 50        |
| 14 | Effect of thermal treatment of SiC nanowhiskers on rheological, hydration, mechanical and microstructure properties of Portland cement pastes. <i>Cement and Concrete Composites</i> , 2021, 117, 103903.  | 4.6 | 14        |
| 15 | Combined Functionalization of Carbon Nanotubes (CNT) Fibers with H <sub>2</sub> SO <sub>4</sub> /HNO <sub>3</sub> and Ca(OH) <sub>2</sub> for Addition in Cementitious Matrix. <i>Fibers</i> , 2021, 9, 14.  | 1.8 | 10        |
| 16 | Rheological and the Fresh State Properties of Alkali-Activated Mortars by Blast Furnace Slag. <i>Materials</i> , 2021, 14, 2069.   | 1.3 | 83        |
| 17 | Thermosensitive hydrogels for vaginal delivery of secnidazole as an approach to overcome the systemic side-effects of oral preparations. <i>European Journal of Pharmaceutical Sciences</i> , 2021, 159, 105722.   | 1.9 | 18        |
| 18 | Utilization of ceramic tile demolition waste as supplementary cementitious material: An early-age investigation. <i>Journal of Building Engineering</i> , 2021, 38, 102187.  | 1.6 | 33        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Is the R index accurate to assess the preferred orientation of portlandite in cement pastes?. Construction and Building Materials, 2021, 292, 123471.   | 3.2 | 16        |
| 20 | Utilization of Thermally Treated SiC Nanowhiskers and Superplasticizer for Cementitious Composite Production. Materials, 2021, 14, 4062.  | 1.3 | 3         |
| 21 | Materials for Production of High and Ultra-High Performance Concrete: Review and Perspective of Possible Novel Materials. Materials, 2021, 14, 4304.  | 1.3 | 86        |
| 22 | Influence of Ultrasonication of Functionalized Carbon Nanotubes on the Rheology, Hydration, and Compressive Strength of Portland Cement Pastes. Materials, 2021, 14, 5248.  | 1.3 | 22        |
| 23 | Effect of Carbon Nanotubes (CNTs) aspect ratio on the rheology, thermal conductivity and mechanical performance of Portland cement paste. Revista IBRACON De Estruturas E Materiais, 2021, 14, .                        | 0.3 | 6         |
| 24 | Workability maintenance of water-reducing admixtures in high-performance pastes produced with different types of Portland cement. Revista Materia, 2021, 26, .  | 0.1 | 1         |
| 25 | Use of calcined water treatment plant sludge for sustainable cementitious composites production. Journal of Cleaner Production, 2021, 327, 129484.  | 4.6 | 18        |
| 26 | Functionalization of multi-walled carbon nanotubes with 3-aminopropyltriethoxysilane for application in cementitious matrix. Construction and Building Materials, 2021, 311, 125358.                                    | 3.2 | 16        |
| 27 | Evaluating the variability of the modulus of elasticity of concrete through the use of different types and batches of aggregate. Revista Materia, 2021, 26, .   | 0.1 | 1         |
| 28 | Use of recycled water from mixer truck wash in concrete: Effect on the hydration, fresh and hardened properties. Construction and Building Materials, 2020, 230, 116981.  | 3.2 | 51        |
| 29 | Effectiveness of fly ash in reducing the hydration heat release of mass concrete. Journal of Building Engineering, 2020, 28, 101063.  | 1.6 | 23        |
| 30 | Self-compacting mortars produced with fine fraction of calcined waste foundry sand (WFS) as alternative filler: Fresh-state, hydration and hardened-state properties. Journal of Cleaner Production, 2020, 252, 119871. | 4.6 | 29        |
| 31 | Comparison between methods for determining the yield stress of cement pastes. Journal of the Brazilian Society of Mechanical Sciences and Engineering, 2020, 42, 1.   | 0.8 | 29        |
| 32 | Effect of porcelain tile polishing residue on eco-efficient geopolymer: Rheological performance of pastes and mortars. Journal of Building Engineering, 2020, 32, 101699.   | 1.6 | 17        |
| 33 | Rheological and hydration behaviour of cement pastes containing porcelain polishing residue and different water-reducing admixtures. Construction and Building Materials, 2020, 262, 120850.                            | 3.2 | 15        |
| 34 | Use of air-cooled blast furnace slag as supplementary cementitious material for self-compacting concrete production. Construction and Building Materials, 2020, 262, 120102.  | 3.2 | 29        |
| 35 | Rheological properties and surface finish quality of eco-friendly self-compacting concretes containing quarry waste powders. Journal of Cleaner Production, 2020, 257, 120508.  | 4.6 | 31        |
| 36 | Effect of partial substitution of superplasticizer by silanes in Portland cement pastes. Journal of Building Engineering, 2020, 29, 101226.   | 1.6 | 16        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Eco-friendly ultra-high performance cement pastes produced with quarry wastes as alternative fillers. <i>Journal of Cleaner Production</i> , 2020, 269, 122308.  | 4.6 | 41        |
| 38 | Using ready-mixed mortars in concrete block structural masonry. <i>Ambiente Construído</i> , 2020, 20, 431-449.  | 0.2 | 1         |
| 39 | Eco-efficient low binder high-performance self-compacting concretes. <i>Construction and Building Materials</i> , 2019, 225, 941-955.  | 3.2 | 37        |
| 40 | Fresh and hardened properties of self-compacting concretes produced with diabase and gneiss quarry by-product powders as alternative fillers. <i>Construction and Building Materials</i> , 2019, 224, 659-670. | 3.2 | 24        |
| 41 | Influência do uso de cinza volante na elevação adiabática de temperatura e resistência à compressão de concretos. <i>Revista Materia</i> , 2019, 24, .   | 0.1 | 6         |
| 42 | Ecological, fresh state and long-term mechanical properties of high-volume fly ash high-performance self-compacting concrete. <i>Construction and Building Materials</i> , 2019, 203, 282-293.                 | 3.2 | 89        |
| 43 | Novel applications of waste foundry sand in conventional and dry-mix concretes. <i>Journal of Environmental Management</i> , 2019, 244, 294-303.   | 3.8 | 44        |
| 44 | Efeito da substituição do cimento por cinza volante em concretos autoadensáveis de alto desempenho. , 2019, , .  |     | 0         |
| 45 | Use of porcelain polishing residue as a supplementary cementitious material in self-compacting concrete. <i>Construction and Building Materials</i> , 2018, 193, 623-630.                                      | 3.2 | 45        |
| 46 | Rheological behavior of Portland cement pastes and self-compacting concretes containing porcelain polishing residue. <i>Construction and Building Materials</i> , 2018, 175, 508-518.                          | 3.2 | 44        |