Edward J Boyko

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4164988/edward-j-boyko-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

26,046 83 148 391 h-index g-index citations papers 6.83 408 29,175 7.1 L-index avg, IF ext. papers ext. citations

#	Paper	IF	Citations
391	Validity of Methods to Identify Individuals With Lower Extremity Amputation Using Department of Veterans Affairs Electronic Medical Records <i>Archives of Rehabilitation Research and Clinical Translation</i> , 2022 , 4, 100182	1.3	1
390	Risk of Foot Ulcer and Lower-Extremity Amputation Among Participants in the Diabetes Control and Complications Trial/Epidemiology of Diabetes Interventions and Complications Study <i>Diabetes Care</i> , 2022 , 45, 357-364	14.6	2
389	Worldwide estimates of incidence of type 2 diabetes in children and adolescents in 2021 <i>Diabetes Research and Clinical Practice</i> , 2022 , 109785	7.4	4
388	IDF Diabetes Atlas: Global estimates of undiagnosed diabetes in adults for 2021. <i>Diabetes Research and Clinical Practice</i> , 2021 , 109118	7.4	20
387	The Millennium Cohort Study: The First 20 Years of Research Dedicated to Understanding the Long-Term Health of US Service Members and Veterans <i>Annals of Epidemiology</i> , 2021 ,	6.4	2
386	Plasma amino acid profile, a biomarker for visceral adipose tissue that can substitute for waist circumference in Japanese Americans. <i>Obesity Research and Clinical Practice</i> , 2021 , 15, 557-563	5.4	0
385	Changes in the associations of race and rurality with SARS-CoV-2 infection, mortality, and case fatality in the United States from February 2020 to March 2021: A population-based cohort study. <i>PLoS Medicine</i> , 2021 , 18, e1003807	11.6	3
384	Hepatic Fat in Participants With and Without Incident Diabetes in the Diabetes Prevention Program Outcome Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e4746-e4765	5.6	O
383	A systematic review with meta-analysis of the impact of access and quality of diabetic foot care delivery in preventing lower extremity amputation. <i>Journal of Diabetes and Its Complications</i> , 2021 , 35, 107837	3.2	4
382	Multicenter, Head-to-Head, Real-World Validation Study of Seven Automated Artificial Intelligence Diabetic Retinopathy Screening Systems. Diabetes Care 2021;44:XXXX-XXXX. <i>Diabetes Care</i> , 2021 , 44, e108-e109	14.6	1
381	Risk factors for adverse outcomes among 35 879 veterans with and without diabetes after diagnosis with COVID-19. <i>BMJ Open Diabetes Research and Care</i> , 2021 , 9,	4.5	3
380	Leptin and Adiponectin Concentrations Independently Predict Future Accumulation of Visceral Fat in Nondiabetic Japanese Americans. <i>Obesity</i> , 2021 , 29, 233-239	8	3
379	Association of Combat Experiences With Suicide Attempts Among Active-Duty US Service Members. <i>JAMA Network Open</i> , 2021 , 4, e2036065	10.4	6
378	How patients interpret early signs of foot problems and reasons for delays in care: Findings from interviews with patients who have undergone toe amputations. <i>PLoS ONE</i> , 2021 , 16, e0248310	3.7	0
377	Long-term Fasting Glycemic Variability and Microvascular Complications in Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e2822-e2824	5.6	
376	Lower High-Density Lipoprotein Cholesterol Concentration Is Independently Associated with Greater Future Accumulation of Intra-Abdominal Fat. <i>Endocrinology and Metabolism</i> , 2021 , 36, 835-844	3.5	0
375	Causation Research on Diabetic Foot Complications-What I Learned From Roger Pecoraro: The 2021 Roger E. Pecoraro Award Lecture. <i>Diabetes Care</i> , 2021 ,	14.6	1

(2020-2021)

374	Multicenter, Head-to-Head, Real-World Validation Study of Seven Automated Artificial Intelligence Diabetic Retinopathy Screening Systems. <i>Diabetes Care</i> , 2021 , 44, 1168-1175	14.6	33
373	Comparison of Diagnostic Accuracy for Lower-Extremity Amputation Codes During the ICD-9 and ICD-10 Eras in a High-Risk Population of Patients With Diabetes. <i>Diabetes Care</i> , 2021 , 44, e48-e49	14.6	
372	COVID-19 Vaccination Effectiveness Against Infection or Death in a National U.S. Health Care System: A Target Trial Emulation Study <i>Annals of Internal Medicine</i> , 2021 ,	8	5
371	Epidemiology and Economic Impact of Foot Ulcers 2020 , 1-15		1
370	Diabetic foot ulcer classifications: A critical review. <i>Diabetes/Metabolism Research and Reviews</i> , 2020 , 36 Suppl 1, e3272	7.5	14
369	Effectiveness of bedside investigations to diagnose peripheral artery disease among people with diabetes mellitus: A systematic review. <i>Diabetes/Metabolism Research and Reviews</i> , 2020 , 36 Suppl 1, e3277	7.5	7
368	Guidelines on the classification of diabetic foot ulcers (IWGDF 2019). <i>Diabetes/Metabolism Research and Reviews</i> , 2020 , 36 Suppl 1, e3273	7.5	44
367	Risk of Ipsilateral Reamputation Following an Incident Toe Amputation Among U.S. Military Veterans With Diabetes, 2005-2016. <i>Diabetes Care</i> , 2020 , 43, 1033-1040	14.6	6
366	Associations Between Racial and Ethnic Groups and Foot Self-Inspection in People With Diabetes. <i>Diabetes Care</i> , 2020 , 43, 956-963	14.6	3
365	Longitudinal changes in plasma sex hormone concentrations correlate with changes in CT-measured regional adiposity among Japanese American men over 10lyears. <i>Clinical Endocrinology</i> , 2020 , 93, 555-563	3.4	1
364	Guidelines on diagnosis, prognosis, and management of peripheral artery disease in patients with foot ulcers and diabetes (IWGDF 2019 update). <i>Diabetes/Metabolism Research and Reviews</i> , 2020 , 36 Suppl 1, e3276	7.5	79
363	Intra-Abdominal Fat and High Density Lipoprotein Cholesterol Are Associated in a Non-Linear Pattern in Japanese-Americans. <i>Diabetes and Metabolism Journal</i> , 2020 , 44, 277-285	5	1
362	Apolipoprotein B Levels Predict Future Development of Hypertension Independent of Visceral Adiposity and Insulin Sensitivity. <i>Endocrinology and Metabolism</i> , 2020 , 35, 351-358	3.5	O
361	Impaired counterregulatory responses to hypoglycaemia following oral glucose in adults with cystic fibrosis. <i>Diabetologia</i> , 2020 , 63, 1055-1065	10.3	7
360	How to use clinical signs and symptoms to estimate the probability of limb ischaemia in patients with a diabetic foot ulcer. <i>Diabetes/Metabolism Research and Reviews</i> , 2020 , 36 Suppl 1, e3241	7.5	4
359	Longitudinal Investigation of Military-specific Factors Associated With Continued Unhealthy Alcohol Use Among a Large US Military Cohort. <i>Journal of Addiction Medicine</i> , 2020 , 14, e53-e63	3.8	6
358	Comparison of twenty indices of insulin sensitivity in predicting type 2 diabetes in Japanese Americans: The Japanese American Community Diabetes Study. <i>Journal of Diabetes and Its Complications</i> , 2020 , 34, 107731	3.2	О
357	All-cause mortality in patients on sulfonylurea monotherapy. <i>Diabetes Research and Clinical Practice</i> , 2020 , 160, 107666	7.4	

356	Prevalence of Hepatitis B Virus Exposure in the Veterans Health Administration and Association With Military-Related Risk Factors. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 954-962.e6	6.9	3
355	Short Report: Circulating microRNAs are associated with incident diabetes over 10 years in Japanese Americans. <i>Scientific Reports</i> , 2020 , 10, 6509	4.9	7
354	A Polygenic Lipodystrophy Genetic Risk Score Characterizes Risk Independent of BMI in the Diabetes Prevention Program. <i>Journal of the Endocrine Society</i> , 2019 , 3, 1663-1677	0.4	6
353	Healthy behaviors and incidence of overweight and obesity in military veterans. <i>Annals of Epidemiology</i> , 2019 , 39, 26-32.e1	6.4	4
352	Change in CT-measured abdominal subcutaneous and visceral but not thigh fat areas predict future insulin sensitivity. <i>Diabetes Research and Clinical Practice</i> , 2019 , 154, 17-26	7.4	2
351	Metabolic Consequences of Obstructive Sleep Apnea Especially Pertaining to Diabetes Mellitus and Insulin Sensitivity. <i>Diabetes and Metabolism Journal</i> , 2019 , 43, 144-155	5	20
350	Canagliflozin should be prescribed with caution to individuals with type 2 diabetes and high risk of amputation. <i>Diabetologia</i> , 2019 , 62, 900-904	10.3	8
349	Response: Association of Thigh Muscle Mass with Insulin Resistance and Incident Type 2 Diabetes Mellitus in Japanese Americans (Diabetes Metab J 2018;42:488-95). <i>Diabetes and Metabolism Journal</i> , 2019 , 43, 125-126	5	1
348	Higher High Density Lipoprotein 2 (HDL2) to Total HDL Cholesterol Ratio Is Associated with a Lower Risk for Incident Hypertension. <i>Diabetes and Metabolism Journal</i> , 2019 , 43, 114-122	5	5
347	Comparing self-reported physical activity and sedentary time to objective fitness measures in a military cohort. <i>Journal of Science and Medicine in Sport</i> , 2019 , 22, 59-64	4.4	8
346	Gender Differences in Demographic and Health Characteristics of the Million Veteran Program Cohort. <i>Womenl</i> s <i>Health Issues</i> , 2019 , 29 Suppl 1, S56-S66	2.6	11
345	Post-traumatic Stress Disorder Symptoms are Associated With Incident Chronic Back Pain: A Longitudinal Twin Study of Older Male Veterans. <i>Spine</i> , 2019 , 44, 1220-1227	3.3	4
344	Long-Term Weight Loss With Metformin or Lifestyle Intervention in the Diabetes Prevention Program Outcomes Study. <i>Annals of Internal Medicine</i> , 2019 , 170, 682-690	8	45
343	Pilot randomized trial of a telephone-delivered physical activity and weight management intervention for individuals with lower extremity amputation. <i>Disability and Health Journal</i> , 2019 , 12, 43-50	4.2	8
342	Sex Hormones and Measures of Kidney Function in the Diabetes Prevention Program Outcomes Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 1171-1180	5.6	6
341	Metabolic Clusters and Outcomes in Older Adults: The Cardiovascular Health Study. <i>Journal of the American Geriatrics Society</i> , 2018 , 66, 289-296	5.6	15
340	Alcohol Consumption and Risk of Coronary Artery Disease (from the Million Veteran Program). <i>American Journal of Cardiology</i> , 2018 , 121, 1162-1168	3	13
339	DASH Score and Subsequent Risk of Coronary Artery Disease: The Findings From Million Veteran Program. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	23

338	Limb- and Person-Level Risk Factors for Lower-Limb Amputation in the Prospective Seattle Diabetic Foot Study. <i>Diabetes Care</i> , 2018 , 41, 891-898	14.6	65
337	Current Challenges and Opportunities in the Prevention and Management of Diabetic Foot Ulcers. <i>Diabetes Care</i> , 2018 , 41, 645-652	14.6	150
336	Smoking and drinking behaviors of military spouses: Findings from the Millennium Cohort Family Study. <i>Addictive Behaviors</i> , 2018 , 77, 121-130	4.2	5
335	Change in visceral adiposity is an independent predictor of future arterial pulse pressure. <i>Journal of Hypertension</i> , 2018 , 36, 299-305	1.9	5
334	The Evidence for an Obesity Paradox in Type 2 Diabetes Mellitus. <i>Diabetes and Metabolism Journal</i> , 2018 , 42, 179-187	5	43
333	The development and validation of a multivariable prognostic model to predict foot ulceration in diabetes using a systematic review and individual patient data meta-analyses. <i>Diabetic Medicine</i> , 2018 , 35, 1480-1493	3.5	16
332	Association of Interleukin 6 Receptor Variant With Cardiovascular Disease Effects of Interleukin 6 Receptor Blocking Therapy: A Phenome-Wide Association Study. <i>JAMA Cardiology</i> , 2018 , 3, 849-857	16.2	48
331	Posttraumatic Stress Disorder Symptom Association With Subsequent Risky and Problem Drinking Initiation. <i>Journal of Addiction Medicine</i> , 2018 , 12, 353-362	3.8	5
330	Longitudinal Examination of the Influence of Individual Posttraumatic Stress Disorder Symptoms and Clusters of Symptoms on the Initiation of Cigarette Smoking. <i>Journal of Addiction Medicine</i> , 2018 , 12, 363-372	3.8	2
329	New-Onset Asthma and Combat Deployment: Findings From the Millennium Cohort Study. <i>American Journal of Epidemiology</i> , 2018 , 187, 2136-2144	3.8	8
328	Diabetes Prevalence in North America and Caribbean Region in 2017 and 2045. <i>Diabetes</i> , 2018 , 67, 1676	6-₽ .9	3
327	Dietary Animal and Saturated Fat Predict Future Visceral Fat Accumulation in Japanese Americans. <i>Diabetes</i> , 2018 , 67, 198-LB	0.9	
326	Risk of Foot Ulcer and Lower Extremity Amputation among Participants in the Diabetes Control and Complications Trial/Epidemiology of Diabetes Interventions and Complications Study (DCCT/EDIC). <i>Diabetes</i> , 2018 , 67, 113-OR	0.9	О
325	Sex Hormones and Development of Chronic Kidney Disease in the Diabetes Prevention Program Outcomes Study (DPPOS). <i>Diabetes</i> , 2018 , 67, 1574-P	0.9	
324	Leptin Concentration Predicts Future Metabolic Syndrome Risk in Japanese Americans Independent of Body Composition. <i>Diabetes</i> , 2018 , 67, 2373-PUB	0.9	
323	Association of Visceral Fat and Liver Fat, Not Thigh Muscle Area nor Attenuation, with the Incidence of Type 2 Diabetes. <i>Diabetes</i> , 2018 , 67, 1617-P	0.9	
322	Mortality Associated with Metformin Versus Sulfonylurea Initiation: A Cohort Study of Veterans with Diabetes and Chronic Kidney Disease. <i>Journal of General Internal Medicine</i> , 2018 , 33, 155-165	4	19
321	Association of Thigh Muscle Mass with Insulin Resistance and Incident Type 2 Diabetes Mellitus in Japanese Americans. <i>Diabetes and Metabolism Journal</i> , 2018 , 42, 488-495	5	25

320	Design and validation of a novel estimator of visceral adipose tissue area and comparison to existing adiposity surrogates. <i>Journal of Diabetes and Its Complications</i> , 2018 , 32, 1062-1067	3.2	3
319	Do medical conditions predispose to the development of chronic back pain? A longitudinal co-twin control study of middle-aged males with 11-year follow-up. <i>BMC Musculoskeletal Disorders</i> , 2018 , 19, 362	2.8	4
318	Predictors of Incident Type 2 Diabetes Mellitus in Japanese Americans with Normal Fasting Glucose Level. <i>Diabetes and Metabolism Journal</i> , 2018 , 42, 198-206	5	1
317	Natural history of impaired glucose tolerance in Japanese Americans: Change in visceral adiposity is associated with remission from impaired glucose tolerance to normal glucose tolerance. <i>Diabetes Research and Clinical Practice</i> , 2018 , 142, 303-311	7.4	1
316	Prospective post-traumatic stress disorder symptom trajectories in active duty and separated military personnel. <i>Journal of Psychiatric Research</i> , 2017 , 89, 55-64	5.2	25
315	Epidemiology of inflammatory bowel disease among participants of the Millennium Cohort: incidence, deployment-related risk factors, and antecedent episodes of infectious gastroenteritis. Alimentary Pharmacology and Therapeutics, 2017, 45, 1115-1127	6.1	25
314	Greater visceral abdominal fat is associated with a lower probability of conversion of prehypertension to normotension. <i>Journal of Hypertension</i> , 2017 , 35, 1213-1218	1.9	8
313	Factors associated with maintenance of body mass index in the Jackson Heart Study: A prospective cohort study secondary analysis. <i>Preventive Medicine</i> , 2017 , 100, 95-100	4.3	7
312	Weight change after initiation of oral hypoglycemic monotherapy for diabetes predicts 5-year mortality: An observational study. <i>Diabetes Research and Clinical Practice</i> , 2017 , 123, 181-191	7.4	8
311	Low Plasma Adiponectin Concentrations Predict Increases in Visceral Adiposity and Insulin Resistance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 4626-4633	5.6	25
310	A High-Carbohydrate, High-Fiber, Low-Fat Diet Results in Weight Loss among Adults at High Risk of Type 2 Diabetes. <i>Journal of Nutrition</i> , 2017 , 147, 2060-2066	4.1	24
309	Effects of combination of change in visceral fat and thigh muscle mass on the development of type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2017 , 134, 131-138	7.4	6
308	Patterns of Smoking and Unhealthy Alcohol Use Following Sexual Trauma Among U.S. Service Members. <i>Journal of Traumatic Stress</i> , 2017 , 30, 502-511	3.8	10
307	Comparison of relationships between four common anthropometric measures and incident diabetes. <i>Diabetes Research and Clinical Practice</i> , 2017 , 132, 36-44	7.4	14
306	Circulating early- and mid-pregnancy microRNAs and risk of gestational diabetes. <i>Diabetes Research and Clinical Practice</i> , 2017 , 132, 1-9	7.4	58
305	Evaluation of a modified version of the Posttraumatic Growth Inventory-Short Form. <i>BMC Medical Research Methodology</i> , 2017 , 17, 69	4.7	8
304	Changes in Visceral Adiposity, Subcutaneous Adiposity, and Sex Hormones in the Diabetes Prevention Program. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 3381-3389	5.6	26
303	Modifiable risk factors for chronic back pain: insights using the co-twin control design. <i>Spine Journal</i> , 2017 , 17, 4-14	4	35

3	302	Longitudinal Assessment of Self-Reported Recent Back Pain and Combat Deployment in the Millennium Cohort Study. <i>Spine</i> , 2016 , 41, 1754-1763	3.3	5
3	301	Longitudinal Associations Among Posttraumatic Stress Disorder, Disordered Eating, and Weight Gain in Military Men and Women. <i>American Journal of Epidemiology</i> , 2016 , 184, 33-47	3.8	33
3	300	Validation of methods for assessing cardiovascular disease using electronic health data in a cohort of Veterans with diabetes. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 467-71	2.6	39
2	299	Baseline estradiol concentration in community-dwelling Japanese American men is not associated with intra-abdominal fat accumulation over 10 years. <i>Obesity Research and Clinical Practice</i> , 2016 , 10, 624-632	5.4	3
2	298	Effectiveness of revascularization of the ulcerated foot in patients with diabetes and peripheral artery disease: a systematic review. <i>Diabetes/Metabolism Research and Reviews</i> , 2016 , 32 Suppl 1, 136-44	4 ^{7.5}	72
2	2 97	Interventions in the management of infection in the foot in diabetes: a systematic review. <i>Diabetes/Metabolism Research and Reviews</i> , 2016 , 32 Suppl 1, 145-53	7.5	59
2	296	Effectiveness of bedside investigations to diagnose peripheral artery disease among people with diabetes mellitus: a systematic review. <i>Diabetes/Metabolism Research and Reviews</i> , 2016 , 32 Suppl 1, 119-27	7.5	43
2	<u>2</u> 95	Increased Visceral Adipose Tissue Is an Independent Predictor for Future Development of Atherogenic Dyslipidemia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 678-85	5.6	39
2	294	Deployment, combat, and risk of multiple physical symptoms in the US military: a prospective cohort study. <i>Annals of Epidemiology</i> , 2016 , 26, 122-128	6.4	11
2	<u>2</u> 93	Weight Change Trajectories After Incident Lower-Limb Amputation. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016 , 97, 1-7.e1	2.8	9
2	292	Mental Health and Comorbidities in U.S. Military Members. <i>Military Medicine</i> , 2016 , 181, 537-45	1.3	38
2	291	Association of Visceral Fat and Liver Fat With Hyperuricemia. Arthritis Care and Research, 2016, 68, 553-6	54 .7	23
2	290	The Epidemiology of Irritable Bowel Syndrome in the US Military: Findings from the Millennium Cohort Study. <i>American Journal of Gastroenterology</i> , 2016 , 111, 93-104	0.7	30
2	289	IWGDF guidance on the diagnosis, prognosis and management of peripheral artery disease in patients with foot ulcers in diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2016 , 32 Suppl 1, 37-4-	47.5	109
2	288	Performance of prognostic markers in the prediction of wound healing or amputation among patients with foot ulcers in diabetes: a systematic review. <i>Diabetes/Metabolism Research and Reviews</i> , 2016 , 32 Suppl 1, 128-35	7.5	70
2	287	Changes in regional body composition over 8 years in a randomized lifestyle trial: The look AHEAD study. <i>Obesity</i> , 2016 , 24, 1899-905	8	5
2	286	Change in Intra-Abdominal Fat Predicts the Risk of Hypertension in Japanese Americans. <i>Hypertension</i> , 2015 , 66, 134-40	8.5	32
2	285	Determination of Optimal Sample Size for Quantification of ECell Area, Amyloid Area and ECell Apoptosis in Isolated Islets. <i>Journal of Histochemistry and Cytochemistry</i> , 2015 , 63, 663-73	3.4	14

284	Weight loss intention, dietary behaviors, and barriers to dietary change in veterans with lower extremity amputations. <i>Disability and Health Journal</i> , 2015 , 8, 325-35	4.2	6
283	Visceral abdominal fat accumulation predicts the conversion of metabolically healthy obese subjects to an unhealthy phenotype. <i>International Journal of Obesity</i> , 2015 , 39, 1365-70	5.5	122
282	Differential Association Between HDL Subclasses and the Development of Type 2 Diabetes in a Prospective Study of Japanese Americans. <i>Diabetes Care</i> , 2015 , 38, 2100-5	14.6	19
281	World Diabetes Congress Vancouver 2015: Public Health and Epidemiology Stream. <i>Diabetes Research and Clinical Practice</i> , 2015 , 109, 450	7.4	4
280	Physical activity and associations with computed tomography-detected lumbar zygapophyseal joint osteoarthritis. <i>Spine Journal</i> , 2015 , 15, 42-9	4	6
279	Response to Comment on Boyko and Jensen. Do We Know What Homeostatis Model Assessment Measures? If Not, Does It Matter? Diabetes Care 2007;30:2725-2728. <i>Diabetes Care</i> , 2015 , 38, e214	14.6	
278	Post-traumatic stress disorder predicts future weight change in the Millennium Cohort Study. <i>Obesity</i> , 2015 , 23, 886-92	8	25
277	Changes in Meeting Physical Activity Guidelines After Discharge From the Military. <i>Journal of Physical Activity and Health</i> , 2015 , 12, 666-74	2.5	13
276	The Feasibility of Using Large-Scale Text Mining to Detect Adverse Childhood Experiences in a VA-Treated Population. <i>Journal of Traumatic Stress</i> , 2015 , 28, 505-14	3.8	9
275	Longitudinal Investigation of Smoking Initiation and Relapse Among Younger and Older US Military Personnel. <i>American Journal of Public Health</i> , 2015 , 105, 1220-9	5.1	22
274	Lower-limb amputation and body weight changes in men. <i>Journal of Rehabilitation Research and Development</i> , 2015 , 52, 159-70		11
273	Associations between lipodystrophy or antiretroviral medications and cirrhosis in patients with HIV infection or HIV/HCV coinfection. <i>European Journal of Gastroenterology and Hepatology</i> , 2015 , 27, 577-8	34.2	8
272	Hearing loss associated with US military combat deployment. <i>Noise and Health</i> , 2015 , 17, 34-42	0.9	33
271	Risk factors for relapse to problem drinking among current and former US military personnel: a prospective study of the Millennium Cohort. <i>Drug and Alcohol Dependence</i> , 2015 , 148, 93-101	4.9	26
270	Optimum BMI cut points to screen asian americans for type 2 diabetes. <i>Diabetes Care</i> , 2015 , 38, 814-20	14.6	82
269	Deployment-related depression screening, 2001-2008: comparing clinical versus research surveys. <i>American Journal of Preventive Medicine</i> , 2014 , 47, 531-40	6.1	6
268	Longitudinal associations between incident lumbar spine MRI findings and chronic low back pain or radicular symptoms: retrospective analysis of data from the longitudinal assessment of imaging and disability of the back (LAIDBACK). <i>BMC Musculoskeletal Disorders</i> , 2014 , 15, 152	2.8	35
267	Physical activity barriers and enablers in older Veterans with lower-limb amputation. <i>Journal of Rehabilitation Research and Development</i> , 2014 , 51, 895-906		26

(2013-2014)

266	U.S. Naval and Marine Corps Occupations, Posttraumatic Stress Disorder, Depression Risk, and Absenteeism. <i>Journal of Workplace Behavioral Health</i> , 2014 , 29, 91-112	0.6	4	
265	Relationship between serum circulating insulin-like growth factor-1 and liver fat in the United States. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014 , 29, 589-96	4	23	
264	Longitudinal assessment of mental disorders, smoking, and hazardous drinking among a population-based cohort of US service members. <i>Journal of Addiction Medicine</i> , 2014 , 8, 271-81	3.8	18	
263	Chronic multisymptom illness: a comparison of Iraq and Afghanistan deployers with veterans of the 1991 Gulf War. <i>American Journal of Epidemiology</i> , 2014 , 180, 1176-87	3.8	18	
262	Impact of combat deployment and posttraumatic stress disorder on newly reported coronary heart disease among US active duty and reserve forces. <i>Circulation</i> , 2014 , 129, 1813-20	16.7	50	
261	The independent contribution of diabetic foot ulcer on lower extremity amputation and mortality risk. <i>Journal of Diabetes and Its Complications</i> , 2014 , 28, 632-8	3.2	126	
260	HbA1c, fasting and 2 h plasma glucose in current, ex- and never-smokers: a meta-analysis. <i>Diabetologia</i> , 2014 , 57, 30-9	10.3	38	
259	Impact of islet autoimmunity on the progressive Etell functional decline in type 2 diabetes. <i>Diabetes Care</i> , 2014 , 37, 3286-93	14.6	32	
258	Adipocytokines as features of the metabolic syndrome determined using confirmatory factor analysis. <i>Annals of Epidemiology</i> , 2013 , 23, 415-21	6.4	14	
257	Mortality among veterans with type 2 diabetes initiating metformin, sulfonylurea or rosiglitazone monotherapy. <i>Diabetologia</i> , 2013 , 56, 1934-43	10.3	40	
256	Protocol for a systematic review and individual patient data meta-analysis of prognostic factors of foot ulceration in people with diabetes: the international research collaboration for the prediction of diabetic foot ulcerations (PODUS). <i>BMC Medical Research Methodology</i> , 2013 , 13, 22	4.7	15	
255	Diabetic foot ulcer incidence in relation to plantar pressure magnitude and measurement location. <i>Journal of Diabetes and Its Complications</i> , 2013 , 27, 621-6	3.2	77	
254	The prevalence of cirrhosis and hepatocellular carcinoma in patients with human immunodeficiency virus infection. <i>Hepatology</i> , 2013 , 57, 249-57	11.2	143	
253	Observational researchopportunities and limitations. <i>Journal of Diabetes and Its Complications</i> , 2013 , 27, 642-8	3.2	96	
252	A comparison of the PRIME-MD PHQ-9 and PHQ-8 in a large military prospective study, the Millennium Cohort Study. <i>Journal of Affective Disorders</i> , 2013 , 148, 77-83	6.6	72	
251	Impact of differences in glucose tolerance on the prevalence of a negative insulinogenic index. <i>Journal of Diabetes and Its Complications</i> , 2013 , 27, 158-61	3.2	11	
250	Effects of menopause and hormone replacement therapy on the associations of hyperuricemia with mortality. <i>Atherosclerosis</i> , 2013 , 226, 220-7	3.1	18	
249	Non-alcoholic fatty liver disease as an independent manifestation of the metabolic syndrome: results of a US national survey in three ethnic groups. <i>Journal of Gastroenterology and Hepatology</i> (Australia) 2013 28 664-70	4	103	

248	Risk Factors for Lower Extremity Tendinopathies in Military Personnel. <i>Orthopaedic Journal of Sports Medicine</i> , 2013 , 1, 2325967113492707	3.5	30
247	Risk factors associated with suicide in current and former US military personnel. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 310, 496-506	27.4	261
246	The impact of prior deployment experience on civilian employment after military service. <i>Occupational and Environmental Medicine</i> , 2013 , 70, 408-17	2.1	26
245	The association of predeployment and deployment-related factors on dimensions of postdeployment wellness in U.S. military service members. <i>American Journal of Health Promotion</i> , 2013 , 28, e56-66	2.5	6
244	Change in visceral adiposity independently predicts a greater risk of developing type 2 diabetes over 10 years in Japanese Americans. <i>Diabetes Care</i> , 2013 , 36, 289-93	14.6	71
243	Patterns of insulin concentration during the OGTT predict the risk of type 2 diabetes in Japanese Americans. <i>Diabetes Care</i> , 2013 , 36, 1229-35	14.6	59
242	Geographic variation in black-white differences in end-of-life care for patients with ESRD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013 , 8, 1171-8	6.9	28
241	Sleep characteristics, mental health, and diabetes risk: a prospective study of U.S. military service members in the Millennium Cohort Study. <i>Diabetes Care</i> , 2013 , 36, 3154-61	14.6	61
240	Suicides among military personnelreply. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 310, 2565-6	27.4	4
239	Weight change following US military service. <i>International Journal of Obesity</i> , 2013 , 37, 244-53	5.5	37
238	Novel common and rare genetic determinants of paraoxonase activity: FTO, SERPINA12, and ITGAL. <i>Journal of Lipid Research</i> , 2013 , 54, 552-60	6.3	15
237	Associations between compulsory physical activity during military service and activity in later adulthood among male veterans compared with nonveterans. <i>Journal of Physical Activity and Health</i> , 2013 , 10, 784-91	2.5	7
236	Reply: To PMID 22532055. <i>Hepatology</i> , 2013 , 57, 2545	11.2	3
235	Predictors of end-stage renal disease in the urban poor. <i>Journal of Health Care for the Poor and Underserved</i> , 2013 , 24, 1686-700	1.4	11
234	Predeployment Sleep Duration and Insomnia Symptoms as Risk Factors for New-Onset Mental Health Disorders Following Military Deployment. <i>Sleep</i> , 2013 , 36, 1009-1018	1.1	189
233	A comparison of mental health outcomes in persons entering U.S. military service before and after September 11, 2001. <i>Journal of Traumatic Stress</i> , 2012 , 25, 17-24	3.8	6
232	Posttraumatic stress disorder and depression among U.S. military health care professionals deployed in support of operations in Iraq and Afghanistan. <i>Journal of Traumatic Stress</i> , 2012 , 25, 616-23	3.8	22
231	Disability among US Army Veterans vaccinated against anthrax. <i>Vaccine</i> , 2012 , 30, 6150-6	4.1	7

230	Bodybuilding, energy, and weight-loss supplements are associated with deployment and physical activity in U.S. military personnel. <i>Annals of Epidemiology</i> , 2012 , 22, 318-30	6.4	50
229	Predictive factors for diabetic foot ulceration: a systematic review. <i>Diabetes/Metabolism Research and Reviews</i> , 2012 , 28, 574-600	7.5	159
228	Evaluation of a weight management program for veterans. <i>Preventing Chronic Disease</i> , 2012 , 9, E99	3.7	64
227	Arm length is associated with type 2 diabetes mellitus in Japanese-Americans. <i>Diabetologia</i> , 2012 , 55, 1679-84	10.3	8
226	Smokeless tobacco use related to military deployment, cigarettes and mental health symptoms in a large, prospective cohort study among US service members. <i>Addiction</i> , 2012 , 107, 983-94	4.6	26
225	Profile of two cohorts: UK and US prospective studies of military health. <i>International Journal of Epidemiology</i> , 2012 , 41, 1272-82	7.8	16
224	Preventive services in veterans in relation to disability. <i>Journal of Rehabilitation Research and Development</i> , 2012 , 49, 339-50		9
223	Risk Factors for Type 2 Diabetes: Lessons Learned from Japanese Americans in Seattle. <i>Journal of Diabetes Investigation</i> , 2012 , 3, 212-224	3.9	30
222	Associations among visceral fat, all-cause mortality, and obesity-related mortality in Japanese Americans. <i>Diabetes Care</i> , 2012 , 35, 296-8	14.6	39
221	Pathophysiologic differences among Asians, native Hawaiians, and other Pacific Islanders and treatment implications. <i>Diabetes Care</i> , 2012 , 35, 1189-98	14.6	53
220	Newly reported lupus and rheumatoid arthritis in relation to deployment within proximity to a documented open-air burn pit in Iraq. <i>Journal of Occupational and Environmental Medicine</i> , 2012 , 54, 69	8 ² 707	15
219	Prospective assessment of chronic multisymptom illness reporting possibly associated with open-air burn pit smoke exposure in Iraq. <i>Journal of Occupational and Environmental Medicine</i> , 2012 , 54, 682-8	2	20
218	The effects of exposure to documented open-air burn pits on respiratory health among deployers of the Millennium Cohort Study. <i>Journal of Occupational and Environmental Medicine</i> , 2012 , 54, 708-16	2	42
217	Trajectories of trauma symptoms and resilience in deployed U.S. military service members: prospective cohort study. <i>British Journal of Psychiatry</i> , 2012 , 200, 317-23	5.4	251
216	Greater hand-grip strength predicts a lower risk of developing type 2 diabetes over 10 years in leaner Japanese Americans. <i>Diabetes Research and Clinical Practice</i> , 2011 , 92, 261-4	7.4	52
215	Preventive care in relation to obesity: an analysis of a large, national survey. <i>American Journal of Preventive Medicine</i> , 2011 , 41, 465-72	6.1	29
214	Prospectively assessed posttraumatic stress disorder and associated physical activity. <i>Public Health Reports</i> , 2011 , 126, 371-83	2.5	49
213	Headache disorders in the millennium cohort: epidemiology and relations with combat deployment. <i>Headache</i> , 2011 , 51, 1098-111	4.2	14

212	Mortality risk in older men associated with changes in weight, lean mass, and fat mass. <i>Journal of the American Geriatrics Society</i> , 2011 , 59, 233-40	5.6	89
211	Association between insulin resistance and lean mass loss and fat mass gain in older men without diabetes mellitus. <i>Journal of the American Geriatrics Society</i> , 2011 , 59, 1217-24	5.6	113
210	Clinical significance of postvoid residual volume in older ambulatory women. <i>Journal of the American Geriatrics Society</i> , 2011 , 59, 1452-8	5.6	35
209	Health impact of US military service in a large population-based military cohort: findings of the Millennium Cohort Study, 2001-2008. <i>BMC Public Health</i> , 2011 , 11, 69	4.1	32
208	Age-specific trends in cardiovascular mortality rates in the Netherlands between 1980 and 2009. European Journal of Epidemiology, 2011 , 26, 369-73	12.1	18
207	Risk stratification systems for diabetic foot ulcers: a systematic review. <i>Diabetologia</i> , 2011 , 54, 1190-9	10.3	70
206	Subcutaneous thigh fat area is unrelated to risk of type 2 diabetes in a prospective study of Japanese Americans. <i>Diabetologia</i> , 2011 , 54, 2795-800	10.3	17
205	Health care utilization among complementary and alternative medicine users in a large military cohort. <i>BMC Complementary and Alternative Medicine</i> , 2011 , 11, 27	4.7	24
204	Obesity and COPD: associated symptoms, health-related quality of life, and medication use. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2011 , 8, 275-84	2	64
203	Insulin sensitizers may attenuate lean mass loss in older men with diabetes. <i>Diabetes Care</i> , 2011 , 34, 2381-6	14.6	97
202	A prospective study of lupus and rheumatoid arthritis in relation to deployment in support of iraq and afghanistan: the millennium cohort study. <i>Autoimmune Diseases</i> , 2011 , 2011, 741267	2.9	6
201	Preinjury psychiatric status, injury severity, and postdeployment posttraumatic stress disorder. <i>Archives of General Psychiatry</i> , 2011 , 68, 496-504		40
200	Fasting and post-glucose load measures of insulin resistance and risk of ischemic stroke in older adults. <i>Stroke</i> , 2011 , 42, 3347-51	6.7	37
199	Visceral adiposity, not abdominal subcutaneous fat area, is associated with high blood pressure in Japanese men: the Ohtori study. <i>Hypertension Research</i> , 2011 , 34, 565-72	4.7	25
198	Insulin resistance is the best predictor of the metabolic syndrome in subjects with a first-degree relative with type 2 diabetes. <i>Obesity</i> , 2010 , 18, 1781-7	8	27
197	Effects of ethnicity on diabetes incidence and prevention: results of the Diabetes REduction Assessment with ramipril and rosiglitazone Medication (DREAM) trial. <i>Diabetic Medicine</i> , 2010 , 27, 1226	5-325	14
196	Influenza vaccination rates of children in households with high-risk adults. <i>Public Health Reports</i> , 2010 , 125, 192-8	2.5	3
195	All-cause mortality risk among a national sample of individuals with diabetes. <i>Diabetes Care</i> , 2010 , 33, 2360-4	14.6	29

194	ACCORD glycemia results continue to puzzle. <i>Diabetes Care</i> , 2010 , 33, 1149-50	14.6	9
193	Insulin resistance predicts mortality in nondiabetic individuals in the U.S. <i>Diabetes Care</i> , 2010 , 33, 1179-	8 5₄.6	80
192	Risk of diabetes in U.S. military service members in relation to combat deployment and mental health. <i>Diabetes Care</i> , 2010 , 33, 1771-7	14.6	100
191	Utility of homeostasis model assessment of beta-cell function in predicting diabetes in 12,924 healthy Koreans: response to Sung, Reaven, and Kim. <i>Diabetes Care</i> , 2010 , 33, e71; author reply e72	14.6	1
190	Latent class analysis of the metabolic syndrome. <i>Diabetes Research and Clinical Practice</i> , 2010 , 89, 88-93	3 7.4	15
189	Intra-abdominal fat accumulation is greatest at younger ages in Japanese-American adults. Diabetes Research and Clinical Practice, 2010, 89, 58-64	7.4	19
188	Fasting tests of insulin secretion and sensitivity predict future prediabetes in Japanese with normal glucose tolerance. <i>Journal of Diabetes Investigation</i> , 2010 , 1, 191-5	3.9	25
187	A prospective study of depression following combat deployment in support of the wars in Iraq and Afghanistan. <i>American Journal of Public Health</i> , 2010 , 100, 90-9	5.1	155
186	Vaginal symptoms in postmenopausal women: self-reported severity, natural history, and risk factors. <i>Menopause</i> , 2010 , 17, 121-6	2.5	49
185	Sleep patterns before, during, and after deployment to Iraq and Afghanistan. <i>Sleep</i> , 2010 , 33, 1615-22	1.1	187
184	Exploratory factor analysis of self-reported symptoms in a large, population-based military cohort. BMC Medical Research Methodology, 2010 , 10, 94	4.7	11
183	Assessing nonresponse bias at follow-up in a large prospective cohort of relatively young and mobile military service members. <i>BMC Medical Research Methodology</i> , 2010 , 10, 99	4.7	74
182	Association between serum uric acid level and chronic liver disease in the United States. <i>Hepatology</i> , 2010 , 52, 578-89	11.2	77
181	Does abnormal insulin action or insulin secretion explain the increase in prevalence of impaired glucose metabolism with age in populations of different ethnicities?. <i>Diabetes/Metabolism Research and Reviews</i> , 2010 , 26, 245-53	7.5	10
180	Early mortality experience in a large military cohort and a comparison of mortality data sources. <i>Population Health Metrics</i> , 2010 , 8, 15	3	8
179	Long-term effectiveness of screening for hearing loss: the screening for auditory impairmentwhich hearing assessment test (SAI-WHAT) randomized trial. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 427-34	5.6	60
178	Is it time to take a different approach to screening people at high risk for type 1 diabetes?. <i>Diabetes Care</i> , 2009 , 32, 966-7	14.6	
177	Newly reported respiratory symptoms and conditions among military personnel deployed to Iraq and Afghanistan: a prospective population-based study. <i>American Journal of Epidemiology</i> , 2009 , 170, 1433-42	3.8	115

176	Oral disposition index predicts the development of future diabetes above and beyond fasting and 2-h glucose levels. <i>Diabetes Care</i> , 2009 , 32, 335-41	14.6	363
175	Oral Disposition Index Predicts the Development of Future Diabetes Above and Beyond Fasting and 2-h Glucose Levels: Response to DeFronzo and Abdul-Ghani. <i>Diabetes Care</i> , 2009 , 32, e87-e87	14.6	3
174	Newly reported hypertension after military combat deployment in a large population-based study. <i>Hypertension</i> , 2009 , 54, 966-73	8.5	66
173	Body mass index is associated with increased creatinine clearance by a mechanism independent of body fat distribution. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 3781-8	5.6	47
172	Adipokines, inflammation, and visceral adiposity across the menopausal transition: a prospective study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 1104-10	5.6	189
171	Characteristics of uninsured Americans with chronic kidney disease. <i>Journal of General Internal Medicine</i> , 2009 , 24, 917-22	4	37
170	Continuous relationships between non-diabetic hyperglycaemia and both cardiovascular disease and all-cause mortality: the Australian Diabetes, Obesity, and Lifestyle (AusDiab) study. <i>Diabetologia</i> , 2009 , 52, 415-24	10.3	114
169	Self-reported health symptoms and conditions among complementary and alternative medicine users in a large military cohort. <i>Annals of Epidemiology</i> , 2009 , 19, 613-22	6.4	32
168	Diabetes mellitus and urinary tract infection: epidemiology, pathogenesis and proposed studies in animal models. <i>Journal of Urology</i> , 2009 , 182, S51-6	2.5	60
167	Disordered eating and weight changes after deployment: longitudinal assessment of a large US military cohort. <i>American Journal of Epidemiology</i> , 2009 , 169, 415-27	3.8	60
166	Central obesity as a precursor to the metabolic syndrome in the AusDiab study and Mauritius. <i>Obesity</i> , 2008 , 16, 2707-16	8	79
165	Challenges of self-reported medical conditions and electronic medical records among members of a large military cohort. <i>BMC Medical Research Methodology</i> , 2008 , 8, 37	4.7	82
164	Neighborhood poverty and kidney transplantation among US Asians and Pacific Islanders with end-stage renal disease. <i>American Journal of Transplantation</i> , 2008 , 8, 2402-9	8.7	33
163	Foot ulcer risk and location in relation to prospective clinical assessment of foot shape and mobility among persons with diabetes. <i>Diabetes Research and Clinical Practice</i> , 2008 , 82, 226-32	7.4	54
162	Alcohol use and alcohol-related problems before and after military combat deployment. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 300, 663-75	27.4	427
161	Visceral adiposity, not abdominal subcutaneous fat area, is associated with an increase in future insulin resistance in Japanese Americans. <i>Diabetes</i> , 2008 , 57, 1269-75	0.9	157
160	Re: "Psychiatric diagnoses in historic and contemporary military cohorts: combat deployment and the healthy warrior effect". <i>American Journal of Epidemiology</i> , 2008 , 168, 1094-5; author reply 1096-8	3.8	4
159	Two-hour glucose predicts the development of hypertension over 5 years: the AusDiab study. <i>Journal of Human Hypertension</i> , 2008 , 22, 168-76	2.6	20

158	Urinary incontinence and urinary tract infection: temporal relationships in postmenopausal women. <i>Obstetrics and Gynecology</i> , 2008 , 111, 317-23	4.9	46
157	Datapoints: suicide rates in the Washington State veteran population. <i>Psychiatric Services</i> , 2008 , 59, 124	5 .3	6
156	A prospective study of glycemia, body size, insulin resistance and the risk of hypertension in Mauritius. <i>Journal of Hypertension</i> , 2008 , 26, 1742-9	1.9	12
155	Sexual intercourse and risk of symptomatic urinary tract infection in post-menopausal women. Journal of General Internal Medicine, 2008 , 23, 595-9	4	38
154	Diabetes complications severity index and risk of mortality, hospitalization, and healthcare utilization. <i>American Journal of Managed Care</i> , 2008 , 14, 15-23	2.1	331
153	The association between birth weight and visceral fat in middle-age adults. <i>Obesity</i> , 2007 , 15, 816-9	8	13
152	Demographic and occupational predictors of early response to a mailed invitation to enroll in a longitudinal health study. <i>BMC Medical Research Methodology</i> , 2007 , 7, 6	4.7	35
151	Prevalence and trends of insulin resistance, impaired fasting glucose, and diabetes. <i>Journal of Diabetes and Its Complications</i> , 2007 , 21, 363-70	3.2	46
150	Intra-abdominal fat accumulation predicts the development of the metabolic syndrome in non-diabetic Japanese-Americans. <i>Diabetologia</i> , 2007 , 50, 1156-60	10.3	56
149	Minimum waist and visceral fat values for identifying Japanese Americans at risk for the metabolic syndrome. <i>Diabetes Care</i> , 2007 , 30, 120-7	14.6	153
148	Review: glycated haemoglobin A1c and fasting plasma glucose screening tests have similar sensitivities and specificities for early detection of type 2 diabetes. <i>Evidence-Based Medicine</i> , 2007 , 12, 152		4
147	Progressive loss of beta-cell function leads to worsening glucose tolerance in first-degree relatives of subjects with type 2 diabetes. <i>Diabetes Care</i> , 2007 , 30, 677-82	14.6	129
146	Insulin sensitivity and insulin secretion determined by homeostasis model assessment and risk of diabetes in a multiethnic cohort of women: the Women@ Health Initiative Observational Study: response to Song et al. <i>Diabetes Care</i> , 2007 , 30, e110; author reply e111	14.6	4
145	Do we know what homeostasis model assessment measures? If not, does it matter?. <i>Diabetes Care</i> , 2007 , 30, 2725-8	14.6	21
144	Screening for Auditory Impairment-Which Hearing Assessment Test (SAI-WHAT): RCT design and baseline characteristics. <i>Contemporary Clinical Trials</i> , 2007 , 28, 303-15	2.3	11
143	Superiority of the Modification of Diet in Renal Disease equation over the Cockcroft-Gault equation in screening for impaired kidney function in Japanese Americans. <i>Diabetes Research and Clinical Practice</i> , 2007 , 77, 320-6	7.4	9
142	Millennium Cohort: enrollment begins a 21-year contribution to understanding the impact of military service. <i>Journal of Clinical Epidemiology</i> , 2007 , 60, 181-91	5.7	205
141	The Epidemiology of Diabetic Neuropathy 2007 , 7-30		3

140	Peripheral arterial disease in a multiethnic national sample: the role of conventional risk factors and allostatic load. <i>Ethnicity and Disease</i> , 2007 , 17, 669-75	1.8	27
139	Racial and ethnic variations in albuminuria in the US Third National Health and Nutrition Examination Survey (NHANES III) population: associations with diabetes and level of CKD. <i>American Journal of Kidney Diseases</i> , 2006 , 48, 720-6	7.4	81
138	Elevated serum alanine aminotransferase activity and calculated risk of coronary heart disease in the United States. <i>Hepatology</i> , 2006 , 43, 1145-51	11.2	178
137	Effects of sex and hormone replacement therapy use on the prevalence of isolated impaired fasting glucose and isolated impaired glucose tolerance in subjects with a family history of type 2 diabetes. <i>Diabetes</i> , 2006 , 55, 3529-35	0.9	52
136	Prediction of diabetic foot ulcer occurrence using commonly available clinical information: the Seattle Diabetic Foot Study. <i>Diabetes Care</i> , 2006 , 29, 1202-7	14.6	242
135	Gestational diabetes mellitus increases the risk of cardiovascular disease in women with a family history of type 2 diabetes. <i>Diabetes Care</i> , 2006 , 29, 2078-83	14.6	233
134	The prevalence and predictors of elevated serum aminotransferase activity in the United States in 1999-2002. <i>American Journal of Gastroenterology</i> , 2006 , 101, 76-82	0.7	244
133	Risk factors for nosocomial urinary tract-related bacteremia: a case-control study. <i>American Journal of Infection Control</i> , 2006 , 34, 401-7	3.8	41
132	Predictors of urinary incontinence in a prospective cohort of postmenopausal women. <i>Obstetrics and Gynecology</i> , 2006 , 108, 855-62	4.9	46
131	Racial and ethnic differences in incident myocardial infarction in end-stage renal disease patients: The USRDS. <i>Kidney International</i> , 2006 , 69, 1691-8	9.9	43
130	Differences in cause of death of Washington State veterans who did and did not use Department of Veterans Affairs healthcare services. <i>Journal of Rehabilitation Research and Development</i> , 2006 , 43, 825	-30	5
129	Effects of exercise and nutrition on memory in Japanese Americans with impaired glucose tolerance. <i>Diabetes Care</i> , 2006 , 29, 135-6	14.6	5
128	Is central obesity associated with cirrhosis-related death or hospitalization? A population-based, cohort study. <i>Clinical Gastroenterology and Hepatology</i> , 2005 , 3, 67-74	6.9	246
127	Predictors of urinary tract infection after menopause: a prospective study. <i>American Journal of Medicine</i> , 2005 , 118, 930-1; author reply 931	2.4	О
126	Epidemiology of Peripheral Vascular Disease 2005 , 419-430		
125	Contribution of metabolic factors to alanine aminotransferase activity in persons with other causes of liver disease. <i>Gastroenterology</i> , 2005 , 128, 627-35	13.3	63
124	Three-year incidence of low back pain in an initially asymptomatic cohort: clinical and imaging risk factors. <i>Spine</i> , 2005 , 30, 1541-8; discussion 1549	3.3	209
123	Risk of Urinary Tract Infection and Asymptomatic Bacteriuria among Diabetic and Nondiabetic Postmenopausal Women. <i>American Journal of Epidemiology</i> , 2005 , 161, 557-564	3.8	121

(2004-2005)

122	The Association between Health Insurance Coverage and Diabetes Care; Data from the 2000 Behavioral Risk Factor Surveillance System. <i>Health Services Research</i> , 2005 , 40, 361-372	3.4	102
121	Diabetes-related comorbidities in Asian Americans: results of a national health survey. <i>Journal of Diabetes and Its Complications</i> , 2005 , 19, 101-6	3.2	19
120	Elevated prevalence of hepatitis C infection in users of United States veterans medical centers. Hepatology, 2005 , 41, 88-96	11.2	181
119	Racial and ethnic differences in microalbuminuria prevalence in a diabetes population: the pathways study. <i>Journal of the American Society of Nephrology: JASN</i> , 2005 , 16, 219-28	12.7	77
118	Urinary incontinence and diabetes in postmenopausal women. <i>Diabetes Care</i> , 2005 , 28, 1730-8	14.6	79
117	Insulin, C-peptide, and leptin concentrations predict increased visceral adiposity at 5- and 10-year follow-ups in nondiabetic Japanese Americans. <i>Diabetes</i> , 2005 , 54, 985-90	0.9	34
116	Electrocardiographic QT interval prolongation and risk of primary cardiac arrest in diabetic patients. <i>Diabetes Care</i> , 2005 , 28, 2045-7	14.6	38
115	The correlation of paraoxonase (PON1) activity with lipid and lipoprotein levels differs with vascular disease status. <i>Journal of Lipid Research</i> , 2005 , 46, 1888-95	6.3	41
114	A reduced-fat diet and aerobic exercise in Japanese Americans with impaired glucose tolerance decreases intra-abdominal fat and improves insulin sensitivity but not beta-cell function. <i>Diabetes</i> , 2005 , 54, 340-7	0.9	53
113	The association between health insurance coverage and diabetes care; data from the 2000 Behavioral Risk Factor Surveillance System. <i>Health Services Research</i> , 2005 , 40, 361-72	3.4	60
112	Effectiveness of diabetic therapeutic footwear in preventing reulceration. <i>Diabetes Care</i> , 2004 , 27, 177	4=8₁2 6	86
111	Risk factors for urinary tract infections in postmenopausal women. <i>Archives of Internal Medicine</i> , 2004 , 164, 989-93		97
110	Type 2 diabetes prevalence in Asian subjects. <i>Diabetes Care</i> , 2004 , 27, 1251-2; author reply 1252	14.6	35
109	Diabetes in nonveterans, veterans, and veterans receiving Department of Veterans Affairs health care. <i>Diabetes Care</i> , 2004 , 27 Suppl 2, B3-9	14.6	48
108	Diabetes in the Department of Veterans Affairs. <i>Diabetes Care</i> , 2004 , 27 Suppl 2, B1-2	14.6	6
107	Diabetes research in the Department of Veterans Affairs. <i>Diabetes Care</i> , 2004 , 27 Suppl 2, B95-8	14.6	9
106	Type 2 diabetes prevalence in Asian Americans: results of a national health survey. <i>Diabetes Care</i> , 2004 , 27, 66-9	14.6	242
105	Association of bioavailable, free, and total testosterone with insulin resistance: influence of sex hormone-binding globulin and body fat. <i>Diabetes Care</i> , 2004 , 27, 861-8	14.6	232

104	Risk of congestive heart failure in an elderly population treated with peripheral alpha-1 antagonists. <i>Journal of the American Geriatrics Society</i> , 2004 , 52, 1648-54	5.6	8
103	Predictors of urinary tract infection after menopause: a prospective study. <i>American Journal of Medicine</i> , 2004 , 117, 903-11	2.4	119
102	Visceral adiposity is an independent predictor of incident hypertension in Japanese Americans. <i>Annals of Internal Medicine</i> , 2004 , 140, 992-1000	8	201
101	Brief questions to identify patients with inadequate health literacy. <i>Family Medicine</i> , 2004 , 36, 588-94	0.8	1044
100	Visceral adiposity and the risk of impaired glucose tolerance: a prospective study among Japanese Americans. <i>Diabetes Care</i> , 2003 , 26, 650-5	14.6	171
99	Predicting impaired glucose tolerance using common clinical information: data from the Third National Health and Nutrition Examination Survey. <i>Diabetes Care</i> , 2003 , 26, 2058-62	14.6	32
98	Visceral adiposity and the prevalence of hypertension in Japanese Americans. <i>Circulation</i> , 2003 , 108, 1718-23	16.7	100
97	Type and location of injection drug use-related soft tissue infections predict hospitalization. Journal of Urban Health, 2003 , 80, 127-36	5.8	28
96	Prevalence and determinants of vaginal flora alterations in postmenopausal women. <i>Journal of Infectious Diseases</i> , 2003 , 188, 1054-8	7	100
95	Relationship of adiponectin to body fat distribution, insulin sensitivity and plasma lipoproteins: evidence for independent roles of age and sex. <i>Diabetologia</i> , 2003 , 46, 459-69	10.3	1124
94	A case-control study of endoscopy and mortality from adenocarcinoma of the esophagus or gastric cardia in persons with GERD. <i>Gastrointestinal Endoscopy</i> , 2003 , 57, 823-9	5.2	33
93	Racial differences in diabetic nephropathy, cardiovascular disease, and mortality in a national population of veterans. <i>Diabetes Care</i> , 2003 , 26, 2392-9	14.6	261
92	Comparison of a clinical model, the oral glucose tolerance test, and fasting glucose for prediction of type 2 diabetes risk in Japanese Americans. <i>Diabetes Care</i> , 2003 , 26, 758-63	14.6	82
91	Biomechanical differences among pes cavus, neutrally aligned, and pes planus feet in subjects with diabetes. <i>Foot and Ankle International</i> , 2003 , 24, 845-50	3.3	87
90	Effects of ethnicity and nephropathy on lower-extremity amputation risk among diabetic veterans. <i>Diabetes Care</i> , 2003 , 26, 495-501	14.6	137
89	Prevalence of rheumatoid arthritis and hepatitis C in those age 60 and older in a US population based study. <i>Journal of Rheumatology</i> , 2003 , 30, 455-8	4.1	8
88	The Millennium Cohort Study: A 21-Year Prospective Cohort Study of 140,000 Military Personnel. <i>Military Medicine</i> , 2002 , 167, 483-488	1.3	99
87	Relationship of medial arterial calcinosis to autonomic neuropathy and adverse outcomes in a diabetic veteran population. <i>Journal of Diabetes and Its Complications</i> , 2002 , 16, 165-71	3.2	19

(2000-2002)

86	Diabetes and the risk of acute urinary tract infection among postmenopausal women. <i>Diabetes Care</i> , 2002 , 25, 1778-83	14.6	114
85	Outcomes of infants born to mothers with inflammatory bowel disease: a population-based cohort study. <i>American Journal of Gastroenterology</i> , 2002 , 97, 641-8	0.7	195
84	Improvement of BMI, body composition, and body fat distribution with lifestyle modification in Japanese Americans with impaired glucose tolerance. <i>Diabetes Care</i> , 2002 , 25, 1504-10	14.6	56
83	Race, treatment, and survival of veterans with cancer of the distal esophagus and gastric cardia. <i>Medical Care</i> , 2002 , 40, 114-26	3.1	32
82	The Vietnam Era Twin Registry. Twin Research and Human Genetics, 2002, 5, 476-81		99
81	Diet and exercise among adults with type 2 diabetes: findings from the third national health and nutrition examination survey (NHANES III). <i>Diabetes Care</i> , 2002 , 25, 1722-8	14.6	309
80	The concurrent accumulation of intra-abdominal and subcutaneous fat explains the association between insulin resistance and plasma leptin concentrations: distinct metabolic effects of two fat compartments. <i>Diabetes</i> , 2002 , 51, 1005-15	0.9	311
79	Prospective study of autonomic neuropathy as a predictor of mortality in patients with diabetes. <i>Diabetes Research and Clinical Practice</i> , 2002 , 58, 131-8	7.4	73
78	The millennium Cohort Study: a 21-year prospective cohort study of 140,000 military personnel. <i>Military Medicine</i> , 2002 , 167, 483-8	1.3	45
77	Tissue oxygenation and skin blood flow in the diabetic foot: responses to cutaneous warming. <i>Foot and Ankle International</i> , 2001 , 22, 711-4	3.3	17
76	Genetic variation and obesity in Australian women: a prospective study. <i>Obesity</i> , 2001 , 9, 733-40		15
75	Leptin and other components of the Metabolic Syndrome in Mauritiusa factor analysis. <i>International Journal of Obesity</i> , 2001 , 25, 126-31	5.5	52
74	Skin temperature in the neuropathic diabetic foot. <i>Journal of Diabetes and Its Complications</i> , 2001 , 15, 260-4	3.2	26
73	Intramuscular testosterone esters and plasma lipids in hypogonadal men: a meta-analysis. <i>American Journal of Medicine</i> , 2001 , 111, 261-9	2.4	187
72	Assessment of vital status in Department of Veterans Affairs national databases. comparison with state death certificates. <i>Annals of Epidemiology</i> , 2001 , 11, 286-91	6.4	56
71	Standard definitions of overweight and central adiposity for determining diabetes risk in Japanese Americans. <i>American Journal of Clinical Nutrition</i> , 2001 , 74, 101-7	7	70
70	Reassessing the role of QTc in the diagnosis of autonomic failure among patients with diabetes: a meta-analysis. <i>Diabetes Care</i> , 2000 , 23, 241-7	14.6	76
69	Low serum testosterone level as a predictor of increased visceral fat in Japanese-American men. <i>International Journal of Obesity</i> , 2000 , 24, 485-91	5.5	155

68	Responsiveness of the SF-36 among veterans with diabetes mellitus. <i>Journal of Diabetes and Its Complications</i> , 2000 , 14, 31-9	3.2	61
67	Features of the metabolic syndrome predict higher risk of diabetes and impaired glucose tolerance: a prospective study in Mauritius. <i>Diabetes Care</i> , 2000 , 23, 1242-8	14.6	75
66	Visceral adiposity and risk of type 2 diabetes: a prospective study among Japanese Americans. <i>Diabetes Care</i> , 2000 , 23, 465-71	14.6	447
65	A randomized controlled trial of a clinic-based support staff intervention to increase the rate of fecal occult blood test ordering. <i>Preventive Medicine</i> , 2000 , 30, 244-51	4.3	31
64	Type 2 diabetes and the metabolic syndrome in Japanese Americans. <i>Diabetes Research and Clinical Practice</i> , 2000 , 50 Suppl 2, S73-6	7.4	54
63	Association between analgesic use and inflammatory bowel disease (IBD) flares: A retrospective cohort study. <i>Gastroenterology</i> , 2000 , 118, A581	13.3	11
62	Visceral adiposity and incident coronary heart disease in Japanese-American men. The 10-year follow-up results of the Seattle Japanese-American Community Diabetes Study. <i>Diabetes Care</i> , 1999 , 22, 1808-12	14.6	239
61	A prospective study of risk factors for diabetic foot ulcer. The Seattle Diabetic Foot Study. <i>Diabetes Care</i> , 1999 , 22, 1036-42	14.6	472
60	Clinical correlates of plantar pressure among diabetic veterans. <i>Diabetes Care</i> , 1999 , 22, 965-72	14.6	77
59	Diagnosing pneumonia by physical examination: relevant or relic?. <i>Archives of Internal Medicine</i> , 1999 , 159, 1082-7		174
58			95
	Impact of new diagnostic criteria for diabetes on different populations. <i>Diabetes Care</i> , 1999 , 22, 762-6	14.6	
57	Impact of new diagnostic criteria for diabetes on different populations. <i>Diabetes Care</i> , 1999 , 22, 762-6 Causal pathways for incident lower-extremity ulcers in patients with diabetes from two settings. <i>Diabetes Care</i> , 1999 , 22, 157-62	14.6	
57 56	Causal pathways for incident lower-extremity ulcers in patients with diabetes from two settings.	•	
	Causal pathways for incident lower-extremity ulcers in patients with diabetes from two settings. Diabetes Care, 1999, 22, 157-62 Association between baseline plasma leptin levels and subsequent development of diabetes in	14.6	761
56	Causal pathways for incident lower-extremity ulcers in patients with diabetes from two settings. <i>Diabetes Care</i> , 1999 , 22, 157-62 Association between baseline plasma leptin levels and subsequent development of diabetes in Japanese Americans. <i>Diabetes Care</i> , 1999 , 22, 65-70 Etiology of the metabolic syndrome: potential role of insulin resistance, leptin resistance, and other	14.6	761 195
56 55	Causal pathways for incident lower-extremity ulcers in patients with diabetes from two settings. <i>Diabetes Care</i> , 1999 , 22, 157-62 Association between baseline plasma leptin levels and subsequent development of diabetes in Japanese Americans. <i>Diabetes Care</i> , 1999 , 22, 65-70 Etiology of the metabolic syndrome: potential role of insulin resistance, leptin resistance, and other players. <i>Annals of the New York Academy of Sciences</i> , 1999 , 892, 25-44 Accuracy of QTc and QTI for Detection of Autonomic Dysfunction. <i>Annals of Noninvasive</i>	14.6 14.6 6.5	761 195 179
565554	Causal pathways for incident lower-extremity ulcers in patients with diabetes from two settings. Diabetes Care, 1999, 22, 157-62 Association between baseline plasma leptin levels and subsequent development of diabetes in Japanese Americans. Diabetes Care, 1999, 22, 65-70 Etiology of the metabolic syndrome: potential role of insulin resistance, leptin resistance, and other players. Annals of the New York Academy of Sciences, 1999, 892, 25-44 Accuracy of QTc and QTI for Detection of Autonomic Dysfunction. Annals of Noninvasive Electrocardiology, 1999, 4, 257-266 Breast cancer screening by Asian-American women in a managed care environment. American	14.6 14.6 6.5	761 195 179

50	Reliability of F-scan in-shoe measurements of plantar pressure. <i>Foot and Ankle International</i> , 1998 , 19, 668-73	3.3	93
49	Use of spermicide-coated condoms and other risk factors for urinary tract infection caused by Staphylococcus saprophyticus. <i>Archives of Internal Medicine</i> , 1998 , 158, 281-7		36
48	Physical examination and chronic lower-extremity ischemia: a critical review. <i>Archives of Internal Medicine</i> , 1998 , 158, 1357-64		83
47	Increased plasma leptin levels are associated with fat accumulation in Japanese Americans. <i>Diabetes</i> , 1998 , 47, 239-243	0.9	11
46	Effect of regional fat distribution and Prader-Willi syndrome on plasma leptin levels. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997 , 82, 566-70	5.6	52
45	Evidence that plasma leptin and insulin levels are associated with body adiposity via different mechanisms. <i>Diabetes Care</i> , 1997 , 20, 1476-81	14.6	80
44	Prevalence of radiographic foot abnormalities in patients with diabetes. <i>Foot and Ankle International</i> , 1997 , 18, 342-6	3.3	59
43	Hypertension in Alaska Natives: association with overweight, glucose intolerance, diet and mechanized activity. <i>Ethnicity and Health</i> , 1997 , 2, 267-75	2.2	35
42	Fasting insulin level underestimates risk of non-insulin-dependent diabetes mellitus due to confounding by insulin secretion. <i>American Journal of Epidemiology</i> , 1997 , 145, 18-23	3.8	9
41	Risk factors for diabetic peripheral sensory neuropathy. Results of the Seattle Prospective Diabetic Foot Study. <i>Diabetes Care</i> , 1997 , 20, 1162-7	14.6	223
40	Diagnostic utility of the history and physical examination for peripheral vascular disease among patients with diabetes mellitus. <i>Journal of Clinical Epidemiology</i> , 1997 , 50, 659-68	5.7	90
39	Effect of Regional Fat Distribution and Prader-Willi Syndrome on Plasma Leptin Levels. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997 , 82, 566-570	5.6	38
38	Association between use of spermicide-coated condoms and Escherichia coli urinary tract infection in young women. <i>American Journal of Epidemiology</i> , 1996 , 144, 512-20	3.8	69
37	Cerebrospinal fluid leptin levels: relationship to plasma levels and to adiposity in humans. <i>Nature Medicine</i> , 1996 , 2, 589-93	50.5	833
36	Community patterns of transdermal nicotine use and provider counseling. <i>Journal of General Internal Medicine</i> , 1995 , 10, 656-62	4	19
35	Earlier appearance of impaired insulin secretion than of visceral adiposity in the pathogenesis of NIDDM. 5-Year follow-up of initially nondiabetic Japanese-American men. <i>Diabetes Care</i> , 1995 , 18, 747-	5 3 4.6	123
34	Relationship of proinsulin and insulin with noninsulin-dependent diabetes mellitus and coronary heart disease in Japanese-American men: impact of obesityclinical research center study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1995 , 80, 1399-406	5.6	55
33	The independent contributions of diabetic neuropathy and vasculopathy in foot ulceration. How great are the risks?. <i>Diabetes Care</i> , 1995 , 18, 216-9	14.6	285

32	Reduced insulin secretion: an independent predictor of body weight gain. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1995 , 80, 1571-6	5.6	105
31	Susceptibility to development of central adiposity among populations. <i>Obesity</i> , 1995 , 3 Suppl 2, 179S-1	86S	66
30	Paradoxical transcutaneous oxygen response to cutaneous warming on the plantar foot surface: a caution for interpretation of plantar foot TcPO2 measurements. <i>Foot and Ankle International</i> , 1995 , 16, 787-91	3.3	13
29	Dietary change and obesity associated with glucose intolerance in Alaska Natives. <i>Journal of the American Dietetic Association</i> , 1995 , 95, 676-82		82
28	Reduced insulin secretion: an independent predictor of body weight gain. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1995 , 80, 1571-1576	5.6	82
27	Proinsulin as a marker for the development of NIDDM in Japanese-American men. <i>Diabetes</i> , 1995 , 44, 173-179	0.9	30
26	Increased risk of inflammatory bowel disease associated with oral contraceptive use. <i>American Journal of Epidemiology</i> , 1994 , 140, 268-78	3.8	56
25	Lower prevalence of impaired glucose tolerance and diabetes associated with daily seal oil or salmon consumption among Alaska Natives. <i>Diabetes Care</i> , 1994 , 17, 1498-501	14.6	121
24	Ruling out or ruling in disease with the most sensitive or specific diagnostic test: short cut or wrong turn?. <i>Medical Decision Making</i> , 1994 , 14, 175-9	2.5	90
23	Diabetes and diabetes risk factors in second- and third-generation Japanese Americans in Seattle, Washington. <i>Diabetes Research and Clinical Practice</i> , 1994 , 24 Suppl, S43-52	7.4	77
22	Attitudes toward assisted suicide and euthanasia among physicians in Washington State. <i>New England Journal of Medicine</i> , 1994 , 331, 89-94	59.2	221
21	The contribution of insulin-dependent and insulin-independent glucose uptake to intravenous glucose tolerance in healthy human subjects. <i>Diabetes</i> , 1994 , 43, 587-592	0.9	99
20	Leukocyte esterase tests detect pyuria, not bacteriuria. <i>Annals of Internal Medicine</i> , 1993 , 118, 230; author reply 230-1	8	1
19	Quantification of the relationship between insulin sensitivity and beta-cell function in human subjects. Evidence for a hyperbolic function. <i>Diabetes</i> , 1993 , 42, 1663-1672	0.9	312
18	The role of age in susceptibility to pneumococcal infections. <i>Age and Ageing</i> , 1992 , 21, 357-61	3	19
17	A method to describe physician decision thresholds and its application in examining the diagnosis of coronary artery disease based on exercise treadmill testing. <i>Medical Decision Making</i> , 1992 , 12, 204-1	1 2 .5	12
16	Relationships between requests for psychiatric consultations and psychiatric diagnoses in long-term-care facilities. <i>American Journal of Psychiatry</i> , 1991 , 148, 898-903	11.9	29
15	Chronology and determinants of tissue repair in diabetic lower-extremity ulcers. <i>Diabetes</i> , 1991 , 40, 13	05 . ∮31	353

LIST OF PUBLICATIONS

14	The use of risk factors in medical diagnosis: opportunities and cautions. <i>Journal of Clinical Epidemiology</i> , 1990 , 43, 851-8	5.7	24
13	Work-up bias as an explanation for variations in sensitivity and specificity. <i>Journal of General Internal Medicine</i> , 1989 , 4, 177	4	1
12	Increased Incidence of Infections in Intravenous Drug Users. <i>Infection Control and Hospital Epidemiology</i> , 1989 , 10, 211-215	2	26
11	Increased incidence of infections in intravenous drug users. <i>Infection Control and Hospital Epidemiology</i> , 1989 , 10, 211-5	2	17
10	Reference test errors bias the evaluation of diagnostic tests for ischemic heart disease. <i>Journal of General Internal Medicine</i> , 1988 , 3, 476-81	4	52
9	Effects of cigarette smoking on the clinical course of ulcerative colitis. <i>Scandinavian Journal of Gastroenterology</i> , 1988 , 23, 1147-52	2.4	116
8	Weather and occurrence of eclampsia. International Journal of Epidemiology, 1988, 17, 582-8	7.8	12
7	Re: "Nonspecific inflammatory bowel disease and smoking". <i>American Journal of Epidemiology</i> , 1988 , 127, 696-8	3.8	2
6	Nocardia asteroides cervical osteomyelitis in an immunocompetent host. <i>Otolaryngology - Head and Neck Surgery</i> , 1988 , 99, 334-7	5.5	12
5	Risk of ulcerative colitis among former and current cigarette smokers. <i>New England Journal of Medicine</i> , 1987 , 316, 707-10	59.2	188
4	Binding the elderly: a prospective study of the use of mechanical restraints in an acute care hospital. <i>Journal of the American Geriatrics Society</i> , 1987 , 35, 290-6	5.6	119
3	Risk factors for acquiring pneumococcal infections. <i>Archives of Internal Medicine</i> , 1986 , 146, 2179-2185		33
2	The Vietnam Era Twin Registry		5
1 _	The Epidemiology of Peripheral Vascular Disease539-563		