

Jung Sik Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4165727/publications.pdf>

Version: 2024-02-01

37
papers

1,263
citations

361045

20
h-index

360668

35
g-index

40
all docs

40
docs citations

40
times ranked

717
citing authors

#	ARTICLE	IF	CITATIONS
1	Tuning $\text{La}_{2}\text{O}_{3}$ to high ionic conductivity by Ni-doping. <i>Chemical Communications</i> , 2022, 58, 4360-4363.	2.2	15
2	Surface-Engineered Homostructure for Enhancing Proton Transport. <i>Small Methods</i> , 2022, 6, e2100901.	4.6	26
3	Design principle and assessing the correlations in Sb-doped $\text{Ba}_{0.5}\text{Sr}_{0.5}\text{FeO}_{3}$ perovskite oxide for enhanced oxygen reduction catalytic performance. <i>Journal of Catalysis</i> , 2021, 395, 168-177.	3.1	44
4	Junction and energy band on novel semiconductor-based fuel cells. <i>IScience</i> , 2021, 24, 102191.	1.9	45
5	Performance analysis of $\text{LiAl}_{0.5}\text{Co}_{0.5}\text{O}_{2}$ nanosheets for intermediate-temperature fuel cells. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 26478-26488.	3.8	12
6	Semiconductor Electrochemistry for Clean Energy Conversion and Storage. <i>Electrochemical Energy Reviews</i> , 2021, 4, 757-792.	13.1	77
7	In-situ temperature monitoring directly from cathode surface of an operating solid oxide fuel cell. <i>Applied Energy</i> , 2020, 280, 116013.	5.1	10
8	Development of a Novel Multi-Channel Thermocouple Array Sensor for In-Situ Monitoring of Ice Accretion. <i>Sensors</i> , 2020, 20, 2165.	2.1	3
9	Semiconductor TiO_{2} thin film as an electrolyte for fuel cells. <i>Journal of Materials Chemistry A</i> , 2019, 7, 16728-16734.	5.2	80
10	Proton Shuttles in $\text{CeO}_{2}/\text{CeO}_{2-\delta}$ Core-Shell Structure. <i>ACS Energy Letters</i> , 2019, 4, 2601-2607.	8.8	160
11	Ionic Conducting Properties and Fuel Cell Performance Developed by Band Structures. <i>Journal of Physical Chemistry C</i> , 2019, 123, 8569-8577.	1.5	26
12	Promising electrochemical study of titanate based anodes in direct carbon fuel cell using walnut and almond shells biochar fuel. <i>Journal of Power Sources</i> , 2019, 434, 126679.	4.0	27
13	Parameters and their impacts on the temperature distribution and thermal gradient of solid oxide fuel cell. <i>Applied Energy</i> , 2019, 241, 164-173.	5.1	31
14	Spring Based Connection of External Wires to a Thin Film Temperature Sensor Integrated Inside a Solid Oxide Fuel Cell. <i>Scientific Reports</i> , 2019, 9, 2161.	1.6	13
15	Perovskite $\text{SrFe}_{1-x}\text{Ti}_x\text{O}_{3-\delta}$ ($x \leq 0.1$) cathode for low temperature solid oxide fuel cell. <i>Ceramics International</i> , 2018, 44, 10266-10272.	2.3	41
16	Single-step fabrication of an anode supported planar single-chamber solid oxide fuel cell. <i>International Journal of Applied Ceramic Technology</i> , 2018, 15, 1375-1387.	1.1	10
17	In-situ monitoring of temperature distribution in operating solid oxide fuel cell cathode using proprietary sensory techniques versus commercial thermocouples. <i>Applied Energy</i> , 2018, 230, 551-562.	5.1	26
18	Advanced Fuel Cell Based on Perovskite LaSrTiO_{3} Semiconductor as the Electrolyte with Superoxide-Ion Conduction. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 33179-33186.	4.0	103

#	ARTICLE	IF	CITATIONS
19	Study on Zinc Oxide-Based Electrolytes in Low-Temperature Solid Oxide Fuel Cells. <i>Materials</i> , 2018, 11, 40.	1.3	69
20	Fabrication and evaluation of a novel wavy Single Chamber Solid Oxide Fuel Cell via in-situ monitoring of curvature evolution. <i>Applied Energy</i> , 2017, 195, 1038-1046.	5.1	6
21	Charge separation and transport in La _{0.6} Sr _{0.4} Co _{0.2} Fe _{0.8} O _{3-δ} and ion-doping ceria heterostructure material for new generation fuel cell. <i>Nano Energy</i> , 2017, 37, 195-202.	8.2	115
22	Semiconductor-ionic Membrane of LaSrCoFe-oxide-doped Ceria Solid Oxide Fuel Cells. <i>Electrochimica Acta</i> , 2017, 248, 496-504.	2.6	74
23	Standardized Procedures Important for Improving Single-Component Ceramic Fuel Cell Technology. <i>ACS Energy Letters</i> , 2017, 2, 2752-2755.	8.8	30
24	Progress in Electrolyte-Free Fuel Cells. <i>Frontiers in Energy Research</i> , 2016, 4, .	1.2	17
25	Performance and Durability of Thin Film Thermocouple Array on a Porous Electrode. <i>Sensors</i> , 2016, 16, 1329.	2.1	17
26	Fabrication of Three-Dimensional Wavy Single-Chamber Solid Oxide Fuel Cell by <i>In Situ</i> Observation of Curvature Evolution. <i>Journal of the American Ceramic Society</i> , 2016, 99, 1174-1183.	1.9	3
27	Cell integrated multi-junction thermocouple array for solid oxide fuel cell temperature sensing: N+1 architecture. <i>Journal of Power Sources</i> , 2016, 315, 70-78.	4.0	21
28	Cell integrated thin-film multi-junction thermocouple array for in-situ temperature monitoring of solid oxide fuel cells. , 2015, , .		3
29	Constrained sintering of 8 mol% Y ₂ O ₃ stabilised zirconia films. <i>Journal of the European Ceramic Society</i> , 2012, 32, 4121-4128.	2.8	18
30	Stress Induced by Constrained Sintering of 3YSZ Films Measured by Substrate Creep. <i>Journal of the American Ceramic Society</i> , 2011, 94, 717-724.	1.9	24
31	Constrained sintering kinetics of 3YSZ films. <i>Journal of the European Ceramic Society</i> , 2011, 31, 2231-2239.	2.8	33
32	Fabrication of Three-Dimensional Magnetic Microcomponents. <i>Springer Proceedings in Physics</i> , 2010, , 131-139.	0.1	0
33	Constrained Sintering Stress -Review. <i>Springer Proceedings in Physics</i> , 2010, , 163-173.	0.1	1
34	Constrained Sintering of Zirconia Films. <i>ECS Transactions</i> , 2009, 25, 1531-1540.	0.3	1
35	Net-Shape Alumina Microcomponents by Conversion of Al Powder. <i>Advanced Engineering Materials</i> , 2009, 11, 106-110.	1.6	5
36	Pressure Free Fabrication of 3D Microcomponents Using Al Powder. <i>Advanced Engineering Materials</i> , 2006, 8, 38-41.	1.6	13

#	ARTICLE	IF	CITATIONS
37	A net shape process for metallic microcomponent fabrication using Al and Cu micro/nano powders. Journal of Micromechanics and Microengineering, 2006, 16, 48-52.	1.5	19