

# Yuri Milaneschi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4166172/publications.pdf>

Version: 2024-02-01

162  
papers

20,085  
citations

18887

64  
h-index

15698

129  
g-index

181  
all docs

181  
docs citations

181  
times ranked

31032  
citing authors

#	ARTICLE	IF	CITATIONS
1	Metabolomics dissection of depression heterogeneity and related cardiometabolic risk. <i>Psychological Medicine</i> , 2023, 53, 248-257.	2.7	10
2	Dissection of depression heterogeneity using proteomic clusters. <i>Psychological Medicine</i> , 2023, 53, 2904-2912.	2.7	10
3	Familial risk for depressive and anxiety disorders: associations with genetic, clinical, and psychosocial vulnerabilities. <i>Psychological Medicine</i> , 2022, 52, 696-706.	2.7	7
4	Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. <i>Biological Psychiatry</i> , 2022, 91, 102-117.	0.7	61
5	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. <i>Biological Psychiatry</i> , 2022, 91, 313-327.	0.7	114
6	Inflammation and depression in young people: a systematic review and proposed inflammatory pathways. <i>Molecular Psychiatry</i> , 2022, 27, 315-327.	4.1	35
7	Metabolomic and inflammatory signatures of symptom dimensions in major depression. <i>Brain, Behavior, and Immunity</i> , 2022, 102, 42-52.	2.0	33
8	Cellular specificity of mitochondrial and immunometabolic features in major depression. <i>Molecular Psychiatry</i> , 2022, 27, 2370-2371.	4.1	5
9	Genetic variants associated with longitudinal changes in brain structure across the lifespan. <i>Nature Neuroscience</i> , 2022, 25, 421-432.	7.1	75
10	Genomics-based identification of a potential causal role for acylcarnitine metabolism in depression. <i>Journal of Affective Disorders</i> , 2022, 307, 254-263.	2.0	10
11	The association between clinical and biological characteristics of depression and structural brain alterations. <i>Journal of Affective Disorders</i> , 2022, 312, 268-274.	2.0	6
12	Genome-wide association study of panic disorder reveals genetic overlap with neuroticism and depression. <i>Molecular Psychiatry</i> , 2021, 26, 4179-4190.	4.1	58
13	Brain structural abnormalities in obesity: relation to age, genetic risk, and common psychiatric disorders. <i>Molecular Psychiatry</i> , 2021, 26, 4839-4852.	4.1	76
14	Associations between depressive symptom profiles and immunometabolic characteristics in individuals with depression and their siblings. <i>World Journal of Biological Psychiatry</i> , 2021, 22, 128-138.	1.3	6
15	Shared genetic risk between eating disorder and substance use related phenotypes: Evidence from genome-wide association studies. <i>Addiction Biology</i> , 2021, 26, e12880.	1.4	28
16	Multi-ancestry genome-wide association study accounting for gene-psychosocial factor interactions identifies novel loci for blood pressure traits. <i>Human Genetics and Genomics Advances</i> , 2021, 2, 100013.	1.0	2
17	Meta-analysis uncovers genome-wide significant variants for rapid kidney function decline. <i>Kidney International</i> , 2021, 99, 926-939.	2.6	42
18	Identifying causative mechanisms linking early-life stress to psycho-cardio-metabolic multi-morbidity: The EarlyCause project. <i>PLoS ONE</i> , 2021, 16, e0245475.	1.1	9

#	ARTICLE	IF	CITATIONS
19	Genome-wide association study of circulating interleukin 6 levels identifies novel loci. <i>Human Molecular Genetics</i> , 2021, 30, 393-409.	1.4	32
20	An integrative study of five biological clocks in somatic and mental health. <i>ELife</i> , 2021, 10, .	2.8	52
21	Obesity and atypical depression symptoms: findings from Mendelian randomization in two European cohorts. <i>Translational Psychiatry</i> , 2021, 11, 96.	2.4	31
22	Dissecting Depression Biological and Clinical Heterogeneityâ€”The Importance of Symptom Assessment Resolution. <i>JAMA Psychiatry</i> , 2021, 78, 341.	6.0	14
23	Multi-ancestry genome-wide geneâ€“sleep interactions identify novel loci for blood pressure. <i>Molecular Psychiatry</i> , 2021, 26, 6293-6304.	4.1	13
24	Metabolomic profiles discriminating anxiety from depression. <i>Acta Psychiatrica Scandinavica</i> , 2021, 144, 178-193.	2.2	21
25	Association of inflammation with depression and anxiety: evidence for symptom-specificity and potential causality from UK Biobank and NESDA cohorts. <i>Molecular Psychiatry</i> , 2021, 26, 7393-7402.	4.1	107
26	The Genetic Architecture of Depression in Individuals of East Asian Ancestry. <i>JAMA Psychiatry</i> , 2021, 78, 1258.	6.0	88
27	Major Depressive Disorder and Lifestyle: Correlated Genetic Effects in Extended Twin Pedigrees. <i>Genes</i> , 2021, 12, 1509.	1.0	12
28	The association between plasma tryptophan catabolites and depression: The role of symptom profiles and inflammation. <i>Brain, Behavior, and Immunity</i> , 2021, 97, 167-175.	2.0	38
29	Familial resemblance in mental health symptoms, social and cognitive vulnerability, and personality: A study of patients with depressive and anxiety disorders and their siblings. <i>Journal of Affective Disorders</i> , 2021, 294, 420-429.	2.0	8
30	Higher thyrotropin leads to unfavorable lipid profile and somewhat higher cardiovascular disease risk: evidence from multi-cohort Mendelian randomization and metabolomic profiling. <i>BMC Medicine</i> , 2021, 19, 266.	2.3	11
31	Potential Genetic Overlap Between Insomnia and Sleep Symptoms in Major Depressive Disorder: A Polygenic Risk Score Analysis. <i>Frontiers in Psychiatry</i> , 2021, 12, 734077.	1.3	2
32	Dose response of the 16p11.2 distal copy number variant on intracranial volume and basal ganglia. <i>Molecular Psychiatry</i> , 2020, 25, 584-602.	4.1	49
33	Methylome-wide association findings for major depressive disorder overlap in blood and brain and replicate in independent brain samples. <i>Molecular Psychiatry</i> , 2020, 25, 1344-1354.	4.1	61
34	A methylation study of long-term depression risk. <i>Molecular Psychiatry</i> , 2020, 25, 1334-1343.	4.1	56
35	Classical Human Leukocyte Antigen Alleles and C4 Haplotypes Are Not Significantly Associated With Depression. <i>Biological Psychiatry</i> , 2020, 87, 419-430.	0.7	27
36	Metabolomics Profile in Depression: A Pooled Analysis of 230 Metabolic Markers in 5283 Cases With Depression and 10,145 Controls. <i>Biological Psychiatry</i> , 2020, 87, 409-418.	0.7	129

#	ARTICLE	IF	CITATIONS
37	The Genetics of the Mood Disorder Spectrum: Genome-wide Association Analyses of More Than 185,000 Cases and 439,000 Controls. <i>Biological Psychiatry</i> , 2020, 88, 169-184.	0.7	137
38	Response to "International Society for Nutritional Psychiatry Research Practice Guidelines for Omega-3 Fatty Acids in the Treatment of Major Depressive Disorder" by Guu et al. (2019). <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 48-48.	4.0	6
39	A large-scale genome-wide association study meta-analysis of cannabis use disorder. <i>Lancet Psychiatry</i> , 2020, 7, 1032-1045.	3.7	200
40	Genetic comorbidity between major depression and cardiovascular metabolic traits, stratified by age at onset of major depression. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2020, 183, 309-330.	1.1	33
41	Genetic Liability for Depression, Social Factors and Their Interaction Effect in Depressive Symptoms and Depression Over Time in Older Adults. <i>American Journal of Geriatric Psychiatry</i> , 2020, 28, 844-855.	0.6	8
42	Data mining algorithm predicts a range of adverse outcomes in major depression. <i>Journal of Affective Disorders</i> , 2020, 276, 945-953.	2.0	10
43	Supplementation-induced increase in circulating omega-3 serum levels is not associated with a reduction in depressive symptoms: Results from the MoodFOOD depression prevention trial. <i>Depression and Anxiety</i> , 2020, 37, 1079-1088.	2.0	7
44	Gene-educational attainment interactions in a multi-ancestry genome-wide meta-analysis identify novel blood pressure loci. <i>Molecular Psychiatry</i> , 2020, 26, 2111-2125.	4.1	17
45	The genetic architecture of the human cerebral cortex. <i>Science</i> , 2020, 367, .	6.0	450
46	Minimal phenotyping yields genome-wide association signals of low specificity for major depression. <i>Nature Genetics</i> , 2020, 52, 437-447.	9.4	207
47	Physical Activity as Moderator of the Association Between APOE and Cognitive Decline in Older Adults: Results from Three Longitudinal Cohort Studies. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 1880-1886.	1.7	21
48	Bidirectional longitudinal associations of omega-3 polyunsaturated fatty acid plasma levels with depressive disorders. <i>Journal of Psychiatric Research</i> , 2020, 124, 1-8.	1.5	13
49	Genome-wide Association Analysis in Humans Links Nucleotide Metabolism to Leukocyte Telomere Length. <i>American Journal of Human Genetics</i> , 2020, 106, 389-404.	2.6	118
50	Integration of epidemiologic, pharmacologic, genetic and gut microbiome data in a drug "metabolite atlas. <i>Nature Medicine</i> , 2020, 26, 110-117.	15.2	54
51	Depression Heterogeneity and Its Biological Underpinnings: Toward Immunometabolic Depression. <i>Biological Psychiatry</i> , 2020, 88, 369-380.	0.7	209
52	Depression profilers and immuno-metabolic dysregulation: Longitudinal results from the NESDA study. <i>Brain, Behavior, and Immunity</i> , 2020, 88, 174-183.	2.0	85
53	Involvement of inflammatory gene expression pathways in depressed patients with hyperphagia. <i>Translational Psychiatry</i> , 2019, 9, 193.	2.4	15
54	New alcohol-related genes suggest shared genetic mechanisms with neuropsychiatric disorders. <i>Nature Human Behaviour</i> , 2019, 3, 950-961.	6.2	75

#	ARTICLE	IF	CITATIONS
55	The association of depression and anxiety with cardiac autonomic activity: The role of confounding effects of antidepressants. <i>Depression and Anxiety</i> , 2019, 36, 1163-1172.	2.0	36
56	A role for vitamin D and omega-3 fatty acids in major depression? An exploration using genomics. <i>Translational Psychiatry</i> , 2019, 9, 219.	2.4	33
57	The association between overall and abdominal adiposity and depressive mood: A cross-sectional analysis in 6459 participants. <i>Psychoneuroendocrinology</i> , 2019, 110, 104429.	1.3	32
58	Target genes, variants, tissues and transcriptional pathways influencing human serum urate levels. <i>Nature Genetics</i> , 2019, 51, 1459-1474.	9.4	251
59	Multiancestry Genome-Wide Association Study of Lipid Levels Incorporating Gene-Alcohol Interactions. <i>American Journal of Epidemiology</i> , 2019, 188, 1033-1054.	1.6	85
60	Multi-ancestry study of blood lipid levels identifies four loci interacting with physical activity. <i>Nature Communications</i> , 2019, 10, 376.	5.8	64
61	A catalog of genetic loci associated with kidney function from analyses of a million individuals. <i>Nature Genetics</i> , 2019, 51, 957-972.	9.4	549
62	GWAS of Suicide Attempt in Psychiatric Disorders and Association With Major Depression Polygenic Risk Scores. <i>American Journal of Psychiatry</i> , 2019, 176, 651-660.	4.0	186
63	PREDICTING THE FUTURE DISEASE STATUS OF DEPRESSED PATIENTS FROM DNA METHYLATION PATTERNS IN BLOOD. <i>European Neuropsychopharmacology</i> , 2019, 29, S793-S794.	0.3	0
64	Multi-ancestry genome-wide gene-smoking interaction study of 387,272 individuals identifies new loci associated with serum lipids. <i>Nature Genetics</i> , 2019, 51, 636-648.	9.4	112
65	Large-scale plasma metabolome analysis reveals alterations in HDL metabolism in migraine. <i>Neurology</i> , 2019, 92, e1899-e1911.	1.5	42
66	Genetic architecture of subcortical brain structures in 38,851 individuals. <i>Nature Genetics</i> , 2019, 51, 1624-1636.	9.4	192
67	Association of Whole-Genome and NETRIN1 Signaling Pathway-Derived Polygenic Risk Scores for Major Depressive Disorder and White Matter Microstructure in the UK Biobank. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 91-100.	1.1	16
68	Unraveling the association between depression and telomere length using genomics. <i>Psychoneuroendocrinology</i> , 2019, 102, 121-127.	1.3	15
69	Longitudinal Association Between Depression and Inflammatory Markers: Results From the Netherlands Study of Depression and Anxiety. <i>Biological Psychiatry</i> , 2019, 85, 829-837.	0.7	134
70	Depression and obesity: evidence of shared biological mechanisms. <i>Molecular Psychiatry</i> , 2019, 24, 18-33.	4.1	521
71	Epigenetic Aging in Major Depressive Disorder. <i>American Journal of Psychiatry</i> , 2018, 175, 774-782.	4.0	172
72	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. <i>Nature Genetics</i> , 2018, 50, 668-681.	9.4	2,224

#	ARTICLE	IF	CITATIONS
73	The association of omega-3 fatty acid levels with personality and cognitive reactivity. <i>Journal of Psychosomatic Research</i> , 2018, 108, 93-101.	1.2	12
74	Omega-3 and omega-6 fatty acid levels in depressive and anxiety disorders. <i>Psychoneuroendocrinology</i> , 2018, 87, 53-62.	1.3	81
75	Does Childhood Trauma Moderate Polygenic Risk for Depression? A Meta-analysis of 5765 Subjects From the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , 2018, 84, 138-147.	0.7	87
76	Transancestral GWAS of alcohol dependence reveals common genetic underpinnings with psychiatric disorders. <i>Nature Neuroscience</i> , 2018, 21, 1656-1669.	7.1	490
77	Genome Analyses of >200,000 Individuals Identify 58 Loci for Chronic Inflammation and Highlight Pathways that Link Inflammation and Complex Disorders. <i>American Journal of Human Genetics</i> , 2018, 103, 691-706.	2.6	326
78	Genetic analysis of over 1 million people identifies 535 new loci associated with blood pressure traits. <i>Nature Genetics</i> , 2018, 50, 1412-1425.	9.4	924
79	Omega-3 polyunsaturated fatty acid levels and dysregulations in biological stress systems. <i>Psychoneuroendocrinology</i> , 2018, 97, 206-215.	1.3	30
80	F119. Longitudinal Association Between Depression, Depression Characteristics and Inflammatory Markers: Results From the NESDA Study. <i>Biological Psychiatry</i> , 2018, 83, S283-S284.	0.7	0
81	Novel genetic associations for blood pressure identified via gene-alcohol interaction in up to 570K individuals across multiple ancestries. <i>PLoS ONE</i> , 2018, 13, e0198166.	1.1	94
82	Leptin Dysregulation Is Specifically Associated With Major Depression With Atypical Features: Evidence for a Mechanism Connecting Obesity and Depression. <i>Biological Psychiatry</i> , 2017, 81, 807-814.	0.7	147
83	Genome-wide Association for Major Depression Through Age at Onset Stratification: Major Depressive Disorder Working Group of the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , 2017, 81, 325-335.	0.7	175
84	Novel genetic loci associated with hippocampal volume. <i>Nature Communications</i> , 2017, 8, 13624.	5.8	250
85	HPA Axis Genes, and Their Interaction with Childhood Maltreatment, are Related to Cortisol Levels and Stress-Related Phenotypes. <i>Neuropsychopharmacology</i> , 2017, 42, 2446-2455.	2.8	69
86	Genome-Wide Significance for <i>PCLO</i> as a Gene for Major Depressive Disorder. <i>Twin Research and Human Genetics</i> , 2017, 20, 267-270.	0.3	28
87	The association of childhood maltreatment with depression and anxiety is not moderated by the oxytocin receptor gene. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 517-526.	1.8	32
88	An Analysis of Two Genome-wide Association Meta-analyses Identifies a New Locus for Broad Depression Phenotype. <i>Biological Psychiatry</i> , 2017, 82, 322-329.	0.7	84
89	Genetic Variants Associated with Circulating Parathyroid Hormone. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 1553-1565.	3.0	52
90	Immunometabolic dysregulation is associated with reduced cortical thickness of the anterior cingulate cortex. <i>Brain, Behavior, and Immunity</i> , 2017, 60, 361-368.	2.0	28

#	ARTICLE	IF	CITATIONS
91	Genome-wide Regional Heritability Mapping Identifies a Locus Within the TOX2 Gene Associated With Major Depressive Disorder. <i>Biological Psychiatry</i> , 2017, 82, 312-321.	0.7	26
92	Genetic Association of Major Depression With Atypical Features and Obesity-Related Immunometabolic Dysregulations. <i>JAMA Psychiatry</i> , 2017, 74, 1214.	6.0	174
93	The low single nucleotide polymorphism heritability of plasma and saliva cortisol levels. <i>Psychoneuroendocrinology</i> , 2017, 85, 88-95.	1.3	17
94	Interaction between the <i>FTO</i> gene, body mass index and depression: meta-analysis of 13701 individuals. <i>British Journal of Psychiatry</i> , 2017, 211, 70-76.	1.7	49
95	Using Clinical Characteristics to Identify Which Patients With Major Depressive Disorder Have a Higher Genetic Load for Three Psychiatric Disorders. <i>Biological Psychiatry</i> , 2017, 81, 316-324.	0.7	31
96	A double blind placebo controlled randomized trial of the effect of acute uric acid changes on inflammatory markers in humans: A pilot study. <i>PLoS ONE</i> , 2017, 12, e0181100.	1.1	18
97	Reconsidering the prognosis of major depressive disorder across diagnostic boundaries: full recovery is the exception rather than the rule. <i>BMC Medicine</i> , 2017, 15, 215.	2.3	73
98	Genome-wide physical activity interactions in adiposity • A meta-analysis of 200,452 adults. <i>PLoS Genetics</i> , 2017, 13, e1006528.	1.5	158
99	Diagnostic value of ischemia severity at myocardial perfusion imaging in elderly persons with suspected coronary disease. <i>Journal of Cardiovascular Medicine</i> , 2016, 17, 719-728.	0.6	4
100	Meta-analysis of 49â€¦549 individuals imputed with the 1000 Genomes Project reveals an exonic damaging variant in <i>ANGPTL4</i> determining fasting TG levels. <i>Journal of Medical Genetics</i> , 2016, 53, 441-449.	1.5	34
101	Association of <i>CRTC1</i> polymorphisms with obesity markers in subjects from the general population with lifetime depression. <i>Journal of Affective Disorders</i> , 2016, 198, 43-49.	2.0	18
102	Effect of childhood maltreatment and brain-derived neurotrophic factor on brain morphology. <i>Social Cognitive and Affective Neuroscience</i> , 2016, 11, 1841-1852.	1.5	45
103	Novel genetic loci underlying human intracranial volume identified through genome-wide association. <i>Nature Neuroscience</i> , 2016, 19, 1569-1582.	7.1	213
104	<i>KLB</i> is associated with alcohol drinking, and its gene product $\beta$ -Klotho is necessary for FGF21 regulation of alcohol preference. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 14372-14377.	3.3	208
105	Genetic Relationship between Schizophrenia and Nicotine Dependence. <i>Scientific Reports</i> , 2016, 6, 25671.	1.6	67
106	Genome-Wide Meta-Analysis of Cotinine Levels in Cigarette Smokers Identifies Locus at 4q13.2. <i>Scientific Reports</i> , 2016, 6, 20092.	1.6	42
107	The brain-derived neurotrophic factor pathway, life stress, and chronic multi-site musculoskeletal pain. <i>Molecular Pain</i> , 2016, 12, 174480691664678.	1.0	26
108	Plasma insulin-like growth factor I levels are higher in depressive and anxiety disorders, but lower in antidepressant medication users. <i>Psychoneuroendocrinology</i> , 2016, 68, 148-155.	1.3	36

#	ARTICLE	IF	CITATIONS
109	Baseline biopsychosocial determinants of telomere length and 6-year attrition rate. <i>Psychoneuroendocrinology</i> , 2016, 67, 153-162.	1.3	82
110	Meta-analysis of Genome-Wide Association Studies for Extraversion: Findings from the Genetics of Personality Consortium. <i>Behavior Genetics</i> , 2016, 46, 170-182.	1.4	178
111	Discovery and Fine-Mapping of Glycaemic and Obesity-Related Trait Loci Using High-Density Imputation. <i>PLoS Genetics</i> , 2015, 11, e1005230.	1.5	77
112	Telomere Length as a Marker of Cellular Aging Is Associated With Prevalence and Progression of Metabolic Syndrome. <i>Obstetrical and Gynecological Survey</i> , 2015, 70, 181-182.	0.2	2
113	Meta-analysis of Genome-wide Association Studies for Neuroticism, and the Polygenic Association With Major Depressive Disorder. <i>JAMA Psychiatry</i> , 2015, 72, 642.	6.0	289
114	Mineralocorticoid receptor haplotypes sex-dependently moderate depression susceptibility following childhood maltreatment. <i>Psychoneuroendocrinology</i> , 2015, 54, 90-102.	1.3	69
115	Common genetic variants influence human subcortical brain structures. <i>Nature</i> , 2015, 520, 224-229.	13.7	772
116	Frailty as a Predictor of the Incidence and Course of Depressed Mood. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 509-514.	1.2	64
117	Longitudinal Associations Between Metabolic Syndrome Components and Telomere Shortening. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 3050-3059.	1.8	72
118	Effects of Transdermal Testosterone Treatment on Inflammatory Markers in Elderly Males. <i>Endocrine Practice</i> , 2014, 20, 1170-1177.	1.1	8
119	Vitamin D modulates the association of circulating insulin-like growth factor-1 with carotid artery intima-media thickness. <i>Atherosclerosis</i> , 2014, 236, 418-425.	0.4	17
120	Genome Wide Association Identifies Common Variants at the SERPINA6/SERPINA1 Locus Influencing Plasma Cortisol and Corticosteroid Binding Globulin. <i>PLoS Genetics</i> , 2014, 10, e1004474.	1.5	105
121	Chewing problems are associated with depression in the elderly: results from the InCHIANTI study. <i>International Journal of Geriatric Psychiatry</i> , 2014, 29, 236-244.	1.3	24
122	Bipolar polygenic loading and bipolar spectrum features in major depressive disorder. <i>Bipolar Disorders</i> , 2014, 16, 608-616.	1.1	21
123	Plasma Cotinine Levels in Cigarette Smokers: Impact of Mental Health and Other Correlates. <i>European Addiction Research</i> , 2014, 20, 183-191.	1.3	2
124	Role of bone mineral density in the inverse relationship between body size and aortic calcification: Results from the Baltimore Longitudinal Study of Aging. <i>Atherosclerosis</i> , 2014, 235, 169-175.	0.4	15
125	Dysregulated physiological stress systems and accelerated cellular aging. <i>Neurobiology of Aging</i> , 2014, 35, 1422-1430.	1.5	89
126	The association between leptin and depressive symptoms is modulated by abdominal adiposity. <i>Psychoneuroendocrinology</i> , 2014, 42, 1-10.	1.3	39



#	ARTICLE	IF	CITATIONS
127	The ENIGMA Consortium: large-scale collaborative analyses of neuroimaging and genetic data. <i>Brain Imaging and Behavior</i> , 2014, 8, 153-182.	1.1	696
128	STRESS EXPOSURE ACROSS THE LIFE SPAN CUMULATIVELY INCREASES DEPRESSION RISK AND IS MODERATED BY NEUROTICISM. <i>Depression and Anxiety</i> , 2014, 31, 737-745.	2.0	126
129	Telomere Length as a Marker of Cellular Aging Is Associated With Prevalence and Progression of Metabolic Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 4607-4615.	1.8	109
130	Genetic Studies of Major Depressive Disorder: Why Are There No Genome-wide Association Study Findings and What Can We Do About It?. <i>Biological Psychiatry</i> , 2014, 76, 510-512.	0.7	161
131	Effect of polygenic risk scores on depression in childhood trauma. <i>British Journal of Psychiatry</i> , 2014, 205, 113-119.	1.7	167
132	Depression in Older Persons with Mobility Limitations. <i>Current Pharmaceutical Design</i> , 2014, 20, 3114-3118.	0.9	25
133	Understanding the somatic consequences of depression: biological mechanisms and the role of depression symptom profile. <i>BMC Medicine</i> , 2013, 11, 129.	2.3	550
134	Relationship Between Interarm Difference in Systolic Blood Pressure and Arterial Stiffness in Community-Dwelling Older Adults. <i>Journal of Clinical Hypertension</i> , 2013, 15, 880-887.	1.0	59
135	The Trajectory of Depressive Symptoms Across the Adult Life Span. <i>JAMA Psychiatry</i> , 2013, 70, 803.	6.0	235
136	Lipid Peroxidation and Depressed Mood in Community-Dwelling Older Men and Women. <i>PLoS ONE</i> , 2013, 8, e65406.	1.1	32
137	The relationship between plasma carotenoids and depressive symptoms in older persons. <i>World Journal of Biological Psychiatry</i> , 2012, 13, 588-598.	1.3	47
138	A Higher Adherence to a Mediterranean-Style Diet Is Inversely Associated with the Development of Frailty in Community-Dwelling Elderly Men and Women. <i>Journal of Nutrition</i> , 2012, 142, 2161-2166.	1.3	215
139	Personality Typology in Relation to Muscle Strength. <i>International Journal of Behavioral Medicine</i> , 2012, 19, 382-390.	0.8	16
140	Impulsivity-related traits are associated with higher white blood cell counts. <i>Journal of Behavioral Medicine</i> , 2012, 35, 616-623.	1.1	41
141	Leptin, Abdominal Obesity, and Onset of Depression in Older Men and Women. <i>Journal of Clinical Psychiatry</i> , 2012, 73, 1205-1211.	1.1	75
142	Arterial Stiffness and Vitamin D Levels: the Baltimore Longitudinal Study of Aging. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 3717-3723.	1.8	80
143	Serum 25-Hydroxyvitamin D, Transitions Between Frailty States, and Mortality in Older Adults: The Invecchiare in Chianti Study. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 256-264.	1.3	51
144	Contribution of Central Adiposity to Left Ventricular Diastolic Function (from the Baltimore) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 Td</i>	0.7	41

#	ARTICLE	IF	CITATIONS
145	Genetic variants in novel pathways influence blood pressure and cardiovascular disease risk. <i>Nature</i> , 2011, 478, 103-109.	13.7	1,855
146	Mediterranean diet and mobility decline in older persons. <i>Experimental Gerontology</i> , 2011, 46, 303-308.	1.2	124
147	Association of genetic variation with systolic and diastolic blood pressure among African Americans: the Candidate Gene Association Resource study. <i>Human Molecular Genetics</i> , 2011, 20, 2273-2284.	1.4	168
148	Genome-wide association study identifies six new loci influencing pulse pressure and mean arterial pressure. <i>Nature Genetics</i> , 2011, 43, 1005-1011.	9.4	403
149	Nutritional determinants of mobility. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2010, 13, 625-629.	1.3	49
150	Personal Mastery and Lower Body Mobility in Community-Dwelling Older Persons: The Invecchiare in Chianti Study. <i>Journal of the American Geriatrics Society</i> , 2010, 58, 98-103.	1.3	15
151	Trail Making Test Predicts Physical Impairment and Mortality in Older Persons. <i>Journal of the American Geriatrics Society</i> , 2010, 58, 719-723.	1.3	109
152	Genome-Wide Meta-Analysis for Serum Calcium Identifies Significantly Associated SNPs near the Calcium-Sensing Receptor (CASR) Gene. <i>PLoS Genetics</i> , 2010, 6, e1001035.	1.5	84
153	Risk factors for disability in older persons over 3-year follow-up. <i>Age and Ageing</i> , 2010, 39, 92-98.	0.7	120
154	Urinary Cortisol and Six-Year Risk of All-Cause and Cardiovascular Mortality. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 4959-4964.	1.8	118
155	Serum 25-Hydroxyvitamin D and Depressive Symptoms in Older Women and Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 3225-3233.	1.8	194
156	Dysthymia Before Myocardial Infarction as a Cardiac Risk Factor at 2.5-Year Follow-Up. <i>Psychosomatics</i> , 2010, 51, 8-13.	2.5	6
157	Psychosocial effects associated with highly pathogenic avian influenza (H5N1) in Nigeria. <i>Veterinaria Italiana</i> , 2010, 46, 459-65.	0.5	5
158	Chair Stands Test and Survival in the Older Population. <i>Journal of the American Geriatrics Society</i> , 2009, 57, 2172-2173.	1.3	11
159	Interleukin-1 Receptor Antagonist and Incident Depressive Symptoms Over 6 Years in Older Persons: The InCHIANTI Study. <i>Biological Psychiatry</i> , 2009, 65, 973-978.	0.7	132
160	Minor Depression as a Short-Term Risk Factor in Outpatients With Congestive Heart Failure. <i>Psychosomatics</i> , 2009, 50, 493-499.	2.5	8
161	Minor Depression as a Cardiac Risk Factor After Coronary Artery Bypass Surgery. <i>Psychosomatics</i> , 2006, 47, 289-295.	2.5	62
162	Stressful Life Events, Depression and Demoralization as Risk Factors for Acute Coronary Heart Disease. <i>Psychotherapy and Psychosomatics</i> , 2005, 74, 179-184.	4.0	105