

Rafael Borja

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4167149/publications.pdf>

Version: 2024-02-01

273
papers

10,148
citations

28274

55
h-index

51608

86
g-index

276
all docs

276
docs citations

276
times ranked

7933
citing authors

#	ARTICLE	IF	CITATIONS
1	Evaluation of batch mesophilic anaerobic digestion of raw and trampled llama and dromedary dung: methane potential and kinetic study. <i>Biomass Conversion and Biorefinery</i> , 2023, 13, 17165-17173.	4.6	2
2	Evaluation and modelling of methane production from corn stover pretreated with various physicochemical techniques. <i>Waste Management and Research</i> , 2022, 40, 698-705.	3.9	2
3	Assessment of different mechanical treatments for improving the anaerobic biodegradability of residual raspberry extrudate. <i>Waste Management</i> , 2022, 139, 190-198.	7.4	4
4	Effect of different digestates derived from anaerobic co-digestion of olive mill solid waste (omsw) and various microalgae as fertilizers for the cultivation of ryegrass. <i>Plant and Soil</i> , 2022, 475, 331-342.	3.7	3
5	Integral Valorization of Two-Phase Olive Mill Solid Waste (OMSW) and Related Washing Waters by Anaerobic Co-digestion of OMSW and the Microalga <i>Raphidocelis subcapitata</i> Cultivated in These Effluents. <i>Journal of Agricultural and Food Chemistry</i> , 2022, 70, 3219-3227.	5.2	8
6	Combining vegetable oils and bioactive compounds via inverse vulcanization for antioxidant and antimicrobial materials. <i>Polymer Testing</i> , 2022, 109, 107546.	4.8	10
7	Promising Chalcogenide Hybrid Copolymers for Sustainable Applications as Bio-lubricants and Metal Adsorbents. <i>ACS Applied Polymer Materials</i> , 2022, 4, 3667-3675.	4.4	6
8	Influence of phenols and furans released during thermal pretreatment of olive mill solid waste on its anaerobic digestion. <i>Waste Management</i> , 2021, 120, 202-208.	7.4	25
9	Evolution of control parameters in biochemical methane potential tests of olive mill solid waste (OMSW), thermal pre-treated OMSW, and its co-digestion with <i>Dunaliella salina</i> . <i>Journal of Applied Phycology</i> , 2021, 33, 419-429.	2.8	8
10	Energy recovery as added value from food and agricultural solid wastes. , 2021, , 151-174.		2
11	Batch mesophilic anaerobic co-digestion of spent goat batch mesophilic anaerobic co-digestion of spent goat straw bedding and goat cheese whey: Comparison with the mono-digestion of the two sole substrates. <i>Journal of Environmental Management</i> , 2021, 280, 111733.	7.8	17
12	Effect of organic loading rate on the anaerobic digestion of swine waste with biochar addition. <i>Environmental Science and Pollution Research</i> , 2021, 28, 38455-38465.	5.3	23
13	Comparative effect of biochar and activated carbon addition on the mesophilic anaerobic digestion of piggery waste in batch mode. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2021, 56, 946-952.	1.7	4
14	Enhancing methane production from the invasive macroalga <i>Rugulopteryx okamurae</i> through anaerobic co-digestion with olive mill solid waste: process performance and kinetic analysis. <i>Journal of Applied Phycology</i> , 2021, 33, 4113-4124.	2.8	16
15	Reuse of the digestate obtained from the biomethanization of olive mill solid waste (OMSW) as soil amendment or fertilizer for the cultivation of forage grass (<i>Lolium rigidum</i> var. <i>Wimmera</i>). <i>Science of the Total Environment</i> , 2021, 792, 148465.	8.0	15
16	Coupling of Anaerobic Digestion and Struvite Precipitation in the Same Reactor: Effect of Zeolite and Bischofite as Mg ²⁺ Source. <i>Frontiers in Environmental Science</i> , 2021, 9, .	3.3	3
17	Assessment of simultaneous autotrophic "heterotrophic denitrification with high removal of nitrogen, sulfur and carbon: optimization through response surface methodology. <i>Journal of Chemical Technology and Biotechnology</i> , 2020, 95, 631-638.	3.2	2
18	Modeling of the effect of zeolite concentration on the biological nitrification process in the presence of sulfide and organic matter. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2020, 56, 1-12.	1.7	1

#	ARTICLE	IF	CITATIONS
19	Solubilization of Phenols and Sugars from Raspberry Extrudate by Hydrothermal Treatments. Processes, 2020, 8, 842.	2.8	8
20	High-Value-Added Compound Recovery with High-Temperature Hydrothermal Treatment and Steam Explosion, and Subsequent Biomethanization of Residual Strawberry Extrudate. Foods, 2020, 9, 1082.	4.3	13
21	Mesophilic Semi-Continuous Anaerobic Digestion of Strawberry Extrudate Pretreated with Steam Explosion. Foods, 2020, 9, 1887.	4.3	5
22	Study of Catalystsâ€™ Influence on Photocatalysis/Photodegradation of Olive Oil Mill Wastewater. Determination of the Optimum Working Conditions. Catalysts, 2020, 10, 554.	3.5	4
23	Impact of soft hydrothermal pre-treatments on the olive mill solid waste characteristics and its subsequent anaerobic digestion. Biomass Conversion and Biorefinery, 2020, , 1.	4.6	8
24	Application of zeolites for biological treatment processes of solid wastes and wastewaters â€“ A review. Bioresource Technology, 2020, 301, 122808.	9.6	93
25	Sustainable energy for a winery through biogas production and its utilization: A Chilean case study. Sustainable Energy Technologies and Assessments, 2020, 37, 100640.	2.7	8
26	Predictive regression models for biochemical methane potential tests of biomass samples: Pitfalls and challenges of laboratory measurements. Renewable and Sustainable Energy Reviews, 2020, 127, 109890.	16.4	34
27	Thermally-treated strawberry extrudate: A rich source of antioxidant phenols and sugars. Innovative Food Science and Emerging Technologies, 2019, 51, 186-193.	5.6	29
28	Anaerobic co-digestion of olive mill solid waste and microalga Scenedesmus quadricauda: effect of different carbon to nitrogen ratios on process performance and kinetics. Journal of Applied Phycology, 2019, 31, 3583-3591.	2.8	25
29	Long-Term Evaluation of Mesophilic Semi-Continuous Anaerobic Digestion of Olive Mill Solid Waste Pretreated with Steam-Explosion. Energies, 2019, 12, 2222.	3.1	13
30	A new and simple kinetic model for assessing the dynamic behavior and simulating the biochemical methane potential (BMP) of sewage sludge in the presence of fly ash. Journal of Chemical Technology and Biotechnology, 2019, 94, 1509-1519.	3.2	2
31	Anaerobic digestion of wastewater rich in sulfate and sulfide: effects of metallic waste addition and micro-aeration on process performance and methane production. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2019, 54, 1035-1043.	1.7	7
32	Influence of the cell wall of Chlamydomonas reinhardtii on anaerobic digestion yield and on its anaerobic co-digestion with a carbon-rich substrate. Chemical Engineering Research and Design, 2019, 128, 167-175.	5.6	21
33	Extraction of phenolic compounds and production of biomethane from strawberry and raspberry extrudates. Biochemical Engineering Journal, 2019, 147, 11-19.	3.6	24
34	Performance evaluation of mesophilic semi-continuous anaerobic digestion of high-temperature thermally pre-treated olive mill solid waste. Waste Management, 2019, 87, 250-257.	7.4	22
35	Fly ash as stimulant for anaerobic digestion: effect over hydrolytic stage and methane generation rate. Water Science and Technology, 2019, 80, 1384-1391.	2.5	12
36	Effects of barium on the pathways of anaerobic digestion. Journal of Environmental Management, 2019, 232, 397-403.	7.8	7

#	ARTICLE	IF	CITATIONS
37	Mesophilic anaerobic co-digestion of the organic fraction of municipal solid waste with the liquid fraction from hydrothermal carbonization of sewage sludge. <i>Waste Management</i> , 2018, 76, 315-322.	7.4	72
38	Increase in biogas production in anaerobic sludge digestion by combining aerobic hydrolysis and addition of metallic wastes. <i>Renewable Energy</i> , 2018, 123, 541-548.	8.9	29
39	Biological removal of gaseous sulfur dioxide through the reduction to hydrogen sulfide by means of <i>Desulfovibrio desulfuricans</i> . <i>International Biodeterioration and Biodegradation</i> , 2018, 126, 21-27.	3.9	7
40	The Influence of Microalgae Addition as Co-Substrate in Anaerobic Digestion Processes. , 2018, , .		2
41	Anaerobic Co-digestion of the Organic Fraction of Municipal Solid Waste and the Liquid Fraction From the Hydrothermal Carbonization of Industrial Sewage Sludge Under Thermophilic Conditions. <i>Frontiers in Sustainable Food Systems</i> , 2018, 2, .	3.9	13
42	Valuable Compound Extraction, Anaerobic Digestion, and Composting: A Leading Biorefinery Approach for Agricultural Wastes. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 8451-8468.	5.2	115
43	Olive mill solid waste biorefinery: High-temperature thermal pre-treatment for phenol recovery and biomethanization. <i>Journal of Cleaner Production</i> , 2017, 148, 314-323.	9.3	58
44	Biomethanization of olive mill solid waste after phenols recovery through low-temperature thermal pre-treatment. <i>Waste Management</i> , 2017, 61, 229-235.	7.4	29
45	Biogas Production â€¦. , 2017, , .		9
46	Risks of using EDTA as an agent for trace metals dosing in anaerobic digestion of olive mill solid waste. <i>Environmental Technology (United Kingdom)</i> , 2017, 38, 3137-3144.	2.2	7
47	Competitive removal of heavy metal ions from squid oil under isothermal condition by CR11 chelate ion exchanger. <i>Journal of Hazardous Materials</i> , 2017, 334, 256-266.	12.4	98
48	Sequential adaptation of <i>Nannochloropsis gaditana</i> to table olive processing water. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2017, 52, 986-991.	1.7	7
49	Use of solid residue from thermal power plant (fly ash) for enhancing sewage sludge anaerobic digestion: Influence of fly ash particle size. <i>Bioresource Technology</i> , 2017, 244, 416-422.	9.6	33
50	Phenols recovery after steam explosion of Olive Mill Solid Waste and its influence on a subsequent biomethanization process. <i>Bioresource Technology</i> , 2017, 243, 169-178.	9.6	26
51	Performance evaluation and substrate removal kinetics in the semi-continuous anaerobic digestion of thermally pretreated two-phase olive pomace or â€œAlperujoâ€. <i>Chemical Engineering Research and Design</i> , 2017, 105, 288-296.	5.6	33
52	Suitability of olive oil washing water as an electron donor in a feed batch operating bio-electrochemical system. <i>Grasas Y Aceites</i> , 2017, 68, 198.	0.9	1
53	Performance evaluation of micro-aerobic hydrolysis of mixed sludge: Optimum aeration and effect on its biochemical methane potential. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2016, 51, 1269-1277.	1.7	9
54	Screening of biomethane production potential from dominant microalgae. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2016, 51, 1062-1067.	1.7	10

#	ARTICLE	IF	CITATIONS
55	Simultaneous nitrification–denitrification of wastewater: effect of zeolite as a support in sequential batch reactor with step-feed strategy. <i>International Journal of Environmental Science and Technology</i> , 2016, 13, 2325-2338.	3.5	19
56	Influence of a steam-explosion pre-treatment on the methane yield and kinetics of anaerobic digestion of two-phase olive mill solid waste or alperujo. <i>Chemical Engineering Research and Design</i> , 2016, 102, 361-369.	5.6	31
57	Batch anaerobic co-digestion of waste activated sludge and microalgae (<i>Chlorella sorokiniana</i>) at mesophilic temperature. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2016, 51, 847-850.	1.7	33
58	Effect of cobalt supplementation and fractionation on the biological response in the biomethanization of Olive Mill Solid Waste. <i>Bioresource Technology</i> , 2016, 211, 58-64.	9.6	28
59	Advances in the biological removal of sulphides from aqueous phase in anaerobic processes: A review. <i>Environmental Reviews</i> , 2016, 24, 84-100.	4.5	43
60	Culture of microalgae biomass for valorization of table olive processing water. <i>Grasas Y Aceites</i> , 2016, 67, e146.	0.9	1
61	Impact of microwave pre-treatment on the batch anaerobic digestion of two-phase olive mill solid residue: a kinetic approach. <i>Grasas Y Aceites</i> , 2016, 67, 165.	0.9	2
62	Autotrophic and heterotrophic denitrification for simultaneous removal of nitrogen, sulfur and organic matter. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2016, 51, 650-5.	1.7	0
63	Anaerobic co-digestion of lipid-spent microalgae with waste activated sludge and glycerol in batch mode. <i>International Biodeterioration and Biodegradation</i> , 2015, 100, 85-88.	3.9	56
64	Harmonization of the quantitative determination of volatile fatty acids profile in aqueous matrix samples by direct injection using gas chromatography and high-performance liquid chromatography techniques: Multi-laboratory validation study. <i>Journal of Chromatography A</i> , 2015, 1413, 94-106.	3.7	25
65	Micronutrient dynamics after thermal pretreatment of olive mill solid waste. <i>Bioresource Technology</i> , 2015, 191, 337-341.	9.6	7
66	Effect of Ultrasonic Pretreatment on Biomethane Potential of Two-Phase Olive Mill Solid Waste: Kinetic Approach and Process Performance. <i>Scientific World Journal</i> , The, 2014, 2014, 1-9.	2.1	15
67	Improvement in nitrification through the use of natural zeolite: influence of the biomass concentration and inoculum source. <i>International Journal of Environmental Science and Technology</i> , 2014, 11, 43-52.	3.5	14
68	Assessment of two-phase olive mill solid waste and microalgae co-digestion to improve methane production and process kinetics. <i>Bioresource Technology</i> , 2014, 157, 263-269.	9.6	67
69	Assessment of a UASB reactor with high ammonia concentrations: Effect of zeolite addition on process performance. <i>Process Biochemistry</i> , 2014, 49, 2220-2227.	3.7	29
70	Effect of dissolved oxygen and temperature on macromolecular composition and PHB storage of activated sludge. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2014, 49, 857-862.	1.7	6
71	Start-up and performance of UASB reactors using zeolite for improvement of nitrate removal process. <i>Ecological Engineering</i> , 2014, 70, 437-445.	3.6	18
72	Microbial community dynamics in the two-stage anaerobic digestion process of two-phase olive mill residue. <i>International Journal of Environmental Science and Technology</i> , 2013, 10, 635-644.	3.5	21

#	ARTICLE	IF	CITATIONS
73	Total ammoniacal nitrogen biofiltration of wastewaters from aquaculture systems using <i>Macrocystis</i> spp.. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2013, 48, 400-407.	1.7	1
74	Thermophilic anaerobic digestion of sewage sludge: focus on the influence of the start-up. A review. Critical Reviews in Biotechnology, 2013, 33, 448-460.	9.0	60
75	Anaerobic digestion of sunflower oil cake: a current overview. Water Science and Technology, 2013, 67, 410-417.	2.5	3
76	Effects of chemical and thermochemical pretreatments on sunflower oil cake in biochemical methane potential assays. Journal of Chemical Technology and Biotechnology, 2013, 88, 924-929.	3.2	15
77	Biochemical methane potential of two-phase olive mill solid waste: Influence of thermal pretreatment on the process kinetics. Bioresource Technology, 2013, 140, 249-255.	9.6	65
78	First international comparative study of volatile fatty acids in aqueous samples by chromatographic techniques: Evaluating sources of error. TrAC - Trends in Analytical Chemistry, 2013, 51, 127-143.	11.4	34
79	The effect of biogas sparging on cow manure characteristics and its subsequent anaerobic biodegradation. International Biodeterioration and Biodegradation, 2013, 83, 10-16.	3.9	16
80	Influence of the type and source of inoculum on the start-up of anammox sequencing batch reactors (SBRs). Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2013, 48, 1301-1310.	1.7	5
81	Performance and kinetic evaluation of the semi-continuous anaerobic digestion of sunflower oil cake pretreated with ultrasound. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2013, 48, 1548-1556.	1.7	3
82	Influence of the food to microorganisms (F/M) ratio and temperature on batch anaerobic digestion processes with and without zeolite addition. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2012, 47, 1785-1794.	1.7	9
83	Evaluation of natural zeolite as microorganism support medium in nitrifying batch reactors: Influence of zeolite particle size. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2012, 47, 420-427.	1.7	16
84	Modelling of the temperature-phased batch anaerobic digestion of raw sludge from an urban wastewater treatment plant. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2012, 47, 221-227.	1.7	7
85	Assessment of the anaerobic acidogenesis of wet olive cake from a two-phase olive oil mill. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2012, 47, 1439-1445.	1.7	4
86	Application of natural zeolites in anaerobic digestion processes: A review. Applied Clay Science, 2012, 58, 125-133.	5.2	202
87	Effect of hydrothermal pretreatment of sunflower oil cake on biomethane potential focusing on fibre composition. Bioresource Technology, 2012, 123, 424-429.	9.6	88
88	Anaerobic digestion of solid organic substrates in batch mode: An overview relating to methane yields and experimental procedures. Renewable and Sustainable Energy Reviews, 2012, 16, 861-877.	16.4	390
89	Impact of ultrasonic pretreatment under different operational conditions on the mesophilic anaerobic digestion of sunflower oil cake in batch mode. Ultrasonics Sonochemistry, 2012, 19, 1003-1010.	8.2	32
90	Comparison of two mathematical models for correlating the organic matter removal efficiency with hydraulic retention time in a hybrid anaerobic baffled reactor treating molasses. Bioprocess and Biosystems Engineering, 2012, 35, 389-397.	3.4	6

#	ARTICLE	IF	CITATIONS
91	Nitrogen and phosphorus removal using a novel integrated system of natural zeolite and lime. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2011, 46, 1385-1391.	1.7	25
92	Biogas Production. , 2011, , 785-798.		16
93	Evaluation of the water quality in the Guadarrama river at the section of Las Rozasâ€Madrid, Spain. Water and Environment Journal, 2011, 25, 55-66.	2.2	9
94	Influence of particle size and chemical composition on the performance and kinetics of anaerobic digestion process of sunflower oil cake in batch mode. Biochemical Engineering Journal, 2011, 58-59, 162-167.	3.6	63
95	Biochemical methane potential (BMP) of solid organic substrates: evaluation of anaerobic biodegradability using data from an international interlaboratory study. Journal of Chemical Technology and Biotechnology, 2011, 86, 1088-1098.	3.2	411
96	The effects of hydraulic loading and NaCl concentrations on the regeneration of exhausted homoionic natural zeolite. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2011, 46, 596-600.	1.7	5
97	Feasibility of sunflower oil cake degradation with three different anaerobic consortia. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2011, 46, 1409-1416.	1.7	9
98	Effect of adding nitrate on the performance of a multistage biofilter used for anaerobic treatment of high-strength wastewater. Chemical Engineering Journal, 2010, 156, 250-256.	12.7	9
99	Kinetic modelling and performance prediction of a hybrid anaerobic baffled reactor treating synthetic wastewater at mesophilic temperature. Process Biochemistry, 2010, 45, 1616-1623.	3.7	28
100	Quality improvement in determination of chemical oxygen demand in samples considered difficult to analyze, through participation in proficiency-testing schemes. TrAC - Trends in Analytical Chemistry, 2010, 29, 1082-1091.	11.4	24
101	Kinetic study of the methanogenic step of a two-stage anaerobic digestion process treating olive mill solid residue. Chemical Engineering Journal, 2010, 160, 215-219.	12.7	12
102	Kinetic evaluation of the psychrophilic anaerobic digestion of synthetic domestic sewage using an upflow filter. Bioresource Technology, 2010, 101, 131-137.	9.6	21
103	Kinetic evaluation and performance of pilot-scale fed-batch aerated lagoons treating winery wastewaters. Bioresource Technology, 2010, 101, 3452-3456.	9.6	20
104	Preliminary trials of in situ ammonia stripping from source segregated domestic food waste digestate using biogas: Effect of temperature and flow rate. Bioresource Technology, 2010, 101, 9486-9492.	9.6	67
105	The impact of ammonia nitrogen concentration and zeolite addition on the specific methanogenic activity of granular and flocculent anaerobic sludges. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2010, 45, 883-889.	1.7	28
106	Influence of heavy metal supplementation on specific methanogenic activity and microbial communities detected in batch anaerobic digesters. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2010, 45, 1307-1314.	1.7	21
107	Kinetics of anaerobic degradation of screened dairy manure by upflow fixed bed digesters: Effect of natural zeolite addition. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2009, 44, 146-154.	1.7	19
108	Performance evaluation of a two-phase anaerobic digestion process of synthetic domestic wastewater at ambient temperature. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2009, 44, 673-681.	1.7	7

#	ARTICLE	IF	CITATIONS
109	Anaerobic treatment of synthetic medium-strength wastewater using a multistage biofilm reactor. <i>Bioresource Technology</i> , 2009, 100, 1740-1745.	9.6	46
110	Evaluation of the methanogenic step of a two-stage anaerobic digestion process of acidified olive mill solid residue from a previous hydrolytic-acidogenic step. <i>Waste Management</i> , 2009, 29, 2566-2573.	7.4	48
111	Methylene blue number as useful indicator to evaluate the adsorptive capacity of granular activated carbon in batch mode: Influence of adsorbate/adsorbent mass ratio and particle size. <i>Journal of Hazardous Materials</i> , 2009, 165, 291-299.	12.4	141
112	Heavy metals removal from acid mine drainage water using biogenic hydrogen sulphide and effluent from anaerobic treatment: Effect of pH. <i>Journal of Hazardous Materials</i> , 2009, 165, 759-765.	12.4	74
113	Influence of inoculum-substrate ratio on the anaerobic digestion of sunflower oil cake in batch mode: Process stability and kinetic evaluation. <i>Chemical Engineering Journal</i> , 2009, 149, 70-77.	12.7	178
114	Evaluation of the hydrolytic-acidogenic step of a two-stage mesophilic anaerobic digestion process of sunflower oil cake. <i>Bioresource Technology</i> , 2009, 100, 4133-4138.	9.6	108
115	An interlaboratory study as useful tool for proficiency testing of chemical oxygen demand measurements using solid substrates and liquid samples with high suspended solid content. <i>Talanta</i> , 2009, 80, 329-337.	5.5	21
116	Kinetic modelling of the anaerobic digestion of wastewater derived from the pressing of orange rind produced in orange juice manufacturing. <i>Chemical Engineering Journal</i> , 2008, 140, 145-156.	12.7	26
117	Performance evaluation of an anaerobic fluidized bed reactor with natural zeolite as support material when treating high-strength distillery wastewater. <i>Renewable Energy</i> , 2008, 33, 2458-2466.	8.9	62
118	Influence of organic loading rate and hydraulic retention time on the performance, stability and microbial communities of one-stage anaerobic digestion of two-phase olive mill solid residue. <i>Biochemical Engineering Journal</i> , 2008, 40, 253-261.	3.6	194
119	Treatment of screened dairy manure by upflow anaerobic fixed bed reactors packed with waste tyre rubber and a combination of waste tyre rubber and zeolite: Effect of the hydraulic retention time. <i>Bioresource Technology</i> , 2008, 99, 7412-7417.	9.6	39
120	Removal of phosphorus through struvite precipitation using a by-product of magnesium oxide production (BMP): Effect of the mode of BMP preparation. <i>Chemical Engineering Journal</i> , 2008, 136, 204-209.	12.7	54
121	Assessment of process control parameters in the biochemical methane potential of sunflower oil cake. <i>Biomass and Bioenergy</i> , 2008, 32, 1235-1244.	5.7	62
122	Effect of the organic loading rate on the performance of anaerobic acidogenic fermentation of two-phase olive mill solid residue. <i>Waste Management</i> , 2008, 28, 870-877.	7.4	60
123	Assessment of a modified and optimised method for determining chemical oxygen demand of solid substrates and solutions with high suspended solid content. <i>Talanta</i> , 2008, 76, 448-453.	5.5	120
124	ASSESSMENT OF A MICROALGAE POND FOR POST-TREATMENT OF THE EFFLUENT FROM AN ANAEROBIC FIXED BED REACTOR TREATING DISTILLERY WASTEWATER. <i>Environmental Technology (United Kingdom)</i> , 2008, 29, 985-992.	2.2	29
125	Batch culture growth of <i>Chlorella zofingiensis</i> on effluent derived from two-stage anaerobic digestion of two-phase olive mill solid waste. <i>Electronic Journal of Biotechnology</i> , 2008, 11, 0-0.	2.2	13
126	Treatment of wastewater from red and tropical fruit wine production by zeolite anaerobic fluidized bed reactor. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 2008, 43, 437-442.	1.5	10

#	ARTICLE	IF	CITATIONS
127	Evaluation of the quality of the water in El Hondo natural park located in the east of Spain. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2007, 42, 969-981.	1.7	5
128	Use of the water quality index and dissolved oxygen deficit as simple indicators of watersheds pollution. <i>Ecological Indicators</i> , 2007, 7, 315-328.	6.3	376
129	Anaerobic Digestion of Wastewater Derived from the Pressing of Orange Peel Generated in Orange Juice Production. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 1905-1914.	5.2	28
130	Piggery waste treatment by using down-flow anaerobic fixed bed reactors. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 2007, 42, 727-734.	1.5	1
131	The effect of organic loading rate on the anaerobic digestion of two-phase olive mill solid residue derived from fruits with low ripening index. <i>Journal of Chemical Technology and Biotechnology</i> , 2007, 82, 259-266.	3.2	22
132	Aerobic degradation kinetic of the effluent derived from the anaerobic digestion of two-phase olive mill solid residue. <i>International Biodeterioration and Biodegradation</i> , 2007, 60, 60-67.	3.9	4
133	Real evidence about zeolite as microorganisms immobilizer in anaerobic fluidized bed reactors. <i>Process Biochemistry</i> , 2007, 42, 721-728.	3.7	82
134	Performance and microbial communities of a continuous stirred tank anaerobic reactor treating two-phases olive mill solid wastes at low organic loading rates. <i>Journal of Biotechnology</i> , 2006, 121, 534-543.	3.8	76
135	Production of Biomass (Algae-Bacteria) by Using a Mixture of Settled Swine and Sewage as Substrate. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2006, 41, 415-429.	1.7	20
136	Evaluation of a laboratory-scale stabilization pond for tertiary treatment of distillery waste previously treated by a combined anaerobic filter-aerobic trickling system. <i>Ecological Engineering</i> , 2006, 27, 100-108.	3.6	14
137	Batch mixed culture of <i>Chlorella vulgaris</i> using settled and diluted piggery waste. <i>Ecological Engineering</i> , 2006, 28, 158-165.	3.6	99
138	Kinetic models of an anaerobic bioreactor for restoring wastewater generated by industrial chickpea protein production. <i>International Biodeterioration and Biodegradation</i> , 2006, 57, 114-120.	3.9	14
139	Mathematical modelling of the aerobic degradation of two-phase olive mill effluents in a batch reactor. <i>Biochemical Engineering Journal</i> , 2006, 30, 308-315.	3.6	13
140	Influence of inoculum to substrate ratio on the biochemical methane potential of maize in batch tests. <i>Process Biochemistry</i> , 2006, 41, 1444-1450.	3.7	232
141	Use of natural zeolite at different doses and dosage procedures in batch and continuous anaerobic digestion of synthetic and swine wastes. <i>Resources, Conservation and Recycling</i> , 2006, 47, 26-41.	10.8	32
142	Kinetic analysis of the anaerobic digestion of untreated vinasses and vinasses previously treated with <i>Penicillium decumbens</i> . <i>Journal of Environmental Management</i> , 2006, 80, 303-310.	7.8	43
143	Evaluation of municipal wastewater treatment plants with different technologies at Las Rozas, Madrid (Spain). <i>Journal of Environmental Management</i> , 2006, 81, 399-404.	7.8	54
144	A study of the natural biodegradation of two-phase olive mill solid waste during its storage in an evaporation pond. <i>Waste Management</i> , 2006, 26, 477-486.	7.4	36

#	ARTICLE	IF	CITATIONS
145	Anaerobic biodegradation of two-phase olive mill solid wastes and liquid effluents: kinetic studies and process performance. <i>Journal of Chemical Technology and Biotechnology</i> , 2006, 81, 1450-1462.	3.2	54
146	An Evaluation of Variables Affecting the Stability and Performance of Down-Flow Anaerobic Fixed Bed Reactors Treating Piggery Wastewater. <i>Environmental Technology (United Kingdom)</i> , 2006, 27, 85-93.	2.2	3
147	Treatment technologies of liquid and solid wastes from two-phase olive oil mills. <i>Grasas Y Aceites</i> , 2006, 57, .	0.9	77
148	Mathematical modelling of aerobic degradation of vinasses with <i>Penicillium decumbens</i> . <i>Process Biochemistry</i> , 2005, 40, 2805-2811.	3.7	26
149	Kinetics of phosphorus removal and struvite formation by the utilization of by-product of magnesium oxide production. <i>Chemical Engineering Journal</i> , 2005, 111, 45-52.	12.7	73
150	Effect of organic loading rate on the stability, operational parameters and performance of a secondary upflow anaerobic sludge bed reactor treating piggery waste. <i>Bioresource Technology</i> , 2005, 96, 335-344.	9.6	123
151	A kinetic evaluation of the anaerobic digestion of two-phase olive mill effluent in batch reactors. <i>Journal of Chemical Technology and Biotechnology</i> , 2005, 80, 241-250.	3.2	10
152	Study and optimisation of the anaerobic acidogenic fermentation of two-phase olive pomace. <i>Process Biochemistry</i> , 2005, 40, 281-291.	3.7	40
153	Effect of influent substrate concentration and hydraulic retention time on the performance of down-flow anaerobic fixed bed reactors treating piggery wastewater in a tropical climate. <i>Process Biochemistry</i> , 2005, 40, 817-829.	3.7	27
154	Kinetic modelling of the hydrolysis, acidogenic and methanogenic steps in the anaerobic digestion of two-phase olive pomace (TPOP). <i>Process Biochemistry</i> , 2005, 40, 1841-1847.	3.7	55
155	Effect of particle size and doses of zeolite addition on anaerobic digestion processes of synthetic and piggery wastes. <i>Process Biochemistry</i> , 2005, 40, 1475-1481.	3.7	68
156	Evaluation of a Laboratory and Full-Scale Microlage Pond for Tertiary Treatment of Piggery Wastes. <i>Environmental Technology (United Kingdom)</i> , 2004, 25, 565-576.	2.2	5
157	A comparative kinetic evaluation of the anaerobic digestion of untreated molasses and molasses previously fermented with <i>Penicillium decumbens</i> in batch reactors. <i>Biochemical Engineering Journal</i> , 2004, 18, 121-132.	3.6	53
158	A pilot-scale study of total volatile fatty acids production by anaerobic fermentation of sewage in fixed-bed and suspended biomass reactors. <i>Process Biochemistry</i> , 2004, 39, 1257-1267.	3.7	18
159	Treatment of settled piggery waste by a down-flow anaerobic fixed bed reactor. <i>Journal of Chemical Technology and Biotechnology</i> , 2004, 79, 851-862.	3.2	6
160	Assessment of kinetic parameters for the mesophilic anaerobic biodegradation of two-phase olive pomace. <i>International Biodeterioration and Biodegradation</i> , 2004, 53, 71-78.	3.9	27
161	Mesophilic anaerobic digestion in a fluidised-bed reactor of wastewater from the production of protein isolates from chickpea flour. <i>Process Biochemistry</i> , 2004, 39, 1913-1921.	3.7	55
162	Coliform concentration reduction and related performance evaluation of a down-flow anaerobic fixed bed reactor treating low-strength saline wastewater. <i>Bioresource Technology</i> , 2004, 94, 119-127.	9.6	32

#	ARTICLE	IF	CITATIONS
163	Performance and kinetic evaluation of the anaerobic digestion of two-phase olive mill effluents in reactors with suspended and immobilized biomass. <i>Water Research</i> , 2004, 38, 2017-2026.	11.3	49
164	Aerobic and anaerobic biodegradation of beet molasses alcoholic fermentation wastewater. <i>Process Biochemistry</i> , 2003, 38, 1275-1284.	3.7	107
165	Inhibition kinetics of overall substrate and phenolics removals during the anaerobic digestion of two-phase olive mill effluents (TPOME) in suspended and immobilized cell reactors. <i>Process Biochemistry</i> , 2003, 39, 425-435.	3.7	14
166	Aerobic biodegradation and detoxification of wastewaters from the olive oil industry. <i>International Biodeterioration and Biodegradation</i> , 2003, 51, 37-41.	3.9	124
167	Kinetics of mesophilic anaerobic digestion of the two-phase olive mill solid waste. <i>Biochemical Engineering Journal</i> , 2003, 15, 139-145.	3.6	61
168	Kinetics for Substrate Utilization and Methane Production during the Mesophilic Anaerobic Digestion of Two Phases Olive Pomace (TPOP). <i>Journal of Agricultural and Food Chemistry</i> , 2003, 51, 3390-3395.	5.2	24
169	Population Dynamic of Algae and Bacteria in an Oxidation Channel. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2003, 38, 697-709.	1.7	9
170	Effect of natural and modified zeolite addition on anaerobic digestion of piggery waste. <i>Water Science and Technology</i> , 2003, 48, 263-269.	2.5	44
171	Kinetic Analysis of the Psychrophilic Anaerobic Digestion of Wastewater Derived from the Production of Proteins from Extracted Sunflower Flour. <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 4628-4633.	5.2	27
172	Kinetic study of the anaerobic digestion of vinasse pretreated with ozone, ozone plus ultraviolet light, and ozone plus ultraviolet light in the presence of titanium dioxide. <i>Process Biochemistry</i> , 2002, 37, 699-706.	3.7	53
173	Effect of influent strength changes on the performance of a down-flow anaerobic fixed bed reactor treating piggery waste. <i>Resources, Conservation and Recycling</i> , 2002, 36, 73-82.	10.8	10
174	BIOALGA reactor: preliminary studies for heavy metals removal. <i>Biochemical Engineering Journal</i> , 2002, 12, 87-91.	3.6	64
175	Treatment of piggery waste by anaerobic fixed bed reactor and zeolite bed filter in a tropical climate: a pilot scale study. <i>Process Biochemistry</i> , 2002, 38, 405-409.	3.7	29
176	A study of anaerobic digestibility of two-phases olive mill solid waste (OMSW) at mesophilic temperature. <i>Process Biochemistry</i> , 2002, 38, 733-742.	3.7	80
177	THE REMOVAL OF BACTERIA BY MODIFIED NATURAL ZEOLITES. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2001, 36, 1073-1087.	1.7	23
178	EFFECT OF A HYDROLYTIC/ACIDOGENIC PRE-STAGE ON THE ORGANIC MATTER CONTENT OF WASTEWATER TREATED IN A SEQUENCING BATCH REACTOR FOR BIOLOGICAL PHOSPHOROUS REMOVAL. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2001, 36, 2027-2038.	1.7	1
179	Effect of substrate concentration and temperature on the anaerobic digestion of piggery waste in a tropical climate. <i>Process Biochemistry</i> , 2001, 37, 483-489.	3.7	85
180	Performance evaluation of a mesophilic anaerobic fluidized-bed reactor treating wastewater derived from the production of proteins from extracted sunflower flour. <i>Bioresource Technology</i> , 2001, 76, 45-52.	9.6	38

#	ARTICLE	IF	CITATIONS
181	Influence of different natural zeolite concentrations on the anaerobic digestion of piggery waste. <i>Bioresource Technology</i> , 2001, 80, 37-43.	9.6	111
182	Synergistic effects of natural and modified zeolites on the methanogenesis of acetate and methanol. <i>Biotechnology Letters</i> , 2001, 23, 559-562.	2.2	10
183	A helical tubular photobioreactor producing <i>Spirulina</i> in a semicontinuous mode. <i>International Biodeterioration and Biodegradation</i> , 2001, 47, 151-155.	3.9	98
184	Assessment of kinetic and macroenergetic parameters for a mesophilic anaerobic fluidised-bed reactor treating wastewater derived from the production of protein isolates from extracted sunflower flour. <i>Process Biochemistry</i> , 2000, 36, 369-375.	3.7	4
185	Effect of temperature and pH on the kinetics of methane production, organic nitrogen and phosphorus removal in the batch anaerobic digestion process of cattle manure. <i>Bioprocess and Biosystems Engineering</i> , 2000, 22, 0247-0252.	3.4	74
186	Deep bed filtration of anaerobic cattle manure effluents with natural zeolite. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 1999, 34, 305-332.	1.5	17
187	Low-strength wastewater treatment by a multistage anaerobic filter packed with waste tyre rubber. <i>Bioresource Technology</i> , 1999, 70, 55-60.	9.6	32
188	Heavy Metal Removal by Microalgae. <i>Bulletin of Environmental Contamination and Toxicology</i> , 1999, 62, 144-151.	2.7	148
189	Estudio cinético del proceso de digestión anaerobia de aguas de lavado de aceitunas de almazara en reactores de mezcla completa con microorganismos inmovilizados. <i>Grasas Y Aceites</i> , 1999, 50, 87-93.	0.9	3
190	Influence of organic volumetric loading rate, nutrient balance and alkalinity: COD ratio on the anaerobic sludge granulation of an UASB reactor treating sugar cane molasses. <i>International Biodeterioration and Biodegradation</i> , 1998, 41, 127-131.	3.9	38
191	Comparative effect of different aerobic pretreatments on the kinetics and macroenergetic parameters of anaerobic digestion of olive mill wastewater in continuous mode. <i>Bioprocess and Biosystems Engineering</i> , 1998, 18, 127.	0.5	51
192	An analysis of the factors that influence biological phosphorous removal (BPR) in a sequencing batch anaerobic/aerobic reactor. <i>Bioprocess and Biosystems Engineering</i> , 1998, 19, 171.	0.5	12
193	Anaerobic digestion of slaughterhouse wastewater using a combination sludge blanket and filter arrangement in a single reactor. <i>Bioresource Technology</i> , 1998, 65, 125-133.	9.6	54
194	Influencia de la velocidad de carga orgánica sobre el proceso de digestión anaerobia de aguas de lavado de aceitunas de almazara en reactores de lecho fluidizado. <i>Grasas Y Aceites</i> , 1998, 49, 42-49.	0.9	23
195	The population structure of a peat filter bed system for treating domestic wastewater, and comparisons with conventional activated sludge. <i>Journal of Environmental Science and Health Part A: Environmental Science and Engineering</i> , 1997, 32, 133-143.	0.1	0
196	Influence of Aerobic Pretreatment with <i>Penicillium decumbens</i> on the Anaerobic Digestion of Beet Molasses Alcoholic Fermentation Wastewater in Suspended and Immobilized Cell Bioreactors. <i>Journal of Chemical Technology and Biotechnology</i> , 1997, 69, 193-202.	3.2	16
197	The influence of wastewater type and organic loading on the protozoan and metazoan population of a peat bed filter. <i>Journal of Environmental Science and Health Part A: Environmental Science and Engineering</i> , 1997, 32, 145-152.	0.1	1
198	A comparative study of sand and natural zeolite as filtering media in tertiary treatment of wastewaters from tourist areas. <i>Journal of Environmental Science and Health Part A: Environmental Science and Engineering</i> , 1997, 32, 1695-1709.	0.1	1

#	ARTICLE	IF	CITATIONS
199	A comparative study of sand and natural zeolite as filtering media in tertiary treatment of wastewaters from tourist areas. <i>Journal of Environmental Science and Health Part A: Environmental Science and Engineering</i> , 1997, 32, 2483-2496.	0.1	5
200	Ammonia removal from anaerobically treated piggery manure by ion exchange in columns packed with homoionic zeolite. <i>Chemical Engineering Journal</i> , 1997, 66, 65-71.	12.7	74
201	Impact of the main phenolic compounds of olive mill wastewater (OMW) on the kinetics of acetoclastic methanogenesis. <i>Process Biochemistry</i> , 1997, 32, 121-133.	3.7	107
202	Treatment of sewage water from tourist areas by anaerobic fixed-bed reactor. <i>World Journal of Microbiology and Biotechnology</i> , 1997, 13, 315-318.	3.6	11
203	Thermodynamic properties of water + normal alcohols and vapor-liquid equilibria for binary systems of methanol or 2-propanol with water. <i>Fluid Phase Equilibria</i> , 1997, 127, 181-190.	2.5	32
204	Anaerobic treatment of palm oil mill effluent in a two-stage up-flow anaerobic sludge blanket (UASB) system. <i>Journal of Biotechnology</i> , 1996, 45, 125-135.	3.8	120
205	The Effects of the Most Important Phenolic Constituents of Olive Mill Wastewater on Batch Anaerobic Methanogenesis. <i>Environmental Technology (United Kingdom)</i> , 1996, 17, 167-174.	2.2	55
206	Effect of the clay mineral zeolite on ammonia inhibition of anaerobic thermophilic reactors treating cattle manure. <i>Journal of Environmental Science and Health Part A: Environmental Science and Engineering</i> , 1996, 31, 479-500.	0.1	28
207	Anaerobic digestion of wash waters derived from the purification of virgin olive oil using a hybrid reactor combining a filter and a sludge blanket. <i>Process Biochemistry</i> , 1996, 31, 219-224.	3.7	41
208	Influence of ammonia concentration on thermophilic anaerobic digestion of cattle manure in upflow anaerobic sludge blanket (UASB) reactors. <i>Process Biochemistry</i> , 1996, 31, 477-483.	3.7	111
209	Kinetic behaviour of waste tyre rubber as microorganism support in an anaerobic digester treating cane molasses distillery slops. <i>Bioprocess and Biosystems Engineering</i> , 1996, 16, 17.	0.5	19
210	Determination of the kinetic constants of anaerobic digestion of sugar-mill-mud waste (SMMW). <i>Bioresource Technology</i> , 1996, 56, 245-249.	9.6	20
211	<i>Chlorella vulgaris</i> Growth on Pretreated Cane Sugar Mill Waste. <i>Bulletin of Environmental Contamination and Toxicology</i> , 1996, 57, 986-992.	2.7	6
212	Kinetics of sugar mill wastewater treatment by down-flow anaerobic fixed bed reactors. <i>Bioprocess and Biosystems Engineering</i> , 1996, 14, 145-150.	0.5	6
213	Performance evaluation of an anaerobic hybrid digester treating palm oil mill effluent. <i>Journal of Environmental Science and Health Part A: Environmental Science and Engineering</i> , 1996, 31, 1379-1393.	0.1	11
214	Kinetics of sugar mill wastewater treatment by down-flow anaerobic fixed bed reactors. <i>Bioprocess and Biosystems Engineering</i> , 1996, 14, 145.	0.5	0
215	Activated sludge treatment of wash waters derived from the purification of virgin olive oil in a new manufacturing process. <i>Journal of Chemical Technology and Biotechnology</i> , 1995, 64, 25-30.	3.2	13
216	Removal of copper from industrial wastewater by raw charcoal obtained from reeds. <i>Journal of Chemical Technology and Biotechnology</i> , 1995, 64, 153-156.	3.2	33

#	ARTICLE	IF	CITATIONS
217	Influence of the organic volumetric loading rate on soluble chemical oxygen demand removal in a down-flow fixed-bed reactor treating abattoir wastewater. <i>Journal of Chemical Technology and Biotechnology</i> , 1995, 64, 361-366.	3.2	12
218	Comparative study of anaerobic digestion of olive mill wastewater (OMW) and OMW previously fermented with <i>Aspergillus terreus</i> . <i>Bioprocess and Biosystems Engineering</i> , 1995, 13, 317-322.	0.5	28
219	Anaerobic digestion of palm oil mill effluent and condensation water waste: an overall kinetic model for methane production and substrate utilization. <i>Bioprocess and Biosystems Engineering</i> , 1995, 13, 87-95.	0.5	15
220	Effect of organic loading rate on anaerobic treatment of slaughterhouse wastewater in a fluidised-bed reactor. <i>Bioresource Technology</i> , 1995, 52, 157-162.	9.6	46
221	Kinetic evaluation of an anaerobic fluidised-bed reactor treating slaughterhouse wastewater. <i>Bioresource Technology</i> , 1995, 52, 163-167.	9.6	15
222	Anaerobic digestion of wastewater produced in the manufacture of cellulosic pulp from wheat straw in immobilised cell bioreactors. <i>Resources, Conservation and Recycling</i> , 1995, 13, 129-138.	10.8	10
223	Piggery waste treatment by anaerobic digestion and nutrient removal by ionic exchange. <i>Resources, Conservation and Recycling</i> , 1995, 15, 235-244.	10.8	42
224	Anaerobic digestion of ice-cream wastewater: A comparison of single and two-phase reactor systems. <i>Bulletin of Environmental Contamination and Toxicology</i> , 1995, 54, 466-71.	2.7	7
225	A simplified method for determination of kinetic parameters to describe the aerobic biodegradation of two important phenolic constituents of olive mill wastewater by a heterogeneous microbial culture. <i>Journal of Environmental Science and Health Part A: Environmental Science and Engineering</i> , 1995, 30, 607-626.	0.1	5
226	The temperature dependence of the kinetic parameters derived for the aerobic treatment of wastewater from the washing of olives prior to the oil production process. <i>Journal of Environmental Science and Health Part A: Environmental Science and Engineering</i> , 1995, 30, 1693-1705.	0.1	5
227	Comparison of an Anaerobic Filter and an Anaerobic Fluidized Bed Reactor Treating Palm Oil Mill Effluent. <i>Process Biochemistry</i> , 1995, 30, 511-521.	3.7	71
228	Influence of different aerobic pretreatments on the kinetics of anaerobic digestion of olive mill wastewater. <i>Water Research</i> , 1995, 29, 489-495.	11.3	124
229	Response of an anaerobic fluidized bed reactor treating ice-cream wastewater to organic, hydraulic, temperature and pH shocks. <i>Journal of Biotechnology</i> , 1995, 39, 251-259.	3.8	72
230	A kinetic study of anaerobic digestion of olive mill wastewater at mesophilic and thermophilic temperatures. <i>Environmental Pollution</i> , 1995, 88, 13-18.	7.5	55
231	Performance of a hybrid anaerobic reactor, combining a sludge blanket and a filter, treating slaughterhouse wastewater. <i>Applied Microbiology and Biotechnology</i> , 1995, 43, 351-357.	3.6	33
232	Comparison of an Anaerobic Filter and an Anaerobic Fluidized Bed Reactor Treating Palm Oil Mill Effluent. <i>Process Biochemistry</i> , 1995, 30, 511-521.	0.2	11
233	Performance and kinetics of an upflow anaerobic sludge blanket (UASB) reactor treating slaughterhouse wastewater. <i>Journal of Environmental Science and Health Part A: Environmental Science and Engineering</i> , 1994, 29, 2063-2085.	0.1	9
234	Kinetic model for substrate utilization and methane production during the anaerobic digestion of olive mill wastewater and condensation water waste. <i>Journal of Chemical Technology and Biotechnology</i> , 1994, 60, 7-16.	3.2	22

#	ARTICLE	IF	CITATIONS
235	Antagonistic and synergistic effects of two mineral support particles on the hydrolysis and methanation of waste water in immobilized cell anaerobic digesters. <i>Biotechnology Letters</i> , 1994, 16, 859-864.	2.2	6
236	Influence of substrate concentration on the macroenergetic parameters of anaerobic digestion of black-olive wastewater. <i>Biotechnology Letters</i> , 1994, 16, 321-326.	2.2	3
237	Kinetics of methane production from wine distillery wastewater in an immobilised cell bioreactor using sepiolite as support medium. <i>Resources, Conservation and Recycling</i> , 1994, 10, 317-327.	10.8	13
238	Influence of immobilization supports on the kinetic constants of anaerobic digestion of cheese whey. <i>Resources, Conservation and Recycling</i> , 1994, 10, 329-339.	10.8	2
239	Kinetics of anaerobic degestion of cow manure with biomass immobilized on zeolite. <i>The Chemical Engineering Journal and the Biochemical Engineering Journal</i> , 1994, 54, B9-B14.	0.1	8
240	Kinetics of an anaerobic fluidized bed system used for the purification of fruit processing waste-water. <i>The Chemical Engineering Journal and the Biochemical Engineering Journal</i> , 1994, 54, B25-B32.	0.1	7
241	Kinetics of methane production from palm oil mill effluent in an immobilised cell bioreactor using saponite as support medium. <i>Bioresource Technology</i> , 1994, 48, 209-214.	9.6	25
242	Anaerobic digestion of palm oil mill effluent using an up-flow anaerobic sludge blanket reactor. <i>Biomass and Bioenergy</i> , 1994, 6, 381-389.	5.7	81
243	Comparison of anaerobic filter and anaerobic contact process for olive mill wastewater previously fermented with <i>Geotrichum candidum</i> . <i>Process Biochemistry</i> , 1994, 29, 139-144.	3.7	23
244	Kinetics of black-olive wastewater treatment by the activated-sludge system. <i>Process Biochemistry</i> , 1994, 29, 587-593.	3.7	24
245	Treatment of palm oil mill effluent by upflow anaerobic filtration. <i>Journal of Chemical Technology and Biotechnology</i> , 1994, 61, 103-109.	3.2	57
246	Kinetic study of anaerobic digestion of brewery wastewater. <i>Process Biochemistry</i> , 1994, 29, 645-650.	3.7	18
247	Kinetics of an upflow anaerobic sludge blanket reactor treating ice-cream wastewater. <i>Environmental Technology (United Kingdom)</i> , 1994, 15, 219-232.	2.2	23
248	Kinetics of anaerobic digestion of soft drink wastewater in immobilized cell bioreactors. <i>Journal of Chemical Technology and Biotechnology</i> , 1994, 60, 327-334.	3.2	16
249	Kinetic study of anaerobic digestion of fruit-processing wastewater in immobilized-cell bioreactors. <i>Biotechnology and Applied Biochemistry</i> , 1994, 20, 79-92.	3.1	7
250	Enhancement of the anaerobic digestion of wine distillery wastewater by the removal of phenolic inhibitors. <i>Bioresource Technology</i> , 1993, 45, 99-104.	9.6	75
251	Anaerobic digestion of black-olive wastewater. <i>Bioresource Technology</i> , 1993, 45, 27-32.	9.6	33
252	Influence of the support on the kinetics of anaerobic purification of slaughterhouse wastewater. <i>Bioresource Technology</i> , 1993, 44, 57-60.	9.6	19

#	ARTICLE	IF	CITATIONS
253	Effect of natural zeolite support on the kinetics of cow manure anaerobic digestion. <i>Biomass and Bioenergy</i> , 1993, 5, 395-400.	5.7	14
254	Influence of immobilization supports on the kinetics of anaerobic purification of cheese factory wastewaters. <i>Biomass and Bioenergy</i> , 1993, 4, 15-22.	5.7	5
255	Anaerobic digestion of olive mill wastewater pretreated with <i>Azotobacter chroococcum</i> . <i>Resources, Conservation and Recycling</i> , 1993, 9, 201-211.	10.8	14
256	Improvement of the kinetics of anaerobic digestion of molasses by the removal of phenolic compounds. <i>Biotechnology Letters</i> , 1993, 15, 311-316.	2.2	11
257	Thermophilic semi-continuous anaerobic treatment of palm oil mill effluent. <i>Biotechnology Letters</i> , 1993, 15, 761-766.	2.2	12
258	Semicontinuous anaerobic digestion of soft drink wastewater in immobilised cell bioreactors. <i>Biotechnology Letters</i> , 1993, 15, 767-772.	2.2	15
259	Effect of ionic exchanger addition on the anaerobic digestion of cow manure. <i>Environmental Technology (United Kingdom)</i> , 1993, 14, 891-896.	2.2	16
260	Anaerobic treatment of wastewater produced in the manufacture of cellulosic pulp from wheat straw. <i>Environmental Technology (United Kingdom)</i> , 1993, 14, 1145-1153.	2.2	9
261	Kinetic study of anaerobic digestion of olive mill wastewater previously fermented with <i>Aspergillus terreus</i> . <i>Process Biochemistry</i> , 1993, 28, 397-404.	3.7	34
262	Kinetic study of anaerobic digestion of wine distillery wastewater. <i>Process Biochemistry</i> , 1993, 28, 83-90.	3.7	42
263	Influence of clay immobilization supports on the kinetic constants of anaerobic digestion of dairy industry wastewater. <i>Applied Clay Science</i> , 1993, 7, 367-381.	5.2	12
264	Influence of plastics on the anaerobic digestion of High cellulosic content waste materials. <i>Environmental Technology (United Kingdom)</i> , 1993, 14, 665-671.	2.2	0
265	Kinetic study of an anaerobic fluidized bed system used for the purification of fermented olive mill wastewater. <i>Journal of Chemical Technology and Biotechnology</i> , 1993, 56, 155-162.	3.2	37
266	Caracterización y digestión anaerobia de las aguas de lavado del aceite de oliva virgen. <i>Grasas Y Aceites</i> , 1993, 44, 85-90.	0.9	6
267	Enhancement of the anaerobic digestion of olive mill wastewater by the removal of phenolic inhibitors. <i>Process Biochemistry</i> , 1992, 27, 231-237.	3.7	118
268	Influence of the microorganism support on the kinetics of anaerobic fermentation of condensation water from thermally concentrated olive mill wastewater. <i>Biodegradation</i> , 1992, 3, 93.	3.0	18
269	Kinetics of methane production from olive mill wastewater. <i>Process Biochemistry</i> , 1991, 26, 101-107.	3.7	64
270	Influence of immobilization supports on the kinetic constants of anaerobic purification of olive mill wastewater. <i>Biological Wastes</i> , 1990, 33, 131-142.	0.2	58

#	ARTICLE	IF	CITATIONS
271	Challenges for Cost-Effective Microalgae Anaerobic Digestion. , 0, , .		13
272	Valorization Options of Strawberry Extrudate Agro-Waste. A Review. , 0, , .		2
273	Anaerobic Co-Digestion of Microalgae and Industrial Wastes: A Critical and Bibliometric Review. , 0, , .		1