

Myriam Malet-Martino

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4168297/myriam-malet-martino-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

77 papers	2,785 citations	32 h-index	51 g-index
78 ext. papers	3,108 ext. citations	4.4 avg, IF	4.99 L-index

#	Paper	IF	Citations
77	Evaluation of low-field versus high-field proton NMR spectroscopy for quality control of cinnamon samples. <i>Journal of Food Composition and Analysis</i> , 2021 , 96, 103706	4.1	2
76	Enzymatic hydrolysis of rapeseed oil with a non-GMO lipase: A strategy to substitute mono- and diglycerides of fatty acids and improve the softness of sponge cakes. <i>LWT - Food Science and Technology</i> , 2021 , 137, 110405	5.4	3
75	Synthetic cannabinoids in e-liquids: A proton and fluorine NMR analysis from a conventional spectrometer to a compact one. <i>Forensic Science International</i> , 2021 , 324, 110813	2.6	2
74	Chemometric Analysis of Low-field H NMR Spectra for Unveiling Adulteration of Slimming Dietary Supplements by Pharmaceutical Compounds. <i>Molecules</i> , 2020 , 25,	4.8	9
73	Comparative Chemical Profiling and Monacolins Quantification in Red Yeast Rice Dietary Supplements by H-NMR and UHPLC-DAD-MS. <i>Molecules</i> , 2020 , 25,	4.8	5
72	Isolation and identification of ten new sildenafil derivatives in an alleged herbal supplement for sexual enhancement. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 191, 113482	3.5	0
71	Urinary metabolomic signature of muscle-invasive bladder cancer: A multiplatform approach. <i>Talanta</i> , 2019 , 202, 572-579	6.2	11
70	NMR-Based Metabolomics of the Lipid Fraction of Organic and Conventional Bovine Milk. <i>Molecules</i> , 2019 , 24,	4.8	16
69	Benchtop low-field H Nuclear Magnetic Resonance for detecting falsified medicines. <i>Talanta</i> , 2019 , 196, 163-173	6.2	16
68	Glucose metabolism and NRF2 coordinate the antioxidant response in melanoma resistant to MAPK inhibitors. <i>Cell Death and Disease</i> , 2018 , 9, 325	9.8	39
67	A review of synthetic phosphodiesterase type 5 inhibitors (PDE-5i) found as adulterants in dietary supplements. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 147, 250-277	3.5	38
66	Diffusion-ordered spectroscopy on a benchtop spectrometer for drug analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 160, 268-275	3.5	21
65	Identification of altered brain metabolites associated with TNAP activity in a mouse model of hypophosphatasia using untargeted NMR-based metabolomics analysis. <i>Journal of Neurochemistry</i> , 2017 , 140, 919-940	6	23
64	Metabolic rewiring in cancer cells overexpressing the glucocorticoid-induced leucine zipper protein (GILZ): Activation of mitochondrial oxidative phosphorylation and sensitization to oxidative cell death induced by mitochondrial targeted drugs. <i>International Journal of Biochemistry and Cell Biology</i> , 2017 , 85, 166-174	5.6	7
63	Role of Medicines of Unknown Identity in Adverse Drug Reaction-Related Hospitalizations in Developing Countries: Evidence from a Cross-Sectional Study in a Teaching Hospital in the Lao People's Democratic Republic. <i>Drug Safety</i> , 2017 , 40, 809-821	5.1	4
62	Green microparticles based on a chitosan/lactobionic acid/linoleic acid association. Characterisation and evaluation as a new carrier system for cosmetics. <i>Journal of Microencapsulation</i> , 2017 , 34, 162-170	3.4	7
61	A revisited structure for nitrosoprodenafil from NMR, mass spectrometry, X-ray and hydrolysis data. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 135, 31-49	3.5	5

60	Pulsed-field gradient nuclear magnetic resonance measurements (PFG NMR) for diffusion ordered spectroscopy (DOSY) mapping. <i>Analyst, The</i> , 2017 , 142, 3771-3796	5	62
59	Screening of "spice" herbal mixtures: From high-field to low-field proton NMR. <i>Forensic Science International</i> , 2017 , 279, 88-95	2.6	26
58	Pulsed Field Gradient NMR with Sigmoid Shape Gradient Sampling To Produce More Detailed Diffusion Ordered Spectroscopy Maps of Real Complex Mixtures: Examples with Medicine Analysis. <i>Analytical Chemistry</i> , 2016 , 88, 3304-9	7.8	14
57	Proton NMR for detection, identification and quantification of adulterants in 160 herbal food supplements marketed for weight loss. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 124, 34-47	3.5	42
56	Detection, identification and quantification by ¹ H NMR of adulterants in 150 herbal dietary supplements marketed for improving sexual performance. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 102, 476-93	3.5	73
55	Analysis of Counterfeit Medicines and Adulterated Dietary Supplements by NMR 2015 , 159-170		
54	Normalization and scaling effects on ¹ H NMR spectra in a metabolomics analysis of leukemic cells 2015 , 140-153		1
53	¹ H NMR metabolomic signatures in five brain regions of the APPswe Tg2576 mouse model of Alzheimer's disease at four ages. <i>Journal of Alzheimer's Disease</i> , 2014 , 39, 121-43	4.3	48
52	Characterization of heroin samples by ¹ H NMR and 2D DOSY ¹ H NMR. <i>Forensic Science International</i> , 2014 , 234, 29-38	2.6	23
51	Evaluation of a benchtop cryogen-free low-field ¹ H NMR spectrometer for the analysis of sexual enhancement and weight loss dietary supplements adulterated with pharmaceutical substances. <i>Analytical Chemistry</i> , 2014 , 86, 11897-904	7.8	39
50	Hydrolytic pathway of 5-fluorouracil in aqueous solutions for clinical use. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 98, 446-62	3.5	15
49	First identification and quantification of lorcaserin in an herbal slimming dietary supplement. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 98, 94-9	3.5	15
48	¹ H NMR Analysis of Cerebrospinal Fluid from Alzheimer's Disease Patients: An Example of a Possible Misinterpretation Due to Non-Adjustment of pH. <i>Metabolites</i> , 2014 , 4, 115-28	5.6	9
47	A toolbox to explore NMR metabolomic data sets using the R environment. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2013 , 126, 50-59	3.8	11
46	Mitochondrial oxidative stress is the Achilles' heel of melanoma cells resistant to Braf-mutant inhibitor. <i>Oncotarget</i> , 2013 , 4, 1986-98	3.3	110
45	Identification of a novel sildenafil analogue in an adulterated herbal supplement. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 59, 58-66	3.5	35
44	Analysis of herbal dietary supplements for sexual performance enhancement: first characterization of propoxyphenyl-thiohydroxyhomosildenafil and identification of sildenafil, thiosildenafil, phentolamine and tetrahydropalmatine as adulterants. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 63, 135-50	3.5	43
43	Nutritional Supplements 2012 , 539-573		

42	Quality assessment of commercial <i>Magnoliae officinalis</i> Cortex by ^1H -NMR-based metabolomics and HPLC methods. <i>Phytochemical Analysis</i> , 2012 , 23, 387-95	3.4	30
41	Metabolomic study of plasma of patients with abdominal aortic aneurysm. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 403, 1651-60	4.4	18
40	Inactivation of the HIF-1/ mTOR signaling axis drives melanoma toward mitochondrial oxidative metabolism and potentiates the therapeutic activity of pro-oxidants. <i>Cancer Research</i> , 2012 , 72, 5035-47	10.1	99
39	Exploiting mitochondrial dysfunction for effective elimination of imatinib-resistant leukemic cells. <i>PLoS ONE</i> , 2011 , 6, e21924	3.7	39
38	Synthesis of lipophilic dimeric C-7/C-7-linked ciprofloxacin and C-6/C-6-linked levofloxacin derivatives. Versatile in vitro biological evaluations of monomeric and dimeric fluoroquinolone derivatives as potential antitumor, antibacterial or antimycobacterial agents. <i>European Journal of Medicinal Chemistry</i> , 2011 , 46, 6025-38	6.8	39
37	pH optimization for a reliable quantification of brain tumor cell and tissue extracts with (^1H) NMR: focus on choline-containing compounds and taurine. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 399, 987-99	4.4	21
36	Analytical challenges in drug counterfeiting and falsification-The NMR approach. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 55, 679-87	3.5	70
35	NMR techniques in biomedical and pharmaceutical analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 55, 1-15	3.5	104
34	Quality Control of Herbal Medicines Assessed by NMR. <i>Current Pharmaceutical Analysis</i> , 2010 , 6, 234-245	5.6	22
33	Analysis of adulterated herbal medicines and dietary supplements marketed for weight loss by DOSY ^1H -NMR. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2010 , 27, 903-16	3.2	68
32	Counterfeit drugs: analytical techniques for their identification. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 398, 77-92	4.4	81
31	Analysis of hydrophilic and lipophilic choline compounds in radioresistant and radiosensitive glioblastoma cell lines by HILIC-ESI-MS/MS. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 398, 2723-30	4.4	14
30	Interaction mechanisms between caffeine and polyphenols in infusions of <i>Camellia sinensis</i> leaves. <i>Food Chemistry</i> , 2010 , 119, 173-181	8.5	27
29	Novel lipophilic 7H-pyrido[1,2,3-de]-1,4-benzoxazine-6-carboxylic acid derivatives as potential antitumor agents: improved synthesis and in vitro evaluation. <i>Bioorganic and Medicinal Chemistry</i> , 2010 , 18, 8537-48	3.4	23
28	The usefulness of 2D DOSY and 3D DOSY-COSY ^1H NMR for mixture analysis: application to genuine and fake formulations of sildenafil (Viagra). <i>Magnetic Resonance in Chemistry</i> , 2009 , 47 Suppl 1, S163-73	2.1	32
27	Two-dimensional DOSY experiment with Excitation Sculpting water suppression for the analysis of natural and biological media. <i>Journal of Magnetic Resonance</i> , 2009 , 196, 78-83	3	41
26	2D and 3D DOSY ^1H NMR, a useful tool for analysis of complex mixtures: application to herbal drugs or dietary supplements for erectile dysfunction. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 50, 602-12	3.5	83
25	7-((4-Substituted)piperazin-1-yl) derivatives of ciprofloxacin: synthesis and in vitro biological evaluation as potential antitumor agents. <i>Bioorganic and Medicinal Chemistry</i> , 2009 , 17, 5396-407	3.4	65

24	Improving metabolite knowledge in stable atherosclerosis patients by association and correlation of GC-MS and ¹ H NMR fingerprints. <i>Journal of Proteome Research</i> , 2009 , 8, 5580-9	5.6	63
23	Combining two-dimensional diffusion-ordered nuclear magnetic resonance spectroscopy, imaging desorption electrospray ionization mass spectrometry, and direct analysis in real-time mass spectrometry for the integral investigation of counterfeit pharmaceuticals. <i>Analytical Chemistry</i> , 2009 , 81, 4803-12	7.8	81
22	DOSY NMR for Drug Analysis 2008 , 269-289		11
21	Fluorine-19 or Phosphorus-31 NMR Spectroscopy 2008 , 369-406		
20	Delivery systems for the treatment of proliferative vitreoretinopathy: materials, devices and colloidal carriers. <i>Current Drug Delivery</i> , 2008 , 5, 7-19	3.2	28
19	Quality assessment of fluoxetine and fluvoxamine pharmaceutical formulations purchased in different countries or via the Internet by ¹⁹ F and 2D DOSY ¹ H NMR. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008 , 46, 707-22	3.5	32
18	Analysis of illegally manufactured formulations of tadalafil (Cialis) by ¹ H NMR, 2D DOSY ¹ H NMR and Raman spectroscopy. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008 , 47, 103-13	3.5	76
17	Bude critique de l'utilisation de la RMN HR-MAS pour l'analyse des tissus biologiques. <i>Comptes Rendus Chimie</i> , 2008 , 11, 423-433	2.7	4
16	Generic ciprofloxacin tablets contain the stated amount of drug and different impurity profiles: A ¹⁹ F, ¹ H and DOSY NMR analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 44, 743-54	3.5	22
15	In vivo ³¹ P and ¹ H HR-MAS NMR spectroscopy analysis of the unstarved <i>Aporrectodea caliginosa</i> (Lumbricidae). <i>Biology and Fertility of Soils</i> , 2006 , 43, 191-198	6.1	26
14	Interest of fluorine-19 nuclear magnetic resonance spectroscopy in the detection, identification and quantification of metabolites of anticancer and antifungal fluoropyrimidine drugs in human biofluids. <i>Chemotherapy</i> , 2006 , 52, 215-9	3.2	14
13	Fluorine nuclear magnetic resonance spectroscopy of human biofluids in the field of metabolic studies of anticancer and antifungal fluoropyrimidine drugs. <i>Clinica Chimica Acta</i> , 2006 , 366, 61-73	6.2	44
12	Efficient approach to acyloxymethyl esters of nalidixic acid and in vitro evaluation as intra-ocular prodrugs. <i>Bioorganic and Medicinal Chemistry</i> , 2006 , 14, 2569-80	3.4	9
11	Usefulness of in vitro ¹ H magnetic resonance spectroscopy for the characterization of primary brain tumors: report of two cases. <i>Stereotactic and Functional Neurosurgery</i> , 2005 , 83, 122-6; discussion 126-7	1.6	3
10	Fluorine-19 or phosphorus-31 NMR spectroscopy: a suitable analytical technique for quantitative in vitro metabolic studies of fluorinated or phosphorylated drugs. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2005 , 38, 871-91	3.5	82
9	Cardiotoxicity and neurotoxicity of high-dose continuous fluorouracil as a result of degradation compounds in the drug vials. <i>Journal of Clinical Oncology</i> , 2004 , 22, 5022-5	2.2	7
8	Fluorouracil prodrugs for the treatment of proliferative vitreoretinopathy: formulation in silicone oil and in vitro release of fluorouracil. <i>International Journal of Pharmaceutics</i> , 2003 , 259, 181-92	6.5	14
7	Clinical studies of three oral prodrugs of 5-fluorouracil (capecitabine, UFT, S-1): a review. <i>Oncologist</i> , 2002 , 7, 288-323	5.7	294

6	The prodrugs of 5-fluorouracil. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2002 , 2, 267-310		85
5	Metabolism of capecitabine, an oral fluorouracil prodrug: (19)F NMR studies in animal models and human urine. <i>Drug Metabolism and Disposition</i> , 2002 , 30, 1221-9	4	67
4	Fluorine nuclear magnetic resonance, a privileged tool for metabolic studies of fluoropyrimidine drugs. <i>Current Drug Metabolism</i> , 2000 , 1, 271-303	3.5	41
3	Characterization of choline compounds with in vitro ¹ H magnetic resonance spectroscopy for the discrimination of primary brain tumors. <i>Investigative Radiology</i> , 1999 , 34, 230-5	10.1	49
2	The anti-cancer drug 5-fluorouracil is metabolized by the isolated perfused rat liver and in rats into highly toxic fluoroacetate. <i>British Journal of Cancer</i> , 1998 , 77, 79-86	8.7	64
1	5-Ethynyluracil (GW776): effects on the formation of the toxic catabolites of 5-fluorouracil, fluoroacetate and fluorohydroxypropionic acid in the isolated perfused rat liver model. <i>British Journal of Cancer</i> , 1997 , 76, 1170-80	8.7	16