

Giovanna M Stirpe

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4168628/publications.pdf>

Version: 2024-02-01

45
papers

2,527
citations

218677

26
h-index

302126

39
g-index

45
all docs

45
docs citations

45
times ranked

1197
citing authors

#	ARTICLE	IF	CITATIONS
1	Steps toward determination of the size and structure of the broad-line region in active galactic nuclei. I - an 8 month campaign of monitoring NGC 5548 with IUE. <i>Astrophysical Journal</i> , 1991, 366, 64.	4.5	336
2	Steps toward determination of the size and structure of the broad-line region in active galactic nuclei. 8: an intensive HST, IUE, and ground-based study of NGC 5548. <i>Astrophysical Journal, Supplement Series</i> , 1995, 97, 285.	7.7	216
3	Steps toward Determination of the Size and Structure of the Broad-Line Region in Active Galactic Nuclei. XIV. Intensive Optical Spectrophotometric Observations of NGC 7469. <i>Astrophysical Journal</i> , 1998, 500, 162-172.	4.5	172
4	Steps toward Determination of the Size and Structure of the Broad-Line Region in Active Galactic Nuclei. IX. Ultraviolet Observations of Fairall 9. <i>Astrophysical Journal, Supplement Series</i> , 1997, 110, 9-20.	7.7	158
5	Multiwavelength Observations of Short-Timescale Variability in NGC 4151. IV. Analysis of Multiwavelength Continuum Variability. <i>Astrophysical Journal</i> , 1996, 470, 364.	4.5	149
6	Steps toward Determination of the Size and Structure of the Broad-Line Region in Active Galactic Nuclei. XI. Intensive Monitoring of the Ultraviolet Spectrum of NGC 7469. <i>Astrophysical Journal, Supplement Series</i> , 1997, 113, 69-88.	7.7	143
7	Steps toward determination of the size and structure of the broad-line region in active galactic nuclei. 5: Variability of the ultraviolet continuum and emission lines of NGC 3783. <i>Astrophysical Journal</i> , 1994, 425, 582.	4.5	113
8	Steps toward Determination of the Size and Structure of the Broad-Line Region in Active Galactic Nuclei. XII. Ground-based Monitoring of 3C 390.3. <i>Astrophysical Journal, Supplement Series</i> , 1998, 115, 185-202.	7.7	103
9	Steps toward Determination of the Size and Structure of the Broad-Line Region in Active Galactic Nuclei. XIII. Ultraviolet Observations of the Broad-Line Radio Galaxy 3C 390.3. <i>Astrophysical Journal</i> , 1998, 509, 163-176.	4.5	84
10	VLT/ISAAC spectra of the H β region in intermediate-redshift quasars. <i>Astronomy and Astrophysics</i> , 2009, 495, 83-112.	5.1	80
11	A Main Sequence for Quasars. <i>Frontiers in Astronomy and Space Sciences</i> , 2018, 5, .	2.8	76
12	Steps toward Determination of the Size and Structure of the Broad-Line Region in Active Galactic Nuclei. XV. Long-Term Optical Monitoring of NGC 5548. <i>Astrophysical Journal</i> , 1999, 510, 659-668.	4.5	75
13	Steps toward determination of the size and structure of the broad-line region in active galactic nuclei. 6: Variability of NGC 3783 from ground-based data. <i>Astrophysical Journal</i> , 1994, 425, 609.	4.5	74
14	Multiwavelength Observations of Short-Timescale Variability in NGC 4151. I. Ultraviolet Observations. <i>Astrophysical Journal</i> , 1996, 470, 322.	4.5	66
15	Steps toward determination of the size and structure of the broad-line region in active nuclei. 7: Variability of the optical spectrum of NGC 5548 over years. <i>Astrophysical Journal</i> , 1994, 425, 622.	4.5	60
16	VLT/ISAAC spectra of the H β region in intermediate-redshift quasars. <i>Astronomy and Astrophysics</i> , 2006, 456, 929-939.	5.1	59
17	Multiwavelength Monitoring of the Narrow-Line Seyfert 1 Galaxy Arakelian 564. III. Optical Observations and the Optical-UV-X-Ray Connection. <i>Astrophysical Journal</i> , 2001, 561, 162-170.	4.5	58
18	Steps toward Determination of the Size and Structure of the Broad-Line Region in Active Galactic Nuclei. X. Variability of Fairall 9 from Optical Data. <i>Astrophysical Journal, Supplement Series</i> , 1997, 112, 271-283.	7.7	50

#	ARTICLE	IF	CITATIONS
19	VLT/ISAAC spectra of the H β region in intermediate redshift quasars. <i>Astronomy and Astrophysics</i> , 2004, 423, 121-132.	5.1	49
20	What does CIV λ 1549 tell us about the physical driver of the Eigenvector quasar sequence?. <i>Astronomy and Astrophysics</i> , 2017, 608, A122.	5.1	47
21	Steps toward determination of the size and structure of the broad-line region in active galactic nuclei. III - Further observations of NGC 5548 at optical wavelengths. <i>Astrophysical Journal</i> , 1992, 392, 470.	4.5	42
22	BeppoSAX observations of Narrow-Line Seyfert 1 galaxies. <i>Astronomy and Astrophysics</i> , 2001, 365, 400-408.	5.1	30
23	O I AND Ca II OBSERVATIONS IN INTERMEDIATE REDSHIFT QUASARS. <i>Astrophysical Journal, Supplement Series</i> , 2015, 217, 3.	7.7	28
24	The most powerful quasar outflows as revealed by the CIV λ 1549 resonance line. <i>Astrophysics and Space Science</i> , 2016, 361, 1.	1.4	28
25	Line and continuum variability of two intermediate-redshift, high-luminosity quasars. <i>Astronomy and Astrophysics</i> , 2007, 470, 491-496.	5.1	27
26	The Galaxy Component and Nuclear Flux Measurements of NGC 5548 from Direct Imaging. <i>Astrophysical Journal</i> , 1995, 455, 516.	4.5	27
27	SPITZER SPACE TELESCOPE MEASUREMENTS OF DUST REVERBERATION LAGS IN THE SEYFERT 1 GALAXY NGC 6418. <i>Astrophysical Journal</i> , 2015, 801, 127.	4.5	26
28	Black hole mass estimates in quasars. <i>Astronomy and Astrophysics</i> , 2019, 627, A88.	5.1	25
29	Blue outliers among intermediate redshift quasars. <i>Astrophysics and Space Science</i> , 2016, 361, 1.	1.4	23
30	The Complex X-ray Absorbers of NGC 3516 Observed by BEPPOSAX. <i>Astrophysical Journal</i> , 2000, 544, 283-292.	4.5	20
31	The ESO Slice Project (ESP) galaxy redshift survey. <i>Astronomy and Astrophysics</i> , 1998, 130, 323-332.	2.1	19
32	3C 57 as an atypical radio-loud quasar: implications for the radio-loud/radio-quiet dichotomy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 450, 1916-1925.	4.4	16
33	Extreme Quasars as Distance Indicators in Cosmology. <i>Frontiers in Astronomy and Space Sciences</i> , 2020, 6, .	2.8	14
34	Quasar Massive Ionized Outflows Traced by CIV λ 1549 and [OIII] λ 4959,5007. <i>Frontiers in Astronomy and Space Sciences</i> , 2017, 4, .	2.8	12
35	Quasars: From the Physics of Line Formation to Cosmology. <i>Atoms</i> , 2019, 7, 18.	1.6	10
36	Observations of the Ca II IR Triplet in High Luminosity Quasars: Exploring the Sample. <i>Journal of Astrophysics and Astronomy</i> , 2015, 36, 457.	1.0	4

#	ARTICLE	IF	CITATIONS
37	The International AGN Watch: A Multiwavelength Monitoring Consortium. <i>Astrophysics and Space Science Library</i> , 1994, , 325-333.	2.7	4
38	Optical spectroscopy of active galactic nuclei in SA57. <i>Astronomy and Astrophysics</i> , 2008, 477, 473-479.	5.1	3
39	Highly accreting quasars: a tool for cosmology?. <i>Proceedings of the International Astronomical Union</i> , 2016, 12, 245-246.	0.0	1
40	A Relation Between the Profiles and Intensities of Broad Emission Lines. , 1994, , 176-179.		0
41	The Diversity of Broad Emission-Line Profiles. <i>International Astronomical Union Colloquium</i> , 1997, 159, 197-198.	0.1	0
42	A Search for Optical Line Variability in Narrow-Line Seyfert 1 Galaxies. <i>International Astronomical Union Colloquium</i> , 1997, 159, 173-174.	0.1	0
43	The complex and variable absorption of NGC 3516 observed by BeppoSAX. <i>AIP Conference Proceedings</i> , 2001, , .	0.4	0
44	H β spectra of high-redshift QSOs: Eigenvector 1 at high luminosities. <i>Proceedings of the International Astronomical Union</i> , 2004, 2004, 539-540.	0.0	0
45	Low ionization lines in high luminosity quasars: The calcium triplet. <i>Advances in Space Research</i> , 2014, 54, 1375-1381.	2.6	0