

Federico Calegari

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4168792/publications.pdf>

Version: 2024-02-01

68
papers

5,256
citations

136740

32
h-index

123241

61
g-index

76
all docs

76
docs citations

76
times ranked

6740
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Implementation of biohybrid olfactory bulb on a high-density CMOS-chip to reveal large-scale spatiotemporal circuit information. <i>Biosensors and Bioelectronics</i> , 2022, 198, 113834. | 5.3 | 14 |
| 2 | Tcf12 and NeuroD1 cooperatively drive neuronal migration during cortical development. <i>Development (Cambridge)</i> , 2022, 149, . | 1.2 | 11 |
| 3 | A Nuclear Belt Fastens on Neural Cell Fate. <i>Cells</i> , 2022, 11, 1761. | 1.8 | 5 |
| 4 | Adult-born neurons promote cognitive flexibility by improving memory precision and indexing. <i>Hippocampus</i> , 2021, 31, 1068-1079. | 0.9 | 20 |
| 5 | <i>De novo</i> DNA methylation controls neuronal maturation during adult hippocampal neurogenesis. <i>EMBO Journal</i> , 2021, 40, e107100. | 3.5 | 24 |
| 6 | Increasing neurogenesis refines hippocampal activity rejuvenating navigational learning strategies and contextual memory throughout life. <i>Nature Communications</i> , 2020, 11, 135. | 5.8 | 102 |
| 7 | Phf21b imprints the spatiotemporal epigenetic switch essential for neural stem cell differentiation. <i>Genes and Development</i> , 2020, 34, 1190-1209. | 2.7 | 9 |
| 8 | A Highly Conserved Circular RNA Is Required to Keep Neural Cells in a Progenitor State in the Mammalian Brain. <i>Cell Reports</i> , 2020, 30, 2170-2179.e5. | 2.9 | 53 |
| 9 | MicroRNA profiling of mouse cortical progenitors and neurons reveals miR-486-5p as a regulator of neurogenesis. <i>Development (Cambridge)</i> , 2020, 147, . | 1.2 | 11 |
| 10 | Repression of Irs2 by let-7 miRNA is essential for homeostasis of the telencephalic neuroepithelium. <i>EMBO Journal</i> , 2020, 39, e105479. | 3.5 | 12 |
| 11 | An increase in neural stem cells and olfactory bulb adult neurogenesis improves discrimination of highly similar odorants. <i>EMBO Journal</i> , 2019, 38, . | 3.5 | 49 |
| 12 | DOT1L promotes progenitor proliferation and primes neuronal layer identity in the developing cerebral cortex. <i>Nucleic Acids Research</i> , 2019, 47, 168-183. | 6.5 | 49 |
| 13 | Assessment and site-specific manipulation of DNA (hydroxy-)methylation during mouse corticogenesis. <i>Life Science Alliance</i> , 2019, 2, e201900331. | 1.3 | 20 |
| 14 | Sequence and expression levels of circular RNAs in progenitor cell types during mouse corticogenesis. <i>Life Science Alliance</i> , 2019, 2, e201900354. | 1.3 | 10 |
| 15 | Epitranscriptomics: A New Regulatory Mechanism of Brain Development and Function. <i>Frontiers in Neuroscience</i> , 2018, 12, 85. | 1.4 | 27 |
| 16 | Cyclin-Dependent Kinase-Dependent Phosphorylation of Sox2 at Serine 39 Regulates Neurogenesis. <i>Molecular and Cellular Biology</i> , 2017, 37, . | 1.1 | 18 |
| 17 | CPAP promotes timely cilium disassembly to maintain neural progenitor pool. <i>EMBO Journal</i> , 2016, 35, 803-819. | 3.5 | 208 |
| 18 | Neural Stem Cells. , 2016, , 169-208. | | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | SARA regulates neuronal migration during neocortical development through L1 trafficking. <i>Development (Cambridge)</i> , 2016, 143, 3143-53. | 1.2 | 13 |
| 20 | NeuroD1 reprograms chromatin and transcription factor landscapes to induce the neuronal program. <i>EMBO Journal</i> , 2016, 35, 24-45. | 3.5 | 216 |
| 21 | The evolution of basal progenitors in the developing non-mammalian brain. <i>Development (Cambridge)</i> , 2016, 143, 66-74. | 1.2 | 40 |
| 22 | Identification of Tox chromatin binding properties and downstream targets by DamID-Seq. <i>Genomics Data</i> , 2016, 7, 264-268. | 1.3 | 5 |
| 23 | Long non-coding RNA's in corticogenesis: deciphering the non-coding code of the brain. <i>EMBO Journal</i> , 2015, 34, 2865-2884. | 3.5 | 71 |
| 24 | Identification and expression patterns of novel long non-coding RNAs in neural progenitors of the developing mammalian cortex. <i>Neurogenesis (Austin, Tex)</i> , 2015, 2, e995524. | 1.5 | 15 |
| 25 | Tox: a multifunctional transcription factor and novel regulator of mammalian corticogenesis. <i>EMBO Journal</i> , 2015, 34, 896-910. | 3.5 | 43 |
| 26 | CCND1-CDK4-mediated cell cycle progression provides a competitive advantage for human hematopoietic stem cells in vivo. <i>Journal of Experimental Medicine</i> , 2015, 212, 1171-1183. | 4.2 | 50 |
| 27 | Cyclin D1 Again Caught in the Act: Dyrk1a Links G1 and Neurogenesis in Down Syndrome. <i>EBioMedicine</i> , 2015, 2, 96-97. | 2.7 | 5 |
| 28 | CCND1-CDK4-mediated cell cycle progression provides a competitive advantage for human hematopoietic stem cells in vivo. <i>Journal of Cell Biology</i> , 2015, 210, 210201A144. | 2.3 | 0 |
| 29 | Cell cycle activity of neural precursors in the diseased mammalian brain. <i>Frontiers in Neuroscience</i> , 2014, 8, 39. | 1.4 | 10 |
| 30 | Tossed out to save the masses. <i>Science</i> , 2014, 346, 1298-1299. | 6.0 | 0 |
| 31 | Efficient Transient Genetic Manipulation In Vitro and In Vivo by Prototype Foamy Virus-mediated Nonviral RNA Transfer. <i>Molecular Therapy</i> , 2014, 22, 1460-1471. | 3.7 | 22 |
| 32 | MicroRNAs meet epigenetics to make for better brains. <i>EMBO Reports</i> , 2014, 15, 1224-1225. | 2.0 | 2 |
| 33 | MicroRNAs Establish Robustness and Adaptability of a Critical Gene Network to Regulate Progenitor Fate Decisions during Cortical Neurogenesis. <i>Cell Reports</i> , 2014, 7, 1779-1788. | 2.9 | 56 |
| 34 | Mechanisms of brain evolution: Regulation of neural progenitor cell diversity and cell cycle length. <i>Neuroscience Research</i> , 2014, 86, 14-24. | 1.0 | 69 |
| 35 | Generation and characterization of Neurod1-CreER ^{T2} mouse lines for the study of embryonic and adult neurogenesis. <i>Genesis</i> , 2014, 52, 870-878. | 0.8 | 18 |
| 36 | Transcriptome sequencing during mouse brain development identifies long non-coding RNAs functionally involved in neurogenic commitment. <i>EMBO Journal</i> , 2013, 32, 3145-3160. | 3.5 | 215 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Lentiviruses allow widespread and conditional manipulation of gene expression in the developing mouse brain. <i>Development (Cambridge)</i> , 2013, 140, 2818-2822. | 1.2 | 11 |
| 38 | Regulation of cerebral cortex size and folding by expansion of basal progenitors. <i>EMBO Journal</i> , 2013, 32, 1817-1828. | 3.5 | 185 |
| 39 | <i>Neural Stem Cells.</i> , 2013, , 297-335. | | 0 |
| 40 | CyclinD2 at the edge: splitting up cell fate. <i>EMBO Journal</i> , 2012, 31, 1850-1852. | 3.5 | 5 |
| 41 | Bioelectric State and Cell Cycle Control of Mammalian Neural Stem Cells. <i>Stem Cells International</i> , 2012, 2012, 1-10. | 1.2 | 27 |
| 42 | Expansion of Embryonic and Adult Neural Stem Cells by In Utero Electroporation or Viral Stereotaxic Injection. <i>Journal of Visualized Experiments</i> , 2012, , . | 0.2 | 16 |
| 43 | Age-related cognitive decline: Can neural stem cells help us?. <i>Aging</i> , 2012, 4, 176-186. | 1.4 | 68 |
| 44 | Neural stem and progenitor cells shorten S-phase on commitment to neuron production. <i>Nature Communications</i> , 2011, 2, 154. | 5.8 | 330 |
| 45 | The H ⁺ Vacuolar ATPase Maintains Neural Stem Cells in the Developing Mouse Cortex. <i>Stem Cells and Development</i> , 2011, 20, 843-850. | 1.1 | 78 |
| 46 | Overexpression of cdk4 and cyclinD1 triggers greater expansion of neural stem cells in the adult mouse brain. <i>Journal of Experimental Medicine</i> , 2011, 208, 937-948. | 4.2 | 109 |
| 47 | <i>Neural Stem Cells.</i> , 2011, , 287-326. | | 0 |
| 48 | Acute RNA Interference for Basic Research and Therapy. , 2011, , 1-16. | | 0 |
| 49 | Overexpression of cdk4 and cyclinD1 triggers greater expansion of neural stem cells in the adult mouse brain. <i>Journal of Cell Biology</i> , 2011, 193, i5-i5. | 2.3 | 0 |
| 50 | Cell cycle control of mammalian neural stem cells: putting a speed limit on G1. <i>Trends in Cell Biology</i> , 2010, 20, 233-243. | 3.6 | 246 |
| 51 | Response to letter by Lenos and Tsaniklidou. <i>Trends in Cell Biology</i> , 2010, 20, 578. | 3.6 | 1 |
| 52 | Chromogranin B Gene Ablation Reduces the Catecholamine Cargo and Decelerates Exocytosis in Chromaffin Secretory Vesicles. <i>Journal of Neuroscience</i> , 2010, 30, 950-957. | 1.7 | 51 |
| 53 | Cdks and cyclins link G ₁ length and differentiation of embryonic, neural and hematopoietic stem cells. <i>Cell Cycle</i> , 2010, 9, 1893-1900. | 1.3 | 164 |
| 54 | Defective Secretion of Islet Hormones in Chromogranin-B Deficient Mice. <i>PLoS ONE</i> , 2010, 5, e8936. | 1.1 | 61 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Autonomic Function in Hypertension. <i>Circulation: Cardiovascular Genetics</i> , 2009, 2, 46-56. | 5.1 | 26 |
| 56 | Myosin II is required for interkinetic nuclear migration of neural progenitors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 16487-16492. | 3.3 | 142 |
| 57 | Doxycycline-dependent photoactivated gene expression in eukaryotic systems. <i>Nature Methods</i> , 2009, 6, 527-531. | 9.0 | 81 |
| 58 | Cdk4/CyclinD1 Overexpression in Neural Stem Cells Shortens G1, Delays Neurogenesis, and Promotes the Generation and Expansion of Basal Progenitors. <i>Cell Stem Cell</i> , 2009, 5, 320-331. | 5.2 | 490 |
| 59 | Live Imaging at the Onset of Cortical Neurogenesis Reveals Differential Appearance of the Neuronal Phenotype in Apical versus Basal Progenitor Progeny. <i>PLoS ONE</i> , 2008, 3, e2388. | 1.1 | 157 |
| 60 | Single-cell detection of microRNAs in developing vertebrate embryos after acute administration of a dual-fluorescence reporter/sensor plasmid. <i>BioTechniques</i> , 2006, 41, 727-732. | 0.8 | 71 |
| 61 | RNA interference in postimplantation mouse embryos. , 2005, , 207-219. | | 0 |
| 62 | Selective Lengthening of the Cell Cycle in the Neurogenic Subpopulation of Neural Progenitor Cells during Mouse Brain Development. <i>Journal of Neuroscience</i> , 2005, 25, 6533-6538. | 1.7 | 351 |
| 63 | Tissue-specific RNA interference in post-implantation mouse embryos using directional electroporation and whole embryo culture. <i>Differentiation</i> , 2004, 72, 92-102. | 1.0 | 28 |
| 64 | The neuroendocrine protein VGF is sorted into dense-core granules and is secreted apically by polarized rat thyroid epithelial cells. <i>Experimental Cell Research</i> , 2004, 295, 269-280. | 1.2 | 10 |
| 65 | Storage and Release of ATP from Astrocytes in Culture. <i>Journal of Biological Chemistry</i> , 2003, 278, 1354-1362. | 1.6 | 441 |
| 66 | An inhibition of cyclin-dependent kinases that lengthens, but does not arrest, neuroepithelial cell cycle induces premature neurogenesis. <i>Journal of Cell Science</i> , 2003, 116, 4947-4955. | 1.2 | 315 |
| 67 | Tissue-specific RNA interference in postimplantation mouse embryos with endoribonuclease-prepared short interfering RNA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 14236-14240. | 3.3 | 148 |
| 68 | A Regulated Secretory Pathway in Cultured Hippocampal Astrocytes. <i>Journal of Biological Chemistry</i> , 1999, 274, 22539-22547. | 1.6 | 142 |