

Karl G Richards

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4168823/publications.pdf>

Version: 2024-02-01

166
papers

4,603
citations

109264

35
h-index

155592

55
g-index

183
all docs

183
docs citations

183
times ranked

4735
citing authors

#	ARTICLE	IF	CITATIONS
1	Nitrous oxide responses to long-term phosphorus application on pasture soil. <i>New Zealand Journal of Agricultural Research</i> , 2023, 66, 171-188.	0.9	3
2	Impacts of pasture species and ruminant urine on N ₂ O emissions and nitrogen transforming microbial communities in soil mesocosms. <i>New Zealand Journal of Agricultural Research</i> , 2022, 65, 42-62.	0.9	6
3	Nitrous oxide emission factors from an intensively grazed temperate grassland: A comparison of cumulative emissions determined by eddy covariance and static chamber methods. <i>Agriculture, Ecosystems and Environment</i> , 2022, 324, 107725.	2.5	10
4	Assessing nitrous oxide emissions in time and space with minimal uncertainty using static chambers and eddy covariance from a temperate grassland. <i>Agricultural and Forest Meteorology</i> , 2022, 313, 108743.	1.9	2
5	Effect of contrasting phosphorus levels on nitrous oxide and carbon dioxide emissions from temperate grassland soils. <i>Scientific Reports</i> , 2022, 12, 2602.	1.6	10
6	The Survival of <i>Salmonella</i> Senftenberg, <i>Escherichia coli</i> O157:H7, <i>Listeria monocytogenes</i> , <i>Enterococcus faecalis</i> and <i>Clostridium sporogenes</i> in Sandy and Clay Loam Textured Soils When Applied in Bovine Slurry or Unpasteurised Digestate and the Run-Off Rate for a Test Bacterium, <i>Listeria innocua</i> , When Applied to Grass in Slurry and Digestate. <i>Frontiers in Sustainable Food Systems</i> , 2022, 6, .	1.8	1
7	Accelerating the development of biological nitrification inhibition as a viable nitrous oxide mitigation strategy in grazed livestock systems. <i>Biology and Fertility of Soils</i> , 2022, 58, 235-240.	2.3	6
8	Biotic and abiotic predictors of potential N ₂ O emissions from denitrification in Irish grasslands soils: A national-scale field study. <i>Soil Biology and Biochemistry</i> , 2022, 168, 108637.	4.2	18
9	Patterns and Drivers of Groundwater and Stream Nitrate Concentrations in Intensively Managed Agricultural Catchments. <i>Water (Switzerland)</i> , 2022, 14, 1388.	1.2	3
10	Reduced tillage with residue retention and nitrogen application rate increase N ₂ O fluxes from irrigated wheat in a subtropical floodplain soil. <i>Agriculture, Ecosystems and Environment</i> , 2021, 306, 107194.	2.5	14
11	Grassland Phosphorus and Nitrogen Fertiliser Replacement value of Dairy Processing Dewatered Sludge. <i>Sustainable Production and Consumption</i> , 2021, 25, 363-373.	5.7	25
12	Assessing the impact of long-term soil phosphorus on N-transformation pathways using ¹⁵ N tracing. <i>Soil Biology and Biochemistry</i> , 2021, 152, 108066.	4.2	20
13	Application of plasma activated water for decontamination of alfalfa and mung bean seeds. <i>Food Microbiology</i> , 2021, 96, 103708.	2.1	29
14	Development and verification of a novel isotopic N ₂ O measurement technique for discrete static chamber samples using cavity ring-down spectroscopy. <i>Rapid Communications in Mass Spectrometry</i> , 2021, 35, e9049.	0.7	4
15	Gross N transformations vary with soil moisture and time following urea deposition to a pasture soil. <i>Geoderma</i> , 2021, 386, 114904.	2.3	15
16	Increasing soil pH reduces fertiliser derived N ₂ O emissions in intensively managed temperate grassland. <i>Agriculture, Ecosystems and Environment</i> , 2021, 311, 107319.	2.5	31
17	An analysis of the spatio-temporal occurrence of anthelmintic veterinary drug residues in groundwater. <i>Science of the Total Environment</i> , 2021, 769, 144804.	3.9	27
18	Development of One-Step Non-Solvent Extraction and Sensitive UHPLC-MS/MS Method for Assessment of N-(n-Butyl) Thiophosphoric Triamide (NBPT) and N-(n-Butyl) Phosphoric Triamide (NBPT _o) in Milk. <i>Molecules</i> , 2021, 26, 2890.	1.7	7

#	ARTICLE	IF	CITATIONS
19	Differing effects of increasing calcium ammonium nitrate, urea and urea + NBPT fertiliser rates on nitrous oxide emission factors at six temperate grassland sites in Ireland. <i>Agriculture, Ecosystems and Environment</i> , 2021, 313, 107382.	2.5	16
20	Preparation and Antimicrobial Properties of Alginate and Serum Albumin/Glutaraldehyde Hydrogels Impregnated with Silver(I) Ions. <i>Chemistry</i> , 2021, 3, 672-686.	0.9	8
21	Sustainability of ruminant livestock production in Ireland. <i>Animal Frontiers</i> , 2021, 11, 32-43.	0.8	9
22	Competition and community succession link N transformation and greenhouse gas emissions in urine patches. <i>Science of the Total Environment</i> , 2021, 779, 146318.	3.9	6
23	Source partitioning using N ₂ O isotopomers and soil WFPS to establish dominant N ₂ O production pathways from different pasture sward compositions. <i>Science of the Total Environment</i> , 2021, 781, 146515.	3.9	13
24	Ammonium-Based Compound Fertilisers Mitigate Nitrous Oxide Emissions in Temperate Grassland. <i>Agronomy</i> , 2021, 11, 1712.	1.3	7
25	Survival of <i>Escherichia coli</i> and <i>Listeria innocua</i> on Lettuce after Irrigation with Contaminated Water in a Temperate Climate. <i>Foods</i> , 2021, 10, 2072.	1.9	6
26	Evaluation of proximal sensing technologies for mapping bovine urine patches under grazing pastures. <i>Computers and Electronics in Agriculture</i> , 2021, 188, 106309.	3.7	2
27	A Bayesian inference approach to quantify average pathogen loads in farmyard manure and slurry using open-source Irish datasets. <i>Science of the Total Environment</i> , 2021, 786, 147474.	3.9	4
28	Beneficial effects of multi-species mixtures on N ₂ O emissions from intensively managed grassland swards. <i>Science of the Total Environment</i> , 2021, 792, 148163.	3.9	34
29	Risk assessment of <i>Escherichia coli</i> in bioaerosols generated following land application of farmyard slurry. <i>Science of the Total Environment</i> , 2021, 791, 148189.	3.9	16
30	Quantitative microbial human exposure model for faecal indicator bacteria and risk assessment of pathogenic <i>Escherichia coli</i> in surface runoff following application of dairy cattle slurry and co-digestate to grassland. <i>Journal of Environmental Management</i> , 2021, 299, 113627.	3.8	5
31	Evaluation of pathogen concentration in anaerobic digestate using a predictive modelling approach (ADRISK). <i>Science of the Total Environment</i> , 2021, 800, 149574.	3.9	9
32	Quantitative microbial risk assessment associated with ready-to-eat salads following the application of farmyard manure and slurry or anaerobic digestate to arable lands. <i>Science of the Total Environment</i> , 2021, 806, 151227.	3.9	10
33	Urea treatment decouples intrinsic pH control over N ₂ O emissions in soils. <i>Soil Biology and Biochemistry</i> , 2021, 163, 108461.	4.2	5
34	Current knowledge on urease and nitrification inhibitors technology and their safety. <i>Reviews on Environmental Health</i> , 2021, 36, 477-491.	1.1	10
35	Novel Use of Dairy Processing Sludge Derived Pyrogenic Char (DPS-PC) to Remove Phosphorus in Discharge Effluents. <i>Waste and Biomass Valorization</i> , 2020, 11, 1453-1465.	1.8	10
36	Ranking hazards pertaining to human health concerns from land application of anaerobic digestate. <i>Science of the Total Environment</i> , 2020, 710, 136297.	3.9	47

#	ARTICLE	IF	CITATIONS
37	Exploring nitrogen indicators of farm performance among farm types across several European case studies. <i>Agricultural Systems</i> , 2020, 177, 102689.	3.2	102
38	Nitrogen transformation processes and gaseous emissions from a humic gley soil at two water filled pore spaces. <i>Soil and Tillage Research</i> , 2020, 198, 104543.	2.6	7
39	Nitrogen fertiliser interactions with urine deposit affect nitrous oxide emissions from grazed grasslands. <i>Agriculture, Ecosystems and Environment</i> , 2020, 290, 106784.	2.5	19
40	Impact of beef extract used for sample concentration on the detection of <i>Escherichia coli</i> DNA in water samples via qPCR. <i>Journal of Microbiological Methods</i> , 2020, 168, 105786.	0.7	4
41	Scenarios to limit environmental nitrogen losses from dairy expansion. <i>Science of the Total Environment</i> , 2020, 707, 134606.	3.9	22
42	A Small Study of Bacterial Contamination of Anaerobic Digestion Materials and Survival in Different Feed Stocks. <i>Bioengineering</i> , 2020, 7, 116.	1.6	6
43	Landspreading with co-digested cattle slurry, with or without pasteurisation, as a mitigation strategy against pathogen, nutrient and metal contamination associated with untreated slurry. <i>Science of the Total Environment</i> , 2020, 744, 140841.	3.9	12
44	Potential loss of nutrients, carbon and metals in simulated runoff associated with dairy processing sludge application. <i>International Journal of Environmental Science and Technology</i> , 2020, 17, 3955-3968.	1.8	7
45	Urease and Nitrification Inhibitors as Mitigation Tools for Greenhouse Gas Emissions in Sustainable Dairy Systems: A Review. <i>Sustainability</i> , 2020, 12, 6018.	1.6	71
46	An investigation of anticoccidial veterinary drugs as emerging organic contaminants in groundwater. <i>Science of the Total Environment</i> , 2020, 746, 141116.	3.9	29
47	Application of 15N tracing for estimating nitrogen cycle processes in soils of a constructed wetland. <i>Water Research</i> , 2020, 183, 116062.	5.3	19
48	The effect of carbon availability on N2O emissions is moderated by soil phosphorus. <i>Soil Biology and Biochemistry</i> , 2020, 142, 107726.	4.2	18
49	A new sensitive method for the simultaneous chromatographic separation and tandem mass spectrometry detection of anticoccidials, including highly polar compounds, in environmental waters. <i>Journal of Chromatography A</i> , 2020, 1618, 460857.	1.8	13
50	Nitrogen fertilisers with urease inhibitors reduce nitrous oxide and ammonia losses, while retaining yield in temperate grassland. <i>Science of the Total Environment</i> , 2020, 725, 138329.	3.9	36
51	Sward composition and soil moisture conditions affect nitrous oxide emissions and soil nitrogen dynamics following urea-nitrogen application. <i>Science of the Total Environment</i> , 2020, 722, 137780.	3.9	16
52	Anaerobic digestion of agricultural manure and biomass – Critical indicators of risk and knowledge gaps. <i>Science of the Total Environment</i> , 2019, 690, 460-479.	3.9	67
53	The effects of urine nitrogen application rate on nitrogen transformations in grassland soils. <i>Journal of Agricultural Science</i> , 2019, 157, 515-522.	0.6	11
54	Microbial Contamination of Fresh Produce: What, Where, and How?. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2019, 18, 1727-1750.	5.9	143

#	ARTICLE	IF	CITATIONS
55	Impact of nitrogen compounds on fungal and bacterial contributions to codenitrification in a pasture soil. <i>Scientific Reports</i> , 2019, 9, 13371.	1.6	14
56	Development and Optimisation of a Multiresidue Method for the Determination of 40 Anthelmintic Compounds in Environmental Water Samples by Solid Phase Extraction (SPE) with LC-MS/MS Detection. <i>Molecules</i> , 2019, 24, 1978.	1.7	17
57	Dairy industry derived wastewater treatment sludge: Generation, type and characterization of nutrients and metals for agricultural reuse. <i>Journal of Cleaner Production</i> , 2019, 230, 1266-1275.	4.6	70
58	Leaching of Free and Conjugate Natural Estrogens in Soil Monoliths. <i>Water, Air, and Soil Pollution</i> , 2019, 230, 1.	1.1	2
59	Editorial: RAMIRAN 2017: Sustainable Utilisation of Manures and Residue Resources in Agriculture. <i>Frontiers in Sustainable Food Systems</i> , 2019, 3, .	1.8	0
60	Reactive carbon and nitrogen concentrations and dynamics in groundwater beneath an earthen-lined integrated constructed wetland. <i>Ecological Engineering</i> , 2019, 126, 55-63.	1.6	9
61	The effect of soil pH and phosphorus interactions on nitrous oxide emissions and microbial communities involved in nitrogen cycling. <i>Access Microbiology</i> , 2019, 1, .	0.2	0
62	Characteristics of hydrophobic and hydrophilic acid fractions in drainage waters of undisturbed soil lysimeters. <i>Journal of Soils and Sediments</i> , 2018, 18, 3197-3214.	1.5	2
63	Proportion of Sewage Sludge to Soil Influences the Survival of <i>Salmonella</i> Dublin and <i>Escherichia coli</i> . <i>Clean - Soil, Air, Water</i> , 2018, 46, 1800042.	0.7	11
64	Feeding dicyandiamide (DCD) to cattle: An effective method to reduce N ₂ O emissions from urine patches in a heavy-textured soil under temperate climatic conditions. <i>Science of the Total Environment</i> , 2018, 615, 1319-1331.	3.9	10
65	Fungal and bacterial contributions to codenitrification emissions of N ₂ O and N ₂ following urea deposition to soil. <i>Nutrient Cycling in Agroecosystems</i> , 2018, 110, 135-149.	1.1	34
66	Review: the environmental status and implications of the nitrate time lag in Europe and North America. <i>Hydrogeology Journal</i> , 2018, 26, 7-22.	0.9	53
67	Risk Assessment of <i>E. coli</i> Survival Up to the Grazing Exclusion Period After Dairy Slurry, Cattle Dung, and Biosolids Application to Grassland. <i>Frontiers in Sustainable Food Systems</i> , 2018, 2, .	1.8	5
68	Toward Assessing Farm-Based Anaerobic Digestate Public Health Risks: Comparative Investigation With Slurry, Effect of Pasteurization Treatments, and Use of Miniature Bioreactors as Proxies for Pathogen Spiking Trials. <i>Frontiers in Sustainable Food Systems</i> , 2018, 2, .	1.8	14
69	Assessing the performance of three frequently used biogeochemical models when simulating N ₂ O emissions from a range of soil types and fertiliser treatments. <i>Geoderma</i> , 2018, 331, 53-69.	2.3	25
70	Soils and Water Quality. <i>World Soils Book Series</i> , 2018, , 235-243.	0.1	2
71	A framework for determining unsaturated zone water quality time lags at catchment scale. <i>Agriculture, Ecosystems and Environment</i> , 2017, 236, 234-242.	2.5	21
72	An evaluation of urine patch simulation methods for nitrous oxide emission measurement. <i>Journal of Agricultural Science</i> , 2017, 155, 725-732.	0.6	12

#	ARTICLE	IF	CITATIONS
73	Integrated assessment of agricultural nutrient pressures and legacies in karst landscapes. <i>Agriculture, Ecosystems and Environment</i> , 2017, 239, 246-256.	2.5	38
74	In situ denitrification and DNRA rates in groundwater beneath an integrated constructed wetland. <i>Water Research</i> , 2017, 111, 254-264.	5.3	73
75	Gross nitrogen transformations in grassland soil react differently to urea stabilisers under laboratory and field conditions. <i>Soil Biology and Biochemistry</i> , 2017, 109, 23-34.	4.2	32
76	Ammonia emissions from urine patches amended with N stabilized fertilizer formulations. <i>Nutrient Cycling in Agroecosystems</i> , 2017, 108, 163-175.	1.1	11
77	Hydrogeological characteristics influencing the occurrence of pesticides and pesticide metabolites in groundwater across the Republic of Ireland. <i>Science of the Total Environment</i> , 2017, 601-602, 594-602.	3.9	28
78	Influence of soil moisture on codenitrification fluxes from a urea-affected pasture soil. <i>Scientific Reports</i> , 2017, 7, 2185.	1.6	44
79	Groundwater nitrate reduction versus dissolved gas production: A tale of two catchments. <i>Science of the Total Environment</i> , 2017, 586, 372-389.	3.9	59
80	Combining stable isotopes with contamination indicators: A method for improved investigation of nitrate sources and dynamics in aquifers with mixed nitrogen inputs. <i>Water Research</i> , 2017, 124, 85-96.	5.3	112
81	Response to nitrogen addition reveals metabolic and ecological strategies of soil bacteria. <i>Molecular Ecology</i> , 2017, 26, 5500-5514.	2.0	26
82	Can the agronomic performance of urea equal calcium ammonium nitrate across nitrogen rates in temperate grassland?. <i>Soil Use and Management</i> , 2017, 33, 243-251.	2.6	17
83	Agricultural anaerobic digestion power plants in Ireland and Germany: policy and practice. <i>Journal of the Science of Food and Agriculture</i> , 2017, 97, 719-723.	1.7	24
84	The interactive effects of various nitrogen fertiliser formulations applied to urine patches on nitrous oxide emissions in grassland. <i>Irish Journal of Agricultural and Food Research</i> , 2017, 56, 54-64.	0.2	9
85	Temperate Grassland Yields and Nitrogen Uptake Are Influenced by Fertilizer Nitrogen Source. <i>Agronomy Journal</i> , 2017, 109, 71-79.	0.9	15
86	Carbon and nitrogen dynamics and greenhouse gas emissions in constructed wetlands treating wastewater: a review. <i>Hydrology and Earth System Sciences</i> , 2016, 20, 109-123.	1.9	54
87	Ammonia emissions from urea, stabilized urea and calcium ammonium nitrate: insights into loss abatement in temperate grassland. <i>Soil Use and Management</i> , 2016, 32, 92-100.	2.6	66
88	Ammonia emissions from cattle dung, urine and urine with dicyandiamide in a temperate grassland. <i>Soil Use and Management</i> , 2016, 32, 83-91.	2.6	23
89	Phylogenetic and functional potential links pH and N ₂ O emissions in pasture soils. <i>Scientific Reports</i> , 2016, 6, 35990.	1.6	67
90	The interactive effects of fertiliser nitrogen with dung and urine on nitrous oxide emissions in grassland. <i>Irish Journal of Agricultural and Food Research</i> , 2016, 55, 1-9.	0.2	10

#	ARTICLE	IF	CITATIONS
91	A methodological framework to determine optimum durations for the construction of soil water characteristic curves using centrifugation. <i>Irish Journal of Agricultural and Food Research</i> , 2016, 55, 91-99.	0.2	8
92	Carbon amendment and soil depth affect the distribution and abundance of denitrifiers in agricultural soils. <i>Environmental Science and Pollution Research</i> , 2016, 23, 7899-7910.	2.7	35
93	Reducing nitrous oxide emissions by changing N fertiliser use from calcium ammonium nitrate (CAN) to urea based formulations. <i>Science of the Total Environment</i> , 2016, 563-564, 576-586.	3.9	126
94	The effect of renovation of long-term temperate grassland on N ₂ O emissions and N leaching from contrasting soils. <i>Science of the Total Environment</i> , 2016, 560-561, 233-240.	3.9	18
95	Mixing dicyandiamide (DCD) with supplementary feeds for cattle: An effective method to deliver a nitrification inhibitor in urine patches. <i>Agriculture, Ecosystems and Environment</i> , 2016, 231, 114-121.	2.5	19
96	Impact of fertiliser nitrogen formulation, and N stabilisers on nitrous oxide emissions in spring barley. <i>Agriculture, Ecosystems and Environment</i> , 2016, 233, 229-237.	2.5	38
97	Improving and disaggregating N ₂ O emission factors for ruminant excreta on temperate pasture soils. <i>Science of the Total Environment</i> , 2016, 568, 327-338.	3.9	73
98	Amendment of cattle slurry with the nitrification inhibitor dicyandiamide during storage: A new effective and practical N ₂ O mitigation measure for landspreading. <i>Agriculture, Ecosystems and Environment</i> , 2016, 215, 68-75.	2.5	15
99	High-Resolution Denitrification Kinetics in Pasture Soils Link N ₂ O Emissions to pH, and Denitrification to C Mineralization. <i>PLoS ONE</i> , 2016, 11, e0151713.	1.1	62
100	A field-based comparison of ammonia emissions from six Irish soil types following urea fertiliser application. <i>Irish Journal of Agricultural and Food Research</i> , 2016, 55, 152-158.	0.2	6
101	Confirmation of co-denitrification in grazed grassland. <i>Scientific Reports</i> , 2015, 5, 17361.	1.6	59
102	The effect of precipitation and application rate on dicyandiamide persistence and efficiency in two Irish grassland soils. <i>Soil Use and Management</i> , 2015, 31, 367-374.	2.6	17
103	Technical Note: Field experiences using UV/VIS sensors for high-resolution monitoring of nitrate in groundwater. <i>Hydrology and Earth System Sciences</i> , 2015, 19, 1589-1598.	1.9	36
104	Enteropathogen survival in soil from different land-uses is predominantly regulated by microbial community composition. <i>Applied Soil Ecology</i> , 2015, 89, 76-84.	2.1	39
105	Effect of an agri-environmental measure on nitrate leaching from a beef farming system in Ireland. <i>Agriculture, Ecosystems and Environment</i> , 2015, 202, 17-24.	2.5	6
106	In situ N ₂ O emissions are not mitigated by hippuric and benzoic acids under denitrifying conditions. <i>Science of the Total Environment</i> , 2015, 511, 362-368.	3.9	29
107	The effect of the nitrification inhibitor dicyandiamide (DCD) on nitrous oxide and methane emissions after cattle slurry application to Irish grassland. <i>Agriculture, Ecosystems and Environment</i> , 2015, 199, 339-349.	2.5	40
108	Determination and Occurrence of Phenoxyacetic Acid Herbicides and Their Transformation Products in Groundwater Using Ultra High Performance Liquid Chromatography Coupled to Tandem Mass Spectrometry. <i>Molecules</i> , 2014, 19, 20627-20649.	1.7	30

#	ARTICLE	IF	CITATIONS
109	Mobilisation or dilution? Nitrate response of karst springs to high rainfall events. <i>Hydrology and Earth System Sciences</i> , 2014, 18, 4423-4435.	1.9	60
110	Pesticide occurrence in groundwater and the physical characteristics in association with these detections in Ireland. <i>Environmental Monitoring and Assessment</i> , 2014, 186, 7819-7836.	1.3	21
111	Editorial: Innovations for sustainable use of nitrogen resources. <i>Journal of Agricultural Science</i> , 2014, 152, 1-1.	0.6	0
112	Permeable reactive interceptors: blocking diffuse nutrient and greenhouse gases losses in key areas of the farming landscape. <i>Journal of Agricultural Science</i> , 2014, 152, 71-81.	0.6	29
113	Consequences of varied soil hydraulic and meteorological complexity on unsaturated zone time lag estimates. <i>Journal of Contaminant Hydrology</i> , 2014, 170, 53-67.	1.6	21
114	The effect of urinary nitrogen loading rate and a nitrification inhibitor on nitrous oxide emissions from a temperate grassland soil. <i>Journal of Agricultural Science</i> , 2014, 152, 159-171.	0.6	37
115	Concluding Editorial: Conclusions of the 17th International Nitrogen Workshop. <i>Journal of Agricultural Science</i> , 2014, 152, 182-184.	0.6	0
116	The effect of dicyandiamide addition to cattle slurry on soil gross nitrogen transformations at a grassland site in Northern Ireland. <i>Journal of Agricultural Science</i> , 2014, 152, 125-136.	0.6	4
117	The nitrification inhibitor dicyandiamide increases mineralization-immobilization turnover in slurry-amended grassland soil. <i>Journal of Agricultural Science</i> , 2014, 152, 137-149.	0.6	33
118	Mustard catch crop enhances denitrification in shallow groundwater beneath a spring barley field. <i>Chemosphere</i> , 2014, 103, 234-239.	4.2	11
119	Effects of over-winter green cover on soil solution nitrate concentrations beneath tillage land. <i>Science of the Total Environment</i> , 2014, 470-471, 967-974.	3.9	15
120	Coupling of surface water and groundwater nitrate-N dynamics in two permeable agricultural catchments. <i>Journal of Agricultural Science</i> , 2014, 152, 107-124.	0.6	36
121	Soil tests for predicting nitrogen supply for grassland under controlled environmental conditions. <i>Journal of Agricultural Science</i> , 2014, 152, 82-95.	0.6	6
122	Denitrification and indirect N ₂ O emissions in groundwater: Hydrologic and biogeochemical influences. <i>Journal of Contaminant Hydrology</i> , 2013, 152, 70-81.	1.6	70
123	Abundance of denitrification genes under different peizometer depths in four Irish agricultural groundwater sites. <i>Environmental Science and Pollution Research</i> , 2013, 20, 6646-6657.	2.7	15
124	Comparison of pesticide leaching potential to groundwater under EU FOCUS and site specific conditions. <i>Science of the Total Environment</i> , 2013, 463-464, 432-441.	3.9	7
125	A review of nitrous oxide mitigation by farm nitrogen management in temperate grassland-based agriculture. <i>Journal of Environmental Management</i> , 2013, 128, 893-903.	3.8	44
126	Slow delivery of a nitrification inhibitor (dicyandiamide) to soil using a biodegradable hydrogel of chitosan. <i>Chemosphere</i> , 2013, 93, 2854-2858.	4.2	29

#	ARTICLE	IF	CITATIONS
127	Impact of agronomic practices of an intensive dairy farm on nitrogen concentrations in a karst aquifer in Ireland. <i>Agriculture, Ecosystems and Environment</i> , 2013, 179, 187-199.	2.5	39
128	Quantitative solid phase microextraction – Gas chromatography mass spectrometry analysis of the pesticides lindane, heptachlor and two heptachlor transformation products in groundwater. <i>Journal of Chromatography A</i> , 2013, 1284, 1-7.	1.8	21
129	Quantification of In Situ Denitrification Rates in Groundwater Below an Arable and a Grassland System. <i>Water, Air, and Soil Pollution</i> , 2013, 224, 1.	1.1	26
130	Insights into the low-temperature adaptation and nutritional flexibility of a soil-persistent <i>Escherichia coli</i> . <i>FEMS Microbiology Ecology</i> , 2013, 84, 75-85.	1.3	27
131	Impact of Soil Type, Biology and Temperature on the Survival of Non-Toxicogenic <i>Escherichia Coli</i> O157. <i>Biology and Environment</i> , 2013, 113, 1-6.	0.2	11
132	Spatial and Temporal Variations of Nutrient Loads in Overland Flow and Subsurface Drainage from A Marginal Land Site in South-East Ireland. <i>Biology and Environment</i> , 2013, 113, 1-18.	0.2	13
133	SPATIAL AND TEMPORAL VARIATIONS OF NUTRIENT LOADS IN OVERLAND FLOW AND SUBSURFACE DRAINAGE FROM A MARGINAL LAND SITE IN SOUTH-EAST IRELAND. <i>Biology and Environment</i> , 2013, 113B, 169-186.	0.2	7
134	Evaluating <i>E. coli</i> Transport Risk in Soil using Dye and Bromide Tracers. <i>Soil Science Society of America Journal</i> , 2012, 76, 663-673.	1.2	9
135	Evaluating the utility of 15N and 18O isotope abundance analyses to identify nitrate sources: A soil zone study. <i>Water Research</i> , 2012, 46, 3723-3736.	5.3	38
136	Evaluation of headspace equilibration methods for quantifying greenhouse gases in groundwater. <i>Journal of Environmental Management</i> , 2012, 111, 208-212.	3.8	28
137	Effects of over-winter green cover on groundwater nitrate and dissolved organic carbon concentrations beneath tillage land. <i>Science of the Total Environment</i> , 2012, 438, 144-153.	3.9	23
138	Management, regulation and environmental impacts of nitrogen fertilization in northwestern Europe under the Nitrates Directive; a benchmark study. <i>Biogeosciences</i> , 2012, 9, 5143-5160.	1.3	162
139	The effect of cattle slurry in combination with nitrate and the nitrification inhibitor dicyandiamide on in situ nitrous oxide and dinitrogen emissions. <i>Biogeosciences</i> , 2012, 9, 4909-4919.	1.3	22
140	Denitrification potential in subsoils: A mechanism to reduce nitrate leaching to groundwater. <i>Agriculture, Ecosystems and Environment</i> , 2012, 147, 13-23.	2.5	139
141	Groundwater: A pathway for terrestrial C and N losses and indirect greenhouse gas emissions. <i>Agriculture, Ecosystems and Environment</i> , 2012, 159, 40-48.	2.5	48
142	Linking hydrogeochemistry to nitrate abundance in groundwater in agricultural settings in Ireland. <i>Journal of Hydrology</i> , 2012, 448-449, 212-222.	2.3	34
143	Water Content and Soil Type Effects on Accelerated Leaching after Slurry Application. <i>Vadose Zone Journal</i> , 2012, 11, .	1.3	15
144	Reducing Nitrate Losses from Simulated Grazing on Grassland Lysimeters in Ireland Using a Nitrification Inhibitor (Dicyandiamide). <i>Biology and Environment</i> , 2012, 112, 1-11.	0.2	10

#	ARTICLE	IF	CITATIONS
145	REDUCING NITRATE LOSSES FROM SIMULATED GRAZING ON GRASSLAND LYSIMETERS IN IRELAND USING A NITRIFICATION INHIBITOR (DICYANDIAMIDE). <i>Biology and Environment</i> , 2012, 112B, 79-89.	0.2	23
146	The effects of dairy cow weight on selected soil physical properties indicative of compaction. <i>Soil Use and Management</i> , 2011, 27, 36-44.	2.6	46
147	Does soil biology hold the key to optimized slurry management? A manifesto for research. <i>Soil Use and Management</i> , 2011, 27, 464-469.	2.6	7
148	Denitrification enzyme activity and potential of subsoils under grazed grasslands assayed by membrane inlet mass spectrometer. <i>Soil Biology and Biochemistry</i> , 2011, 43, 1787-1797.	4.2	23
149	An on-farm survey of spatial and temporal stratifications of 17 β -estradiol concentrations. <i>Chemosphere</i> , 2011, 82, 1683-1689.	4.2	18
150	The fate of slurry-N fractions in herbage and soil during two growing seasons following application. <i>Plant and Soil</i> , 2011, 342, 83-96.	1.8	17
151	Exploring the relationship between groundwater geochemical factors and denitrification potentials on a dairy farm in southeast Ireland. <i>Ecological Engineering</i> , 2011, 37, 1304-1313.	1.6	13
152	Time lag: a methodology for the estimation of vertical and horizontal travel and flushing timescales to nitrate threshold concentrations in Irish aquifers. <i>Environmental Science and Policy</i> , 2011, 14, 419-431.	2.4	72
153	Effects of field-manure applications on stratified 17 β -estradiol concentrations. <i>Journal of Hazardous Materials</i> , 2011, 192, 748-752.	6.5	23
154	The effect of application method and timing of application on slurry 15NH ₄ -N recovery in herbage and soil. <i>Advances in Animal Biosciences</i> , 2010, 1, 80.	1.0	0
155	Slurry 15NH ₄ -N recovery in herbage and soil: effects of application method and timing. <i>Plant and Soil</i> , 2010, 330, 357-368.	1.8	27
156	Modelling soil phosphorus decline: Expectations of Water Framework Directive policies. <i>Environmental Science and Policy</i> , 2010, 13, 472-484.	2.4	108
157	Characterization of Environmentally Persistent <i>Escherichia coli</i> Isolates Leached from an Irish Soil. <i>Applied and Environmental Microbiology</i> , 2010, 76, 2175-2180.	1.4	61
158	Long-Term Persistence and Leaching of <i>Escherichia coli</i> in Temperate Maritime Soils. <i>Applied and Environmental Microbiology</i> , 2010, 76, 1449-1455.	1.4	97
159	Compositional changes in the hydrophobic acids fraction of drainage water from different land management practices. <i>Water Research</i> , 2010, 44, 4379-4390.	5.3	13
160	Gaseous Nitrogen Losses from a Cambisol Cropped to Spring Wheat with Urea Sizes and Placement Depths. <i>Soil Science Society of America Journal</i> , 2009, 73, 1335-1344.	1.2	31
161	Factors affecting nitrate distribution in shallow groundwater under a beef farm in South Eastern Ireland. <i>Journal of Environmental Management</i> , 2009, 90, 3135-3146.	3.8	66
162	Assessing the potential for the occurrence and character of preferential flow in three Irish grassland soils using image analysis. <i>Geoderma</i> , 2009, 153, 362-371.	2.3	28

#	ARTICLE	IF	CITATIONS
163	Evaluation of Cover Crop and Reduced Cultivation for Reducing Nitrate Leaching in Ireland. Journal of Environmental Quality, 2008, 37, 138-145.	1.0	67
164	Unsaturated zone travel time to groundwater on a vulnerable site. Irish Geography, 2005, 38, 57-71.	0.2	9
165	Identifying Urine Patches on Intensively Managed Grassland Using Aerial Imagery Captured From Remotely Piloted Aircraft Systems. Frontiers in Sustainable Food Systems, 0, 2, .	1.8	11
166	Can nitrogen input mapping from aerial imagery improve nitrous oxide emissions estimates from grazed grassland?. Precision Agriculture, 0, , .	3.1	0