Hiroshi Inui

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4168906/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Investigation of endolymphatic hydrops positivity rates in patients with recurrent audiovestibular symptoms using inner ear magnetic resonance imaging. Auris Nasus Larynx, 2022, 49, 188-194.	1.2	2
2	Magnetic resonance imaging of the endolymphatic space in patients with benign paroxysmal positional vertigo: volume ratio and distribution rate of the endolymphatic space. Acta Oto-Laryngologica, 2022, 142, 113-117.	0.9	1
3	Magnetic resonance imaging of endolymphatic hydrops in patients with unilateral Meniere's disease: a comparison between with and without herniation into the posterior and lateral semi-circular canals. Acta Oto-Laryngologica, 2021, 141, 671-677.	0.9	1
4	Novel Magnetic Resonance Imaging-Based Method for Accurate Diagnosis of Meniere's Disease. Frontiers in Surgery, 2021, 8, 671624.	1.4	7
5	Magnetic resonance imaging of endolymphatic hydrops in patients with unilateral Meniere's disease: volume ratio and distribution rate of the endolymphatic space. Acta Oto-Laryngologica, 2021, 141, 1033-1037.	0.9	4
6	Magnetic Resonance 3D Measurement of the Endolymphatic Space in 100 Control Human Subjects. , 2021, 17, 536-540.		4
7	Magnetic resonance imaging of endolymphatic space in patients with sensorineural hearing loss: comparison between fluctuating and idiopathic sudden sensorineural hearing loss. Acta Oto-Laryngologica, 2020, 140, 345-350.	0.9	8
8	Magnetic Resonance-Based Volumetric Measurement of the Endolymphatic Space in Patients with Inner Ear Diseases. Practica Otologica, 2020, 113, 667-678.	0.0	0
9	Relationship between changes in hearing function and volumes of endolymphatic hydrops after endolymphatic sac drainage. Acta Oto-Laryngologica, 2019, 139, 739-746.	0.9	8
10	Magnetic resonance imaging of the endolymphatic space in patients with acute low-tone sensorineural hearing loss. Auris Nasus Larynx, 2019, 46, 859-865.	1.2	10
11	Three-Dimensional Magnetic Resonance Imaging Reveals the Relationship Between the Control of Vertigo and Decreases in Endolymphatic Hydrops After Endolymphatic Sac Drainage With Steroids for Meniere's Disease. Frontiers in Neurology, 2019, 10, 46.	2.4	31
12	Endolymphatic volume in patients with meniere's disease and healthy controls: Threeâ€dimensional analysis with magnetic resonance imaging. Laryngoscope Investigative Otolaryngology, 2019, 4, 653-658.	1.5	25
13	Magnetic resonance-based volumetric measurement of the endolymphatic space in patients with Meniere's disease and other endolymphatic hydrops-related diseases. Auris Nasus Larynx, 2019, 46, 493-497.	1.2	16
14	Incidence of endolymphatic hydrops among patients with Meniere's disease attending the vertigo clinic of Nara Medical University. Equilibrium Research, 2018, 77, 158-164.	0.1	1
15	Volumetric measurements of the inner ear in patients with Meniere's disease using three-dimensional magnetic resonance imaging. Acta Oto-Laryngologica, 2016, 136, 888-893.	0.9	28
16	Endolymphatic space size in patients with Meniere's disease and healthy controls. Acta Oto-Laryngologica, 2016, 136, 879-882.	0.9	39
17	Magnetic resonance volumetric measurement of endolymphatic space in patients without vertiginous or cochlear symptoms. Acta Oto-Laryngologica, 2016, 136, 1206-1212.	0.9	21
18	Relationship between Equilibrium Functions and MR-angiograpich Findings with Vestibular Disorders. Differentiation for Aging Equilibrium Research, 1999, 58, 608-613.	0.1	0

Hiroshi Inui

#	Article	IF	CITATIONS
19	The Relationship between Vertigo and Disordered Hemodynamics in the Vertebrobasilar Artery. 4. Neurophysiological Vulnerability of the Vestibular Nucleus caused by Experimental Disturbance of Vertebrobasilar Arterial Circulation Equilibrium Research, 1998, 57, 369-381.	0.1	0
20	The Relationship between Vertigo and Disordered Hemodynamics in the Virtebro-basilar Artery. 1. The Vascular Architecture of the Vertebro-Basilar Systems and Their Hemodynamics Equilibrium Research, 1996, 55, 241-250.	0.1	0
21	The Relationship between Vertigo and Disordered Hemodynamics in the Vertebro-Basilar Artery. 2. The Vascular Architecture and Hemodynamics of the Vertebro-Basilar Arterial Systems in Experimental Animals Equilibrium Research, 1996, 55, 515-525.	0.1	0
22	Clinical Application of Ultrasonic Blood Rheography in Vertebral Artery for Vertigo. Acta Oto-Laryngologica, 1995, 115, 178-183.	0.9	29
23	Clinical Application of Ultrasonic Blood Rheography for Vertigo. Acta Oto-Laryngologica, 1995, 115, 148-152.	0.9	3
24	The Influence of Unilateral Vertebral Artery Occlusion on Bilateral Inner Ear Blood Flow in Rats. Acta Oto-Laryngologica, 1995, 115, 384-386.	0.9	0
25	Pathogenetic Aspects of Vertebro-basilar TIA Equilibrium Research, 1995, 54, 349-353.	0.1	0
26	Clinical Application of TCD in Patients with Vertigo Equilibrium Research, 1995, 54, 338-343.	0.1	0
27	Effect of aging on ADL in relation to equilibrium; a questionnaire survey Equilibrium Research, 1994, 53, 289-298.	0.1	0
28	Statistics of Vertigenous Patients During the Past 15 Years in Our Clinic Equilibrium Research, 1993, 52, 487-495.	0.1	5
29	Velocity of Vertebral Artery Flow measured by Ultrasonic Blood Rheography. Equilibrium Research, 1993, 52, 46-50.	0.1	1
30	Three Cases of Metastatic Tumor to the Maxillary Sinus Department of Otorhinolaryngology, Nara Medical University Japanese Jornal of Head and Neck Cancer, 1993, 19, 133-136.	0.1	0