Luis Izquierdo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4169607/publications.pdf

Version: 2024-02-01

201674 265206 2,086 61 27 42 citations h-index g-index papers 70 70 70 3019 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Treatment of adult chronic indeterminate Chagas disease with benznidazole and three E1224 dosing regimens: a proof-of-concept, randomised, placebo-controlled trial. Lancet Infectious Diseases, The, 2018, 18, 419-430.	9.1	214
2	Seven-month kinetics of SARS-CoV-2 antibodies and role of pre-existing antibodies to human coronaviruses. Nature Communications, 2021, 12, 4740.	12.8	104
3	Distinct donor and acceptor specificities of Trypanosoma brucei oligosaccharyltransferases. EMBO Journal, 2009, 28, 2650-2661.	7.8	96
4	ABC50 Promotes Translation Initiation in Mammalian Cells. Journal of Biological Chemistry, 2009, 284, 24061-24073.	3.4	91
5	A Gene, uge , Is Essential for Klebsiella pneumoniae Virulence. Infection and Immunity, 2004, 72, 54-61.	2.2	82
6	The Klebsiella pneumoniae wabG Gene: Role inBiosynthesis of the Core Lipopolysaccharide andVirulence. Journal of Bacteriology, 2003, 185, 7213-7221.	2.2	78
7	Immunogenicity and crossreactivity of antibodies to the nucleocapsid protein of SARS-CoV-2: utility and limitations in seroprevalence and immunity studies. Translational Research, 2021, 232, 60-74.	5.0	69
8	Highly Sensitive and Specific Multiplex Antibody Assays To Quantify Immunoglobulins M, A, and G against SARS-CoV-2 Antigens. Journal of Clinical Microbiology, 2021, 59, .	3.9	64
9	Deletion of the TbALG3 gene demonstrates site-specific N-glycosylation and N-glycan processing in Trypanosoma brucei. Glycobiology, 2008, 18, 367-383.	2.5	60
10	Determinants of early antibody responses to COVID-19 mRNA vaccines in a cohort of exposed and na \tilde{A} -ve healthcare workers. EBioMedicine, 2022, 75, 103805.	6.1	60
11	Genetic Characterization of the Klebsiella pneumoniae waa Gene Cluster, Involved in Core Lipopolysaccharide Biosynthesis. Journal of Bacteriology, 2001, 183, 3564-3573.	2.2	59
12	Ambient Air Pollution in Relation to SARS-CoV-2 Infection, Antibody Response, and COVID-19 Disease: A Cohort Study in Catalonia, Spain (COVICAT Study). Environmental Health Perspectives, 2021, 129, 117003.	6.0	58
13	A Second Outer-Core Region in Klebsiella pneumoniae Lipopolysaccharide. Journal of Bacteriology, 2005, 187, 4198-4206.	2.2	50
14	The de Novo Synthesis of GDP-fucose Is Essential for Flagellar Adhesion and Cell Growth in Trypanosoma brucei. Journal of Biological Chemistry, 2007, 282, 28853-28863.	3.4	46
15	Evaluating Chagas disease progression and cure through blood-derived biomarkers: a systematic review. Expert Review of Anti-Infective Therapy, 2013, 11, 957-976.	4.4	46
16	The MgtE Mg2+transport protein is involved inAeromonas hydrophilaadherence. FEMS Microbiology Letters, 2001, 198, 189-195.	1.8	45
17	Sugar activation and glycosylation in Plasmodium. Malaria Journal, 2015, 14, 427.	2.3	45
18	The ionic interaction of Klebsiella pneumoniae K2 capsule and core lipopolysaccharide. Microbiology (United Kingdom), 2006, 152, 1807-1818.	1.8	44

#	Article	lF	Citations
19	<i>Trypanosoma brucei</i> UDP-Glucose:Glycoprotein Glucosyltransferase Has Unusual Substrate Specificity and Protects the Parasite from Stress. Eukaryotic Cell, 2009, 8, 230-240.	3.4	43
20	Parasite Glycobiology: A Bittersweet Symphony. PLoS Pathogens, 2015, 11, e1005169.	4.7	40
21	Plasmodium falciparum Choline Kinase Inhibition Leads to a Major Decrease in Phosphatidylethanolamine Causing Parasite Death. Scientific Reports, 2016, 6, 33189.	3.3	39
22	Potential use of synthetic \hat{l} ±-galactosyl-containing glycotopes of the parasite Trypanosoma cruzi as diagnostic antigens for Chagas disease. Organic and Biomolecular Chemistry, 2013, 11, 5579.	2.8	37
23	Biosynthesis of GDP-fucose and Other Sugar Nucleotides in the Blood Stages of Plasmodium falciparum. Journal of Biological Chemistry, 2013, 288, 16506-16517.	3.4	36
24	The inner-core lipopolysaccharide biosynthetic waaE gene: function and genetic distribution among some Enterobacteriaceae b bThe GenBank accession number for the waaE gene sequences of P. mirabilis CECT170, Y. enterocolitica R102 and Ent. aerogenes CECT684 reported in this paper are AY075039, AY075041 and AY075040, respectively Microbiology (United Kingdom), 2002, 148, 3485-3496.	1.8	36
25	Identification of a glycosylphosphatidylinositol anchorâ€modifying β1â€3 Nâ€acetylglucosaminyl transferase in <i>Trypanosoma brucei</i> . Molecular Microbiology, 2009, 71, 478-491.	2.5	35
26	Altered Hypercoagulability Factors in Patients with Chronic Chagas Disease: Potential Biomarkers of Therapeutic Response. PLoS Neglected Tropical Diseases, 2016, 10, e0004269.	3.0	34
27	Cloning and Sequencing of the Klebsiella pneumoniae O5 wb Gene Cluster and Its Role in Pathogenesis. Infection and Immunity, 2000, 68, 2435-2440.	2.2	31
28	Apicomplexan C-Mannosyltransferases Modify Thrombospondin Type I-containing Adhesins of the TRAP Family. Glycobiology, 2018, 28, 333-343.	2.5	28
29	Synthesis of a Klebsiella pneumoniae O-Antigen Heteropolysaccharide (O12) Requires an ABC 2 Transporter. Journal of Bacteriology, 2003, 185, 1634-1641.	2.2	27
30	Antibody responses to \hat{l}_{\pm} -Gal in African children vary with age and site and are associated with malaria protection. Scientific Reports, 2018, 8, 9999.	3.3	26
31	Genetic and Structural Characterization of the Core Region of the Lipopolysaccharide from Serratia marcescens N28b (Serovar O4). Journal of Bacteriology, 2004, 186, 978-988.	2.2	24
32	The lipid-linked oligosaccharide donor specificities of Trypanosoma brucei oligosaccharyltransferases. Glycobiology, 2012, 22, 696-703.	2.5	22
33	Evaluation of a chemiluminescent enzyme-linked immunosorbent assay for the diagnosis of Trypanosoma cruzi infection in a nonendemic setting. Memorias Do Instituto Oswaldo Cruz, 2013, 108, 928-931.	1.6	19
34	Sugar nucleotide quantification by liquid chromatography tandem mass spectrometry reveals a distinct profile in <i>Plasmodium falciparum</i> sexual stage parasites. Biochemical Journal, 2017, 474, 897-905.	3.7	19
35	The disruption of GDP-fucose de novo biosynthesis suggests the presence of a novel fucose-containing glycoconjugate in Plasmodium asexual blood stages. Scientific Reports, 2016, 6, 37230.	3.3	17
36	Identification of a glycosylphosphatidylinositol anchor-modifying \hat{l}^21 -3 galactosyltransferase in Trypanosoma brucei. Glycobiology, 2015, 25, 438-447.	2.5	16

#	Article	IF	CITATIONS
37	Infection induced SARS-CoV-2 seroprevalence and heterogeneity of antibody responses in a general population cohort study in Catalonia Spain. Scientific Reports, 2021, 11, 21571.	3.3	16
38	The cell division genes (ftsEandX) ofAeromonas hydrophilaand their relationship with opsonophagocytosis. FEMS Microbiology Letters, 2001, 198, 183-188.	1.8	14
39	The Incorporation of Glucosamine into Enterobacterial Core Lipopolysaccharide. Journal of Biological Chemistry, 2005, 280, 36648-36656.	3.4	14
40	The Apicomplexa-specific glucosamine-6-phosphate N-acetyltransferase gene family encodes a key enzyme for glycoconjugate synthesis with potential as therapeutic target. Scientific Reports, 2018, 8, 4005.	3.3	14
41	Purification of Glycosylphosphatidylinositol-Anchored Mucins from Trypanosoma cruzi Trypomastigotes and Synthesis of α-Gal-Containing Neoglycoproteins: Application as Biomarkers for Reliable Diagnosis and Early Assessment of Chemotherapeutic Outcomes of Chagas Disease. Methods in Molecular Biology. 2019. 1955. 287-308.	0.9	13
42	Repurposing bioenergetic modulators against protozoan parasites responsible for tropical diseases. International Journal for Parasitology: Drugs and Drug Resistance, 2020, 14, 17-27.	3.4	13
43	Multiplex Antibody Analysis of IgM, IgA and IgG to SARS-CoV-2 in Saliva and Serum From Infected Children and Their Close Contacts. Frontiers in Immunology, 2022, 13, 751705.	4.8	13
44	A <i>Plasmodium falciparum C</i> -mannosyltransferase is dispensable for parasite as exual blood stage development. Parasitology, 2019, 146, 1767-1772.	1.5	12
45	Spike-based COVID-19 immunization increases antibodies to nucleocapsid antigen. Translational Research, 2022, 240, 26-32.	5.0	12
46	ThewavBgene ofVibrio choleraeand thewaaEofKlebsiella pneumoniaecodify for a $\tilde{A}\check{Z}\hat{A}^2$ -1,4-glucosyltransferase involved in the transfer of a glucose residue to the l-glycero-d-manno-heptose I in the lipopolysaccharide inner core. FEMS Microbiology Letters, 2002, 216, 211-216.	1.8	10
47	A Gene of the \hat{I}^2 3-Glycosyltransferase Family Encodes N-Acetylglucosaminyltransferase II Function in Trypanosoma brucei. Journal of Biological Chemistry, 2016, 291, 13834-13845.	3.4	10
48	Protein O-Fucosyltransferase 2 Is Not Essential for Plasmodium berghei Development. Frontiers in Cellular and Infection Microbiology, 2019, 9, 238.	3.9	10
49	Antibody conversion rates to SARS-CoV-2 in saliva from children attending summer schools in Barcelona, Spain. BMC Medicine, 2021, 19, 309.	5.5	10
50	RTS,S/AS01E malaria vaccine induces IgA responses against CSP and vaccine-unrelated antigens in African children in the phase 3 trial. Vaccine, 2021, 39, 687-698.	3.8	9
51	Agreement between commercially available ELISA and in-house Luminex SARS-CoV-2 antibody immunoassays. Scientific Reports, 2021, 11, 18984.	3.3	8
52	Plasmodium falciparum and Helminth Coinfections Increase IgE and Parasite-Specific IgG Responses. Microbiology Spectrum, 2021, 9, e0110921.	3.0	8
53	Creation and Characterization of Glycosyltransferase Mutants of Trypanosoma brucei. Methods in Molecular Biology, 2013, 1022, 249-275.	0.9	6
54	Plasmodium falciparum Apicomplexan-Specific Glucosamine-6-Phosphate $\langle i \rangle N \langle i \rangle$ -Acetyltransferase Is Key for Amino Sugar Metabolism and Asexual Blood Stage Development. MBio, 2020, 11, .	4.1	6

#	Article	lF	Citations
55	Compounds targeting GPI biosynthesis or N-glycosylation are active against Plasmodium falciparum. Computational and Structural Biotechnology Journal, 2022, 20, 850-863.	4.1	6
56	Novel Purine Chemotypes with Activity against Plasmodium falciparum and Trypanosoma cruzi. Pharmaceuticals, 2021, 14, 638.	3.8	5
57	Probing forÂTrypanosoma cruzi Cell SurfaceÂGlycobiomarkers for the Diagnosis and Follow-Up of Chemotherapy of Chagas Disease. , 2018, , 195-211.		4
58	The wavB gene of Vibrio cholerae and the waaE of Klebsiella pneumoniae codify for a β-1,4-glucosyltransferase involved in the transfer of a glucose residue to the ?-glycero-?-manno-heptose I in the lipopolysaccharide inner core. FEMS Microbiology Letters, 2002, 216, 211-216.	1.8	3
59	Structure-Based Design of a Eukaryote-Selective Antiprotozoal Fluorinated Aminoglycoside. ChemMedChem, 2018, 13, 1541-1548.	3.2	3
60	Evaluation of antibody serology to determine current helminth and Plasmodium falciparum infections in a co-endemic area in Southern Mozambique. PLoS Neglected Tropical Diseases, 2022, 16, e0010138.	3.0	3
61	The MgtE Mg2+ transport protein is involved in Aeromonas hydrophila adherence. FEMS Microbiology Letters, 2001, 198, 189-195.	1.8	1