

Tom H Greene

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4170475/tom-h-greene-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

425
papers

59,661
citations

96
h-index

239
g-index

454
ext. papers

71,268
ext. citations

8.2
avg, IF

7.28
L-index

#	Paper	IF	Citations
425	Potential Effects of Elimination of the Black Race Coefficient in eGFR Calculations in the CRENDENCE Trial.. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2022 ,	6.9	1
424	Letter by Inker et al Regarding Article, "Pitfalls in Using Estimated Glomerular Filtration Rate Slope as a Surrogate for the Effect of Drugs on the Risk of Serious Adverse Renal Outcomes in Clinical Trials of Patients With Heart Failure".. <i>Circulation: Heart Failure</i> , 2022 , CIRCHEARTFAILURE121008983	7.6	1
423	Association between unmet medication needs after hospital discharge and readmission or death among acute respiratory failure survivors: the addressing post-intensive care syndrome (APICS-01) multicenter prospective cohort study.. <i>Critical Care</i> , 2022 , 26, 6	10.8	1
422	Analysis of Therapeutic Inertia and Race and Ethnicity in the Systolic Blood Pressure Intervention Trial: A Secondary Analysis of a Randomized Clinical Trial.. <i>JAMA Network Open</i> , 2022 , 5, e2143001	10.4	3
421	Association of Antihypertensives That Stimulate vs Inhibit Types 2 and 4 Angiotensin II Receptors With Cognitive Impairment.. <i>JAMA Network Open</i> , 2022 , 5, e2145319	10.4	5
420	Estimation of Black-White Disparities in CKD Outcomes: Comparison Using the 2021 Versus the 2009 CKD-EPI Creatinine Equations.. <i>American Journal of Kidney Diseases</i> , 2022 ,	7.4	0
419	High variability in transmission of SARS-CoV-2 within households and implications for control. <i>PLoS ONE</i> , 2021 , 16, e0259097	3.7	1
418	Acute Treatment Effects on GFR in Randomized Clinical Trials of Kidney Disease Progression. <i>Journal of the American Society of Nephrology: JASN</i> , 2021 ,	12.7	0
417	The Predialysis Serum Sodium Level Modifies the Effect of Hemodialysis Frequency on Left-Ventricular Mass: The Frequent Hemodialysis Network Trials. <i>Kidney and Blood Pressure Research</i> , 2021 , 1-9	3.1	0
416	Application of community - engaged dissemination and implementation science to improve health equity.. <i>Preventive Medicine Reports</i> , 2021 , 24, 101620	2.6	1
415	Effect of dapagliflozin on the rate of decline in kidney function in patients with chronic kidney disease with and without type 2 diabetes: a prespecified analysis from the DAPA-CKD trial. <i>Lancet Diabetes and Endocrinology</i> , 2021 , 9, 743-754	18.1	9
414	Effect of dapagliflozin on urinary albumin excretion in patients with chronic kidney disease with and without type 2 diabetes: a prespecified analysis from the DAPA-CKD trial. <i>Lancet Diabetes and Endocrinology</i> , 2021 , 9, 755-766	18.1	10
413	Probability-Based Estimates of Severe Acute Respiratory Syndrome Coronavirus 2 Seroprevalence and Detection Fraction, Utah, USA. <i>Emerging Infectious Diseases</i> , 2021 , 27, 2786-2794	10.2	0
412	Heart Failure Hospitalization Risk associated with Iron Status in Veterans with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021 , 16, 522-531	6.9	1
411	Effects of dapagliflozin on mortality in patients with chronic kidney disease: a pre-specified analysis from the DAPA-CKD randomized controlled trial. <i>European Heart Journal</i> , 2021 , 42, 1216-1227	9.5	25
410	Effects of canagliflozin on cardiovascular, renal, and safety outcomes in participants with type 2 diabetes and chronic kidney disease according to history of heart failure: Results from the CRENDENCE trial. <i>American Heart Journal</i> , 2021 , 233, 141-148	4.9	10
409	Patient Selection for Intensive Blood Pressure Management Based on Benefit and Adverse Events. <i>Journal of the American College of Cardiology</i> , 2021 , 77, 1977-1990	15.1	1

408	Targeting Sedentary Behavior in CKD: A Pilot and Feasibility Randomized Controlled Trial. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021 , 16, 717-726	6.9	2
407	Angiotensin II receptor blocker or angiotensin-converting enzyme inhibitor use and COVID-19-related outcomes among US Veterans. <i>PLoS ONE</i> , 2021 , 16, e0248080	3.7	6
406	Temporary Financial Assistance Decreased Health Care Costs For Veterans Experiencing Housing Instability. <i>Health Affairs</i> , 2021 , 40, 820-828	7	2
405	A New Panel-Estimated GFR, Including β Microglobulin and β Trace Protein and Not Including Race, Developed in a Diverse Population. <i>American Journal of Kidney Diseases</i> , 2021 , 77, 673-683.e1	7.4	16
404	Effect of Dapagliflozin on Clinical Outcomes in Patients With Chronic Kidney Disease, With and Without Cardiovascular Disease. <i>Circulation</i> , 2021 , 143, 438-448	16.7	36
403	Physical Therapy Referral From Primary Care for Acute Back Pain With Sciatica : A Randomized Controlled Trial. <i>Annals of Internal Medicine</i> , 2021 , 174, 8-17	8	8
402	Optimization of Spinal Manipulative Therapy Protocols: A Factorial Randomized Trial Within a Multiphase Optimization Framework. <i>Journal of Pain</i> , 2021 , 22, 655-668	5.2	3
401	Insights from CREDENCE trial indicate an acute drop in estimated glomerular filtration rate during treatment with canagliflozin with implications for clinical practice. <i>Kidney International</i> , 2021 , 99, 999-1009	10.9	23
400	Effects of dapagliflozin on major adverse kidney and cardiovascular events in patients with diabetic and non-diabetic chronic kidney disease: a prespecified analysis from the DAPA-CKD trial. <i>Lancet Diabetes and Endocrinology</i> , 2021 , 9, 22-31	18.1	91
399	Longitudinal Changes in Prorenin and Renin in the Chronic Renal Insufficiency Cohort. <i>American Journal of Nephrology</i> , 2021 , 52, 141-151	4.6	0
398	Randomized Controlled Trials 6: Determining the Sample Size and Power for Clinical Trials and Cohort Studies. <i>Methods in Molecular Biology</i> , 2021 , 2249, 281-305	1.4	
397	Biased estimation with shared parameter models in the presence of competing dropout mechanisms. <i>Biometrics</i> , 2021 ,	1.8	1
396	Association of Temporary Financial Assistance With Housing Stability Among US Veterans in the Supportive Services for Veteran Families Program. <i>JAMA Network Open</i> , 2021 , 4, e2037047	10.4	4
395	Kidney, Cardiovascular, and Safety Outcomes of Canagliflozin according to Baseline Albuminuria: A CREDENCE Secondary Analysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021 , 16, 384-395	6.9	12
394	Chronic kidney disease, atherosclerotic plaque characteristics on carotid magnetic resonance imaging, and cardiovascular outcomes. <i>BMC Nephrology</i> , 2021 , 22, 69	2.7	2
393	A modular approach to integrating multiple data sources into real-time clinical prediction for pediatric diarrhea. <i>ELife</i> , 2021 , 10,	8.9	4
392	Reply to "The Problem of Collinearity in Mental Health and Patient Reported Outcome Research". <i>Journal of Hand Surgery</i> , 2021 , 46, e3-e6	2.6	0
391	Efficacy of LGE-MRI-guided fibrosis ablation versus conventional catheter ablation of atrial fibrillation: The DECAAF II trial: Study design. <i>Journal of Cardiovascular Electrophysiology</i> , 2021 , 32, 916-924	2.7	6

390	A pre-specified analysis of the DAPA-CKD trial demonstrates the effects of dapagliflozin on major adverse kidney events in patients with IgA nephropathy. <i>Kidney International</i> , 2021 , 100, 215-224	9.9	35
389	Association of Treatment Effects on Early Change in Urine Protein and Treatment Effects on GFR Slope in IgA Nephropathy: An Individual Participant Meta-analysis. <i>American Journal of Kidney Diseases</i> , 2021 , 78, 340-349.e1	7.4	4
388	New Creatinine- and Cystatin C-Based Equations to Estimate GFR without Race. <i>New England Journal of Medicine</i> , 2021 , 385, 1737-1749	59.2	125
387	Study protocol for a randomised clinical trial of a decision aid and values clarification method for parents of a fetus or neonate diagnosed with a life-threatening congenital heart defect. <i>BMJ Open</i> , 2021 , 11, e055455	3	1
386	The Influence of Baseline Diastolic Blood Pressure on the Effects of Intensive Blood Pressure Lowering on Cardiovascular Outcomes and All-Cause Mortality in Type 2 Diabetes. <i>Diabetes Care</i> , 2020 , 43, 1878-1884	14.6	12
385	Renal, Cardiovascular, and Safety Outcomes of Canagliflozin by Baseline Kidney Function: A Secondary Analysis of the CREDENCE Randomized Trial. <i>Journal of the American Society of Nephrology: JASN</i> , 2020 , 31, 1128-1139	12.7	51
384	The OPTIMIZE study: protocol of a pragmatic sequential multiple assessment randomized trial of nonpharmacologic treatment for chronic, nonspecific low back pain. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 293	2.8	5
383	Sodium Bicarbonate Supplementation and Urinary TGF-1 in Nonacidotic Diabetic Kidney Disease: A Randomized, Controlled Trial. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020 , 15, 200-208	6.9	10
382	Rationale and protocol of the Dapagliflozin And Prevention of Adverse outcomes in Chronic Kidney Disease (DAPA-CKD) randomized controlled trial. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, 274-282	4.3	105
381	Empirical Anti-MRSA vs Standard Antibiotic Therapy and Risk of 30-Day Mortality in Patients Hospitalized for Pneumonia. <i>JAMA Internal Medicine</i> , 2020 , 180, 552-560	11.5	22
380	QuitSMART Utah: an implementation study protocol for a cluster-randomized, multi-level Sequential Multiple Assignment Randomized Trial to increase Reach and Impact of tobacco cessation treatment in Community Health Centers. <i>Implementation Science</i> , 2020 , 15, 9	8.4	9
379	Unilateral versus bilateral hilar stents for the treatment of cholangiocarcinoma: a multicenter international study. <i>Annals of Gastroenterology</i> , 2020 , 33, 202-209	2.2	8
378	Baseline Diastolic Blood Pressure and Cardiovascular Outcomes in SPRINT Participants with Chronic Kidney Disease.. <i>Kidney360</i> , 2020 , 1, 368-375	1.8	3
377	Drug Development in Kidney Disease: Proceedings From a Multistakeholder Conference. <i>American Journal of Kidney Diseases</i> , 2020 , 76, 842-850	7.4	2
376	Evaluating the Effects of Canagliflozin on Cardiovascular and Renal Events in Patients With Type 2 Diabetes Mellitus and Chronic Kidney Disease According to Baseline HbA1c, Including Those With HbA1c . <i>Circulation</i> , 2020 , 141, 407-410	16.7	62
375	Early Change in Albuminuria with Canagliflozin Predicts Kidney and Cardiovascular Outcomes: A Analysis from the CREDENCE Trial. <i>Journal of the American Society of Nephrology: JASN</i> , 2020 , 31, 2925-2936	12.7	30
374	Clinical predictors for etiology of acute diarrhea in children in resource-limited settings. <i>PLoS Neglected Tropical Diseases</i> , 2020 , 14, e0008677	4.8	7
373	Factors That Contribute to Cost Differences Based on ICU of Admission in Neonates Undergoing Congenital Heart Surgery: A Novel Decomposition Analysis. <i>Pediatric Critical Care Medicine</i> , 2020 , 21, e842-e847	3	1

372	Dapagliflozin in Patients with Chronic Kidney Disease. <i>New England Journal of Medicine</i> , 2020 , 383, 1436-1446	14.6	865
371	Effects of Canagliflozin in Patients with Baseline eGFR. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020 , 15, 1705-1714	6.9	30
370	Evaluating the association between unmet healthcare needs and subsequent clinical outcomes: protocol for the Addressing Post-Intensive Care Syndrome-01 (APICS-01) multicentre cohort study. <i>BMJ Open</i> , 2020 , 10, e040830	3	4
369	Patient-reported outcomes and subsequent management in atrial fibrillation clinical practice: Results from the Utah mEVAL AF program. <i>Journal of Cardiovascular Electrophysiology</i> , 2020 , 31, 3187-3195	2.7	1
368	The dapagliflozin and prevention of adverse outcomes in chronic kidney disease (DAPA-CKD) trial: baseline characteristics. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, 1700-1711	4.3	52
367	Comparison of As-Needed and Scheduled Posthospitalization Follow-up for Children Hospitalized for Bronchiolitis: The Bronchiolitis Follow-up Intervention Trial (BenefIT) Randomized Clinical Trial. <i>JAMA Pediatrics</i> , 2020 , 174, e201937	8.3	5
366	Improving Care for Patients after Hospitalization with AKI. <i>Journal of the American Society of Nephrology: JASN</i> , 2020 , 31, 2237-2241	12.7	10
365	Measured and estimated glomerular filtration rate: current status and future directions. <i>Nature Reviews Nephrology</i> , 2020 , 16, 51-64	14.9	59
364	Should You Follow the Better-Hearing Ear for Congenital Cytomegalovirus Infection and Isolated Sensorineural Hearing Loss?. <i>Otolaryngology - Head and Neck Surgery</i> , 2020 , 162, 114-120	5.5	5
363	Change in Albuminuria and GFR as End Points for Clinical Trials in Early Stages of CKD: A Scientific Workshop Sponsored by the National Kidney Foundation in Collaboration With the US Food and Drug Administration and European Medicines Agency. <i>American Journal of Kidney Diseases</i> , 2020 , 75, 84-104	7.4	124
362	Hydroxychloroquine vs. Azithromycin for Hospitalized Patients with COVID-19 (HAHPS): Results of a Randomized, Active Comparator Trial. <i>Annals of the American Thoracic Society</i> , 2020 ,	4.7	15
361	GFR Slope as a Surrogate End Point for Kidney Disease Progression in Clinical Trials: A Meta-Analysis of Treatment Effects of Randomized Controlled Trials. <i>Journal of the American Society of Nephrology: JASN</i> , 2019 , 30, 1735-1745	12.7	68
360	Strengths and limitations of estimated and measured GFR. <i>Nature Reviews Nephrology</i> , 2019 , 15, 784	14.9	20
359	An increased mortality risk is associated with abnormal iron status in diabetic and non-diabetic Veterans with predialysis chronic kidney disease. <i>Kidney International</i> , 2019 , 96, 750-760	9.9	18
358	Ambulatory Management of Childhood Asthma Using a Novel Self-management Application. <i>Pediatrics</i> , 2019 , 143,	7.4	7
357	Mineral Metabolism Disturbances and Arteriovenous Fistula Maturation. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019 , 57, 719-728	2.3	4
356	The TiME Trial: A Fully Embedded, Cluster-Randomized, Pragmatic Trial of Hemodialysis Session Duration. <i>Journal of the American Society of Nephrology: JASN</i> , 2019 , 30, 890-903	12.7	25
355	Canagliflozin and Renal Outcomes in Type 2 Diabetes and Nephropathy. <i>New England Journal of Medicine</i> , 2019 , 380, 2295-2306	59.2	2060

354	Propensity score weighting analysis and treatment effect discovery. <i>Statistical Methods in Medical Research</i> , 2019 , 28, 2439-2454	2.3	27
353	Performance of GFR Slope as a Surrogate End Point for Kidney Disease Progression in Clinical Trials: A Statistical Simulation. <i>Journal of the American Society of Nephrology: JASN</i> , 2019 , 30, 1756-1769	12.7	31
352	Canagliflozin and Cardiovascular and Renal Outcomes in Type 2 Diabetes Mellitus and Chronic Kidney Disease in Primary and Secondary Cardiovascular Prevention Groups. <i>Circulation</i> , 2019 , 140, 739-750	16.7	140
351	Implications of Early Decline in eGFR due to Intensive BP Control for Cardiovascular Outcomes in SPRINT. <i>Journal of the American Society of Nephrology: JASN</i> , 2019 , 30, 1523-1533	12.7	24
350	Influence of Prediabetes on the Effects of Intensive Systolic Blood Pressure Control on Kidney Events. <i>American Journal of Hypertension</i> , 2019 , 32, 1170-1177	2.3	2
349	Mixed-effects models for slope-based endpoints in clinical trials of chronic kidney disease. <i>Statistics in Medicine</i> , 2019 , 38, 4218-4239	2.3	14
348	Association of Total Medication Burden With Intensive and Standard Blood Pressure Control and Clinical Outcomes: A Secondary Analysis of SPRINT. <i>Hypertension</i> , 2019 , HYPERTENSIONAHA11912907	8.5	10
347	The authors reply. <i>Kidney International</i> , 2019 , 96, 520-521	9.9	
346	Comparative Efficacy of Therapies for Treatment of Depression for Patients Undergoing Maintenance Hemodialysis: A Randomized Clinical Trial. <i>Annals of Internal Medicine</i> , 2019 , 170, 369-379	8	43
345	Contextual Factors Influencing Implementation of Evidence-Based Care for Children Hospitalized With Asthma. <i>Hospital Pediatrics</i> , 2019 , 9, 949-957	2.5	
344	Long-term hearing outcomes of children with symptomatic congenital CMV treated with valganciclovir. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2019 , 118, 124-127	1.7	14
343	The Familiality of Rapid Renal Decline in Diabetes. <i>Diabetes</i> , 2019 , 68, 420-429	0.9	6
342	Programming Error Led to Underestimate of Effect Sizes in Study of Association of Maternal Preeclampsia and Risk of Infant Retinopathy of Prematurity. <i>JAMA Ophthalmology</i> , 2019 , 137, 119	3.9	0
341	Deceased-donor acute kidney injury is not associated with kidney allograft failure. <i>Kidney International</i> , 2019 , 95, 199-209	9.9	39
340	Change in albuminuria and subsequent risk of end-stage kidney disease: an individual participant-level consortium meta-analysis of observational studies. <i>Lancet Diabetes and Endocrinology</i> , 2019 , 7, 115-127	18.1	114
339	Change in albuminuria as a surrogate endpoint for progression of kidney disease: a meta-analysis of treatment effects in randomised clinical trials. <i>Lancet Diabetes and Endocrinology</i> , 2019 , 7, 128-139	18.1	119
338	Relationship of Estimated GFR and Albuminuria to Concurrent Laboratory Abnormalities: An Individual Participant Data Meta-analysis in a Global Consortium. <i>American Journal of Kidney Diseases</i> , 2019 , 73, 206-217	7.4	25
337	Metabolomic profiling to improve glomerular filtration rate estimation: a proof-of-concept study. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 825-833	4.3	20

336	Impact of Implementing Antibiotic Stewardship Programs in 15 Small Hospitals: A Cluster-Randomized Intervention. <i>Clinical Infectious Diseases</i> , 2018 , 67, 525-532	11.6	42
335	Functional Outcome After Intracranial Pressure Monitoring-Reply. <i>JAMA Pediatrics</i> , 2018 , 172, 393	8.3	
334	Intensive systolic blood pressure control and incident chronic kidney disease in people with and without diabetes mellitus: secondary analyses of two randomised controlled trials. <i>Lancet Diabetes and Endocrinology</i> , 2018 , 6, 555-563	18.1	56
333	Extended models for nosocomial infection: parameter estimation and model selection. <i>Mathematical Medicine and Biology</i> , 2018 , 35, 29-49	1.3	6
332	Relationships Between Clinical Processes and Arteriovenous Fistula Cannulation and Maturation: A Multicenter Prospective Cohort Study. <i>American Journal of Kidney Diseases</i> , 2018 , 71, 677-689	7.4	38
331	Benefits and risks of intensive blood-pressure lowering in advanced chronic kidney disease. <i>Journal of Internal Medicine</i> , 2018 , 284, 106-107	10.8	5
330	Increasing Mortality in Adults With Diabetes and Low Estimated Glomerular Filtration Rate in the Absence of Albuminuria. <i>Diabetes Care</i> , 2018 , 41, 775-781	14.6	29
329	Comparative analysis of the safety and efficacy of intracameral cefuroxime, moxifloxacin and vancomycin at the end of cataract surgery: a meta-analysis. <i>British Journal of Ophthalmology</i> , 2018 , 102, 1268-1276	5.5	49
328	Patterns of Kidney Function Decline in Autosomal Dominant Polycystic Kidney Disease: A Post Hoc Analysis From the HALT-PKD Trials. <i>American Journal of Kidney Diseases</i> , 2018 , 71, 666-676	7.4	18
327	Relationship of Sodium Intake and Blood Pressure Varies With Energy Intake: Secondary Analysis of the DASH (Dietary Approaches to Stop Hypertension)-Sodium Trial. <i>Hypertension</i> , 2018 , 71, 858-865	8.5	24
326	Overcoming Translational Barriers in Acute Kidney Injury: A Report from an NIDDK Workshop. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2018 , 13, 1113-1123	6.9	26
325	A simple method to estimate the time-dependent receiver operating characteristic curve and the area under the curve with right censored data. <i>Statistical Methods in Medical Research</i> , 2018 , 27, 2264-2278	2.3	30
324	Influence of Baseline Diastolic Blood Pressure on Effects of Intensive Compared With Standard Blood Pressure Control. <i>Circulation</i> , 2018 , 137, 134-143	16.7	89
323	Risk-benefit profile of intensive blood pressure treatment - AuthorsPreply. <i>Lancet Diabetes and Endocrinology</i> , 2018 , 6, 602	18.1	
322	Optimizing treatment protocols for spinal manipulative therapy: study protocol for a randomized trial. <i>Trials</i> , 2018 , 19, 306	2.8	7
321	Biological Variability of Estimated GFR and Albuminuria in CKD. <i>American Journal of Kidney Diseases</i> , 2018 , 72, 538-546	7.4	29
320	Response by Beddhu et al to Letters Regarding Article, "Influence of Baseline Diastolic Blood Pressure on Effects of Intensive Compared With Standard Blood Pressure Control". <i>Circulation</i> , 2018 , 137, 2668-2669	16.7	4
319	Evaluating instrument responsiveness in joint function: The HOOS JR, the KOOS JR, and the PROMIS PF CAT. <i>Journal of Orthopaedic Research</i> , 2018 , 36, 1178-1184	3.8	35

318	Association between Urine Ammonium and Urine TGF-1 in CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2018 , 13, 223-230	6.9	9
317	Longitudinal Estimated GFR Trajectories in Patients With and Without Type 2 Diabetes and Nephropathy. <i>American Journal of Kidney Diseases</i> , 2018 , 71, 91-101	7.4	38
316	Susceptibilities of clinical <i>Clostridium difficile</i> isolates to antimicrobials: a systematic review and meta-analysis of studies since 1970. <i>Clinical Microbiology and Infection</i> , 2018 , 24, 110-117	9.5	6
315	Longitudinal Analysis of Erythrocyte and Plasma Porphyrin Levels in Patients with Protoporphyrin. <i>Journal of Applied Laboratory Medicine</i> , 2018 , 3, 213-221	2	1
314	In Data We Trust? Comparison of Electronic Versus Manual Abstraction of Antimicrobial Prescribing Quality Metrics for Hospitalized Veterans With Pneumonia. <i>Medical Care</i> , 2018 , 56, 626-633	3.1	8
313	Effects of Intensive Systolic Blood Pressure Lowering on Cardiovascular Events and Mortality in Patients With Type 2 Diabetes Mellitus on Standard Glycemic Control and in Those Without Diabetes Mellitus: Reconciling Results From ACCORD BP and SPRINT. <i>Journal of the American Heart Association</i> , 2018 , 7, e008887	6	45
312	Prediction of Arteriovenous Fistula Clinical Maturation from Postoperative Ultrasound Measurements: Findings from the Hemodialysis Fistula Maturation Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2018 , 29, 2735-2744	12.7	49
311	The effectiveness of training physical therapists in pain neuroscience education on patient reported outcomes for patients with chronic spinal pain: a study protocol for a cluster randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2018 , 19, 386	2.8	6
310	Clinical and Economic Outcomes of Ranolazine Versus Conventional Antianginals Users Among Veterans With Chronic Stable Angina Pectoris. <i>American Journal of Cardiology</i> , 2018 , 122, 1809-1816	3	2
309	Patients receiving frequent hemodialysis have better health-related quality of life compared to patients receiving conventional hemodialysis. <i>Kidney International</i> , 2017 , 91, 746-754	9.9	60
308	Comparative Effectiveness of Vancomycin and Metronidazole for the Prevention of Recurrence and Death in Patients With <i>Clostridium difficile</i> Infection. <i>JAMA Internal Medicine</i> , 2017 , 177, 546-553	11.5	108
307	Predictors of 6-month health utility outcomes in survivors of acute respiratory distress syndrome. <i>Thorax</i> , 2017 , 72, 311-317	7.3	23
306	Associations of Dietary Protein and Energy Intakes With Protein-Energy Wasting Syndrome in Hemodialysis Patients. <i>Kidney International Reports</i> , 2017 , 2, 821-830	4.1	6
305	Variation in Empiric Coverage Versus Detection of Methicillin-Resistant <i>Staphylococcus aureus</i> and <i>Pseudomonas aeruginosa</i> in Hospitalizations for Community-Onset Pneumonia Across 128 US Veterans Affairs Medical Centers. <i>Infection Control and Hospital Epidemiology</i> , 2017 , 38, 937-944	2	16
304	Effects of Intensive BP Control in CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 2812-2823	12.7	234
303	Cardiac Stress Testing during Workup for Abdominal Aortic Aneurysm Repair Is Not Associated with Improved Patient Outcomes. <i>Annals of Vascular Surgery</i> , 2017 , 42, 222-230	1.7	5
302	Associations of Protein-Energy Wasting Syndrome Criteria With Body Composition and Mortality in the General and Moderate Chronic Kidney Disease Populations in the United States. <i>Kidney International Reports</i> , 2017 , 2, 390-399	4.1	16
301	Urine Ammonium Predicts Clinical Outcomes in Hypertensive Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 2483-2490	12.7	39

300	Dynamic Prediction of Renal Failure Using Longitudinal Biomarkers in a Cohort Study of Chronic Kidney Disease. <i>Statistics in Biosciences</i> , 2017 , 9, 357-378	1.5	18
299	Subgroup selection in adaptive signature designs of confirmatory clinical trials. <i>Journal of the Royal Statistical Society Series C: Applied Statistics</i> , 2017 , 66, 345-361	1.5	14
298	A Dynamic Transmission Model to Evaluate the Effectiveness of Infection Control Strategies. <i>Open Forum Infectious Diseases</i> , 2017 , 4, ofw247	1	8
297	Functional Outcome After Intracranial Pressure Monitoring for Children With Severe Traumatic Brain Injury. <i>JAMA Pediatrics</i> , 2017 , 171, 965-971	8.3	46
296	Effects of Intensive Systolic Blood Pressure Control on Kidney and Cardiovascular Outcomes in Persons Without Kidney Disease: A Secondary Analysis of a Randomized Trial. <i>Annals of Internal Medicine</i> , 2017 , 167, 375-383	8	54
295	Intimal Hyperplasia, Stenosis, and Arteriovenous Fistula Maturation Failure in the Hemodialysis Fistula Maturation Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 3005-3013	12.7	59
294	Understanding patient outcomes after acute respiratory distress syndrome: identifying subtypes of physical, cognitive and mental health outcomes. <i>Thorax</i> , 2017 , 72, 1094-1103	7.3	38
293	Effect of Intensive Versus Standard Blood Pressure Treatment According to Baseline Prediabetes Status: A Post Hoc Analysis of a Randomized Trial. <i>Diabetes Care</i> , 2017 ,	14.6	53
292	Blood pressure and the risk of chronic kidney disease progression using multistate marginal structural models in the CRIC Study. <i>Statistics in Medicine</i> , 2017 , 36, 4167-4181	2.3	5
291	Association of Maternal Preeclampsia With Infant Risk of Premature Birth and Retinopathy of Prematurity. <i>JAMA Ophthalmology</i> , 2017 , 135, 947-953	3.9	17
290	Direct concurrent comparison of multiple pediatric acute asthma scoring instruments. <i>Journal of Asthma</i> , 2017 , 54, 741-753	1.9	5
289	Anti-TGF-1 Antibody Therapy in Patients with Diabetic Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 953-962	12.7	146
288	Adherence rates to ferric citrate as compared to active control in patients with end stage kidney disease on dialysis. <i>Hemodialysis International</i> , 2017 , 21, 243-249	1.7	4
287	The Canagliflozin and Renal Endpoints in Diabetes with Established Nephropathy Clinical Evaluation (CRENDENCE) Study Rationale, Design, and Baseline Characteristics. <i>American Journal of Nephrology</i> , 2017 , 46, 462-472	4.6	149
286	Outcomes of Patients With Acute Low Back Pain Stratified by the STarT Back Screening Tool: Secondary Analysis of a Randomized Trial. <i>Physical Therapy</i> , 2017 , 97, 330-337	3.3	6
285	The safety of achieved iron stores and their effect on IV iron and ESA use: post-hoc results from a randomized trial of ferric citrate as a phosphate binder in dialysis?. <i>Clinical Nephrology</i> , 2017 , 87 (2017), 124-133	2.1	5
284	GFR Estimation Using β Trace Protein and β -Microglobulin in β CKD. <i>American Journal of Kidney Diseases</i> , 2016 , 67, 40-8	7.4	94
283	Low Vitamin D and High Fibroblast Growth Factor 23 Serum Levels Associate with Infectious and Cardiac Deaths in the HEMO Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2016 , 27, 227-37	12.7	99

282	Implementation of a Value-Driven Outcomes Program to Identify High Variability in Clinical Costs and Outcomes and Association With Reduced Cost and Improved Quality. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 316, 1061-72	27.4	169
281	Patterns of Kidney Function Decline Associated with APOL1 Genotypes: Results from AASK. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016 , 11, 1353-9	6.9	13
280	The Associations of Plant Protein Intake With All-Cause Mortality in CKD. <i>American Journal of Kidney Diseases</i> , 2016 , 67, 423-30	7.4	92
279	Rationale and design of A Trial of Sertraline vs. Cognitive Behavioral Therapy for End-stage Renal Disease Patients with Depression (ASCEND). <i>Contemporary Clinical Trials</i> , 2016 , 47, 1-11	2.3	26
278	Candidate Surrogate End Points for ESRD after AKI. <i>Journal of the American Society of Nephrology: JASN</i> , 2016 , 27, 2851-9	12.7	37
277	The Effect of Increased Frequency of Hemodialysis on Volume-Related Outcomes: A Secondary Analysis of the Frequent Hemodialysis Network Trials. <i>Blood Purification</i> , 2016 , 41, 277-86	3.1	29
276	Arteriovenous Fistula Development in the First 6 Weeks after Creation. <i>Radiology</i> , 2016 , 279, 620-9	20.5	69
275	Long-Term Effects of Frequent In-Center Hemodialysis. <i>Journal of the American Society of Nephrology: JASN</i> , 2016 , 27, 1830-6	12.7	70
274	Reply to Wolkewitz: When to Use Cumulative Risk-Based Versus Rate-Based Approaches in the Analysis of Hospital-Acquired Infection Risk Factors? That Depends on the Question. <i>Infection Control and Hospital Epidemiology</i> , 2016 , 37, 1124-5	2	
273	Bone Mineral Density in Navajo Men and Women and Comparison to Non-Hispanic Whites from NHANES (2005-2008). <i>Journal of Health Care for the Poor and Underserved</i> , 2016 , 27, 644-62	1.4	
272	Stewardship in Community Hospitals—Optimizing Outcomes and Resources (SCORE): A Cluster-Randomized Controlled Trial Investigating the Impact of Antibiotic Stewardship in 15 Small, Community Hospitals. <i>Open Forum Infectious Diseases</i> , 2016 , 3,	1	4
271	Joint multiple imputation for longitudinal outcomes and clinical events that truncate longitudinal follow-up. <i>Statistics in Medicine</i> , 2016 , 35, 2991-3006	2.3	8
270	A Randomized Controlled Trial of the Effects of Febuxostat Therapy on Adipokines and Markers of Kidney Fibrosis in Asymptomatic Hyperuricemic Patients With Diabetic Nephropathy. <i>Canadian Journal of Kidney Health and Disease</i> , 2016 , 3, 2054358116675343	2.3	27
269	Integrating Time-Varying and Ecological Exposures into Multivariate Analyses of Hospital-Acquired Infection Risk Factors: A Review and Demonstration. <i>Infection Control and Hospital Epidemiology</i> , 2016 , 37, 411-9	2	6
268	Neonatal Magnesium Levels Between 24 and 48 Hours of Life and Outcomes for Epilepsy and Motor Impairment in Premature Infants. <i>Pediatric Neurology</i> , 2016 , 59, 41-6	2.9	4
267	Association between Preoperative Vascular Function and Postoperative Arteriovenous Fistula Development. <i>Journal of the American Society of Nephrology: JASN</i> , 2016 , 27, 3788-3795	12.7	44
266	Measuring the Impact of Whole-Body Computed Tomography on Hospital Length of Stay in Blunt Trauma. <i>Academic Radiology</i> , 2016 , 23, 582-7	4.3	3
265	Early Change in Urine Protein as a Surrogate End Point in Studies of IgA Nephropathy: An Individual-Patient Meta-analysis. <i>American Journal of Kidney Diseases</i> , 2016 , 68, 392-401	7.4	57

264	The effect of frequent hemodialysis on self-reported sleep quality: Frequent Hemodialysis Network Trials. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, 984-91	4.3	15
263	Non-GFR Determinants of Low-Molecular-Weight Serum Protein Filtration Markers in CKD. <i>American Journal of Kidney Diseases</i> , 2016 , 68, 892-900	7.4	53
262	Antibiotic Use in Small Community Hospitals. <i>Clinical Infectious Diseases</i> , 2016 , 63, 1273-1280	11.6	37
261	Desired Improvement Tool (DIT): A tool to assess desire for improvement in psoriasis patients. <i>Journal of Dermatological Treatment</i> , 2016 , 27, 27-30	2.8	
260	The effects of weight change on glomerular filtration rate. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 1870-7	4.3	15
259	The Phosphate Binder Ferric Citrate and Mineral Metabolism and Inflammatory Markers in Maintenance Dialysis Patients: Results From Prespecified Analyses of a Randomized Clinical Trial. <i>American Journal of Kidney Diseases</i> , 2015 , 66, 479-88	7.4	36
258	Non-Linear Heart Rate Variability Indices in the Frequent Hemodialysis Network Trials of Chronic Hemodialysis Patients. <i>Blood Purification</i> , 2015 , 40, 99-108	3.1	7
257	Ferric Citrate Reduces Intravenous Iron and Erythropoiesis-Stimulating Agent Use in ESRD. <i>Journal of the American Society of Nephrology: JASN</i> , 2015 , 26, 2578-87	12.7	77
256	Light-intensity physical activities and mortality in the United States general population and CKD subpopulation. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015 , 10, 1145-53	6.9	79
255	Long-term Effects of Frequent Nocturnal Hemodialysis on Mortality: The Frequent Hemodialysis Network (FHN) Nocturnal Trial. <i>American Journal of Kidney Diseases</i> , 2015 , 66, 459-68	7.4	75
254	Longitudinal changes in hematocrit in hypertensive chronic kidney disease: results from the African-American Study of Kidney Disease and Hypertension (AASK). <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 1329-35	4.3	5
253	Trends in Antibiotic Use and Nosocomial Pathogens in Hospitalized Veterans With Pneumonia at 128 Medical Centers, 2006-2010. <i>Clinical Infectious Diseases</i> , 2015 , 61, 1403-10	11.6	48
252	The effect of location and configuration on forearm and upper arm hemodialysis arteriovenous grafts. <i>Journal of Vascular Surgery</i> , 2015 , 62, 1258-64	3.5	19
251	Epoprostenol Does Not Affect Mortality in Neonates with Congenital Diaphragmatic Hernia. <i>European Journal of Pediatric Surgery</i> , 2015 , 25, 454-9	1.9	11
250	Interstate Variation in Receipt of Nephrologist Care in US Patients Approaching ESRD: Race, Age, and State Characteristics. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015 , 10, 1979-88	6.9	15
249	Estimating time to ESRD using kidney failure risk equations: results from the African American Study of Kidney Disease and Hypertension (AASK). <i>American Journal of Kidney Diseases</i> , 2015 , 65, 394-402	7.4	30
248	Variation in pediatric outpatient adenotonsillectomy costs in a multihospital network. <i>Laryngoscope</i> , 2015 , 125, 1215-20	3.6	28
247	Ferric citrate controls phosphorus and delivers iron in patients on dialysis. <i>Journal of the American Society of Nephrology: JASN</i> , 2015 , 26, 493-503	12.7	141

246	Excess Length of Stay Attributable to Clostridium difficile Infection (CDI) in the Acute Care Setting: A Multistate Model. <i>Infection Control and Hospital Epidemiology</i> , 2015 , 36, 1024-30	2	20
245	Variation in Outpatient Antibiotic Prescribing for Acute Respiratory Infections in the Veteran Population: A Cross-sectional Study. <i>Annals of Internal Medicine</i> , 2015 , 163, 73-80	8	65
244	Reducing Time-dependent Bias in Estimates of the Attributable Cost of Health Care-associated Methicillin-resistant Staphylococcus aureus Infections: A Comparison of Three Estimation Strategies. <i>Medical Care</i> , 2015 , 53, 827-34	3.1	32
243	Effect of naturally occurring ozone air pollution episodes on pulmonary oxidative stress and inflammation. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 5061-75	4.6	22
242	Net endogenous acid production and mortality in NHANES III. <i>Nephrology</i> , 2015 , 20, 209-15	2.2	9
241	Efficient parameter estimation for models of healthcare-associated pathogen transmission in discrete and continuous time. <i>Mathematical Medicine and Biology</i> , 2015 , 32, 79-98	1.3	5
240	Supervised oral protein supplementation during dialysis in patients with elevated C-reactive protein levels: a two phase, longitudinal, single center, open labeled study. <i>BMC Nephrology</i> , 2015 , 16, 87	2.7	6
239	Comparative Effectiveness of Oral Versus Outpatient Parenteral Antibiotic Therapy for Empyema. <i>Hospital Pediatrics</i> , 2015 , 5, 605-12	2.5	17
238	Effects of frequent hemodialysis on blood pressure: Results from the randomized frequent hemodialysis network trials. <i>Hemodialysis International</i> , 2015 , 19, 386-401	1.7	44
237	A dynamic postoperative protocol provides efficient care for pediatric patients with non-ruptured appendicitis. <i>Journal of Pediatric Surgery</i> , 2015 , 50, 149-52	2.6	14
236	Randomized controlled trials 5: Determining the sample size and power for clinical trials and cohort studies. <i>Methods in Molecular Biology</i> , 2015 , 1281, 225-47	1.4	15
235	Objectives and design of the hemodialysis fistula maturation study. <i>American Journal of Kidney Diseases</i> , 2014 , 63, 104-12	7.4	87
234	Atrial fibrillation ablation outcome is predicted by left atrial remodeling on MRI. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014 , 7, 23-30	6.4	244
233	Visit-to-visit systolic blood pressure variability and outcomes in hemodialysis. <i>Journal of Human Hypertension</i> , 2014 , 28, 18-24	2.6	48
232	Low-back pain ratings for lifetime, 1-month period, and point prevalences in a large occupational population. <i>Human Factors</i> , 2014 , 56, 86-97	3.8	29
231	Prevalence of and risk factors for reduced serum bicarbonate in chronic kidney disease. <i>Nephrology</i> , 2014 , 19, 648-54	2.2	48
230	Estimated GFR decline as a surrogate end point for kidney failure: a post hoc analysis from the Reduction of End Points in Non-Insulin-Dependent Diabetes With the Angiotensin II Antagonist Losartan (RENAAL) study and Irbesartan Diabetic Nephropathy Trial (IDNT). <i>American Journal of Kidney Diseases</i> , 2014 , 63, 244-50	7.4	41
229	242Stewardship in Community HospitalsOptimizing Outcomes and Resources (SCORE): A Baseline Analysis of Antimicrobial Use Utilizing CDC NHSN AU Data. <i>Open Forum Infectious Diseases</i> , 2014 , 1, S104 ¹ -S104		

228	Associations of body size and body composition with functional ability and quality of life in hemodialysis patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014 , 9, 1082-90	6.9	35
227	Relationships between the importation, transmission, and nosocomial infections of methicillin-resistant <i>Staphylococcus aureus</i> : an observational study of 112 Veterans Affairs Medical Centers. <i>Clinical Infectious Diseases</i> , 2014 , 58, 32-9	11.6	23
226	Risk factors for placenta accreta: a large prospective cohort. <i>American Journal of Perinatology</i> , 2014 , 31, 799-804	3.3	69
225	Quality of life and outcomes in African Americans with CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2014 , 25, 1849-55	12.7	25
224	Effects of daily hemodialysis on heart rate variability: results from the Frequent Hemodialysis Network (FHN) Daily Trial. <i>Nephrology Dialysis Transplantation</i> , 2014 , 29, 168-78	4.3	37
223	Utility and validity of estimated GFR-based surrogate time-to-event end points in CKD: a simulation study. <i>American Journal of Kidney Diseases</i> , 2014 , 64, 867-79	7.4	47
222	GFR decline as an alternative end point to kidney failure in clinical trials: a meta-analysis of treatment effects from 37 randomized trials. <i>American Journal of Kidney Diseases</i> , 2014 , 64, 848-59	7.4	83
221	GFR decline as an end point for clinical trials in CKD: a scientific workshop sponsored by the National Kidney Foundation and the US Food and Drug Administration. <i>American Journal of Kidney Diseases</i> , 2014 , 64, 821-35	7.4	300
220	Improved hidden Markov model for nosocomial infections. <i>Mathematical Medicine and Biology</i> , 2014 , 31, 338-52	1.3	1
219	Response-based therapy for ruptured appendicitis reduces resource utilization. <i>Journal of Pediatric Surgery</i> , 2014 , 49, 1726-9	2.6	27
218	A within-patient analysis for time-varying risk factors of CKD progression. <i>Journal of the American Society of Nephrology: JASN</i> , 2014 , 25, 606-13	12.7	22
217	Decompressive craniectomy or medical management for refractory intracranial hypertension: an AAST-MIT propensity score analysis. <i>Journal of Trauma and Acute Care Surgery</i> , 2014 , 76, 944-52; discussion 952-5	3.3	28
216	Race/ethnicity, age, and risk of hospital admission and length of stay during the first year of maintenance hemodialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014 , 9, 1402-9	6.9	20
215	Association of kidney disease outcomes with risk factors for CKD: findings from the Chronic Renal Insufficiency Cohort (CRIC) study. <i>American Journal of Kidney Diseases</i> , 2014 , 63, 236-43	7.4	81
214	Early change in proteinuria as a surrogate end point for kidney disease progression: an individual patient meta-analysis. <i>American Journal of Kidney Diseases</i> , 2014 , 64, 74-85	7.4	78
213	Effect of decreased parenteral soybean lipid emulsion on hepatic function in infants at risk for parenteral nutrition-associated liver disease: a pilot study. <i>Journal of Pediatric Surgery</i> , 2013 , 48, 1348-56	2.6	63
212	Low body mass index and dyslipidemia in dialysis patients linked to elevated plasma fibroblast growth factor 23. <i>American Journal of Nephrology</i> , 2013 , 37, 183-90	4.6	21
211	Improved equation for estimating single-pool Kt/V at higher dialysis frequencies. <i>Nephrology Dialysis Transplantation</i> , 2013 , 28, 2156-60	4.3	37

210	Serum bicarbonate and mortality in adults in NHANES III. <i>Nephrology Dialysis Transplantation</i> , 2013 , 28, 1207-13	4.3	60
209	Effect of intensive blood pressure control on cardiovascular remodeling in hypertensive patients with nephrosclerosis. <i>International Journal of Nephrology</i> , 2013 , 2013, 120167	1.7	2
208	A trial of 2 strategies to reduce nocturnal blood pressure in blacks with chronic kidney disease. <i>Hypertension</i> , 2013 , 61, 82-8	8.5	64
207	Gabapentin versus chlorthalidone for outpatient alcohol detoxification treatment. <i>Annals of Pharmacotherapy</i> , 2013 , 47, 961-9	2.9	28
206	Longitudinal validation of a tool for asthma self-monitoring. <i>Pediatrics</i> , 2013 , 132, e1554-61	7.4	12
205	Facility size, race and ethnicity, and mortality for in-center hemodialysis. <i>Journal of the American Society of Nephrology: JASN</i> , 2013 , 24, 2062-70	12.7	11
204	Effects of frequent hemodialysis on ventricular volumes and left ventricular remodeling. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013 , 8, 2106-16	6.9	50
203	Decreasing hospital length of stay for bronchiolitis by using an observation unit and home oxygen therapy. <i>JAMA Pediatrics</i> , 2013 , 167, 422-8	8.3	28
202	The relationship of age, race, and ethnicity with survival in dialysis patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013 , 8, 953-61	6.9	59
201	Association of histologic variants in FSGS clinical trial with presenting features and outcomes. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013 , 8, 399-406	6.9	93
200	Reply to comment on "gabapentin versus chlorthalidone for outpatient alcohol detoxification treatment". <i>Annals of Pharmacotherapy</i> , 2013 , 47, 1743	2.9	2
199	Renal function and proteinuria after successful immunosuppressive therapies in patients with FSGS. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013 , 8, 211-8	6.9	16
198	Relationship of left ventricular hypertrophy and diastolic function with cardiovascular and renal outcomes in African Americans with hypertensive chronic kidney disease. <i>Hypertension</i> , 2013 , 62, 518-25	8.5	31
197	Associations of serum skeletal alkaline phosphatase with elevated C-reactive protein and mortality. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013 , 8, 26-32	6.9	26
196	Effect of frequent hemodialysis on residual kidney function. <i>Kidney International</i> , 2013 , 83, 949-58	9.9	144
195	APOL1 risk variants, race, and progression of chronic kidney disease. <i>New England Journal of Medicine</i> , 2013 , 369, 2183-96	59.2	492
194	The associations between race and geographic area and quality-of-care indicators in patients approaching ESRD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013 , 8, 610-8	6.9	42
193	The balanced survivor average causal effect. <i>International Journal of Biostatistics</i> , 2013 , 9, 291-306	1.3	4

192	A weighting analogue to pair matching in propensity score analysis. <i>International Journal of Biostatistics</i> , 2013 , 9, 215-34	1.3	146
191	Longitudinal progression trajectory of GFR among patients with CKD. <i>American Journal of Kidney Diseases</i> , 2012 , 59, 504-12	7.4	210
190	Estimating GFR among participants in the Chronic Renal Insufficiency Cohort (CRIC) Study. <i>American Journal of Kidney Diseases</i> , 2012 , 60, 250-61	7.4	154
189	Transposon insertion in a cinnamyl alcohol dehydrogenase gene is responsible for a brown midrib1 mutation in maize. <i>Plant Molecular Biology</i> , 2012 , 80, 289-97	4.6	30
188	Left ventricular hypertrophy by electrocardiography and echocardiography in the African American Study of Kidney Disease Cohort Study. <i>Journal of the American Society of Hypertension</i> , 2012 , 6, 193-200		3
187	Quality of life and psychosocial factors in African Americans with hypertensive chronic kidney disease. <i>Translational Research</i> , 2012 , 159, 4-11	11	26
186	Associations of plasma 25-hydroxyvitamin D and 1,25-dihydroxyvitamin D concentrations with death and progression to maintenance dialysis in patients with advanced kidney disease. <i>American Journal of Kidney Diseases</i> , 2012 , 60, 567-75	7.4	50
185	Dietary phosphorus intake and mortality in moderate chronic kidney disease: NHANES III. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 990-6	4.3	30
184	Factors associated with intern noncompliance with the 2003 Accreditation Council for Graduate Medical Education's 30-hour duty period requirement. <i>BMC Medical Education</i> , 2012 , 12, 33	3.3	1
183	Estimating glomerular filtration rate from serum creatinine and cystatin C. <i>New England Journal of Medicine</i> , 2012 , 367, 20-9	59.2	2242
182	Nonparametric multistate representations of survival and longitudinal data with measurement error. <i>Statistics in Medicine</i> , 2012 , 31, 2303-17	2.3	4
181	Kidney function can improve in patients with hypertensive CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2012 , 23, 706-13	12.7	35
180	Effects of frequent hemodialysis on measures of CKD mineral and bone disorder. <i>Journal of the American Society of Nephrology: JASN</i> , 2012 , 23, 727-38	12.7	115
179	Determinants of left ventricular mass in patients on hemodialysis: Frequent Hemodialysis Network (FHN) Trials. <i>Circulation: Cardiovascular Imaging</i> , 2012 , 5, 251-61	3.9	65
178	Relationship between ambulatory BP and clinical outcomes in patients with hypertensive CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012 , 7, 1770-6	6.9	70
177	A lower extremity physical function computerized adaptive testing instrument for orthopaedic patients. <i>Foot and Ankle International</i> , 2012 , 33, 326-35	3.3	45
176	Pyridorin in type 2 diabetic nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2012 , 23, 131-6	12.7	108
175	The effect of frequent hemodialysis on nutrition and body composition: frequent Hemodialysis Network Trial. <i>Kidney International</i> , 2012 , 82, 90-9	9.9	50

174	Racial differences in markers of mineral metabolism in advanced chronic kidney disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012 , 7, 640-7	6.9	27
173	The safety and tolerability of ferric citrate as a phosphate binder in dialysis patients. <i>Nephron Clinical Practice</i> , 2012 , 121, c25-9		42
172	New paradigm for patient-reported outcomes assessment in foot & ankle research: computerized adaptive testing. <i>Foot and Ankle International</i> , 2012 , 33, 621-6	3.3	62
171	The Joint Commission Children's Asthma Care quality measures and asthma readmissions. <i>Pediatrics</i> , 2012 , 130, 482-91	7.4	51
170	High dietary fiber intake is associated with decreased inflammation and all-cause mortality in patients with chronic kidney disease. <i>Kidney International</i> , 2012 , 81, 300-6	9.9	220
169	Agreement in classifying bloodstream infections among multiple reviewers conducting surveillance. <i>Clinical Infectious Diseases</i> , 2012 , 55, 364-70	11.6	52
168	Cognitive function and the risk of death in chronic kidney disease. <i>American Journal of Nephrology</i> , 2012 , 35, 49-57	4.6	32
167	25-hydroxyvitamin D deficiency is associated with an increased risk of metabolic syndrome in patients with non-diabetic chronic kidney disease. <i>Clinical Nephrology</i> , 2012 , 78, 432-41	2.1	3
166	Lower estimated glomerular filtration rate and higher albuminuria are associated with mortality and end-stage renal disease. A collaborative meta-analysis of kidney disease population cohorts. <i>Kidney International</i> , 2011 , 79, 1331-40	9.9	468
165	Sulodexide for kidney protection in type 2 diabetes patients with microalbuminuria: a randomized controlled trial. <i>American Journal of Kidney Diseases</i> , 2011 , 58, 729-36	7.4	89
164	Statistical analysis and design for estimating accuracy in clinical-center classification of cause-specific clinical events in clinical trials. <i>Clinical Trials</i> , 2011 , 8, 571-80	2.2	1
163	Evaluation of the PROMIS physical function item bank in orthopaedic patients. <i>Journal of Orthopaedic Research</i> , 2011 , 29, 947-53	3.8	143
162	The effects of frequent nocturnal home hemodialysis: the Frequent Hemodialysis Network Nocturnal Trial. <i>Kidney International</i> , 2011 , 80, 1080-91	9.9	370
161	Higher serum bicarbonate levels within the normal range are associated with better survival and renal outcomes in African Americans. <i>Kidney International</i> , 2011 , 79, 356-62	9.9	129
160	Modeled urea distribution volume and mortality in the HEMO Study. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011 , 6, 1129-38	6.9	12
159	Intradialytic hypotension and vascular access thrombosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2011 , 22, 1526-33	12.7	119
158	Equations to estimate creatinine excretion rate: the CKD epidemiology collaboration. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011 , 6, 184-91	6.9	122
157	Use of aspirin associates with longer primary patency of hemodialysis grafts. <i>Journal of the American Society of Nephrology: JASN</i> , 2011 , 22, 773-81	12.7	34

156	Early change in proteinuria as a surrogate outcome in kidney disease progression: a systematic review of previous analyses and creation of a patient-level pooled dataset. <i>Nephrology Dialysis Transplantation</i> , 2011 , 26, 848-57	4.3	20
155	FGF-23 associates with death, cardiovascular events, and initiation of chronic dialysis. <i>Journal of the American Society of Nephrology: JASN</i> , 2011 , 22, 1913-22	12.7	361
154	Limitations of analyses based on achieved blood pressure: lessons from the African American study of kidney disease and hypertension trial. <i>Hypertension</i> , 2011 , 57, 1061-8	8.5	38
153	Changes in dietary protein intake has no effect on serum cystatin C levels independent of the glomerular filtration rate. <i>Kidney International</i> , 2011 , 79, 471-7	9.9	113
152	Clinical trials treating focal segmental glomerulosclerosis should measure patient quality of life. <i>Kidney International</i> , 2011 , 79, 678-685	9.9	45
151	Serum alkaline phosphatase levels associate with elevated serum C-reactive protein in chronic kidney disease. <i>Kidney International</i> , 2011 , 79, 228-33	9.9	40
150	Elevated depressive affect is associated with adverse cardiovascular outcomes among African Americans with chronic kidney disease. <i>Kidney International</i> , 2011 , 80, 670-8	9.9	34
149	Clinical trial of focal segmental glomerulosclerosis in children and young adults. <i>Kidney International</i> , 2011 , 80, 868-78	9.9	170
148	Updated comorbidity assessments and outcomes in prevalent hemodialysis patients. <i>Hemodialysis International</i> , 2010 , 14, 478-85	1.7	9
147	Hyperlipidemia and long-term outcomes in nondiabetic chronic kidney disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010 , 5, 1582-7	6.9	59
146	Can rescaling dose of dialysis to body surface area in the HEMO study explain the different responses to dose in women versus men?. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010 , 5, 1628-36	6.9	53
145	Malnutrition-inflammation modifies the relationship of cholesterol with cardiovascular disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2010 , 21, 2131-42	12.7	33
144	Rate of ESRD exceeds mortality among African Americans with hypertensive nephrosclerosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2010 , 21, 1361-9	12.7	39
143	Development and validation of GFR-estimating equations using diabetes, transplant and weight. <i>Nephrology Dialysis Transplantation</i> , 2010 , 25, 449-57	4.3	90
142	In-center hemodialysis six times per week versus three times per week. <i>New England Journal of Medicine</i> , 2010 , 363, 2287-300	59.2	749
141	Standard Kt/Vurea: a method of calculation that includes effects of fluid removal and residual kidney clearance. <i>Kidney International</i> , 2010 , 77, 637-44	9.9	68
140	Sociodemographic factors contribute to the depressive affect among African Americans with chronic kidney disease. <i>Kidney International</i> , 2010 , 77, 1010-9	9.9	51
139	Intensive blood-pressure control in hypertensive chronic kidney disease. <i>New England Journal of Medicine</i> , 2010 , 363, 918-29	59.2	511

138	Imprecision of urinary iothalamate clearance as a gold-standard measure of GFR decreases the diagnostic accuracy of kidney function estimating equations. <i>American Journal of Kidney Diseases</i> , 2010 , 56, 39-49	7.4	87
137	Serum bicarbonate and long-term outcomes in CKD. <i>American Journal of Kidney Diseases</i> , 2010 , 56, 907-144	7.4	94
136	Comparative performance of the CKD Epidemiology Collaboration (CKD-EPI) and the Modification of Diet in Renal Disease (MDRD) Study equations for estimating GFR levels above 60 mL/min/1.73 m ² . <i>American Journal of Kidney Diseases</i> , 2010 , 56, 486-95	7.4	418
135	Relationship between body mass index and proteinuria in hypertensive nephrosclerosis: results from the African American Study of Kidney Disease and Hypertension (AASK) cohort. <i>American Journal of Kidney Diseases</i> , 2010 , 56, 896-906	7.4	37
134	Effects of reduced intradialytic urea generation rate and residual renal clearance on modeled urea distribution volume and Kt/V in conventional, daily, and nocturnal dialysis. <i>Seminars in Dialysis</i> , 2010 , 23, 19-24	2.5	6
133	Validation of a dietary history questionnaire for American Indian and Alaska Native people. <i>Ethnicity and Disease</i> , 2010 , 20, 429-36	1.8	16
132	Associations of resting heart rate with insulin resistance, cardiovascular events and mortality in chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2009 , 24, 2482-8	4.3	31
131	Effect of dipyridamole plus aspirin on hemodialysis graft patency. <i>New England Journal of Medicine</i> , 2009 , 360, 2191-201	59.2	213
130	Scaling of measured glomerular filtration rate in kidney donor candidates by anthropometric estimates of body surface area, body water, metabolic rate, or liver size. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009 , 4, 1575-83	6.9	25
129	Serum alkaline phosphatase and mortality in African Americans with chronic kidney disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009 , 4, 1805-10	6.9	49
128	Disparate estimates of hypertension control from ambulatory and clinic blood pressure measurements in hypertensive kidney disease. <i>Hypertension</i> , 2009 , 53, 20-7	8.5	218
127	Effect of membrane permeability on survival of hemodialysis patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2009 , 20, 462-4	12.7	19
126	Asymmetric dimethylarginine and mortality in stages 3 to 4 chronic kidney disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009 , 4, 1115-20	6.9	77
125	Usefulness of adjusting for clinical covariates to improve the ability of B-type natriuretic peptide to distinguish cardiac from noncardiac dyspnea. <i>American Journal of Cardiology</i> , 2009 , 104, 689-94	3	25
124	Effect of a very low-protein diet on outcomes: long-term follow-up of the Modification of Diet in Renal Disease (MDRD) Study. <i>American Journal of Kidney Diseases</i> , 2009 , 53, 208-17	7.4	161
123	Randomized and observational studies in nephrology: how strong is the evidence?. <i>American Journal of Kidney Diseases</i> , 2009 , 53, 377-88	7.4	27
122	Uric acid and long-term outcomes in CKD. <i>American Journal of Kidney Diseases</i> , 2009 , 53, 796-803	7.4	298
121	Solute clearances and fluid removal in the frequent hemodialysis network trials. <i>American Journal of Kidney Diseases</i> , 2009 , 53, 835-44	7.4	38

120	Solute-solver: a web-based tool for modeling urea kinetics for a broad range of hemodialysis schedules in multiple patients. <i>American Journal of Kidney Diseases</i> , 2009 , 54, 798-809	7.4	66
119	Related causal frameworks for surrogate outcomes. <i>Biometrics</i> , 2009 , 65, 530-8	1.8	113
118	A semiparametric joint model for longitudinal and survival data with application to hemodialysis study. <i>Biometrics</i> , 2009 , 65, 737-45	1.8	15
117	Physical activity and mortality in chronic kidney disease (NHANES III). <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009 , 4, 1901-6	6.9	169
116	A new equation to estimate glomerular filtration rate. <i>Annals of Internal Medicine</i> , 2009 , 150, 604-12	8	13920
115	Factors other than glomerular filtration rate affect serum cystatin C levels. <i>Kidney International</i> , 2009 , 75, 652-60	9.9	444
114	Surface-area-normalized Kt/V: a method of rescaling dialysis dose to body surface area-implications for different-size patients by gender. <i>Seminars in Dialysis</i> , 2008 , 21, 415-21	2.5	45
113	The influence of age on changes in health-related quality of life over three years in a cohort undergoing hemodialysis. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 1608-17	5.6	52
112	Estimating GFR using serum cystatin C alone and in combination with serum creatinine: a pooled analysis of 3,418 individuals with CKD. <i>American Journal of Kidney Diseases</i> , 2008 , 51, 395-406	7.4	819
111	A comparison of change in measured and estimated glomerular filtration rate in patients with nondiabetic kidney disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008 , 3, 1332-8	6.9	52
110	Dosing intermittent haemodialysis in the intensive care unit patient with acute renal failure--estimation of urea removal and evidence for the regional blood flow model. <i>Nephrology Dialysis Transplantation</i> , 2008 , 23, 2286-98	4.3	12
109	Effects of sulodexide in patients with type 2 diabetes and persistent albuminuria. <i>Nephrology Dialysis Transplantation</i> , 2008 , 23, 1946-54	4.3	51
108	Association between serum 2-microglobulin level and infectious mortality in hemodialysis patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008 , 3, 69-77	6.9	67
107	Effect of clopidogrel on early failure of arteriovenous fistulas for hemodialysis: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 299, 2164-71	27.4	550
106	Long-term effects of renin-angiotensin system-blocking therapy and a low blood pressure goal on progression of hypertensive chronic kidney disease in African Americans. <i>Archives of Internal Medicine</i> , 2008 , 168, 832-9		117
105	Investigating the effects of ties on measures of concordance. <i>Statistics in Medicine</i> , 2008 , 27, 4190-206	2.3	11
104	Efficient estimation for patient-specific rates of disease progression using nonnormal linear mixed models. <i>Biometrics</i> , 2008 , 64, 29-38	1.8	20
103	Varying coefficients model with measurement error. <i>Biometrics</i> , 2008 , 64, 519-26	1.8	27

102	A well-conducted randomized trial that establishes no benefit of therapy is an important medical advance. <i>Nephrology Dialysis Transplantation</i> , 2008 , 23, 52-5	4.3	3
101	An agent-based model for evaluating surveillance methods for catheter-related bloodstream infection 2008 , 631-5	0.7	8
100	Expressing the Modification of Diet in Renal Disease Study equation for estimating glomerular filtration rate with standardized serum creatinine values. <i>Clinical Chemistry</i> , 2007 , 53, 766-72	5.5	1337
99	Role of adipose tissue in determining muscle mass in patients with chronic kidney disease. <i>Journal of Renal Nutrition</i> , 2007 , 17, 314-22	3	16
98	Impact of creatinine calibration on performance of GFR estimating equations in a pooled individual patient database. <i>American Journal of Kidney Diseases</i> , 2007 , 50, 21-35	7.4	163
97	Body mass index and mortality in CKD. <i>American Journal of Kidney Diseases</i> , 2007 , 50, 404-11	7.4	54
96	Evaluation of the modification of diet in renal disease study equation in a large diverse population. <i>Journal of the American Society of Nephrology: JASN</i> , 2007 , 18, 2749-57	12.7	412
95	Cystatin C as a risk factor for outcomes in chronic kidney disease. <i>Annals of Internal Medicine</i> , 2007 , 147, 19-27	8	137
94	A simulation-based evaluation of methods to estimate the impact of an adverse event on hospital length of stay. <i>Medical Care</i> , 2007 , 45, S108-15	3.1	20
93	Inflammation and inverse associations of body mass index and serum creatinine with mortality in hemodialysis patients. <i>Journal of Renal Nutrition</i> , 2007 , 17, 372-80	3	27
92	Effect of change in vascular access on patient mortality in hemodialysis patients. <i>American Journal of Kidney Diseases</i> , 2006 , 47, 469-77	7.4	161
91	Quality of life in the African American Study of Kidney Disease and Hypertension: effects of blood pressure management. <i>American Journal of Kidney Diseases</i> , 2006 , 47, 956-64	7.4	16
90	Cardiovascular outcomes in the African American Study of Kidney Disease and Hypertension (AASK) Trial. <i>American Journal of Kidney Diseases</i> , 2006 , 48, 739-51	7.4	109
89	Effect of dietary protein restriction on the progression of kidney disease: long-term follow-up of the Modification of Diet in Renal Disease (MDRD) Study. <i>American Journal of Kidney Diseases</i> , 2006 , 48, 879-88	7.4	115
88	Relationship between homocysteine and mortality in chronic kidney disease. <i>Circulation</i> , 2006 , 113, 1572-7	4.7	44
87	Adiponectin and mortality in patients with chronic kidney disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2006 , 17, 2599-606	12.7	224
86	Validation of creatinine-based estimates of GFR when evaluating risk factors in longitudinal studies of kidney disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2006 , 17, 2900-9	12.7	57
85	Baseline predictors of renal disease progression in the African American Study of Hypertension and Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2006 , 17, 2928-36	12.7	115

84	Daily hemodialysis: a systematic review. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2006 , 1, 33-42	6.9	139
83	Serum beta-2 microglobulin levels predict mortality in dialysis patients: results of the HEMO study. <i>Journal of the American Society of Nephrology: JASN</i> , 2006 , 17, 546-55	12.7	326
82	Effect of dietary protein intake on serum total CO2 concentration in chronic kidney disease: Modification of Diet in Renal Disease study findings. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2006 , 1, 52-7	6.9	43
81	Surrogate end points for clinical trials of kidney disease progression. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2006 , 1, 874-84	6.9	98
80	Recommendations for improving serum creatinine measurement: a report from the Laboratory Working Group of the National Kidney Disease Education Program. <i>Clinical Chemistry</i> , 2006 , 52, 5-18	5.5	912
79	Assessing kidney function--measured and estimated glomerular filtration rate. <i>New England Journal of Medicine</i> , 2006 , 354, 2473-83	59.2	2103
78	Using standardized serum creatinine values in the modification of diet in renal disease study equation for estimating glomerular filtration rate. <i>Annals of Internal Medicine</i> , 2006 , 145, 247-54	8	3809
77	Shared parameter models for the joint analysis of longitudinal data and event times. <i>Statistics in Medicine</i> , 2006 , 25, 143-63	2.3	122
76	What did we learn from the HEMO Study? Implications of secondary analyses. <i>Contributions To Nephrology</i> , 2005 , 149, 69-82	1.6	5
75	The HEMO Study: applicability and generalizability. <i>Nephrology Dialysis Transplantation</i> , 2005 , 20, 278-84	4.3	13
74	Self-reported appetite, hospitalization and death in haemodialysis patients: findings from the Hemodialysis (HEMO) Study. <i>Nephrology Dialysis Transplantation</i> , 2005 , 20, 2765-74	4.3	103
73	Dialysis dose as a determinant of adequacy. <i>Seminars in Nephrology</i> , 2005 , 25, 76-80	4.8	5
72	Factors associated with lipoprotein(a) in chronic kidney disease. <i>American Journal of Kidney Diseases</i> , 2005 , 45, 28-38	7.4	13
71	The effect of a lower target blood pressure on the progression of kidney disease: long-term follow-up of the modification of diet in renal disease study. <i>Annals of Internal Medicine</i> , 2005 , 142, 342-51	8	347
70	Homocysteine in chronic kidney disease: Effect of low protein diet and repletion with B vitamins. <i>Kidney International</i> , 2005 , 67, 1539-46	9.9	23
69	C-reactive protein and albumin as predictors of all-cause and cardiovascular mortality in chronic kidney disease. <i>Kidney International</i> , 2005 , 68, 766-72	9.9	277
68	Are nutritional status indicators associated with mortality in the Hemodialysis (HEMO) Study?. <i>Kidney International</i> , 2005 , 68, 1766-76	9.9	76
67	Performance of the Cockcroft-Gault and modification of diet in renal disease equations in estimating GFR in ill hospitalized patients. <i>American Journal of Kidney Diseases</i> , 2005 , 46, 242-52	7.4	170

66	Relationship of phosphorus and calcium-phosphorus product with mortality in CKD. <i>American Journal of Kidney Diseases</i> , 2005 , 46, 455-63	7.4	97
65	Association of achieved dialysis dose with mortality in the hemodialysis study: an example of "dose-targeting bias". <i>Journal of the American Society of Nephrology: JASN</i> , 2005 , 16, 3371-80	12.7	66
64	Low-level environmental lead exposure and children's intellectual function: an international pooled analysis. <i>Environmental Health Perspectives</i> , 2005 , 113, 894-9	8.4	1451
63	Design of the Dialysis Access Consortium (DAC) Aggrenox Prevention Of Access Stenosis Trial. <i>Clinical Trials</i> , 2005 , 2, 400-12	2.2	26
62	Design of the Dialysis Access Consortium (DAC) Clopidogrel Prevention of Early AV Fistula Thrombosis Trial. <i>Clinical Trials</i> , 2005 , 2, 413-22	2.2	41
61	The relationship between magnitude of proteinuria reduction and risk of end-stage renal disease: results of the African American study of kidney disease and hypertension. <i>Archives of Internal Medicine</i> , 2005 , 165, 947-53		214
60	Performance of the modification of diet in renal disease and Cockcroft-Gault equations in the estimation of GFR in health and in chronic kidney disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2005 , 16, 459-66	12.7	510
59	Blood pressure control, drug therapy, and kidney disease. <i>Hypertension</i> , 2005 , 46, 44-50	8.5	26
58	Glycosylated hemoglobin and mortality in patients with nondiabetic chronic kidney disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2005 , 16, 3411-7	12.7	40
57	Factors that affect postdialysis rebound in serum urea concentration, including the rate of dialysis: results from the HEMO Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2004 , 15, 194-203	12.7	60
56	A comparison of iothalamate-GFR and serum creatinine-based outcomes: acceleration in the rate of GFR decline in the African American Study of Kidney Disease and Hypertension. <i>Journal of the American Society of Nephrology: JASN</i> , 2004 , 15, 3175-83	12.7	60
55	Dialysis dose and the effect of gender and body size on outcome in the HEMO Study. <i>Kidney International</i> , 2004 , 65, 1386-94	9.9	121
54	The effect of dialysis dose and membrane flux on nutritional parameters in hemodialysis patients: results of the HEMO Study. <i>Kidney International</i> , 2004 , 65, 2321-34	9.9	98
53	Effects of hemodialysis dose and membrane flux on health-related quality of life in the HEMO Study. <i>Kidney International</i> , 2004 , 66, 355-66	9.9	129
52	Kinetics of urea and beta-microglobulin during and after short hemodialysis treatments. <i>Kidney International</i> , 2004 , 66, 1669-76	9.9	24
51	Dialyzer performance in the HEMO Study: in vivo K ₀ A and true blood flow determined from a model of cross-dialyzer urea extraction. <i>ASAIO Journal</i> , 2004 , 50, 85-93	3.6	32
50	The rationale and design of the AASK cohort study. <i>Journal of the American Society of Nephrology: JASN</i> , 2003 , 14, S166-72	12.7	78
49	Longitudinal and cross-sectional effects of C-reactive protein, equilibrated normalized protein catabolic rate, and serum bicarbonate on creatinine and albumin levels in dialysis patients. <i>American Journal of Kidney Diseases</i> , 2003 , 42, 1200-11	7.4	77

48	High urine volume and low urine osmolality are risk factors for faster progression of renal disease. <i>American Journal of Kidney Diseases</i> , 2003 , 41, 962-71	7.4	100
47	Relationship between C-reactive protein, albumin, and cardiovascular disease in patients with chronic kidney disease. <i>American Journal of Kidney Diseases</i> , 2003 , 42, 44-52	7.4	132
46	Anthropometrically estimated total body water volumes are larger than modeled urea volume in chronic hemodialysis patients: effects of age, race, and gender. <i>Kidney International</i> , 2003 , 64, 1108-19	9.9	57
45	Prescribing an equilibrated intermittent hemodialysis dose in intensive care unit acute renal failure. <i>Kidney International</i> , 2003 , 64, 2298-310	9.9	28
44	Effects of high-flux hemodialysis on clinical outcomes: results of the HEMO study. <i>Journal of the American Society of Nephrology: JASN</i> , 2003 , 14, 3251-63	12.7	206
43	Design and statistical aspects of the African American Study of Kidney Disease and Hypertension (AASK). <i>Journal of the American Society of Nephrology: JASN</i> , 2003 , 14, S154-65	12.7	73
42	Calibration and random variation of the serum creatinine assay as critical elements of using equations to estimate glomerular filtration rate. <i>American Journal of Kidney Diseases</i> , 2002 , 39, 920-9	7.4	593
41	Homocysteine, cysteine, and B vitamins as predictors of kidney disease progression. <i>American Journal of Kidney Diseases</i> , 2002 , 40, 932-9	7.4	28
40	Serum C-reactive protein and leptin as predictors of kidney disease progression in the Modification of Diet in Renal Disease Study. <i>Kidney International</i> , 2002 , 62, 2208-15	9.9	62
39	Mathematical Coupling and the Association Between Kt/V and PCRn. <i>Seminars in Dialysis</i> , 2002 , 12, S-20-S-28	5.3	1
38	Seasonal variations in clinical and laboratory variables among chronic hemodialysis patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2002 , 13, 2345-52	12.7	75
37	Effect of blood pressure lowering and antihypertensive drug class on progression of hypertensive kidney disease: results from the AASK trial. <i>JAMA - Journal of the American Medical Association</i> , 2002 , 288, 2421-31	27.4	1425
36	Effect of dialysis dose and membrane flux in maintenance hemodialysis. <i>New England Journal of Medicine</i> , 2002 , 347, 2010-9	59.2	1412
35	A model for a proportional treatment effect on disease progression. <i>Biometrics</i> , 2001 , 57, 354-60	1.8	13
34	Comparison of cross-sectional renal function measurements in African Americans with hypertensive nephrosclerosis and of primary formulas to estimate glomerular filtration rate. <i>American Journal of Kidney Diseases</i> , 2001 , 38, 744-53	7.4	184
33	Analysis of change in the presence of informative censoring: application to a longitudinal clinical trial of progressive renal disease. <i>Statistics in Medicine</i> , 2001 , 20, 989-1007	2.3	39
32	Relationship between nutritional status and the glomerular filtration rate: results from the MDRD study. <i>Kidney International</i> , 2000 , 57, 1688-703	9.9	279
31	Design and statistical issues of the hemodialysis (HEMO) study. <i>Contemporary Clinical Trials</i> , 2000 , 21, 502-25		120

30	Are observational studies just as effective as randomized clinical trials?. <i>Blood Purification</i> , 2000 , 18, 317-22	3.1	13
29	Factors associated with the prevalence of arteriovenous fistulas in hemodialysis patients in the HEMO study. Hemodialysis (HEMO) Study Group. <i>Kidney International</i> , 2000 , 58, 2178-85	9.9	143
28	Imprecision of the hemodialysis dose when measured directly from urea removal. Hemodialysis Study Group. <i>Kidney International</i> , 1999 , 55, 635-47	9.9	30
27	Relationship between apparent (single-pool) and true (double-pool) urea distribution volume. <i>Kidney International</i> , 1999 , 56, 1928-33	9.9	39
26	Effects of hemodialyzer reuse on clearances of urea and beta2-microglobulin. The Hemodialysis (HEMO) Study Group. <i>Journal of the American Society of Nephrology: JASN</i> , 1999 , 10, 117-27	12.7	84
25	Dietary protein restriction and the progression of chronic renal disease: what have all of the results of the MDRD study shown? Modification of Diet in Renal Disease Study group. <i>Journal of the American Society of Nephrology: JASN</i> , 1999 , 10, 2426-39	12.7	278
24	Predictors of the progression of renal disease in the Modification of Diet in Renal Disease Study. <i>Kidney International</i> , 1997 , 51, 1908-19	9.9	487
23	Hemodialyzer mass transfer-area coefficients for urea increase at high dialysate flow rates. The Hemodialysis (HEMO) Study. <i>Kidney International</i> , 1997 , 51, 2013-7	9.9	99
22	Effect of dietary protein restriction on nutritional status in the Modification of Diet in Renal Disease Study. <i>Kidney International</i> , 1997 , 52, 778-91	9.9	149
21	Comparison of methods to predict equilibrated Kt/V in the HEMO Pilot Study. <i>Kidney International</i> , 1997 , 52, 1395-405	9.9	125
20	Achievement and safety of a low blood pressure goal in chronic renal disease. The Modification of Diet in Renal Disease Study Group. <i>Hypertension</i> , 1997 , 29, 641-50	8.5	138
19	Effects of blood pressure control on progressive renal disease in blacks and whites. Modification of Diet in Renal Disease Study Group. <i>Hypertension</i> , 1997 , 30, 428-35	8.5	106
18	Effects of dietary protein restriction on the progression of advanced renal disease in the Modification of Diet in Renal Disease Study. <i>American Journal of Kidney Diseases</i> , 1996 , 27, 652-63	7.4	245
17	<i>Toxocara canis</i> infection in preschool age children: risk factors and the cognitive development of preschool children. <i>Neurotoxicology and Teratology</i> , 1996 , 18, 167-74	3.9	32
16	Neonatal diagnosis of fetal alcohol syndrome: not necessarily a hopeless prognosis. <i>Alcoholism: Clinical and Experimental Research</i> , 1995 , 19, 1550-7	3.7	12
15	Histometric effects of ciliary neurotrophic factor in wobbler mouse motor neuron disease. <i>Annals of Neurology</i> , 1995 , 37, 47-54	9.4	46
14	Effects of brain-derived neurotrophic factor on motor dysfunction in wobbler mouse motor neuron disease. <i>Annals of Neurology</i> , 1995 , 37, 505-11	9.4	125
13	The effects of ciliary neurotrophic factor on motor dysfunction in wobbler mouse motor neuron disease. <i>Annals of Neurology</i> , 1994 , 36, 142-8	9.4	118

12	Serum lipid changes associated with modified protein diets: results from the feasibility phase of the Modification of Diet in Renal Disease Study. <i>American Journal of Kidney Diseases</i> , 1994 , 23, 514-23	7.4	11
11	Dentine lead and intelligence prior to school entry: a statistical sensitivity analysis. <i>Journal of Clinical Epidemiology</i> , 1993 , 46, 323-39	5.7	13
10	Contributions of risk factors to elevated blood and dentine lead levels in preschool children. <i>Science of the Total Environment</i> , 1992 , 115, 239-60	10.2	12
9	Covariance pooling and stabilization for classification. <i>Computational Statistics and Data Analysis</i> , 1991 , 11, 17-42	1.6	34
8	Prenatal alcohol exposure and sustained attention in the preschool years. <i>Neurotoxicology and Teratology</i> , 1991 , 13, 49-55	3.9	55
7	Prenatal alcohol exposure and cognitive development in the preschool years. <i>Neurotoxicology and Teratology</i> , 1991 , 13, 57-68	3.9	55
6	Prenatal and preschool age lead exposure: relationship with size. <i>Neurotoxicology and Teratology</i> , 1991 , 13, 417-27	3.9	42
5	Descriptively sufficient subcollections of flats in matroids. <i>Discrete Mathematics</i> , 1991 , 87, 149-161	0.7	1
4	Prenatal alcohol exposure and preschool physical growth: a longitudinal analysis. <i>Alcoholism: Clinical and Experimental Research</i> , 1991 , 15, 905-13	3.7	32
3	Prenatal alcohol exposure and language development. <i>Alcoholism: Clinical and Experimental Research</i> , 1990 , 14, 937-45	3.7	51
2	The depiction of linear association by matroids. <i>Computational Statistics and Data Analysis</i> , 1990 , 9, 251-269	1.6	1
1	Which veterans in the Supportive Services for Veteran Families program receive temporary financial assistance and why: a mixed methods study. <i>Journal of Social Distress and the Homeless</i> , 1-13	1.4	