David E Cantonwine

List of Publications by Citations

 $\textbf{Source:} \ https://exaly.com/author-pdf/4170562/david-e-cantonwine-publications-by-citations.pdf$

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63 36 1,424 22 g-index h-index citations papers 66 1,836 6.5 4.74 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
63	Urinary phthalate metabolite concentrations among pregnant women in Northern Puerto Rico: distribution, temporal variability, and predictors. <i>Environment International</i> , 2014 , 62, 1-11	12.9	147
62	Validity of Self-Assessed Sexual Maturation Against Physician Assessments and Hormone Levels. Journal of Pediatrics, 2017 , 186, 172-178.e3	3.6	77
61	Repeated measures of inflammation and oxidative stress biomarkers in preeclamptic and normotensive pregnancies. <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 216, 527.e1-527.e9	6.4	71
60	Environmental phenol associations with ultrasound and delivery measures of fetal growth. <i>Environment International</i> , 2018 , 112, 243-250	12.9	68
59	Urinary Concentrations of Bisphenol A and Phthalate Metabolites Measured during Pregnancy and Risk of Preeclampsia. <i>Environmental Health Perspectives</i> , 2016 , 124, 1651-1655	8.4	65
58	Associations between maternal phenol and paraben urinary biomarkers and maternal hormones during pregnancy: A repeated measures study. <i>Environment International</i> , 2018 , 113, 341-349	12.9	59
57	Urinary Bisphenol A Levels during Pregnancy and Risk of Preterm Birth. <i>Environmental Health Perspectives</i> , 2015 , 123, 895-901	8.4	59
56	Urinary trace metals individually and in mixtures in association with preterm birth. <i>Environment International</i> , 2018 , 121, 582-590	12.9	56
55	Urinary phthalate metabolite and bisphenol A associations with ultrasound and delivery indices of fetal growth. <i>Environment International</i> , 2016 , 94, 531-537	12.9	54
54	Urinary Polycyclic Aromatic Hydrocarbon Metabolite Associations with Biomarkers of Inflammation, Angiogenesis, and Oxidative Stress in Pregnant Women. <i>Environmental Science & Environmental </i>	10.3	52
53	Repeated measures analysis of associations between urinary bisphenol-A concentrations and biomarkers of inflammation and oxidative stress in pregnancy. <i>Reproductive Toxicology</i> , 2016 , 66, 93-98	3.4	50
52	Mercury levels in pregnant women, children, and seafood from Mexico City. <i>Environmental Research</i> , 2014 , 135, 63-9	7.9	49
51	Preterm birth in relation to the bisphenol A replacement, bisphenol S, and other phenols and parabens. <i>Environmental Research</i> , 2019 , 169, 131-138	7.9	43
50	Distribution and determinants of urinary biomarkers of exposure to organophosphate insecticides in Puerto Rican pregnant women. <i>Science of the Total Environment</i> , 2015 , 512-513, 337-344	10.2	36
49	Evaluation of proteomic biomarkers associated with circulating microparticles as an effective means to stratify the risk of spontaneous preterm birth. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 214, 631.e1-631.e11	6.4	34
48	Urinary tract infection during pregnancy, angiogenic factor profiles, and risk of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 214, 387.e1-7	6.4	29
47	Environmental contaminants and preeclampsia: a systematic literature review. <i>Journal of Toxicology and Environmental Health - Part B: Critical Reviews</i> , 2018 , 21, 291-319	8.6	28

(2017-2015)

Angiogenic markers in pregnancies conceived through in vitro fertilization. <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 213, 212.e1-8	6.4	27
Maternal circulating angiogenic factors in twinlandlingletonlipregnancies. <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 212, 636.e1-8	6.4	27
Pregnancy-associated diamine oxidase originates from extravillous trophoblasts and is decreased in early-onset preeclampsia. <i>Scientific Reports</i> , 2018 , 8, 6342	4.9	27
Prediction and associations of preterm birth and its subtypes with eicosanoid enzymatic pathways and inflammatory markers. <i>Scientific Reports</i> , 2019 , 9, 17049	4.9	24
Associations between repeated ultrasound measures of fetal growth and biomarkers of maternal oxidative stress and inflammation in pregnancy. <i>American Journal of Reproductive Immunology</i> , 2018 , 80, e13017	3.8	23
Utilizing Longitudinal Measures of Fetal Growth to Create a Standard Method to Assess the Impacts of Maternal Disease and Environmental Exposure. <i>PLoS ONE</i> , 2016 , 11, e0146532	3.7	20
Associations between maternal plasma measurements of inflammatory markers and urinary levels of phenols and parabens during pregnancy: A repeated measures study. <i>Science of the Total Environment</i> , 2019 , 650, 1131-1140	10.2	20
Subclinical Changes in Maternal Thyroid Function Parameters in Pregnancy and Fetal Growth. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 1349-1358	5.6	19
Circulating microparticle proteins obtained in the late first trimester predict spontaneous preterm birth at less than 35 weeks Weestation: a panel validation with specific characterization by parity. American Journal of Obstetrics and Gynecology, 2019, 220, 488.e1-488.e11	6.4	19
Distribution and predictors of urinary polycyclic aromatic hydrocarbon metabolites in two pregnancy cohort studies. <i>Environmental Pollution</i> , 2018 , 232, 556-562	9.3	16
Inflammatory and oxidative stress markers associated with decreased cervical length in pregnancy. <i>American Journal of Reproductive Immunology</i> , 2016 , 76, 376-382	3.8	16
Exposure to 17 trace metals in pregnancy and associations with urinary oxidative stress biomarkers. <i>Environmental Research</i> , 2019 , 179, 108854	7.9	15
Estrogen metabolism pathways in preeclampsia and normal pregnancy. Steroids, 2019, 144, 8-14	2.8	12
Urinary trace metals, maternal circulating angiogenic biomarkers, and preeclampsia: a single-contaminant and mixture-based approach. <i>Environmental Health</i> , 2019 , 18, 63	6	12
Application of an analytical framework for multivariate mediation analysis of environmental data. <i>Nature Communications</i> , 2020 , 11, 5624	17.4	11
The Association of Alanine Aminotransferase in Early Pregnancy with Gestational Diabetes. <i>Metabolic Syndrome and Related Disorders</i> , 2016 , 14, 254-8	2.6	11
Early lead exposure and childhood adiposity in Mexico city. <i>International Journal of Hygiene and Environmental Health</i> , 2019 , 222, 965-970	6.9	11
Patient selection for later delivery timing with suspected previa-accreta. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2017 , 96, 1021-1028	3.8	10
	Maternal circulating angiogenic factors in twinlandIsingletonipregnancies. American Journal of Obstetrics and Gynecology, 2015, 212, 636.e1-8 Pregnancy-associated diamine oxidase originates from extravillous trophoblasts and is decreased in early-onset preeclampsia. Scientific Reports, 2018, 8, 6342 Prediction and associations of preterm birth and its subtypes with eicosanoid enzymatic pathways and inflammatory markers. Scientific Reports, 2019, 9, 17049 Associations between repeated ultrasound measures of fetal growth and biomarkers of maternal oxidative stress and inflammation in pregnancy. American Journal of Reproductive Immunology, 2018, 80, e13017 Utilizing Longitudinal Measures of Fetal Growth to Create a Standard Method to Assess the Impacts of Maternal Disease and Environmental Exposure. PLoS ONE, 2016, 11, e0146532 Associations between maternal plasma measurements of inflammatory markers and urinary levels of phenols and parabens during pregnancy: A repeated measures study. Science of the Total Environment, 2019, 650, 1131-1140 Subclinical Changes in Maternal Thyroid Function Parameters in Pregnancy and Fetal Growth. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 1349-1358 Circulating microparticle proteins obtained in the late first trimester predict spontaneous preterm birth at less than 35 weeks/yestation: a panel validation with specific characterization by parity. American Journal of Obstetrics and Gynecology, 2019, 220, 488.e1-488.e11 Distribution and predictors of urinary polycyclic aromatic hydrocarbon metabolites in two pregnancy cohort studies. Environmental Pollution, 2018, 232, 556-562 Inflammatory and oxidative stress markers associated with decreased cervical length in pregnancy. American Journal of Reproductive Immunology, 2016, 76, 376-382 Exposure to 17 trace metals in pregnancy and associations with urinary oxidative stress biomarkers. Environmental Research, 2019, 179, 108854 Estrogen metabolism pathways in preeclampsia and normal pregnancy. Steroids, 2019,	Maternal circulating angiogenic factors in twiniandisingletonibregnancies. American Journal of Obstetrics and Gynecology, 2015, 212, 636.e1-8 Pregnancy-associated diamine oxidase originates from extravillous trophoblasts and is decreased in early-onset preclampsia. Scientific Reports, 2018, 8, 6342 Prediction and associations of preterm birth and its subtypes with eicosanoid enzymatic pathways and inflammatory markers. Scientific Reports, 2019, 9, 17049 Associations between repeated ultrasound measures of fetal growth and biomarkers of maternal oxidative stress and inflammation in pregnancy. American Journal of Reproductive Immunology, 2018, 80, e13017 Utilizing Longitudinal Measures of Fetal Growth to Create a Standard Method to Assess the Impacts of Maternal Disease and Environmental Exposure. PLoS ONE, 2016, 11, e0146532 Associations between maternal plasma measurements of inflammatory markers and urinary levels of phenols and parabens during pregnancy: A repeated measures study. Science of the Total Environment, 2019, 650, 1131-1140 Subclinical Changes in Maternal Thyroid Function Parameters in Pregnancy and Fetal Growth. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 1349-1358 Circulating microparticle proteins obtained in the late first trimester predict spontaneous preterm birth at less than 35 weeks/weestation: a panel validation with specific characterization by parity. American Journal of Obstetrics and Gynecology, 2019, 220, 488-e1-488-e11 Distribution and predictors of urinary polycyclic aromatic hydrocarbon metabolites in two pregnancy cohort studies. Environmental Polution, 2018, 232, 556-562 Inflammatory and oxidative stress markers associated with decreased cervical length in pregnancy. American Journal of Reproductive Immunology, 2016, 76, 376-382 Exposure to 17 trace metals in pregnancy and associations with urinary oxidative stress biomarkers. Environmental Research, 2019, 179, 108854 Estrogen metabolism pathways in preeclampsia and normal pregnancy. Steroids, 2019, 1

28	Non-targeted urinary metabolomics in pregnancy and associations with fetal growth restriction. <i>Scientific Reports</i> , 2020 , 10, 5307	4.9	10
27	Urinary trace metals in association with fetal ultrasound measures during pregnancy. <i>Environmental Epidemiology</i> , 2020 , 4,	0.2	10
26	RNA profiles reveal signatures of future health and disease in pregnancy Nature, 2022,	50.4	9
25	The association of early unexplained elevated alanine aminotransferase with large-for-gestational-age birthweight. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 215, 474.e1	<u>-</u> §.4	9
24	Association of Antenatal Depression with Clinical Subtypes of Preterm Birth. <i>American Journal of Perinatology</i> , 2019 , 36, 567-573	3.3	8
23	Angle of Progression on Ultrasound in the Second Stage of Labor and Spontaneous Vaginal Delivery. <i>American Journal of Perinatology</i> , 2018 , 35, 413-420	3.3	8
22	Cross-Sectional Estimation of Endogenous Biomarker Associations with Prenatal Phenols, Phthalates, Metals, and Polycyclic Aromatic Hydrocarbons in Single-Pollutant and Mixtures Analysis Approaches. <i>Environmental Health Perspectives</i> , 2021 , 129, 37007	8.4	7
21	Is There an Association between Body Mass Index and Cervical Length? Implications for Obesity and Cervical Length Management in Pregnancy. <i>American Journal of Perinatology</i> , 2017 , 34, 568-575	3.3	6
20	Association of antenatal depression with oxidative stress and impact on spontaneous preterm birth. <i>Journal of Perinatology</i> , 2019 , 39, 554-562	3.1	6
19	Manganese is associated with increased plasma interleukin-1 during pregnancy, within a mixtures analysis framework of urinary trace metals. <i>Reproductive Toxicology</i> , 2020 , 93, 43-53	3.4	6
18	Longitudinal profiles of plasma eicosanoids during pregnancy and size for gestational age at delivery: Alhested case-control study. <i>PLoS Medicine</i> , 2020 , 17, e1003271	11.6	6
17	Foetal ultrasound measurement imputations based on growth curves versus multiple imputation chained equation (MICE). <i>Paediatric and Perinatal Epidemiology</i> , 2018 , 32, 469-473	2.7	5
16	Maternal Smoking during Pregnancy and DaughtersWPreeclampsia Risk. <i>PLoS ONE</i> , 2015 , 10, e0144207	3.7	5
15	Late first trimester circulating microparticle proteins predict the risk of preeclampsia . <i>Scientific Reports</i> , 2020 , 10, 17353	4.9	5
14	Maternal Levels of Perfluoroalkyl Substances (PFAS) during Early Pregnancy in Relation to Preeclampsia Subtypes and Biomarkers of Preeclampsia Risk. <i>Environmental Health Perspectives</i> , 2021 , 129, 107004	8.4	4
13	Timing and Amount of Gestational Weight Gain in Association with Adverse Birth Outcomes. <i>Epidemiology</i> , 2019 , 30, 695-705	3.1	4
12	Accuracy of a mixed effects model interpolation technique for the estimation of pregnancy weight values. <i>Journal of Epidemiology and Community Health</i> , 2019 , 73, 786-792	5.1	3
11	Defining Physiological Predictors of Peripartum Maternal Bacteremia. <i>American Journal of Perinatology</i> , 2015 , 32, 1342-50	3.3	3

LIST OF PUBLICATIONS

-	10	Longitudinal exposure to consumer product chemicals and changes in plasma oxylipins in pregnant women. <i>Environment International</i> , 2021 , 157, 106787	12.9	3	
٥	9	Urinary phthalate metabolite concentrations in relation to levels of circulating matrix metalloproteinases in pregnant women. <i>Science of the Total Environment</i> , 2018 , 613-614, 1349-1352	10.2	2	
8	8	Comparison of seasonal serum 25-hydroxyvitamin D concentrations among pregnant women in Mongolia and Boston. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2019 , 193, 105427	5.1	2	
7	7	Application of a novel analytical pipeline for high-dimensional multivariate mediation analysis of environmental data		2	
(6	Racial differences in indications for obstetrical toxicology testing and relationship of indications to test results. <i>American Journal of Obstetrics & Dynecology MFM</i> , 2021 , 4, 100453	7.4	2	
	5	Average and time-specific maternal prenatal inflammatory biomarkers and the risk of labor epidural associated fever. <i>PLoS ONE</i> , 2019 , 14, e0222958	3.7	1	
4	4	A prospective study of maternal 25-hydroxyvitamin D (25OHD) in the first trimester of pregnancy and second trimester heavy metal levels. <i>Environmental Research</i> , 2021 , 199, 111351	7.9	1	
3	3	Timing surgery for previa-accreta: patient selection based on a priori risk factors. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2017 , 96, 1030	3.8		
2	2	Effects of Selective Exclusion of Patients on Preterm Birth Test Performance. <i>Obstetrics and Gynecology</i> , 2020 , 135, 1228-1229	4.9		
-	1	Assessment of the Placental Cord Insertion Using 3-Dimensional Ultrasound at the Time of the Structural Fetal Survey. <i>Journal of Ultrasound in Medicine</i> , 2019 , 38, 1791-1796	2.9		