Dirk Timmerman

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4170906/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Endometrial cancer. Lancet, The, 2005, 366, 491-505.	6.3	1,368
2	The EFSUMB Guidelines and Recommendations on the Clinical Practice of Contrast Enhanced Ultrasound (CEUS): Update 2011 on non-hepatic applications. Ultraschall in Der Medizin, 2012, 33, 33-59.	0.8	922
3	Terms, definitions and measurements to describe the sonographic features of adnexal tumors: a consensus opinion from the International Ovarian Tumor Analysis (IOTA) group. Ultrasound in Obstetrics and Gynecology, 2000, 16, 500-505.	0.9	747
4	ESMO–ESGO consensus conference recommendations on ovarian cancer: pathology and molecular biology, early and advanced stages, borderline tumours and recurrent disease. Annals of Oncology, 2019, 30, 672-705.	0.6	665
5	Prognostic importance of degree of differentiation and cyst rupture in stage I invasive epithelial ovarian carcinoma. Lancet, The, 2001, 357, 176-182.	6.3	598
6	Systematic approach to sonographic evaluation of the pelvis in women with suspected endometriosis, including terms, definitions and measurements: a consensus opinion from the International Deep Endometriosis Analysis (IDEA) group. Ultrasound in Obstetrics and Gynecology, 2016, 48, 318-332.	0.9	503
7	Terms, definitions and measurements to describe sonographic features of myometrium and uterine masses: a consensus opinion from the Morphological Uterus Sonographic Assessment (MUSA) group. Ultrasound in Obstetrics and Gynecology, 2015, 46, 284-298.	0.9	461
8	High prevalence of endometriosis in infertile women with normal ovulation and normospermic partners. Fertility and Sterility, 2009, 92, 68-74.	0.5	445
9	Simple ultrasoundâ€based rules for the diagnosis of ovarian cancer. Ultrasound in Obstetrics and Gynecology, 2008, 31, 681-690.	0.9	435
10	Logistic Regression Model to Distinguish Between the Benign and Malignant Adnexal Mass Before Surgery: A Multicenter Study by the International Ovarian Tumor Analysis Group. Journal of Clinical Oncology, 2005, 23, 8794-8801.	0.8	396
11	Clinical management of uterine sarcomas. Lancet Oncology, The, 2009, 10, 1188-1198.	5.1	374
12	Simple ultrasound rules to distinguish between benign and malignant adnexal masses before surgery: prospective validation by IOTA group. BMJ: British Medical Journal, 2010, 341, c6839-c6839.	2.4	336
13	Evaluating the risk of ovarian cancer before surgery using the ADNEX model to differentiate between benign, borderline, early and advanced stage invasive, and secondary metastatic tumours: prospective multicentre diagnostic study. BMJ, The, 2014, 349, g5920-g5920.	3.0	309
14	Predicting the prognosis of breast cancer by integrating clinical and microarray data with Bayesian networks. Bioinformatics, 2006, 22, e184-e190.	1.8	308
15	Patient-derived organoids from endometrial disease capture clinical heterogeneity and are amenable to drug screening. Nature Cell Biology, 2019, 21, 1041-1051.	4.6	281
16	HE4 and CA125 as a diagnostic test in ovarian cancer: prospective validation of the Risk of Ovarian Malignancy Algorithm. British Journal of Cancer, 2011, 104, 863-870.	2.9	270
17	The accuracy of transvaginal ultrasonography for the diagnosis of ectopic pregnancy prior to surgery. Human Reproduction, 2005, 20, 1404-1409.	0.4	267
18	Pregnancy of unknown location: a consensus statement of nomenclature, definitions, and outcome. Fertility and Sterility, 2011, 95, 857-866.	0.5	264

#	Article	IF	CITATIONS
19	O-RADS US Risk Stratification and Management System: A Consensus Guideline from the ACR Ovarian-Adnexal Reporting and Data System Committee. Radiology, 2020, 294, 168-185.	3.6	240
20	Development of organoids from mouse and human endometrium showing endometrial epithelium physiology and long-term expandability. Development (Cambridge), 2017, 144, 1775-1786.	1.2	228
21	Color Doppler imaging is a valuable tool for the diagnosis and management of uterine vascular malformations. Ultrasound in Obstetrics and Gynecology, 2003, 21, 570-577.	0.9	219
22	Subjective assessment of adnexal masses with the use of ultrasonography: an analysis of interobserver variability and experience. Ultrasound in Obstetrics and Gynecology, 1999, 13, 11-16.	0.9	216
23	Terms, definitions and measurements to describe the sonographic features of the endometrium and intrauterine lesions: a consensus opinion from the International Endometrial Tumor Analysis (IETA) group. Ultrasound in Obstetrics and Gynecology, 2010, 35, 103-112.	0.9	212
24	Predicting the risk of malignancy in adnexal masses based on the Simple Rules from the International Ovarian Tumor Analysis group. American Journal of Obstetrics and Gynecology, 2016, 214, 424-437.	0.7	212
25	The Thessaloniki ESHRE/ESGE consensus on diagnosis of female genital anomalies. Human Reproduction, 2016, 31, 2-7.	0.4	210
26	Endometriomas: their ultrasound characteristics. Ultrasound in Obstetrics and Gynecology, 2010, 35, 730-740.	0.9	190
27	Monochorionic diamniotic twins: complications and management options. Current Opinion in Obstetrics and Gynecology, 2003, 15, 177-194.	0.9	186
28	Discrimination Between Benign and Malignant Adnexal Masses by Specialist Ultrasound Examination Versus Serum CA-125. Journal of the National Cancer Institute, 2007, 99, 1706-1714.	3.0	184
29	Uterine adenomyosis in the infertility clinic. Human Reproduction Update, 2003, 9, 139-147.	5.2	177
30	Subjective assessment versus ultrasound models to diagnose ovarian cancer: A systematic review and meta-analysis. European Journal of Cancer, 2016, 58, 17-29.	1.3	172
31	Presurgical diagnosis of adnexal tumours using mathematical models and scoring systems: a systematic review and meta-analysis. Human Reproduction Update, 2014, 20, 449-462.	5.2	163
32	Sonographic classification and reporting system for diagnosing adenomyosis. Ultrasound in Obstetrics and Gynecology, 2019, 53, 576-582.	0.9	157
33	Diagnostic accuracy of transvaginal ultrasound examination for assigning a specific diagnosis to adnexal masses. Ultrasound in Obstetrics and Gynecology, 2009, 34, 462-470.	0.9	156
34	Ovarian cancer prediction in adnexal masses using ultrasoundâ€based logistic regression models: a temporal and external validation study by the IOTA group. Ultrasound in Obstetrics and Gynecology, 2010, 36, 226-234.	0.9	154
35	Improving strategies for diagnosing ovarian cancer: a summary of the International Ovarian Tumor Analysis (<scp>IOTA</scp>) studies. Ultrasound in Obstetrics and Gynecology, 2013, 41, 9-20.	0.9	153
36	The impact of complaints procedures on the welfare, health and clinical practise of 7926 doctors in the UK: a cross-sectional survey. BMJ Open, 2015, 5, e006687-e006687.	0.8	150

#	Article	IF	CITATIONS
37	A randomized trial on the use of ultrasonography or office hysteroscopy for endometrial assessment in postmenopausal patients with breast cancer who were treated with tamoxifen. American Journal of Obstetrics and Gynecology, 1998, 179, 62-70.	0.7	149
38	A comparison of methods for preoperative discrimination between malignant and benign adnexal masses: The development of a new logistic regression model. American Journal of Obstetrics and Gynecology, 1999, 181, 57-65.	0.7	149
39	Vascular malformations in the uterus: ultrasonographic diagnosis and conservative management. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2000, 92, 171-178.	0.5	149
40	The pedicle artery sign based on sonography with color Doppler imaging can replace second-stage tests in women with abnormal vaginal bleeding. Ultrasound in Obstetrics and Gynecology, 2003, 22, 166-171.	0.9	149
41	Sonographic examination of uterine niche in nonâ€pregnant women: a modified Delphi procedure. Ultrasound in Obstetrics and Gynecology, 2019, 53, 107-115.	0.9	147
42	Which extrauterine pelvic masses are difficult to correctly classify as benign or malignant on the basis of ultrasound findings and is there a way of making a correct diagnosis?. Ultrasound in Obstetrics and Gynecology, 2006, 27, 438-444.	0.9	144
43	The use of ultrasound-based 'soft markers' for the prediction of pelvic pathology in women with chronic pelvic pain-can we reduce the need for laparoscopy?. BJOG: an International Journal of Obstetrics and Gynaecology, 2006, 113, 251-256.	1.1	139
44	Standardized approach for imaging and measuring Cesarean section scars using ultrasonography. Ultrasound in Obstetrics and Gynecology, 2012, 39, 252-259.	0.9	139
45	Anti-TNF-Â treatment for deep endometriosis-associated pain: a randomized placebo-controlled trial. Human Reproduction, 2008, 23, 2017-2023.	0.4	138
46	Prospective Study to Assess Short-Term Intra-Articular and Tenosynovial Changes in the Aromatase Inhibitor–Associated Arthralgia Syndrome. Journal of Clinical Oncology, 2008, 26, 3147-3152.	0.8	130
47	Diagnostic accuracy of varying discriminatory zones for the prediction of ectopic pregnancy in women with a pregnancy of unknown location. Ultrasound in Obstetrics and Gynecology, 2005, 26, 770-775.	0.9	128
48	Interpregnancy Weight Change and Risk for Adverse Perinatal Outcome. Obstetrics and Gynecology, 2013, 122, 999-1009.	1.2	126
49	Limitations of current definitions of miscarriage using mean gestational sac diameter and crown–rump length measurements: a multicenter observational study. Ultrasound in Obstetrics and Gynecology, 2011, 38, 497-502.	0.9	124
50	The psychological impact of early pregnancy loss. Human Reproduction Update, 2018, 24, 731-749.	5.2	123
51	Pregnancies of unknown location: consensus statement. Ultrasound in Obstetrics and Gynecology, 2006, 28, 121-122.	0.9	120
52	Post-traumatic stress, anxiety and depression following miscarriage or ectopic pregnancy: a prospective cohort study. BMJ Open, 2016, 6, e011864.	0.8	120
53	Posttraumatic stress, anxiety and depression following miscarriage and ectopic pregnancy: a multicenter, prospective, cohort study. American Journal of Obstetrics and Gynecology, 2020, 222, 367.e1-367.e22.	0.7	120
54	The use of a new logistic regression model for predicting the outcome of pregnancies of unknown location. Human Reproduction, 2004, 19, 1900-1910.	0.4	116

#	Article	IF	CITATIONS
55	Acute effects of tamoxifen and third-generation aromatase inhibitors on menopausal symptoms of breast cancer patients. Anti-Cancer Drugs, 2004, 15, 753-760.	0.7	116
56	Ovarian-Adnexal Reporting Lexicon for Ultrasound: A White Paper of the ACR Ovarian-Adnexal Reporting and Data System Committee. Journal of the American College of Radiology, 2018, 15, 1415-1429.	0.9	116
57	Artificial neural network models for the preoperative discrimination between malignant and benign adnexal masses. Ultrasound in Obstetrics and Gynecology, 1999, 13, 17-25.	0.9	112
58	Debilitating musculoskeletal pain and stiffness with letrozole and exemestane: associated tenosynovial changes on magnetic resonance imaging. Breast Cancer Research and Treatment, 2007, 104, 87-91.	1.1	111
59	Predictive analytics in health care: how can we know it works?. Journal of the American Medical Informatics Association: JAMIA, 2019, 26, 1651-1654.	2.2	110
60	Risk of complications in patients with conservatively managed ovarian tumours (IOTA5): a 2-year interim analysis of a multicentre, prospective, cohort study. Lancet Oncology, The, 2019, 20, 448-458.	5.1	110
61	Ultrasound characteristics of different types of adnexal malignancies. Gynecologic Oncology, 2006, 102, 41-48.	0.6	106
62	Associated malformations and chromosomal anomalies in 42 cases of prenatally diagnosed diaphragmatic hernia. American Journal of Medical Genetics Part A, 2001, 103, 278-282.	2.4	105
63	Developing Organoids from Ovarian Cancer as Experimental and Preclinical Models. Stem Cell Reports, 2020, 14, 717-729.	2.3	105
64	Subjective assessment by ultrasound is superior to the risk of malignancy index (RMI) or the risk of ovarian malignancy algorithm (ROMA) in discriminating benign from malignant adnexal masses. European Journal of Cancer, 2012, 48, 1649-1656.	1.3	104
65	Imaging in gynecological disease (1): ultrasound features of metastases in the ovaries differ depending on the origin of the primary tumor. Ultrasound in Obstetrics and Gynecology, 2007, 29, 505-511.	0.9	102
66	Three myths about risk thresholds for prediction models. BMC Medicine, 2019, 17, 192.	2.3	101
67	Occurrence and Outcome of Residual Trophoblastic Tissue. Journal of Ultrasound in Medicine, 2008, 27, 357-361.	0.8	100
68	Meigs' Syndrome with Elevated Serum CA 125 Levels: Two Case Reports and Review of the Literature. Gynecologic Oncology, 1995, 59, 405-408.	0.6	98
69	Strategies to diagnose ovarian cancer: new evidence from phase 3 of the multicentre international IOTA study. British Journal of Cancer, 2014, 111, 680-688.	2.9	98
70	Prospective Internal Validation of Mathematical Models to Predict Malignancy in Adnexal Masses: Results from the International Ovarian Tumor Analysis Study. Clinical Cancer Research, 2009, 15, 684-691.	3.2	97
71	A simulation study of sample size demonstrated the importance of the number of events per variable to develop prediction models in clustered data. Journal of Clinical Epidemiology, 2015, 68, 1406-1414.	2.4	94
72	The association between vaginal bacterial composition and miscarriage: a nested case–control study. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 264-274.	1.1	89

#	Article	IF	CITATIONS
73	DALI: Vitamin D and lifestyle intervention for gestational diabetes mellitus (GDM) prevention: an European multicentre, randomised trial – study protocol. BMC Pregnancy and Childbirth, 2013, 13, 142.	0.9	85
74	Multicentre external validation of IOTA prediction models and RMI by operators with varied training. British Journal of Cancer, 2013, 108, 2448-2454.	2.9	80
75	Chromosomal Instability in Cell-Free DNA as a Highly Specific Biomarker for Detection of Ovarian Cancer in Women with Adnexal Masses. Clinical Cancer Research, 2017, 23, 2223-2231.	3.2	80
76	Consensus on revised definitions of Morphological Uterus Sonographic Assessment (<scp>MUSA</scp>) features of adenomyosis: results of modified Delphi procedure. Ultrasound in Obstetrics and Gynecology, 2022, 60, 118-131.	0.9	80
77	The use of mathematical models to evaluate pelvic masses; can they beat an expert operator?. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2004, 18, 91-104.	1.4	79
78	Prediction of ectopic pregnancy in women with a pregnancy of unknown location. Ultrasound in Obstetrics and Gynecology, 2007, 29, 680-687.	0.9	78
79	External validation of the endometriosis fertility index (EFI) staging system for predicting non-ART pregnancy after endometriosis surgery. Human Reproduction, 2013, 28, 1280-1288.	0.4	77
80	Human chorionic gonadotrophin and progesterone levels in pregnancies of unknown location. International Journal of Gynecology and Obstetrics, 2004, 86, 351-357.	1.0	76
81	Axillary lymph node status of operable breast cancers by combined steroid receptor and HER-2 status: triple positive tumours are more likely lymph node positive. Breast Cancer Research and Treatment, 2009, 113, 181-187.	1.1	76
82	Imaging in gynecological disease (5): clinical and ultrasound characteristics in fibroma and fibrothecoma of the ovary. Ultrasound in Obstetrics and Gynecology, 2009, 34, 188-195.	0.9	76
83	Defining safe criteria to diagnose miscarriage: prospective observational multicentre study. BMJ, The, 2015, 351, h4579.	3.0	76
84	Inclusion of CA-125 Does Not Improve Mathematical Models Developed to Distinguish Between Benign and Malignant Adnexal Tumors. Journal of Clinical Oncology, 2007, 25, 4194-4200.	0.8	75
85	Why are some ectopic pregnancies characterized as pregnancies of unknown location at the initial transvaginal ultrasound examination?. Acta Obstetricia Et Gynecologica Scandinavica, 2008, 87, 1150-1154.	1.3	75
86	Clinical implications of intra- and interobserver reproducibility of transvaginal sonographic measurement of gestational sac and crown-rump length at 6-9 weeks' gestation. Ultrasound in Obstetrics and Gynecology, 2011, 38, 510-515.	0.9	75
87	The optimal timing of an ultrasound scan to assess the location and viability of an early pregnancy. Human Reproduction, 2009, 24, 1811-1817.	0.4	74
88	The harm of class imbalance corrections for risk prediction models: illustration and simulation using logistic regression. Journal of the American Medical Informatics Association: JAMIA, 2022, 29, 1525-1534.	2.2	74
89	Acquired uterine vascular malformations: radiological and clinical outcome after transcatheter embolotherapy. European Radiology, 2006, 16, 299-306.	2.3	73
90	The Use of Contrasted Transvaginal Sonography in the Diagnosis of Gynecologic Diseases. Journal of Ultrasound in Medicine, 2005, 24, 1267-1278.	0.8	72

#	Article	IF	CITATIONS
91	Imaging of gynecological disease (2): clinical and ultrasound characteristics of Sertoli cell tumors, Sertoli–Leydig cell tumors and Leydig cell tumors. Ultrasound in Obstetrics and Gynecology, 2008, 31, 85-91.	0.9	72
92	External Validation of Diagnostic Models to Estimate the Risk of Malignancy in Adnexal Masses. Clinical Cancer Research, 2012, 18, 815-825.	3.2	72
93	Screening for uterine tumours. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2012, 26, 257-266.	1.4	72
94	The characteristic ultrasound features of specific types of ovarian pathology (Review). International Journal of Oncology, 2015, 46, 445-458.	1.4	72
95	First International Consensus Report on Adnexal Masses: Management Recommendations. Journal of Ultrasound in Medicine, 2017, 36, 849-863.	0.8	72
96	Preoperative prediction of malignancy of ovarian tumors using least squares support vector machines. Artificial Intelligence in Medicine, 2003, 28, 281-306.	3.8	71
97	Imaging of gynecological disease (3): clinical and ultrasound characteristics of granulosa cell tumors of the ovary. Ultrasound in Obstetrics and Gynecology, 2008, 31, 450-456.	0.9	71
98	Evaluation of Markers and Risk Prediction Models. Medical Decision Making, 2013, 33, 490-501.	1.2	71
99	Adnexal masses difficult to classify as benign or malignant using subjective assessment of grayâ€scale and Doppler ultrasound findings: logistic regression models do not help. Ultrasound in Obstetrics and Gynecology, 2011, 38, 456-465.	0.9	70
100	Assessing the discriminative ability of risk models for more than two outcome categories. European Journal of Epidemiology, 2012, 27, 761-770.	2.5	70
101	Sample size considerations and predictive performance of multinomial logistic prediction models. Statistics in Medicine, 2019, 38, 1601-1619.	0.8	70
102	Rationalizing the follow-up of pregnancies of unknown location. Human Reproduction, 2007, 22, 1744-1750.	0.4	67
103	Extending the <i>c</i> â€statistic to nominal polytomous outcomes: the Polytomous Discrimination Index. Statistics in Medicine, 2012, 31, 2610-2626.	0.8	67
104	Risk of malignancy in unilocular cysts: a study of 1148 adnexal masses classified as unilocular cysts at transvaginal ultrasound and review of the literature. Ultrasound in Obstetrics and Gynecology, 2013, 41, 80-89.	0.9	66
105	Evaluating the risk of ovarian cancer before surgery using the ADNEX model: a multicentre external validation study. British Journal of Cancer, 2016, 115, 542-548.	2.9	66
106	External Validation of Mathematical Models to Distinguish Between Benign and Malignant Adnexal Tumors: A Multicenter Study by the International Ovarian Tumor Analysis Group. Clinical Cancer Research, 2007, 13, 4440-4447.	3.2	65
107	General obstetrics: Failing pregnancies of unknown location: a prospective evaluation of the human chorionic gonadotrophin ratio. BJOG: an International Journal of Obstetrics and Gynaecology, 2006, 113, 521-527.	1.1	64
108	Rationalizing the management of pregnancies of unknown location: temporal and external validation of a risk prediction model on 1962 pregnancies. Human Reproduction, 2013, 28, 609-616.	0.4	63

#	Article	IF	CITATIONS
109	Color Doppler and gray-scale ultrasound evaluation of the postpartum uterus. Ultrasound in Obstetrics and Gynecology, 2002, 20, 586-591.	0.9	62
110	Treatment of Menopausal Vasomotor Symptoms With Fezolinetant, a Neurokinin 3 Receptor Antagonist: A Phase 2a Trial. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 5893-5905.	1.8	62
111	Misoprostol compared with methylergometrine for the prevention of postpartum haemorrhage: a double-blind randomised trial. BJOG: an International Journal of Obstetrics and Gynaecology, 1999, 106, 1066-1070.	1.1	61
112	A prospective evaluation of a single-visit strategy to manage pregnancies of unknown location. Human Reproduction, 2005, 20, 1398-1403.	0.4	61
113	Clinically oriented threeâ€step strategy for assessment of adnexal pathology. Ultrasound in Obstetrics and Gynecology, 2012, 40, 582-591.	0.9	61
114	Ultrasound characteristics of endometrial cancer as defined by International Endometrial Tumor Analysis (IETA) consensus nomenclature: prospective multicenter study. Ultrasound in Obstetrics and Gynecology, 2018, 51, 818-828.	0.9	61
115	Imaging of gynecological disease (4): clinical and ultrasound characteristics of struma ovarii. Ultrasound in Obstetrics and Gynecology, 2008, 32, 210-219.	0.9	60
116	A multicenter prospective external validation of the diagnostic performance of IOTA simple descriptors and rules to characterize ovarian masses. Gynecologic Oncology, 2013, 130, 140-146.	0.6	58
117	Using literature and data to learn Bayesian networks as clinical models of ovarian tumors. Artificial Intelligence in Medicine, 2004, 30, 257-281.	3.8	57
118	Prospective evaluation of blood flow in the myometrium and uterine arteries in the puerperium. Ultrasound in Obstetrics and Gynecology, 2004, 23, 378-381.	0.9	57
119	Adding a single CA 125 measurement to ultrasound imaging performed by an experienced examiner does not improve preoperative discrimination between benign and malignant adnexal masses. Ultrasound in Obstetrics and Gynecology, 2009, 34, 345-354.	0.9	57
120	Ultrasound features of different histopathological subtypes of borderline ovarian tumors. Ultrasound in Obstetrics and Gynecology, 2005, 26, 644-650.	0.9	56
121	Prevalence of major levator abnormalities in symptomatic patients with an underactive pelvic floor contraction. International Urogynecology Journal, 2010, 21, 861-867.	0.7	56
122	Gestational sac and embryonic growth are not useful as criteria to define miscarriage: a multicenter observational study. Ultrasound in Obstetrics and Gynecology, 2011, 38, 503-509.	0.9	56
123	Pseudo-Meigs' Syndrome Caused by a Hydropic Degenerating Uterine Leiomyoma with Elevated CA 125. Gynecologic Oncology, 2001, 83, 153-157.	0.6	55
124	Assessing first trimester growth: the influence of ethnic background and maternal age. Human Reproduction, 2009, 24, 284-290.	0.4	55
125	Ultrasound Experience Substantially Impacts on Diagnostic Performance and Confidence when Adnexal Masses Are Classified Using Pattern Recognition. Gynecologic and Obstetric Investigation, 2010, 69, 160-168.	0.7	54
126	PET/CT in the staging of patients with a pelvic mass suspicious for ovarian cancer. Gynecologic Oncology, 2013, 131, 694-700.	0.6	54

#	Article	IF	CITATIONS
127	A spline-based tool to assess and visualize the calibration of multiclass risk predictions. Journal of Biomedical Informatics, 2015, 54, 283-293.	2.5	54
128	Managing pregnancy of unknown location based on initial serum progesterone and serial serum hCG levels: development and validation of a twoâ€step triage protocol. Ultrasound in Obstetrics and Gynecology, 2016, 48, 642-649.	0.9	54
129	Validation of models to diagnose ovarian cancer in patients managed surgically or conservatively: multicentre cohort study. BMJ, The, 2020, 370, m2614.	3.0	54
130	ESGO/ISUOG/IOTA/ESGE Consensus Statement on pre-operative diagnosis of ovarian tumors. International Journal of Gynecological Cancer, 2021, 31, 961-982.	1.2	54
131	There is no role for uterine curettage in the contemporary diagnostic workup of women with a pregnancy of unknown location. Human Reproduction, 2006, 21, 2706-2710.	0.4	52
132	The Use of a New Gel Foam for the Evaluation of Tubal Patency. Gynecologic and Obstetric Investigation, 2013, 75, 152-156.	0.7	52
133	Adenomyosis and Subfertility: Evidence of Association and Causation. Seminars in Reproductive Medicine, 2013, 31, 101-108.	0.5	52
134	Ovarian cancer arising in endometrioid cysts: ultrasound findings. Ultrasound in Obstetrics and Gynecology, 2011, 38, 99-106.	0.9	51
135	Noninvasive diagnosis of endometriosis: the role of imaging and markers. Obstetrics and Gynecology Clinics of North America, 2003, 30, 95-114.	0.7	50
136	Third generation aromatase inhibitors may prevent endometrial growth and reverse tamoxifen-induced uterine changes in postmenopausal breast cancer patients. Annals of Oncology, 2005, 16, 70-74.	0.6	50
137	Intravenous contrast ultrasound examination using contrastâ€ŧuned imaging (CnTlâ"¢) and the contrast medium SonoVue® for discrimination between benign and malignant adnexal masses with solid components. Ultrasound in Obstetrics and Gynecology, 2009, 34, 699-710.	0.9	50
138	Triaging women with ovarian masses for surgery: observational diagnostic study to compare RCOG guidelines with an International Ovarian Tumour Analysis (IOTA) group protocol. BJOG: an International Journal of Obstetrics and Gynaecology, 2012, 119, 662-671.	1.1	49
139	Predicting successful vaginal birth after Cesarean section using a model based on Cesarean scar features examined by transvaginal sonography. Ultrasound in Obstetrics and Gynecology, 2013, 41, 672-678.	0.9	49
140	Clinical information does not improve the performance of mathematical models in predicting the outcome of Apregnancies of unknown location. Fertility and Sterility, 2007, 88, 572-580.	0.5	48
141	Assessing calibration of multinomial risk prediction models. Statistics in Medicine, 2014, 33, 2585-2596.	0.8	48
142	A comparison between an ultrasound based prediction model (LR2) and the Risk of Ovarian Malignancy Algorithm (ROMA) to assess the risk of malignancy in women with an adnexal mass. Gynecologic Oncology, 2013, 129, 377-383.	0.6	47
143	Consensus on Recording Deep Endometriosis Surgery: the CORDES statement. Human Reproduction, 2016, 31, 1219-1223.	0.4	47
144	Burnout, well-being and defensive medical practice among obstetricians and gynaecologists in the UK: cross-sectional survey study. BMJ Open, 2019, 9, e030968.	0.8	47

#	Article	IF	CITATIONS
145	A validation of the most commonly used protocol to predict the success of single-dose methotrexate in the treatment of ectopic pregnancy. Human Reproduction, 2007, 22, 858-863.	0.4	46
146	Pain experienced during transvaginal ultrasound, saline contrast sonohysterography, hysteroscopy and office sampling: a comparative study. Ultrasound in Obstetrics and Gynecology, 2008, 31, 346-351.	0.9	46
147	Accurate prediction of pregnancy viability by means of a simple scoring system. Human Reproduction, 2013, 28, 68-76.	0.4	46
148	Does the presence of a Caesarean section scar affect implantation site and early pregnancy outcome in women attending an early pregnancy assessment unit?. Human Reproduction, 2013, 28, 1489-1496.	0.4	46
149	Imaging techniques for the pre-surgical diagnosis of adnexal tumours. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2014, 28, 683-695.	1.4	46
150	Predicting the outcome of pregnancies of unknown location: Bayesian networks with expert prior information compared to logistic regression. Human Reproduction, 2006, 21, 1824-1831.	0.4	45
151	Acoustic streaming cannot discriminate reliably between endometriomas and other types of adnexal lesion: a multicenter study of 633 adnexal masses. Ultrasound in Obstetrics and Gynecology, 2010, 35, 349-353.	0.9	45
152	Peritoneal full-conditioning reduces postoperative adhesions and pain: a randomised controlled trial in deep endometriosis surgery. Journal of Ovarian Research, 2013, 6, 90.	1.3	44
153	Changes in Cesarean section scar dimensions during pregnancy: a prospective longitudinal study. Ultrasound in Obstetrics and Gynecology, 2013, 41, 556-562.	0.9	44
154	A thin and regular endometrium on ultrasound is very unlikely in patients with endometrial malignancy. Ultrasound in Obstetrics and Gynecology, 2007, 29, 674-679.	0.9	43
155	Doctors' experiences and their perception of the most stressful aspects of complaints processes in the UK: an analysis of qualitative survey data. BMJ Open, 2016, 6, e011711.	0.8	43
156	Age-related differences in the sonographic characteristics of endometriomas. Human Reproduction, 2016, 31, 1723-1731.	0.4	43
157	Bayesian applications of belief networks and multilayer perceptrons for ovarian tumor classification with rejection. Artificial Intelligence in Medicine, 2003, 29, 39-60.	3.8	42
158	New models to predict depth of infiltration in endometrial carcinoma based on transvaginal sonography. Ultrasound in Obstetrics and Gynecology, 2006, 27, 664-671.	0.9	42
159	New crown–rump length curve based on over 3500 pregnancies. Ultrasound in Obstetrics and Gynecology, 2010, 35, 650-655.	0.9	42
160	A model and scoring system to predict outcome of intrauterine pregnancies of uncertain viability. Ultrasound in Obstetrics and Gynecology, 2011, 37, 588-595.	0.9	42
161	Grayâ€scale and color Doppler ultrasound characteristics of endometrial cancer in relation to stage, grade and tumor size. Ultrasound in Obstetrics and Gynecology, 2011, 38, 586-593.	0.9	42
162	The DALI vitamin D randomized controlled trial for gestational diabetes mellitus prevention: No major benefit shown besides vitamin D sufficiency. Clinical Nutrition, 2020, 39, 976-984.	2.3	42

#	Article	IF	CITATIONS
163	<scp>ESGO</scp> / <scp>ISUOG</scp> / <scp>IOTA</scp> / <scp>ESGE</scp> Consensus Statement on preoperative diagnosis of ovarian tumors. Ultrasound in Obstetrics and Gynecology, 2021, 58, 148-168.	0.9	42
164	Imaging of gynecological disease (6): clinical and ultrasound characteristics of ovarian dysgerminoma. Ultrasound in Obstetrics and Gynecology, 2011, 37, 596-602.	0.9	41
165	The ENDOCARE questionnaire (ECQ): a valid and reliable instrument to measure the patient-centeredness of endometriosis care in Europe. Human Reproduction, 2011, 26, 2988-2999.	0.4	41
166	Triaging pregnancies of unknown location: the performance of protocols based on single serum progesterone or repeated serum hCG levels. Human Reproduction, 2014, 29, 938-945.	0.4	41
167	Definition and sonographic reporting system for Cesarean scar pregnancy in early gestation: modified Delphi method. Ultrasound in Obstetrics and Gynecology, 2022, 59, 437-449.	0.9	41
168	Treatment modalities in endometrial cancer. Current Opinion in Oncology, 2007, 19, 479-485.	1.1	40
169	The role of CnTI-SonoVue in the diagnosis of ovarian masses with papillary projections: a preliminary study. Ultrasound in Obstetrics and Gynecology, 2007, 29, 512-516.	0.9	40
170	Impact of the availability of sonography in the acute gynecology unit. Ultrasound in Obstetrics and Gynecology, 2006, 28, 207-213.	0.9	39
171	Hyperreactio luteinalis in a spontaneously conceived singleton pregnancy. Ultrasound in Obstetrics and Gynecology, 2009, 33, 371-373.	0.9	39
172	Ovarian mass–differentiating benign from malignant: the value of the International Ovarian Tumor Analysis ultrasound rules. American Journal of Obstetrics and Gynecology, 2017, 217, 652-660.	0.7	39
173	The practical application of a mathematical model to predict the outcome of pregnancies of unknown location. Ultrasound in Obstetrics and Gynecology, 2006, 27, 311-315.	0.9	38
174	Evaluating myometrial and cervical invasion in women with endometrial cancer: comparing subjective assessment with objective measurement techniques. Ultrasound in Obstetrics and Gynecology, 2013, 42, 353-358.	0.9	38
175	Sex differences in fetal growth and immediate birth outcomes in a low-risk Caucasian population. Biology of Sex Differences, 2019, 10, 48.	1.8	38
176	Ultrasound assessment of endometrial thickness and endometrial polyps in women on hormonal replacement therapy. American Journal of Obstetrics and Gynecology, 2003, 188, 1249-1253.	0.7	37
177	Do levels of serum cancer antigen 125 and creatine kinase predict the outcome in pregnancies of unknown location?. Human Reproduction, 2005, 20, 3348-3354.	0.4	37
178	Aromatase inhibitor-induced loss of grip strength is body mass index dependent: hypothesis-generating findings for its pathogenesis. Annals of Oncology, 2011, 22, 1763-1769.	0.6	37
179	Clinical Utility of Risk Models to Refer Patients with Adnexal Masses to Specialized Oncology Care: Multicenter External Validation Using Decision Curve Analysis. Clinical Cancer Research, 2017, 23, 5082-5090.	3.2	37
180	Preoperative diagnosis of ovarian tumors using Bayesian kernel-based methods. Ultrasound in Obstetrics and Gynecology, 2007, 29, 496-504.	0.9	36

#	Article	IF	CITATIONS
181	A scoring system to differentiate malignant from benign masses in specific ultrasoundâ€based subgroups of adnexal tumors. Ultrasound in Obstetrics and Gynecology, 2009, 33, 92-101.	0.9	36
182	Detection of endometrial pathology using saline infusion sonography versus gel instillation sonography: a prospective cohort study. Fertility and Sterility, 2011, 95, 285-288.	0.5	36
183	Physical activity, depressed mood and pregnancy worries in European obese pregnant women: results from the DALI study. BMC Pregnancy and Childbirth, 2015, 15, 158.	0.9	36
184	Imaging in gynecological disease (14): clinical and ultrasound characteristics of ovarian clear cell carcinoma. Ultrasound in Obstetrics and Gynecology, 2018, 52, 792-800.	0.9	36
185	P54 Triple positive (ER+/PR+/HER-2+) breast carcinomas occur at a younger age than all other ER/PR/HER-2 breast cancer phenotypes. Breast, 2007, 16, S27-S28.	0.9	35
186	Prospective study to assess fluid accumulation and tenosynovial changes in the aromatase inhibitor-induced musculoskeletal syndrome: 2-year follow-up data. Annals of Oncology, 2013, 24, 350-355.	0.6	35
187	Diagnostic protocols for the management of pregnancy of unknown location: a systematic review and metaâ€analysis. BJOG: an International Journal of Obstetrics and Gynaecology, 2019, 126, 190-198.	1.1	35
188	Evaluation of machine learning methods with Fourier Transform features for classifying ovarian tumors based on ultrasound images. PLoS ONE, 2019, 14, e0219388.	1.1	35
189	Typical ultrasound features of various endometrial pathologies described using International Endometrial Tumor Analysis (<scp>IETA</scp>) terminology in women with abnormal uterine bleeding. Ultrasound in Obstetrics and Gynecology, 2021, 57, 164-172.	0.9	35
190	Ultrasound methods to distinguish between malignant and benign adnexal masses in the hands of examiners with different levels of experience. Ultrasound in Obstetrics and Gynecology, 2009, 34, 454-461.	0.9	34
191	Subjective ultrasound assessment, the <scp>ADNEX</scp> model and ultrasoundâ€guided truâ€cut biopsy to differentiate disseminated primary ovarian cancer from metastatic nonâ€ovarian cancer. Ultrasound in Obstetrics and Gynecology, 2016, 47, 110-116.	0.9	34
192	Validation of the Performance of International Ovarian Tumor Analysis (IOTA) Methods in the Diagnosis of Early Stage Ovarian Cancer in a Non-Screening Population. Diagnostics, 2017, 7, 32.	1.3	34
193	Functional linear discriminant analysis: a new longitudinal approach to the assessment of embryonic growth. Human Reproduction, 2009, 24, 278-283.	0.4	32
194	The use of serum inhibin A and activin A levels in predicting the outcome of 'pregnancies of unknown location'. Human Reproduction, 2009, 24, 2451-2456.	0.4	32
195	A Novel Approach to Predict the Likelihood of Specific Ovarian Tumor Pathology Based on Serum CA-125: A Multicenter Observational Study. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 2420-2428.	1.1	32
196	Methods of Assessing Ovarian Masses. Obstetrics and Gynecology Clinics of North America, 2019, 46, 625-641.	0.7	32
197	Ectopic pregnancy: using the hCG ratio to select women for expectant or medical management. Acta Obstetricia Et Gynecologica Scandinavica, 2011, 90, 264-272.	1.3	31
198	Beliefs, Barriers, and Preferences of European Overweight Women to Adopt a Healthier Lifestyle in Pregnancy to Minimize Risk of Developing Gestational Diabetes Mellitus: An Explorative Study. Journal of Pregnancy, 2016, 2016, 1-11.	1.1	31

#	Article	IF	CITATIONS
199	Randomâ€effects metaâ€analysis of the clinical utility of tests and prediction models. Statistics in Medicine, 2018, 37, 2034-2052.	0.8	31
200	Changing predictor measurement procedures affected the performance of prediction models in clinical examples. Journal of Clinical Epidemiology, 2020, 119, 7-18.	2.4	31
201	Realâ€ŧime ultrasound vs. evaluation of static images in the preoperative assessment of adnexal masses. Ultrasound in Obstetrics and Gynecology, 2008, 32, 828-831.	0.9	30
202	Dynamic and interactive gynecological ultrasound examination. Ultrasound in Obstetrics and Gynecology, 2009, 34, 225-229.	0.9	30
203	Does a prediction model for pregnancy of unknown location developed in the UK validate on a US population?. Human Reproduction, 2010, 25, 2434-2440.	0.4	30
204	Impact of ovulation and implantation timing on firstâ€trimester crown–rump length and gestational age. Ultrasound in Obstetrics and Gynecology, 2012, 40, 630-635.	0.9	30
205	The hCG ratio can predict the ultimate viability of the intrauterine pregnancies of uncertain viability in the pregnancy of unknown location population. Human Reproduction, 2008, 23, 1964-1967.	0.4	29
206	Gel infusion sonography in the evaluation of the uterine cavity. Ultrasound in Obstetrics and Gynecology, 2009, 34, 711-714.	0.9	29
207	Does the presence of a Cesarean section scar influence the site of placental implantation and subsequent migration in future pregnancies: a prospective case–control study. Ultrasound in Obstetrics and Gynecology, 2012, 40, 557-561.	0.9	29
208	Imaging in gynecological disease (7): clinical and ultrasound features of Brenner tumors of the ovary. Ultrasound in Obstetrics and Gynecology, 2012, 40, 706-713.	0.9	29
209	Accuracy of ultrasonography performed by examiners with varied training and experience in predicting specific pathology of adnexal masses. Ultrasound in Obstetrics and Gynecology, 2015, 45, 605-612.	0.9	29
210	Doctors' perception of support and the processes involved in complaints investigations and how these relate to welfare and defensive practice: a cross-sectional survey of the UK physicians. BMJ Open, 2017, 7, e017856.	0.8	29
211	Imaging in gynecological disease (13): clinical and ultrasound characteristics of endometrioid ovarian cancer. Ultrasound in Obstetrics and Gynecology, 2018, 52, 535-543.	0.9	29
212	ISUOG Consensus Statement on rationalization of earlyâ€pregnancy care and provision of ultrasonography in context of SARSâ€CoVâ€2. Ultrasound in Obstetrics and Gynecology, 2020, 55, 871-878.	0.9	29
213	Ultrasound assessment of the periâ€implantation uterus: a review. Ultrasound in Obstetrics and Gynecology, 2012, 39, 612-619.	0.9	28
214	Do pocketâ€sized ultrasound machines have the potential to be used as a tool to triage patients in obstetrics and gynecology?. Ultrasound in Obstetrics and Gynecology, 2012, 40, 145-150.	0.9	28
215	Are serum HE4 or ROMA scores useful to experienced examiners for improving characterization of adnexal masses after transvaginal ultrasonography?. Ultrasound in Obstetrics and Gynecology, 2014, 43, 89-97.	0.9	28
216	Imaging in gynecological disease (9): clinical and ultrasound characteristics of tubal cancer. Ultrasound in Obstetrics and Gynecology, 2014, 43, 328-335.	0.9	28

#	Article	IF	CITATIONS
217	Randomized Controlled Trial of Neurokinin 3 Receptor Antagonist Fezolinetant for Treatment of Polycystic Ovary Syndrome. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e3519-e3532.	1.8	28
218	Polytomous diagnosis of ovarian tumors as benign, borderline, primary invasive or metastatic: development and validation of standard and kernel-based risk prediction models. BMC Medical Research Methodology, 2010, 10, 96.	1.4	27
219	A Mathematical Model for Interpretable Clinical Decision Support with Applications in Gynecology. PLoS ONE, 2012, 7, e34312.	1.1	27
220	Imaging in gynecological disease (8): ultrasound characteristics of recurrent borderline ovarian tumors. Ultrasound in Obstetrics and Gynecology, 2013, 41, 452-458.	0.9	27
221	Pain during Fallopianâ€ŧube patency testing by hysterosalpingoâ€foam sonography. Ultrasound in Obstetrics and Gynecology, 2015, 45, 346-350.	0.9	27
222	Evaluation of models to predict lymph node metastasis in endometrial cancer: A multicentre study. European Journal of Cancer, 2016, 61, 52-60.	1.3	27
223	Lack of standardization in gynecological ultrasonography. Ultrasound in Obstetrics and Gynecology, 2000, 16, 395-398.	0.9	26
224	Prospective cross-validation of three methods of predicting failing pregnancies of unknown location. Human Reproduction, 2007, 22, 1156-1160.	0.4	26
225	Normative data for uterine size according to age and gravidity and possible role of the classical golden ratio. Ultrasound in Obstetrics and Gynecology, 2013, 42, 713-717.	0.9	26
226	Unilocular adnexal cysts with papillary projections but no other solid components: is there a diagnostic method that can classify them reliably as benign or malignant before surgery?. Ultrasound in Obstetrics and Gynecology, 2013, 41, 570-581.	0.9	26
227	Does ignoring clustering in multicenter data influence the performance of prediction models? A simulation study. Statistical Methods in Medical Research, 2018, 27, 1723-1736.	0.7	26
228	Imaging in gynecological disease (16): clinical and ultrasound characteristics of serous cystadenofibromas in adnexa. Ultrasound in Obstetrics and Gynecology, 2019, 54, 823-830.	0.9	26
229	Validation of ultrasound strategies to assess tumor extension and to predict highâ€risk endometrial cancer in women from the prospective IETA (International Endometrial Tumor Analysis)â€4 cohort. Ultrasound in Obstetrics and Gynecology, 2020, 55, 115-124.	0.9	26
230	The viability of the intrauterine pregnancies in the pregnancy of unknown location population: hCG ratio vs progesterone. Ultrasound in Obstetrics and Gynecology, 2010, 35, n/a-n/a.	0.9	25
231	Maximum Peak Systolic Velocity and Management of Highly Vascularized Retained Products of Conception. Journal of Ultrasound in Medicine, 2015, 34, 1577-1582.	0.8	25
232	Organoids of epithelial ovarian cancer as an emerging preclinical in vitro tool: a review. Journal of Ovarian Research, 2019, 12, 105.	1.3	25
233	Differences in postâ€traumatic stress, anxiety and depression following miscarriage or ectopic pregnancy between women and their partners: multicenter prospective cohort study. Ultrasound in Obstetrics and Gynecology, 2021, 57, 141-148.	0.9	25
234	Confidence of expert ultrasound operators in making a diagnosis of adnexal tumor: effect on diagnostic accuracy and interobserver agreement. Ultrasound in Obstetrics and Gynecology, 2010, 35, 89-93.	0.9	24

#	Article	IF	CITATIONS
235	Polypoid endometriosis of the bladder during pregnancy mimicking urachal carcinoma. Ultrasound in Obstetrics and Gynecology, 2011, 38, 475-478.	0.9	24
236	Peripherally-driven myeloid NFkB and IFN/ISG responses predict malignancy risk, survival, and immunotherapy regime in ovarian cancer. , 2021, 9, e003609.		24
237	Predicting the clinical behavior of ovarian cancer from gene expression profiles. International Journal of Gynecological Cancer, 2006, 16, 147-151.	1.2	23
238	Prospective external validation of the †ovarian crescent sign' as a single ultrasound parameter to distinguish between benign and malignant adnexal pathology. Ultrasound in Obstetrics and Gynecology, 2010, 36, 81-87.	0.9	23
239	Visibility and measurement of Cesarean section scars in pregnancy: a reproducibility study. Ultrasound in Obstetrics and Gynecology, 2012, 40, 549-556.	0.9	23
240	Lesion size affects diagnostic performance of IOTA logistic regression models, IOTA simple rules and risk of malignancy index in discriminating between benign and malignant adnexal masses. Ultrasound in Obstetrics and Gynecology, 2012, 40, 345-354.	0.9	23
241	Triaging women with pregnancy of unknown location using twoâ€step protocol including M6 model: clinical implementation study. Ultrasound in Obstetrics and Gynecology, 2020, 55, 105-114.	0.9	23
242	ISUOG Consensus Statement on rationalization of gynecological ultrasound services in context ofÂSARS oVâ€2. Ultrasound in Obstetrics and Gynecology, 2020, 55, 879-885.	0.9	23
243	Genomic changes in endometrial polyps associated with tamoxifen show no evidence for its action as an external carcinogen. Cancer Research, 1998, 58, 2278-81.	0.4	23
244	Prognostic Value of Serum HE4 Levels and Risk of Ovarian Malignancy Algorithm Scores at the Time of Ovarian Cancer Diagnosis. International Journal of Gynecological Cancer, 2014, 24, 1173-1180.	1.2	22
245	Morcellation of uterine leiomyomas: a plea for patient triage. Lancet Oncology, The, 2015, 16, 1454-1456.	5.1	22
246	The clinical performance of the M4 decision support model to triage women with a pregnancy of unknown location as at low or high risk of complications. Human Reproduction, 2016, 31, 1425-1435.	0.4	22
247	Differences in ultrasound features of papillations in unilocularâ€solid adnexal cysts: a retrospective international multicenter study. Ultrasound in Obstetrics and Gynecology, 2018, 52, 269-278.	0.9	22
248	What Determines the Need to Morcellate the Uterus during Total Laparoscopic Hysterectomy?. Journal of Minimally Invasive Gynecology, 2009, 16, 52-55.	0.3	21
249	Preoperative HE4 and ROMA values do not improve the CA125 diagnostic value for borderline tumors of the ovary (BOT) $\hat{a} \in \hat{a}$ a study of the TOC Consortium. Journal of Ovarian Research, 2014, 7, 49.	1.3	21
250	Practical guidance for applying the ADNEX model from the IOTA group to discriminate between different subtypes of adnexal tumors. Facts, Views & Vision in ObGyn, 2015, 7, 32-41.	0.5	21
251	Should we screen for endometrial cancer?. Lancet Oncology, The, 2011, 12, 4-5.	5.1	20
252	Lidocaine Does Not Reduce Pain Perception during Gel Instillation Sonography or Subsequent Office Hysteroscopy: Results of a Randomized Trial. Gynecologic and Obstetric Investigation, 2011, 71, 236-239.	0.7	20

#	Article	IF	CITATIONS
253	International Endometrial Tumor Analysis (IETA) terminology in women with postmenopausal bleeding and sonographic endometrial thickness ≥ 4.5 mm: agreement and reliability study. Ultrasound in Obstetrics and Gynecology, 2018, 51, 259-268.	0.9	20
254	Untapped potential of multicenter studies: a review of cardiovascular risk prediction models revealed inappropriate analyses and wide variation in reporting. Diagnostic and Prognostic Research, 2019, 3, 6.	0.8	20
255	Cancer Surveillance in Healthy Carriers of Germline Pathogenic Variants in <i>BRCA1/2</i> : A Review of Secondary Prevention Guidelines. Journal of Oncology, 2020, 2020, 1-13.	0.6	20
256	Body mass index and HER-2 overexpression in breast cancer patients over 50 years of age. Breast Cancer Research and Treatment, 2007, 106, 127-133.	1.1	19
257	OC11.03: Saline infusion versus gel instillation sonography: a prospective cohort study. Ultrasound in Obstetrics and Gynecology, 2009, 34, 19-20.	0.9	19
258	Prenatal Diagnosis of Harlequin Ichthyosis Using 3- and 4-Dimensional Sonography. Journal of Ultrasound in Medicine, 2010, 29, 317-319.	0.8	19
259	Effect of gelâ€instillation sonography on Doppler ultrasound findings in endometrial polyps. Ultrasound in Obstetrics and Gynecology, 2011, 38, 355-359.	0.9	19
260	Screening for data clustering in multicenter studies: the residual intraclass correlation. BMC Medical Research Methodology, 2013, 13, 128.	1.4	19
261	The influence of weight gain patterns in pregnancy on fetal growth using cluster analysis in an obese and nonobese population. Obesity, 2013, 21, 1416-1422.	1.5	19
262	External validation of models and simple scoring systems to predict miscarriage in intrauterine pregnancies of uncertain viability. Human Reproduction, 2013, 28, 2905-2911.	0.4	19
263	Evaluating the use of telemedicine in gynaecological practice: a systematic review. BMJ Open, 2020, 10, e039457.	0.8	19
264	Pitfall in the diagnosis of endometrial cancer: case report of an endometrioid adenocarcinoma arising from uterine adenomyosis. European Journal of Gynaecological Oncology (discontinued), 2011, 32, 431-4.	0.3	19
265	Diagnostic accuracy of transvaginal ultrasound for detection of endometriosis using International Deep Endometriosis Analysis (<scp>IDEA</scp>) approach: prospective international pilot study. Ultrasound in Obstetrics and Gynecology, 2022, 60, 404-413.	0.9	19
266	Balancing false positives and false negatives for the detection of differential expression in malignancies. British Journal of Cancer, 2004, 91, 1160-1165.	2.9	18
267	Endometrial safety of third generation aromatase inhibitors versus tamoxifen in breast cancer patients. International Journal of Gynecological Cancer, 2006, 16, 515-517.	1.2	18
268	The relationship between first trimester fetal growth, pregnancyâ€associated plasma protein A levels and birthweight. Prenatal Diagnosis, 2010, 30, 873-878.	1.1	18
269	Clinical Data Miner: An Electronic Case Report Form System With Integrated Data Preprocessing and Machine-Learning Libraries Supporting Clinical Diagnostic Model Research. JMIR Medical Informatics, 2014, 2, e28.	1.3	18
270	Use of ultrasound pattern recognition by expert operators to identify borderline ovarian tumors: a study of diagnostic performance and interobserver agreement. Ultrasound in Obstetrics and Gynecology, 2010, 35, 84-88.	0.9	17

#	Article	IF	CITATIONS
271	Development and external validation of new ultrasoundâ€based mathematical models for preoperative prediction of highâ€risk endometrial cancer. Ultrasound in Obstetrics and Gynecology, 2014, 43, 586-595.	0.9	17
272	Myeloid-derived suppressor cells at diagnosis may discriminate between benign and malignant ovarian tumors. International Journal of Gynecological Cancer, 2019, 29, 1381-1388.	1.2	17
273	Natural history of pregnancyâ€related enhanced myometrial vascularity following miscarriage. Ultrasound in Obstetrics and Gynecology, 2020, 55, 676-682.	0.9	17
274	External validation of models to predict the outcome of pregnancies of unknown location: a multicentre cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 552-562.	1.1	17
275	Intra-cavitary uterine pathology in women with abnormal uterine bleeding: a prospective study of 1220 women. Facts, Views & Vision in ObGyn, 2015, 7, 17-24.	0.5	17
276	Bayesian networks in ovarian cancer diagnosis: potentials and limitations. , 0, , .		16
277	Ultrasonographic features of the endometrium and the ovaries in women on etonogestrel implant. Ultrasound in Obstetrics and Gynecology, 2002, 20, 377-380.	0.9	16
278	Ovarian torsion in a premenarcheal girl: MRI findings. Abdominal Imaging, 2007, 32, 424-427.	2.0	16
279	Detection of intracavitary uterine pathology using offline analysis of threeâ€dimensional ultrasound volumes: interobserver agreement and diagnostic accuracy. Ultrasound in Obstetrics and Gynecology, 2012, 40, 459-463.	0.9	16
280	Refining Ovarian Cancer Test accuracy Scores (ROCkeTS): protocol for a prospective longitudinal test accuracy study to validate new risk scores in women with symptoms of suspected ovarian cancer. BMJ Open, 2016, 6, e010333.	0.8	16
281	Earlyâ€pregnancy events and subsequent antenatal, delivery and neonatal outcomes: prospective cohort study. Ultrasound in Obstetrics and Gynecology, 2019, 54, 530-537.	0.9	16
282	Improved modeling of clinical data with kernel methods. Artificial Intelligence in Medicine, 2012, 54, 103-114.	3.8	15
283	Imaging in gynecological disease (17): ultrasound features of malignant ovarian yolk sac tumors (endodermal sinus tumors). Ultrasound in Obstetrics and Gynecology, 2020, 56, 276-284.	0.9	15
284	Organoids of the Female Reproductive Tract: Innovative Tools to Study Desired to Unwelcome Processes. Frontiers in Cell and Developmental Biology, 2021, 9, 661472.	1.8	15
285	Ultrasound visualization of fetal membrane detachment at the uterine cervix: the â€~moon sign'. Ultrasound in Obstetrics and Gynecology, 2003, 22, 431-432.	0.9	14
286	Ultrasound examination of the endometrium before and after Pipelle endometrial sampling. Ultrasound in Obstetrics and Gynecology, 2005, 26, 283-286.	0.9	14
287	An application of methods for the probabilistic three-class classification of pregnancies of unknown location. Artificial Intelligence in Medicine, 2009, 46, 139-154.	3.8	14
288	Prevalent breast cancer patients with a homozygous mutant status for CYP2D6*4: response and biomarkers in tamoxifen users. Breast Cancer Research and Treatment, 2009, 118, 531-538.	1.1	14

#	Article	IF	CITATIONS
289	No influence of body mass index on first trimester fetal growth. Human Reproduction, 2010, 25, 1895-1899.	0.4	14
290	Improving the preoperative classification of adnexal masses as benign or malignant by second-stage tests. Ultrasound in Obstetrics and Gynecology, 2011, 37, 100-106.	0.9	14
291	Ultrasound features of endometrial pathology in women without abnormal uterine bleeding: results from the International Endometrial Tumor Analysis study (<scp>IETA3</scp>). Ultrasound in Obstetrics and Gynecology, 2022, 60, 243-255.	0.9	14
292	Expression profiling to predict the clinical behaviour of ovarian cancer fails independent evaluation. BMC Cancer, 2008, 8, 18.	1.1	13
293	Application of proteomics in ovarian cancer: Which sample should be used?. Gynecologic Oncology, 2009, 115, 497-503.	0.6	13
294	Pain and bleeding pattern related to levonorgestrel intrauterine system (LNG-IUS) insertion. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2013, 171, 154-156.	0.5	13
295	NICE guidance on ectopic pregnancy and miscarriage restricts access and choice and may be clinically unsafe. BMJ, The, 2013, 346, f197-f197.	3.0	13
296	Clinical and ultrasound characteristics of surgically removed adnexal lesions with largest diameter â‰ 8 €‰2.5 cm: a pictorial essay. Ultrasound in Obstetrics and Gynecology, 2017, 50, 648-656.	0.9	13
297	Ultrasoundâ€based risk model for preoperative prediction of lymphâ€node metastases in women with endometrial cancer: modelâ€development study. Ultrasound in Obstetrics and Gynecology, 2020, 56, 443-452.	0.9	13
298	Developing risk models for multicenter data using standard logistic regression produced suboptimal predictions: A simulation study. Biometrical Journal, 2020, 62, 932-944.	0.6	13
299	Ultrasound Determination of Chorionicity in Twin Pregnancy: Accuracy and Operator Experience. Twin Research and Human Genetics, 2001, 4, 223-226.	1.5	12
300	Multi-class AUC metrics and weighted alternatives. , 2008, , .		12
301	Is Serum Human Chorionic Gonadotrophin Follow-Up Necessary after Suspected Spillage of Trophoblast at the Time of Laparoscopic Surgery for Ectopic Pregnancy?. Gynecologic and Obstetric Investigation, 2011, 71, 225-228.	0.7	12
302	Use of a pocket-sized ultrasound machine (PUM) for routine examinations in the third trimester of pregnancy. Ultrasound in Obstetrics and Gynecology, 2014, 44, 64-68.	0.9	12
303	Signs and symptoms associated with uterine cancer in pre- and postmenopausal women. Heliyon, 2020, 6, e05372.	1.4	12
304	Estimation of the Endometriosis Fertility Index prior to operative laparoscopy. Human Reproduction, 2021, 36, 636-646.	0.4	12
305	Age interacts with the expression of steroid and HER-2 receptors in operable invasive breast cancer. Breast Cancer Research and Treatment, 2008, 110, 153-159.	1.1	11
306	The use of transvaginal ultrasonography to diagnose bladder carcinoma in women presenting with postmenopausal bleeding. Ultrasound in Obstetrics and Gynecology, 2008, 32, 959-960.	0.9	11

#	Article	IF	CITATIONS
307	The value of laparoscopic skills courses. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2009, 49, 312-315.	0.4	11
308	Screening for ovarian carcinoma: not quite there yet. Lancet Oncology, The, 2009, 10, 308-309.	5.1	11
309	Defining the relationship between fetal Doppler indices, abdominal circumference and growth rate in severe fetal growth restriction using functional linear discriminant analysis. Journal of the Royal Society Interface, 2013, 10, 20130376.	1.5	11
310	The rs1800716 variant in CYP2D6 is associated with an increased double endometrial thickness in postmenopausal women on tamoxifen. Annals of Oncology, 2014, 25, 90-95.	0.6	11
311	An Evaluation of the Effectiveness of Image-based Texture Features Extracted from Static B-mode Ultrasound Images in Distinguishing between Benign and Malignant Ovarian Masses. Ultrasonic Imaging, 2021, 43, 124-138.	1.4	11
312	Automated characterisation of ultrasound images of ovarian tumours: the diagnostic accuracy of a support vector machine and image processing with a local binary pattern operator. Facts, Views & Vision in ObGyn, 2015, 7, 7-15.	0.5	11
313	Umbilical artery pulsatility index and fetal abdominal circumference in isolated gastroschisis. Ultrasound in Obstetrics and Gynecology, 2011, 38, 538-542.	0.9	10
314	Simple dichotomous updating methods improved the validity of polytomous prediction models. Journal of Clinical Epidemiology, 2013, 66, 1158-1165.	2.4	10
315	Automated classification of static ultrasound images of ovarian tumours based on decision level fusion. , 2014, , .		10
316	Clinical evaluation of the NK3 receptor antagonist fezolinetant (a.k.a. ESN364) for the treatment of menopausal hot flashes. Maturitas, 2017, 103, 89-90.	1.0	10
317	Juvenile cystic adenomyosis: A case report and review of the literature. Australasian Journal of Ultrasound in Medicine, 2019, 22, 295-300.	0.3	10
318	<scp>IDEAL</scp> study: magnetic resonance imaging for suspected deep endometriosis assessment prior to laparoscopy is as reliable as radiological imaging as a complement to transvaginal ultrasonography. Ultrasound in Obstetrics and Gynecology, 2020, 56, 255-266.	0.9	10
319	Ultrasound Determination of Chorionicity in Twin Pregnancy: Accuracy and Operator Experience. Twin Research and Human Genetics, 2001, 4, 223-226.	1.5	9
320	Using Bayesian neural networks with ARD input selection to detect malignant ovarian masses prior to surgery. Neural Computing and Applications, 2008, 17, 489-500.	3.2	9
321	Chlamydia trachomatisinfection in patients attending an Early Pregnancy Unit: Prevalence, symptoms, pregnancy location and viability. Acta Obstetricia Et Gynecologica Scandinavica, 2008, 87, 601-607.	1.3	9
322	Performance of the American College of Obstetricians and Gynecologists' Ovarian Tumor Referral Guidelines With a Multivariate Index Assay. Obstetrics and Gynecology, 2011, 118, 1179-1181.	1.2	9
323	Pre-sampling ultrasound evaluation and assessment of the tissue yield during sampling improves the diagnostic reliability of office endometrial biopsy. Journal of Obstetrics and Gynaecology, 2012, 32, 173-176.	0.4	9
324	Differentiating stage I epithelial ovarian cancer from benign disease in women with adnexal tumors using biomarkers or the ROMA algorithm. Gynecologic Oncology, 2013, 130, 398-399.	0.6	9

#	Article	IF	CITATIONS
325	Can risk factors, clinical history and symptoms be used to predict risk of ectopic pregnancy in women attending an early pregnancy assessment unit?. Ultrasound in Obstetrics and Gynecology, 2016, 48, 656-662.	0.9	9
326	Morcellation and risk of malignancy in presumed ovarian fibromas/fibrothecomas. Lancet Oncology, The, 2016, 17, 273-274.	5.1	9
327	Ultrasound evaluation of ovarian masses and assessment of the extension of ovarian malignancy. British Journal of Radiology, 2021, 94, 20201375.	1.0	9
328	Neo-Adjuvant Chemotherapy Reduces, and Surgery Increases Immunosuppression in First-Line Treatment for Ovarian Cancer. Cancers, 2021, 13, 5899.	1.7	9
329	To the Editor. Gynecologic Oncology, 2001, 83, 166-167.	0.6	8
330	Uterine intramural bone after mid-trimester termination of pregnancy may not affect fertility: a case report. Ultrasound in Obstetrics and Gynecology, 2003, 22, 407-408.	0.9	8
331	Viable cervical pregnancy with levonorgestrel containing intrauterine device, treated successfully with methotrexate and mifepristone. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2005, 120, 233-235.	0.5	8
332	Classifying ovarian tumors using Bayesian Multi-Layer Perceptrons and Automatic Relevance Determination: A multi-center study. , 2006, 2006, 5342-5.		8
333	2D <i>versus</i> 3D roadmap for uterine artery catheterization: impact on several angiographic parameters. Acta Radiologica, 2014, 55, 62-70.	0.5	8
334	Intima-Media Thickness Measurements in the Fetus and Mother During Pregnancy: A Feasibility Study. Ultrasound in Medicine and Biology, 2014, 40, 1949-1957.	0.7	8
335	Venous Air Embolism during Hysteroscopic Myomectomy: An Analysis of 7 Cases. Gynecologic and Obstetric Investigation, 2017, 82, 569-574.	0.7	8
336	A new imaging technology to reduce the radiation dose during uterine fibroid embolization. Acta Radiologica, 2018, 59, 1446-1450.	0.5	8
337	Niche definition and guidance for detailed niche evaluation. Acta Obstetricia Et Gynecologica Scandinavica, 2019, 98, 1351-1352.	1.3	8
338	Firstâ€ŧrimester intrauterine hematoma and pregnancy complications. Ultrasound in Obstetrics and Gynecology, 2020, 55, 536-545.	0.9	8
339	Assessment of protein biomarkers for preoperative differential diagnosis between benign and malignant ovarian tumors. Gynecologic Oncology, 2020, 159, 811-819.	0.6	8
340	Adaptive sample size determination for the development of clinical prediction models. Diagnostic and Prognostic Research, 2021, 5, 6.	0.8	8
341	Imaging in gynaecology: How good are we in identifying endometriomas?. Facts, Views & Vision in ObGyn, 2009, 1, 7-17.	0.5	8

342 Using artificial neural networks to predict malignancy of ovarian tumors. , 0, , .

#	Article	IF	CITATIONS
343	Imaging in gynecological disease. Ultrasound in Obstetrics and Gynecology, 2007, 29, 483-484.	0.9	7
344	Prospective assessment of the endometrium in postmenopausal breast cancer patients treated with fulvestrant. Breast Cancer Research and Treatment, 2009, 117, 77-81.	1.1	7
345	Sonographic determination of the position of a levonorgestrel intrauterine device. Ultrasound in Obstetrics and Gynecology, 2009, 33, 121-124.	0.9	7
346	Accuracy of peritoneal fluid measurements by transvaginal ultrasonography. Ultrasound in Obstetrics and Gynecology, 2010, 35, 589-592.	0.9	7
347	OC01.03: Ultrasound in diagnosis of new and recurrent borderline ovarian tumors. Ultrasound in Obstetrics and Gynecology, 2010, 36, 1-2.	0.9	7
348	Flawed external validation study of the ADNEX model to diagnose ovarian cancer. Gynecologic Oncology Reports, 2016, 18, 49-50.	0.3	7
349	Imaging in gynecological disease (22): clinical and ultrasound characteristics of ovarian embryonal carcinomas, nonâ€gestational choriocarcinomas and malignant mixed germ cell tumors. Ultrasound in Obstetrics and Gynecology, 2021, 57, 987-994.	0.9	7
350	Safety and efficiency of performing transvaginal ultrasound-guided tru-cut biopsy for pelvic masses. Gynecologic Oncology, 2021, 161, 845-851.	0.6	7
351	ESGO/ISUOG/IOTA/ESGE Consensus Statement on preoperative diagnosis of ovarian tumours. Facts, Views & Vision in ObGyn, 2021, 13, 107-130.	0.5	7
352	Absence of correlation between risk factors for endometrial cancer and the presence of tamoxifen-associated endometrial polyps in postmenopausal patients with breast cancer. European Journal of Cancer, 2000, 36, 40-42.	1.3	6
353	Imaging of Adnexal Masses. Clinical Obstetrics and Gynecology, 2017, 60, 38-45.	0.6	6
354	Is a motivational interviewing based lifestyle intervention for obese pregnant women across Europe implemented as planned? Process evaluation of the DALI study. BMC Pregnancy and Childbirth, 2017, 17, 293.	0.9	6
355	Uterine ultrasound and endometrial biopsy in tamoxifen users. Breast Cancer Research and Treatment, 2020, 180, 833-834.	1.1	6
356	Vessel morphology depicted by threeâ€dimensional power Doppler ultrasound as secondâ€stage test in adnexal tumors that are difficult to classify: prospective diagnostic accuracy study. Ultrasound in Obstetrics and Gynecology, 2021, 57, 324-334.	0.9	6
357	Comparing Analytical Decision Support Models Through Boolean Rule Extraction: A Case Study of Ovarian Tumour Malignancy. Lecture Notes in Computer Science, 2007, , 1177-1186.	1.0	6
358	Optimizing the ultrasound visualization of the endometrial-myometrial junction (EMJ). Facts, Views & Vision in ObGyn, 2015, 7, 60-3.	0.5	6
359	Gradient boosted trees with individual explanations: An alternative to logistic regression for viability prediction in the first trimester of pregnancy. Computer Methods and Programs in Biomedicine, 2022, 213, 106520.	2.6	6
360	Evaluating cutâ€off levels for progesterone, β human chorionic gonadotropin and β human chorionic gonadotropin ratio to exclude pregnancy viability in women with a pregnancy of unknown location: A prospective multicenter cohort study. Acta Obstetricia Et Gynecologica Scandinavica, 2022, 101, 46-55.	1.3	6

#	Article	IF	CITATIONS
361	How to use power Doppler ultrasound in transvaginal assessment of uterine fibroids. Ultrasound in Obstetrics and Gynecology, 2022, 60, 277-283.	0.9	6
362	Prognostic factors for post-traumatic stress, anxiety and depression in women after early pregnancy loss: a multi-centre prospective cohort study. BMJ Open, 2022, 12, e054490.	0.8	6
363	Pan-Cancer Detection and Typing by Mining Patterns in Large Genome-Wide Cell-Free DNA Sequencing Datasets. Clinical Chemistry, 2022, 68, 1164-1176.	1.5	6
364	Tamoxifen-Induced Endometrial Polyp. New England Journal of Medicine, 1996, 335, 1650-1650.	13.9	5
365	Removal of focal intracavitary lesions results in cessation of abnormal uterine bleeding in the vast majority of women. Ultrasound in Obstetrics and Gynecology, 2009, 33, 612-613.	0.9	5
366	Key findings from the International Ovarian Tumor Analysis (IOTA) study: an approach to the optimal ultrasound based characterisation of adnexal pathology. Australasian Journal of Ultrasound in Medicine, 2012, 15, 82-86.	0.3	5
367	Optimizing the Histological Diagnosis of Adenomyosis Using in vitro Three-Dimensional Ultrasonography. Gynecologic and Obstetric Investigation, 2016, 81, 563-567.	0.7	5
368	Imaging in gynecological disease: clinical and ultrasound characteristics of ovarian carcinosarcomas. Ultrasound in Obstetrics and Gynecology, 2021, , .	0.9	5
369	The Risk of Endometrial Malignancy and Other Endometrial Pathology in Women with Abnormal Uterine Bleeding: An Ultrasound-Based Model Development Study by the IETA Group. Gynecologic and Obstetric Investigation, 2022, 87, 54-61.	0.7	5
370	Experiences and well-being of healthcare professionals working in the field of ultrasound in obstetrics and gynaecology as the SARS-CoV-2 pandemic were evolving: a cross-sectional survey study. BMJ Open, 2022, 12, e051700.	0.8	5
371	The Bayesian approach: a natural framework for statistical modeling. Ultrasound in Obstetrics and Gynecology, 2007, 29, 485-488.	0.9	4
372	OC147: Mathematical decision trees vs. clinician-based algorithms in the diagnosis of endometrial disease. Ultrasound in Obstetrics and Gynecology, 2007, 30, 412-412.	0.9	4
373	Implementing robotic assisted myomectomy in surgical practice – a retrospective cohort study. Gynecological Surgery, 2019, 16, .	0.9	4
374	Long-term outcome and pre-interventional predictors for late intervention after uterine fibroid embolization. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2020, 247, 149-155.	0.5	4
375	Nucleosome footprinting in plasma cell-free DNA for the pre-surgical diagnosis of ovarian cancer. Npj Genomic Medicine, 2022, 7, 30.	1.7	4
376	Domain knowledge based information retrieval language: an application of annotated Bayesian networks in ovarian cancer domain. , 0, , .		3
377	Acoustic streaming in two endometriomas: the exception to the rule?. Ultrasound in Obstetrics and Gynecology, 2005, 27, 89-90.	0.9	3
378	Ultrasonography in the prediction of complications during and after uterine myomectomy. Gynecological Surgery, 2016, 13, 507-514.	0.9	3

#	Article	IF	CITATIONS
379	Classification of Ovarian Tumors Using Bayesian Least Squares Support Vector Machines. Lecture Notes in Computer Science, 2003, , 219-228.	1.0	3
380	Comparing Methods for Multi-class Probabilities in Medical Decision Making Using LS-SVMs and Kernel Logistic Regression. Lecture Notes in Computer Science, 2007, , 139-148.	1.0	3
381	Extended Bayesian Regression Models: A Symbiotic Application of Belief Networks and Multilayer Perceptrons for the Classification of Ovarian Tumors. Lecture Notes in Computer Science, 2001, , 177-187.	1.0	3
382	Immunological parameters as a new lead in the diagnosis of ovarian cancer. Facts, Views & Vision in ObGyn, 2015, 7, 67-72.	0.5	3
383	Guiding histological assessment of uterine lesions using 3D in vitro ultrasonography and stereotaxis. Facts, Views & Vision in ObGyn, 2017, 9, 77-84.	0.5	3
384	Risk assessment for endometrial cancer in women with abnormal vaginal bleeding: Results from the prospective IETAâ€1 cohort study. International Journal of Gynecology and Obstetrics, 2022, 159, 103-110.	1.0	3
385	Similar long-term recurrence rates with cystectomy and CO2 laser vaporization for endometrioma: a retrospective study. Reproductive BioMedicine Online, 2022, 45, 101-108.	1.1	3
386	Psychological impact of endometrial monitoring in tamoxifen-treated postmenopausal breast cancer patients. Journal of Psychosomatic Obstetrics and Gynaecology, 2000, 21, 225-233.	1.1	2
387	Independent Test Set Performance in the Prediction of Early Relapse in Ovarian Cancer with Gene Expression Profiles. Clinical Cancer Research, 2005, 11, 7958-7959.	3.2	2
388	Aromatase Inhibitors and Postmenopausal Breast Cancer Patients with Tamoxifen-Induced Endometrial Pathology. Clinical Cancer Research, 2006, 12, 5603-5603.	3.2	2
389	OC69: Ability to make a diagnosis at first early pregnancy ultrasound assessment according to gestational age. Ultrasound in Obstetrics and Gynecology, 2007, 30, 388-388.	0.9	2
390	OC046: The addition of lidocaine to the gel used for gel infusion sonography (GIS): Effect on pain perception during GIS and subsequent hysteroscopy and endometrial sampling. Ultrasound in Obstetrics and Gynecology, 2008, 32, 257-258.	0.9	2
391	Towards a Clinical Decision Support System for Pregnancies of Unknown Location. , 2008, , .		2
392	OC04.02: Intra- and inter-observer reproducibility of first trimester measurements between 6 and 9 weeks gestation. Ultrasound in Obstetrics and Gynecology, 2010, 36, 7-7.	0.9	2
393	OC08.01: Differentiation of uterine pathology by transvaginal elastography: preliminary results. Ultrasound in Obstetrics and Gynecology, 2010, 36, 14-15.	0.9	2
394	Uterine and quality of life changes in postmenopausal women with an asymptomatic tamoxifen-thickened endometrium randomized to continuation of tamoxifen or switching to anastrozole. Menopause, 2011, 18, 224-229.	0.8	2
395	Effect of cancer prevalence on the use of risk-assessment cut-off levels and the performance of mathematical models to distinguish malignant from benign adnexal masses. Ultrasound in Obstetrics and Gynecology, 2011, 37, 226-231.	0.9	2
396	Characterizing Ovarian Pathology. International Journal of Gynecological Cancer, 2012, 22, S9-S11.	1.2	2

#	Article	IF	CITATIONS
397	Reactive Nodular Fibrous Pseudotumor: Case Report and Review of the Literature. Case Reports in Obstetrics and Gynecology, 2014, 2014, 1-4.	0.2	2
398	Clearance Rates of Ringer's Lactate and Adept and the Effect of Full Conditioning: A Randomized Controlled Trial. Journal of Gynecologic Surgery, 2015, 31, 139-143.	0.0	2
399	Interobserver agreement in assessment of polycystic ovarian morphology using pattern recognition. Ultrasound in Obstetrics and Gynecology, 2016, 47, 652-653.	0.9	2
400	An automated technique for potential differentiation of ovarian mature teratomas from other benign tumours using neural networks classification of 2D ultrasound static images: a pilot study. Proceedings of SPIE, 2017, , .	0.8	2
401	Re: Validation of prediction model for successful vaginal birth after Cesarean delivery based on sonographic assessment of hysterotomy scar. A. Baranov, K. Ã Salvesen and O. Vikhareva. Ultrasound Obstet Gynecol 2018; 51: 189–193 Ultrasound in Obstetrics and Gynecology, 2018, 51, 167-167.	0.9	2
402	A Prospective International Lung Ultrasound Analysis Study in Tertiary Maternity Wards During the Severe Acute Respiratory Syndrome Coronavirus 2 Pandemic. Journal of Ultrasound in Medicine, 2020, 40, 1991-1996.	0.8	2
403	P–385 The relationship between systemic oestradiol and vaginal microbiota composition in miscarriage and normal pregnancy. Human Reproduction, 2021, 36, .	0.4	2
404	3D Ultrasound (3D US). , 2015, , 79-97.		2
405	Abstract P3-07-46: CYPTAM-BRUT 3: Endometrial thickness cannot be used as a marker for tamoxifen metabolization in postmenopausal breast cancer patients. Cancer Research, 2016, 76, P3-07-46-P3-07-46.	0.4	2
406	III.2 Saline infusion sonography (SIS) or office hysteroscopy: Which one is the best? A prospective randomised study. European Journal of Cancer, 1998, 34, S32-S33.	1.3	1
407	III.6 Tamoxifen-induced changes of the uterus: MRI features. European Journal of Cancer, 1998, 34, S36-S37.	1.3	1
408	Cyst rupture during surgery. Lancet, The, 2001, 358, 73.	6.3	1
409	Web-based data collection for uterine adnexal tumors: a case study. , 0, , .		1
410	OC065: Negative predictive value of transvaginal ultrasound in women with chronic pelvic pain. Can we reduce the number of laparoscopies?. Ultrasound in Obstetrics and Gynecology, 2003, 22, 18-18.	0.9	1
411	Significance of secondary ultrasonographic endometrial thickening in postmenopausal tamoxifen-treated women. Cancer, 2003, 98, 431-432.	2.0	1
412	P12.03: Can we improve the performance of logistic regression analysis for predicting the outcome of pregnancies of unknown location (PULs)?. Ultrasound in Obstetrics and Gynecology, 2005, 26, 455-455.	0.9	1
413	Predictive Models for Long Term Survival after Premature Rupture of Membranes. , 2005, 2005, 4622-5.		1
414	Diagnostic strategies in endometrial cancer. International Congress Series, 2005, 1279, 141-148.	0.2	1

#	Article	IF	CITATIONS
415	Molecular profiling of platinum resistant ovarian cancer: Use of the model in clinical practice. International Journal of Cancer, 2006, 119, 1511-1511.	2.3	1
416	A New Method for Modeling Preoperative Diagnosis of Ovarian Tumors. IEEE Transactions on Biomedical Engineering, 2007, 54, 2064-2072.	2.5	1
417	OC150: The use of gel instillation hysterosonography in a single examiner setting. Ultrasound in Obstetrics and Gynecology, 2007, 30, 413-413.	0.9	1
418	OC153: Logistic regression models to distinguish between benign, primary invasive, borderline malignant and metastatic ovarian tumors. Ultrasound in Obstetrics and Gynecology, 2007, 30, 414-414.	0.9	1
419	OC096: How important is measuring endometrial thickness in women with pregnancies of unknown location?. Ultrasound in Obstetrics and Gynecology, 2008, 32, 274-274.	0.9	1
420	OC145: Ultrasound scoring system to differentiate benign from malignant masses in specific subgroups of adnexal tumors. Ultrasound in Obstetrics and Gynecology, 2008, 32, 290-290.	0.9	1
421	OP24.06: Elastography in gynecology: preliminary experience. Ultrasound in Obstetrics and Gynecology, 2009, 34, 140-140.	0.9	1
422	OC23.04: Which adnexal masses are difficult to classify as benign or malignant with prediction models?. Ultrasound in Obstetrics and Gynecology, 2010, 36, 42-43.	0.9	1
423	Evaluation of Imputation Methods in Ovarian Tumor Diagnostic Models Using Generalized Linear Models and Support Vector Machines. Medical Decision Making, 2010, 30, 123-131.	1.2	1
424	OP08.04: Showing pictograms in electronic data capture software improves interrater agreement. Ultrasound in Obstetrics and Gynecology, 2011, 38, 78-79.	0.9	1
425	The independent effect of tumor size in predicting ovarian malignancy. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2012, 162, 237-238.	0.5	1
426	Ultrasound examination before, during, and after office endometrial sampling. Gynecological Surgery, 2013, , .	0.9	1
427	Diagnosing adnexal tumours before surgery: a critical appraisal of recent evidence. The Obstetrician and Gynaecologist, 2015, 17, 163-171.	0.2	1
428	Hysterosalpingo-foam sonography (HyFoSy) using two different balloon catheters: a randomized trial. Gynecological Surgery, 2015, 12, 41-44.	0.9	1
429	Automated follicle count using threeâ€dimensional ultrasound in polycystic ovarian morphology. Ultrasound in Obstetrics and Gynecology, 2018, 51, 147-149.	0.9	1
430	Ovarian massâ€differentiating benign from malignant. Why the International Ovarian Tumour Analysis rules should be implemented in Australasia. Australasian Journal of Ultrasound in Medicine, 2018, 21, 121-124.	0.3	1
431	Ultrasound, macroscopic and histological features of malignant ovarian tumors. International Journal of Gynecological Cancer, 2021, 31, 150-151.	1.2	1
432	Response to: Correspondence on "ESGO/ISUOG/IOTA/ESGE Consensus Statement on pre-operative diagnosis of ovarian tumors" by Thomassin-Nagarra et al. International Journal of Gynecological Cancer, 2021, 31, 1396-1397.	1.2	1

#	Article	IF	CITATIONS
433	Postmenopausal Bleeding: Ultrasound and Hydrosonography versus Hysteroscopy. , 2003, , 55-61.		1
434	Classifying ovarian tumors using Bayesian Multi-Layer Perceptrons and Automatic Relevance Determination: A multi-center study. Annual International Conference of the IEEE Engineering in Medicine and Biology Society, 2006, , .	0.5	1
435	EVALUATION OF ENDOMETRIAL PATHOLOGY IN TAMOXIFEN-TREATED BREAST CANCER PATIENTS: THE VALUE OF THE †PEDICLE ARTERY TEST〙 USING TRANSVAGINAL COLOR DOPPLER IMAGING. International Journal of Gynecological Cancer, 2003, 13, 67.2-67.	1.2	1
436	NEWS ON ULTRASONOGRAPHIC TECHNIQUES FOR PELVIC MALIGNANCIES. International Journal of Gynecological Cancer, 2003, 13, 120.2-121.	1.2	1
437	Re: "Diagnostic Accuracies of the Ultrasound and Magnetic Resonance Imaging ADNEX Scoring Systems for Ovarian Adnexal Mass: Systematic Review and Meta-Analysis― Academic Radiology, 2021, 28, 1643-1644.	1.3	1
438	Ultrasound Characteristics of Endometriosis. , 2003, , 189-195.		1
439	Imaging in gynaecological disease: clinical and ultrasound characteristics of mucocele of the appendix. A pictorial essay. Facts, Views & Vision in ObGyn, 2013, 5, 209-12.	0.5	1
440	Building decision trees for diagnosing intracavitary uterine pathology. Facts, Views & Vision in ObCyn, 2009, 1, 182-8.	0.5	1
441	F11Ultrasound evaluation of the uterus after pregnancy. Ultrasound in Obstetrics and Gynecology, 2000, 16, 37-37.	0.9	0
442	The influence of hormone replacement therapy on the ultrasound features of the endometrium: a prospective study. Ultrasound in Obstetrics and Gynecology, 2001, 18, CEG-17-CEG-17.	0.9	0
443	P284: The occurrence of echogenic intrauterine spots after pregnancy. Ultrasound in Obstetrics and Gynecology, 2003, 22, 146-147.	0.9	Ο
444	OC28.01: The role of contrast media in the diagnosis and management of ovarian masses. Ultrasound in Obstetrics and Gynecology, 2005, 26, 354-354.	0.9	0
445	OC31.08: What is the optimal approach to accurately classifying failing pregnancies of unknown location (PULs)?. Ultrasound in Obstetrics and Gynecology, 2005, 26, 363-363.	0.9	Ο
446	OC37.01: Is it safe to perform uterine curettage in women with no signs of an intra-uterine pregnancy on transvaginal ultrasound?. Ultrasound in Obstetrics and Gynecology, 2005, 26, 373-373.	0.9	0
447	Reply to the Letter to the Editor on "Third generation aromatase inhibitors may prevent endometrial growth and reverse tamoxifen-induced uterine changes in postmenopausal breast cancer patientsâ€, by I. Cohen Ann Oncol 2005; 16: 1399. Annals of Oncology, 2005, 16, 1402-1403.	0.6	Ο
448	Intravenous contrast ultrasound in gynecology. International Congress Series, 2005, 1279, 174-178.	0.2	0
449	Assessment of measurement validity. Fertility and Sterility, 2006, 85, 268.	0.5	0
450	OC17: Ultrasound and not biochemistry determines the ultimate viability of intra-uterine pregnancies in the PUL population. Ultrasound in Obstetrics and Gynecology, 2006, 28, 364-364.	0.9	0

#	Article	IF	CITATIONS
451	OC18: What is the optimal approach to classifying viable intra-uterine pregnancies in the PUL population?. Ultrasound in Obstetrics and Gynecology, 2006, 28, 364-364.	0.9	Ο
452	OC19: Using a mathematical model in the management of pregnancies of unknown location: a prospective interventional study. Ultrasound in Obstetrics and Gynecology, 2006, 28, 364-364.	0.9	0
453	OC20: Validation of a logistic regression model to predict the outcome of pregnancies of unknown location in a new patient population. Ultrasound in Obstetrics and Gynecology, 2006, 28, 365-365.	0.9	Ο
454	Preoperative prediction of malignancy of ovarian tumours using modified sequential non-uniform procedure. Annual International Conference of the IEEE Engineering in Medicine and Biology Society, 2007, 2403-6.	0.5	0
455	To the Editor. International Journal of Gynecological Cancer, 2007, 17, 543-543.	1.2	0
456	P32 Axillary lymph node involvement in breast cancer decreases with age but increases again after age 70 mainly in small tumors. Breast, 2007, 16, S21.	0.9	0
457	OC48: Development of a model to predict ability of ultrasound to make a diagnosis at first assessment in the unselected early pregnancy population. Ultrasound in Obstetrics and Gynecology, 2007, 30, 382-382.	0.9	0
458	OC154: Accuracy of transvaginal ultrasound examination for assigning a specific diagnosis to adnexal masses. Ultrasound in Obstetrics and Gynecology, 2007, 30, 414-414.	0.9	0
459	OC204: Analysis of sonographic and Doppler features of struma ovarii: insights into a diagnostic dilemma. Ultrasound in Obstetrics and Gynecology, 2007, 30, 430-430.	0.9	Ο
460	OC001: Prospective assessment of simple rules to distinguish between malignant and benign adnexal masses prior to surgery. Ultrasound in Obstetrics and Gynecology, 2008, 32, 243-243.	0.9	0
461	OC047: Removal of focal intracavity lesions results in cessation of abnormal uterine bleeding in the vast majority of women. Ultrasound in Obstetrics and Gynecology, 2008, 32, 258-258.	0.9	0
462	OC091: Can high definition transvaginal ultrasound result in a reduction in the number of women characterised as having a pregnancy of unknown location?. Ultrasound in Obstetrics and Gynecology, 2008, 32, 272-273.	0.9	0
463	OC092: The appearance and behaviour of ectopic pregnancies in the †pregnancy of unknown location' population. Ultrasound in Obstetrics and Gynecology, 2008, 32, 273-273.	0.9	0
464	OC094: The timing of serum human chorionic gonadotrophin measurements to predict the outcome of pregnancies of unknown location. Ultrasound in Obstetrics and Gynecology, 2008, 32, 273-274.	0.9	0
465	OC097: Pregnancy location and viability in women with chlamydia trachomatis infection. Ultrasound in Obstetrics and Gynecology, 2008, 32, 274-274.	0.9	Ο
466	OC107: Growth delay in the first trimester: Sensitivity and specificity of using serial measurements of embryonic growth for the prediction of early pregnancy loss. Ultrasound in Obstetrics and Gynecology, 2008, 32, 278-278.	0.9	0
467	OC112: Determination of outcome in very early intrauterine pregnancies of uncertain viability. Ultrasound in Obstetrics and Gynecology, 2008, 32, 279-279.	0.9	0
468	OC152: Prevalence of cancer and optimal cut-off levels for mathematical models to distinguish between benign and malignant adnexal masses. Ultrasound in Obstetrics and Gynecology, 2008, 32, 292-293.	0.9	0

#	Article	IF	CITATIONS
469	OP05.07: Just images on sono-endoscopic findings of adnexal torsion: A retrospective multicenter study by the IOTA group. Ultrasound in Obstetrics and Gynecology, 2008, 32, 327-327.	0.9	0
470	OP09.02: A cross-sectional analysis of embryonic growth in normal and genetically abnormal pregnancies. Ultrasound in Obstetrics and Gynecology, 2008, 32, 337-337.	0.9	0
471	OP12.06: Optimal timing of transvaginal ultrasound to confirm early pregnancy viability. Ultrasound in Obstetrics and Gynecology, 2008, 32, 349-349.	0.9	0
472	OP14.01: Assessing early first trimester growth with ultrasonography: The influence of ethnic background. Ultrasound in Obstetrics and Gynecology, 2008, 32, 354-354.	0.9	0
473	OP14.02: The influence of maternal age on early first trimester growth assessed by ultrasound. Ultrasound in Obstetrics and Gynecology, 2008, 32, 355-355.	0.9	0
474	OP17.01: Prospective comparison of one-step and two-step models for the classification of adnexal masses as benign or malignant. Ultrasound in Obstetrics and Gynecology, 2008, 32, 368-368.	0.9	0
475	OC01.04: A practical approach to preoperatively assess ovarian pathology: combining pattern recognition and mathematical models. Ultrasound in Obstetrics and Gynecology, 2009, 34, 2-2.	0.9	0
476	OC05.01: Predicting ovarian malignancy if simple rules are not applicable. Ultrasound in Obstetrics and Gynecology, 2009, 34, 7-7.	0.9	0
477	OC05.05: External validation of "old―and new mathematical models to distinguish between benign and malignant adnexal masses. Ultrasound in Obstetrics and Gynecology, 2009, 34, 8-8.	0.9	0
478	OC07.01: A new crown-rump length curve based on over 3500 pregnancies. Ultrasound in Obstetrics and Gynecology, 2009, 34, 11-12.	0.9	0
479	OC11.01: Comparison of gel instillation sonography (GIS) with unenhanced ultrasound in the diagnosis of uterine intracavity lesions. Ultrasound in Obstetrics and Gynecology, 2009, 34, 19-19.	0.9	0
480	OC11.02: Prediction of intracavity uterine pathology at ultrasound examination using off-line analysis. Ultrasound in Obstetrics and Gynecology, 2009, 34, 19-19.	0.9	0
481	OC11.07: Endometrial thickness measurement with and without fluid contrast ultrasound. Ultrasound in Obstetrics and Gynecology, 2009, 34, 21-21.	0.9	0
482	OC13.02: Ultrasound in the detection of rectal- and distal sigmoid involvement of deep endometriosis. Ultrasound in Obstetrics and Gynecology, 2009, 34, 24-24.	0.9	0
483	OC21.02: Adnexal masses difficult to classify as benign or malignant using subjective evaluation of ultrasound findings: logistic regression models do not help. Ultrasound in Obstetrics and Gynecology, 2009, 34, 38-38.	0.9	0
484	OC25.01 Unilocular solid adnexal masses with papillary projections but no other solid components: is there a logistic regression model that can help?. Ultrasound in Obstetrics and Gynecology, 2009, 34, 48-48.	0.9	0
485	OC25.02: Intercenter variability in ultrasound features of malignant and benign adnexal masses. Ultrasound in Obstetrics and Gynecology, 2009, 34, 48-49.	0.9	0
486	OC25.05: Adjusting prediction models for ovarian tumor classification to new clinical settings. Ultrasound in Obstetrics and Gynecology, 2009, 34, 49-50.	0.9	0

#	Article	IF	CITATIONS
487	OC25.07: Ovarian cancer arising in endometrioma: ultrasound findings. Ultrasound in Obstetrics and Gynecology, 2009, 34, 50-50.	0.9	0
488	OP08.02: Crown-rump length in genetically abnormal pregnancies compared to a CRL curve for normal pregnancies. Ultrasound in Obstetrics and Gynecology, 2009, 34, 85-85.	0.9	0
489	OP27.07: The relationship between abdominal circumference and umbilical artery Doppler z-scores in severe early onset fetal growth restriction. Ultrasound in Obstetrics and Gynecology, 2009, 34, 151-151.	0.9	0
490	OP30.01: Interobserver agreement on reporting uterine intracavity lesions at gel infusion sonography (GIS). Ultrasound in Obstetrics and Gynecology, 2009, 34, 158-158.	0.9	0
491	OP30.08: The influence of gel-infusion on the vascularity of endometrial polyps. Ultrasound in Obstetrics and Gynecology, 2009, 34, 160-160.	0.9	0
492	OP30.09: VOCAL in the evaluation of the endometrium: a pilot study. Ultrasound in Obstetrics and Gynecology, 2009, 34, 160-160.	0.9	0
493	P20.02: The relationship between abdominal circumference and middle cerebral artery Doppler z-scores in severe early onset fetal growth restriction. Ultrasound in Obstetrics and Gynecology, 2009, 34, 257-257.	0.9	0
494	Reply: No influence of body mass index on first trimester fetal growth. Human Reproduction, 2010, 25, 3161-3162.	0.4	0
495	OC04.03: Risk factors for tubal versus non-tubal ectopic pregnancies: a multicentre case series. Ultrasound in Obstetrics and Gynecology, 2010, 36, 7-7.	0.9	0
496	OC04.05: A longitudinal assessment of gestation sac growth in pregnancies subsequently shown to be viable and non-viable. Ultrasound in Obstetrics and Gynecology, 2010, 36, 8-8.	0.9	0
497	OC05.01: Reducing the follow-up required in women with a failing pregnancy of unknown location. Ultrasound in Obstetrics and Gynecology, 2010, 36, 8-8.	0.9	0
498	OC10.03: Is pain during and after Mirena® insertion related to the flexion of the uterus and the final position of the MirenaA®?. Ultrasound in Obstetrics and Gynecology, 2010, 36, 18-19.	0.9	0
499	OC23.01: New logistic regression model to predict ovarian malignancy in cases for which simple ultrasound rules are not applicable. Ultrasound in Obstetrics and Gynecology, 2010, 36, 41-42.	0.9	0
500	OP02.10: Prediction of pregnancy viability by means of scoring systems: towards a â€~risk of miscarriage' index. Ultrasound in Obstetrics and Gynecology, 2010, 36, 57-58.	0.9	0
501	OP07.02: The added value of fluid instillation sonography in women with a total endometrial thickness ⩽ 5 mm at transvaginal ultrasound. Ultrasound in Obstetrics and Gynecology, 2010, 36, 71-71.	0.9	0
502	OP07.04: The value of fluid instillation sonography in women under 40 years of age. Ultrasound in Obstetrics and Gynecology, 2010, 36, 71-71.	0.9	0
503	OP07.06: The influence of Mirena® position on the bleeding pattern after Mirena® insertion?. Ultrasound in Obstetrics and Gynecology, 2010, 36, 72-72.	0.9	0
504	OP26.03: Transperineal ultrasound and clinical examination for pelvic organ prolapse correlate better if both are performed in a one stop clinic. Ultrasound in Obstetrics and Gynecology, 2010, 36, 128-128.	0.9	0

#	Article	IF	CITATIONS
505	OP26.08: Preoperative ultrasound measurements of genital hiatus are not different between patients with and without de novo recurrence after anterior vaginal repair. Ultrasound in Obstetrics and Gynecology, 2010, 36, 129-130.	0.9	0
506	OP29.06: Umbilical artery PI and fetal abdominal circumference in gastroschisis. Ultrasound in Obstetrics and Gynecology, 2010, 36, 137-138.	0.9	0
507	OP35.04: 2D and 3D ultrasound in the visualization of different levonorgestrel-releasing intrauterine systems and cupper intrauterine devices. Ultrasound in Obstetrics and Gynecology, 2010, 36, 154-154.	0.9	0
508	P07.02: The surgical removal of residual trophoblastic tissue in case of enhanced myometrial vascularity with a peak systolic velocity > 50 cm/sec. Ultrasound in Obstetrics and Gynecology, 2010, 36, 192-192.	0.9	0
509	P16.01: Comparing tubal and non-tubal ectopic pregnancies: a multicentre case series. Ultrasound in Obstetrics and Gynecology, 2010, 36, 228-228.	0.9	0
510	P16.04: The influence of symptoms, uncertainty of dates and previous miscarriage on gestation sac growth. Ultrasound in Obstetrics and Gynecology, 2010, 36, 229-229.	0.9	0
511	P26.06: Changes in genital hiatus after sacrocolpopexy. Ultrasound in Obstetrics and Gynecology, 2010, 36, 271-271.	0.9	0
512	Reply of the Authors: Endometriosis: is laparoscopy justified without previous ultrasonogram and magnetic resonance imaging (MRI)? & High prevalence of endometriosis in infertile women with normal ovulation and normospermic partners. Fertility and Sterility, 2010, 93, e12.	0.5	0
513	OC04.05: The limitations of using mean gestation sac diameter (MSD) measurements to define miscarriage. Ultrasound in Obstetrics and Gynecology, 2011, 38, 8-9.	0.9	0
514	OC07.01: Serial hCG assays for the management of pregnancies of unknown location (PUL): does the timing of hCG samples matter?. Ultrasound in Obstetrics and Gynecology, 2011, 38, 12-13.	0.9	0
515	OC07.05: Comparing the subjective impression of the examiner to the hCG ratio and mathematical models for the management of pregnancies of unknown location (PUL). Ultrasound in Obstetrics and Gynecology, 2011, 38, 14-14.	0.9	0
516	OC17.01: The association of patients' characteristics and bleeding pattern with uterine intracavitary pathology. Ultrasound in Obstetrics and Gynecology, 2011, 38, 31-31.	0.9	0
517	OC17.02: New ultrasound based mathematical models for the preoperative prediction of high risk endometrial cancer. Ultrasound in Obstetrics and Gynecology, 2011, 38, 31-32.	0.9	0
518	OC17.06: Clinical Data Miner (CDM)—a webâ€based electronic data capture framework for multiâ€centric studies with imaging modalities. Ultrasound in Obstetrics and Gynecology, 2011, 38, 33-33.	0.9	0
519	OC20.05: Changes in Caesarean section scar size in the three trimesters of pregnancy. Ultrasound in Obstetrics and Gynecology, 2011, 38, 38-38.	0.9	0
520	OC21.02: Selection of women with an ovarian tumor for surgery in specialist centers: a comparison of two triaging protocols. Ultrasound in Obstetrics and Gynecology, 2011, 38, 39-39.	0.9	0
521	OC21.04: A prediction model to distinguish between benign, borderline, stage I invasive, higher stage invasive, and metastatic adnexal tumors. Ultrasound in Obstetrics and Gynecology, 2011, 38, 40-40.	0.9	0
522	OC26.05: Longitudinal measurements of Caesarean section scar size and residual myometrial thickness in pregnancy as predictors of scar appearance at repeat Caesarean delivery. Ultrasound in Obstetrics and Gynecology, 2011, 38, 48-48.	0.9	0

#	Article	IF	CITATIONS
523	OP02.11: Rationalizing the management of pregnancies of unknown location (PULs) by reliably selecting failed PUL and intrauterine pregnancies for minimal follow up. Ultrasound in Obstetrics and Gynecology, 2011, 38, 62-62.	0.9	0
524	OP08.01: Image Study Webapp-a web interface for imaging-based interrater agreement studies. Ultrasound in Obstetrics and Gynecology, 2011, 38, 78-78.	0.9	0
525	OP10.08: The relationship between previous elective or emergency Caesarean section and time-to-next-pregnancy interval on Caesarean scar size and residual myometrial thickness in subsequent pregnancy. Ultrasound in Obstetrics and Gynecology, 2011, 38, 86-86.	0.9	0
526	OP33.03: Visibility and dimensions of Caesarean section scars in pregnancy-an interobserver variability study. Ultrasound in Obstetrics and Gynecology, 2011, 38, 150-150.	0.9	0
527	OP33.07: How is the orientation and magnitude of a CRL measurement used to estimate fetal gestation affected by ultrasound machines variability?. Ultrasound in Obstetrics and Gynecology, 2011, 38, 151-152.	0.9	0
528	Reply: The performance of the risk of ovarian malignancy algorithm. British Journal of Cancer, 2011, 105, 187-188.	2.9	0
529	Limitations of Current Definitions of Miscarriage Using Mean Gestational Sac Diameter and Crown-Rump Length Measurements. Obstetrical and Gynecological Survey, 2012, 67, 146-147.	0.2	0
530	Standardized Approach for Imaging and Measuring Cesarean Section Scars Using Ultrasonography. Obstetrical and Gynecological Survey, 2012, 67, 404-405.	0.2	0
531	Preoperative identification of a suspicious adnexal mass. Gynecologic Oncology, 2012, 127, 260-262.	0.6	0
532	Reply. Ultrasound in Obstetrics and Gynecology, 2013, 42, 121-122.	0.9	0
533	Reply. Ultrasound in Obstetrics and Gynecology, 2013, 42, 123-124.	0.9	0
534	Authors' reply to Candido-dos-Reis. BMJ, The, 2014, 349, g6691-g6691.	3.0	0
535	Authors' reply to Fountain and colleagues. BMJ, The, 2015, 351, h5852.	3.0	0
536	Dharmasena case illustrates what is wrong with complaints procedures. BMJ, The, 2015, 350, h1130-h1130.	3.0	0
537	218: Standardized fetal growth curves according to world health organization recommendations (GAMLSS analysis) in a low-risk caucasian population. American Journal of Obstetrics and Gynecology, 2015, 212, S122-S123.	0.7	0
538	Reply. American Journal of Obstetrics and Gynecology, 2016, 215, 677-678.	0.7	0
539	Reply: Should we also work on an international informed consent for endometriosis surgery?. Human Reproduction, 2017, 32, 480.2-481.	0.4	0

540 The Adnexa and Other Pathology. , 2017, , 59-68.

#	Article	IF	CITATIONS
541	Elective uterine artery embolization prior to laparoscopic resection of interstitial pregnancy: two cases and literature review. Gynecological Surgery, 2018, 15, .	0.9	0
542	Role of Imaging in Gynaecology. , 2018, , 499-518.		0
543	The potential value of activin B and fibronectin for the triage of pregnancies of unknown location and prediction of first trimester viability. Australasian Journal of Ultrasound in Medicine, 2018, 21, 138-146.	0.3	0
544	Uterine Arterial Embolization Combined with Laparoscopic Resection in the Management of Caesarean Scar Pregnancy. Journal of Gynecologic Surgery, 2019, 35, 308-310.	0.0	0
545	Advanced Doppler imaging and trucut biopsy of a lateâ€stage cervical lymphoma. Australasian Journal of Ultrasound in Medicine, 2019, 22, 301-304.	0.3	Ο
546	The potential use of urinary hCG measurements in the management of pregnancies of unknown location. Human Fertility, 2020, , 1-8.	0.7	0
547	The Use of Ultrasound to Assess the Morphology of Ovarian Tumours. , 2003, , 141-152.		0
548	Adenomyosis. , 2007, , 86-92.		0
549	Abstract OT2-2-02: Prospective multicentre study evaluating the effect of impaired tamoxifen metabolization on efficacy in breast cancer patients receiving tamoxifen in the neo-adjuvant or metastatic setting - The CYPTAM-BRUT 2 trial , 2012, , .		0
550	Sex Cord-Stromal Tumors: Clinical Setting and Ultrasound Findings. , 2013, , 279-295.		0
551	Abstract OT3-2-04: Prospective multicenter study evaluating the effect of impaired tamoxifen metabolization on efficacy in breast cancer patients receiving tamoxifen in the neo-adjuvant or metastatic setting - The CYPTAM-BRUT 2 trial. , 2013, , .		0
552	Echoscopie van het ovarium. , 2016, , 47-58.		0
553	Contrastechoscopie. , 2016, , 73-78.		0
554	Uterus. , 2018, , 821-844.		0
555	Intrauterine fluid instillation and transtubal flow: A randomized controlled in vitro trial comparing gel and water. Journal of Medical Ultrasound, 2020, 28, 35-40.	0.2	0
556	Editorial. Facts, Views & Vision in ObGyn, 2015, 7, 1-2.	0.5	0