
## Katherine Brooke-Wavell

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4171287/publications.pdf Version: 2024-02-01



| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Exercise Decreases Plasma Total Homocysteine in Overweight Young Women with Polycystic Ovary<br>Syndrome. Journal of Clinical Endocrinology and Metabolism, 2002, 87, 4496-4501.  | 1.8 | 169       |
| 2  | Optimum frequency of exercise for bone health: Randomised controlled trial of a high-impact unilateral intervention. Bone, 2010, 46, 1043-1049.   | 1.4 | 105       |
| 3  | High impact exercise increased femoral neck bone mineral density in older men: A randomised unilateral intervention. Bone, 2013, 53, 321-328.   | 1.4 | 90        |
| 4  | The Influence of High-Impact Exercise on Cortical and Trabecular Bone Mineral Content and 3D<br>Distribution Across the Proximal Femur in Older Men: A Randomized Controlled Unilateral<br>Intervention. Journal of Bone and Mineral Research, 2015, 30, 1709-1716. | 3.1 | 85        |
| 5  | Brisk Walking Reduces Calcaneal Bone Loss in Post-Menopausal Women. Clinical Science, 1997, 92,<br>75-80.   | 1.8 | 72        |
| 6  | Use of the Compulsive Exercise Test With Athletes: Norms and Links With Eating Psychopathology.<br>Journal of Applied Sport Psychology, 2014, 26, 287-301.  | 1.4 | 70        |
| 7  | Influence of the Visual Environment on the Postural Stability in Healthy Older Women. Gerontology, 2002, 48, 293-297.   | 1.4 | 69        |
| 8  | Commencing, Continuing and Stopping Brisk Walking: Effects on Bone Mineral Density, Quantitative<br>Ultrasound of Bone and Markers of Bone Metabolism in Postmenopausal Women. Osteoporosis<br>International, 2001, 12, 581-587.                                    | 1.3 | 56        |
| 9  | Risk factors for stress fracture in female endurance athletes: a cross-sectional study. BMJ Open, 2012,<br>2, e001920.  | 0.8 | 56        |
| 10 | Exercise for optimising peak bone mass in women. Proceedings of the Nutrition Society, 2008, 67, 9-18.  | 0.4 | 54        |
| 11 | Ultrasound and dual X-ray absorptiometry measurement of the calcaneus: Influence of region of interest location. Calcified Tissue International, 1995, 57, 20-24.   | 1.5 | 52        |
| 12 | Reliability and repeatability of 3-D body scanner (LASS) measurements compared to anthropometry.<br>Annals of Human Biology, 1994, 21, 571-577.   | 0.4 | 45        |
| 13 | Exercise and body image distress in overweight and obese women with polycystic ovary syndrome: A pilot investigation. Gynecological Endocrinology, 2008, 24, 555-561.   | 0.7 | 35        |
| 14 | Strong, steady and straight: UK consensus statement on physical activity and exercise for osteoporosis. British Journal of Sports Medicine, 2022, 56, 837-846.  | 3.1 | 35        |
| 15 | Effects of physical activity and menopausal hormone replacement therapy on postural stability in postmenopausal women $\hat{a} \in $ " a cross-sectional study. Maturitas, 2001, 37, 167-172.   | 1.0 | 34        |
| 16 | Effects of vertical and side-alternating vibration training on fall risk factors and bone turnover in older people at risk of falls. Age and Ageing, 2015, 44, 115-122.   | 0.7 | 34        |
| 17 | Randomised controlled trial of the effectiveness of community group and home-based falls<br>prevention exercise programmes on bone health in older people: the ProAct65+ bone study. Age and<br>Ageing, 2015, 44, 573-579.  | 0.7 | 32        |
| 18 | Importance of vitamin D, calcium and exercise to bone health with specific reference to children and adolescents. Nutrition Bulletin, 2007, 32, 364-377.  | 0.8 | 31        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Measurement precision of body composition variables in elite wheelchair athletes, using dualâ€energy<br>Xâ€ray absorptiometry. European Journal of Sport Science, 2016, 16, 65-71.   | 1.4 | 31        |
| 20 | Does Vitamin D Receptor Polymorphism Influence the Response of Bone to Brisk Walking in<br>Postmenopausal Women?. Hormone Research, 1998, 50, 315-319.   | 1.8 | 27        |
| 21 | Brisk Walking and Postural Stability: A Cross-Sectional Study in Postmenopausal Women.<br>Gerontology, 1998, 44, 288-292.  | 1.4 | 27        |
| 22 | Risks and benefits of whole body vibration training in older people. Age and Ageing, 2008, 38, 254-255.  | 0.7 | 27        |
| 23 | Multiple joint muscle function with ageing: the force–velocity and power–velocity relationships in young and older men. Aging Clinical and Experimental Research, 2013, 25, 159-166.   | 1.4 | 26        |
| 24 | Dual-Energy X-Ray Absorptiometry, Skinfold Thickness, and Waist Circumference for Assessing Body<br>Composition in Ambulant and Non-Ambulant Wheelchair Games Players. Frontiers in Physiology, 2015,<br>6, 356.                                 | 1.3 | 25        |
| 25 | Highâ€Impact Exercise Increased Femoral Neck Bone Density With No Adverse Effects on Imaging Markers<br>of Knee Osteoarthritis in Postmenopausal Women. Journal of Bone and Mineral Research, 2020, 35,<br>53-63.                                | 3.1 | 25        |
| 26 | Bone Geometry According to Menstrual Function in Female Endurance Athletes. Calcified Tissue<br>International, 2013, 92, 444-450.  | 1.5 | 24        |
| 27 | The influence of a 1-year programme of brisk walking on endurance fitness and body composition in previously sedentary men aged 42–59 years. European Journal of Applied Physiology and Occupational Physiology, 1994, 68, 531-537.              | 1.2 | 23        |
| 28 | Incidence and prevalence of lumbar stress fracture in English County Cricket fast bowlers,<br>association with bowling workload and seasonal variation. BMJ Open Sport and Exercise Medicine,<br>2019, 5, e000529.                               | 1.4 | 23        |
| 29 | Effects of Low Energy Availability on Bone Health in Endurance Athletes and High-Impact Exercise as A<br>Potential Countermeasure: A Narrative Review. Sports Medicine, 2021, 51, 391-403.   | 3.1 | 23        |
| 30 | Ultrasound Measures of Bone and the Diurnal Free Cortisol Cycle: A Positive Association with the<br>Awakening Cortisol Response in Healthy Premenopausal Women. Calcified Tissue International, 2002,<br>70, 463-468.                            | 1.5 | 19        |
| 31 | Characterising variability and regional correlations of microstructure and mechanical competence of human tibial trabecular bone: An in-vivo HR-pQCT study. Bone, 2019, 121, 139-148.  | 1.4 | 19        |
| 32 | <p>Physical activity and sedentary behavior in women with rheumatoid arthritis: a comparison of patients with low and high disease activity and healthy controls</p> . Open Access Rheumatology: Research and Reviews, 2019, Volume 11, 133-142. | 0.8 | 16        |
| 33 | Cricket Fast Bowling Technique and Lumbar Bone Stress Injury. Medicine and Science in Sports and Exercise, 2021, 53, 581-589.  | 0.2 | 16        |
| 34 | Four decades of socio-economic inequality and secular change in the physical growth of Guatemalans. Public Health Nutrition, 2020, 23, 1381-1391.  | 1.1 | 15        |
| 35 | What do older people know about safety on stairs?. Ageing and Society, 2001, 21, 759-776.  | 1.2 | 14        |
| 36 | Assessment of body composition in spinal cord injury: A scoping review. PLoS ONE, 2021, 16, e0251142.  | 1.1 | 13        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Lower calcaneal bone mineral density and broadband ultrasonic attenuation, but not speed of sound,<br>in South Asian than white European women. Annals of Human Biology, 2008, 35, 386-393.                               | 0.4 | 12        |
| 38 | Lumbar bone mineral asymmetry in elite cricket fast bowlers. Bone, 2019, 127, 537-543.  | 1.4 | 12        |
| 39 | Association of body composition and muscle function with hip geometry and BMD in premenopausal women. Annals of Human Biology, 2010, 37, 524-535.   | 0.4 | 11        |
| 40 | Incidence of bone stress injury is greater in competitive female distance runners with menstrual<br>disturbances independent of participation in plyometric training. Journal of Sports Sciences, 2021, 39,<br>2558-2566. | 1.0 | 11        |
| 41 | Fall Risk Factors in Older Female Lawn Bowls Players and Controls. Journal of Aging and Physical Activity, 2008, 17, 123-130.   | 0.5 | 10        |
| 42 | High and odd impact exercise training improved physical function and fall risk factors in<br>community-dwelling older men. Journal of Musculoskeletal Neuronal Interactions, 2018, 18, 100-107.                           | 0.1 | 7         |
| 43 | Lumbar bone stress injuries and risk factors in adolescent cricket fast bowlers. Journal of Sports<br>Sciences, 2022, 40, 1336-1342.  | 1.0 | 7         |
| 44 | The influence of physical activity on the response of bone mineral density to 5 years tibolone.<br>Maturitas, 2000, 35, 229-235.  | 1.0 | 6         |
| 45 | Fast and ballistic contractions involve greater neuromuscular power production in older adults during resistance exercise. European Journal of Applied Physiology, 2022, 122, 1639-1655.                                  | 1.2 | 6         |
| 46 | Daily exercise is most effective for increasing hip bone mineral density: A randomized high-impact,<br>unilateral intervention. Bone, 2009, 44, S100-S101.  | 1.4 | 3         |
| 47 | Instability in longitudinal childhood IQ scores of Guatemalan high SES individuals born between<br>1941-1953. PLoS ONE, 2019, 14, e0215828.   | 1.1 | 3         |
| 48 | Diet and body composition of female recreational runners of differing menstrual status. Journal of<br>Sports Sciences, 1998, 16, 629-637.   | 1.0 | 2         |
| 49 | Life course associations of height, weight, fatness, grip strength, and allâ€cause mortality for high socioeconomic status Guatemalans. American Journal of Human Biology, 2019, 31, e23253.                              | 0.8 | 2         |
| 50 | Tracking Within-Athlete Changes in Whole-Body Fat Percentage in Wheelchair Athletes. International<br>Journal of Sports Physiology and Performance, 2021, 16, 13-18.  | 1.1 | 2         |
| 51 | Lumbar Bone Mineral Adaptation: The Effect of Fast Bowling Technique in Adolescent Cricketers.<br>Medicine and Science in Sports and Exercise, 2022, 54, 438-446.   | 0.2 | 2         |
| 52 | Letter to the Editor: On epidemiology of fractures and variation with age and ethnicity. Bone, 2016, 93, 232.   | 1.4 | 1         |
| 53 | The prevalence of sarcopenia in fallers and those at risk of falls in a secondary care falls unit as measured by bioimpedance analysis. Journal of Frailty, Sarcopenia and Falls, 2018, 03, 128-131.                      | 0.4 | 1         |
| 54 | Bone health and asymmetry in elite female cricketers. European Journal of Sport Science, 2023, 23,<br>667-675.  | 1.4 | 1         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Bone Geometry and Bone Density in Athletes and Sedentary Controls According to Menstrual<br>Function Medicine and Science in Sports and Exercise, 2010, 42, 104.                    | 0.2 | 0         |
| 56 | Daily Exercise is Most Effective for Increasing Hip Bone Mineral Density: a High-impact, Unilateral<br>Intervention Medicine and Science in Sports and Exercise, 2008, 40, S81-S82. | 0.2 | 0         |
| 57 | Evaluation Of Vibration Training Platforms. Medicine and Science in Sports and Exercise, 2009, 41, 534.   | 0.2 | Ο         |
| 58 | Bone Health and Body Composition Measurement in Older People:. Society for the Study of Human<br>Biology, 2010, , 219-237.  | 0.3 | 0         |