Shinobu Itoh

List of Publications by Year
in descending order

Source: https://exaly.com/author-pdf/4172609/publications.pdf

Version: 2024-02-01

112 papers	4,534 citations	109137 35 h-index	110170 64 g-index
132 all docs	132 docs citations	132 times ranked	3527 citing authors

#	Article	IF	Citations
1	Halide-Adducts of OsO4. Structure and Reactivity in Alcohol-Oxidation. Bulletin of the Chemical Society of Japan, 2022, 95, 64-72.	2.0	5
2	C(sp³)â€“H bond activation by the carboxylate-adduct of osmium tetroxide (OsO₄). Dalton Transactions, 2022, 51, 1123-1130.	1.6	4
3	Alkane Oxidation with H2O2 Catalyzed by OsO4-carboxylate Adduct and Its Application to Heterogeneous Catalyst. Chemistry Letters, 2022, 51, 231-234.	0.7	2
4	Hydroxylation of Aliphatic and Aromatic C-H Bonds Catalyzed by Biomimetic Transition-metal Complexes. Yuki Gosei Kagaku Kyokaishi/Journal of Synthetic Organic Chemistry, 2022, 80, 506-516.	0.0	0
5	Recent progress in oxidation chemistry of high-valent ruthenium-oxo and osmium-oxo complexes and related species. Coordination Chemistry Reviews, 2022, 466, 214536.	9.5	12
6	Dioxygen Activation and Mandelate Decarboxylation by Iron(II) Complexes of N4 Ligands: Evidence for Dioxygen-Derived Intermediates from Cobalt Analogues. Inorganic Chemistry, 2022, 61, 10461-10476.	1.9	2
7	Impressive Experiences Encountered in the Development from Bioorganic Chemistry Research to Bioinorganic Chemistry Research. Yuki Gosei Kagaku Kyokaishi/Journal of Synthetic Organic Chemistry, 2022, 80, 697-700.	0.0	0
8	Oxygen Atom Insertion into the Osmiumâ€“Carbon Bond via an Organometallic Oxidoâ€“Osmium(V) Intermediate. Organometallics, 2021, 40, 102-106.	1.1	7
9	Dioxygen-Binding in Metalloproteins and Corresponding Models. , 2021, , 200-237.		2
10	Hydroxylation of Unactivated C(sp³)â€“H Bonds with m-Chloroperbenzoic Acid Catalyzed by an Iron(III) Complex Supported by a Trianionic Planar Tetradentate Ligand. Inorganic Chemistry, 2021, 60, 7641-7649.	1.9	11
11	Controlling the Reactivity of Copper(II) Acylperoxide Complexes. Inorganic Chemistry, 2021, 60, 8554-8565.	1.9	5
12	Revisiting Alkane Hydroxylation with m â€CPBA (m â€Chloroperbenzoic Acid) Catalyzed by Nickel(II) Complexes. Chemistry - A European Journal, 2021, 27, 14730-14737.	1.7	14
13	Tin(II)â€“Nitrene Radical Complexes Formed by Electron Transfer from Redox-Active Ligand to Organic Azides and Their Reactivity in C(sp³)â€“H Activation. Inorganic Chemistry, 2021, 60, 18603-18607.	1.9	6
14	Controlling Coordination Number of Rhodium(III) Complex by Ligand-Based Redox for Catalytic Câ€“H Amination. Bulletin of the Chemical Society of Japan, 2020, 93, 279-286.	2.0	15
15	C(sp²)â€“H Iodination by a Rhodium(III) Complex Supported by a Redox-active Ligand Bearing Amidophenolato Moieties. Chemistry Letters, 2020, 49, 666-669.	0.7	1
16	Cupin Variants as a Macromolecular Ligand Library for Stereoselective Michael Addition of Nitroalkanes. Angewandte Chemie - International Edition, 2020, 59, 7717-7720.	7.2	10
17	Cupin Variants as a Macromolecular Ligand Library for Stereoselective Michael Addition of Nitroalkanes. Angewandte Chemie, 2020, 132, 7791-7794.	1.6	0
18	Copperâ€“Oxygen Dynamics in the Tyrosinase Mechanism. Angewandte Chemie - International Edition, 2020, 59, 13385-13390.	7.2	57

#	Article	IF	Citations
19	Modelling a â€˜histidine braceâ€™ motif in mononuclear copper monooxygenases. Chemical Communications, 2020, 56, 5123-5126.	2.2	22
20	Theoretical rationalization for the equilibrium between (Î¼â€“Î·²:Î·²-peroxido)Cu^{II}Cu^{II} and bis(Î¼-oxido)Cu^{III}Cu^{III} complexes: perturbational effects from ligand frameworks. Dalton Transactions, 2020, 49, 6710-6717.	1.6	3
21	Copperâ€“Oxygen Dynamics in the Tyrosinase Mechanism. Angewandte Chemie, 2020, 132, 13487-13492.	1.6	18
22	Cupric-superoxide complex that induces a catalytic aldol reaction-type Câ€“C bond formation. Communications Chemistry, 2019, 2, .	2.0	19
23	Characterization and Reactivity of a Tetrahedral Copper(II) Alkylperoxido Complex. Chemistry - A European Journal, 2019, 25, 11157-11165.	1.7	11
24	Oxidoâ€Hydroxidoâ€•and Oxidoâ€Aminatoâ€Osmium(V) Complexes with a Cyclohexanediamineâ€Based Tetradentate Ligand as Active Oxidants for Dihydroxylation and Aminohydroxylation of Alkenes. European Journal of Inorganic Chemistry, 2019, 2019, 2891-2898.	1.0	5
25	Direct Observation of Primary Câˆ’H Bond Oxidation by an Oxidoâ€Iron(IV) Porphyrin Ï€â€Radical Cation Complex in a Fluorinated Carbon Solvent. Angewandte Chemie, 2019, 131, 10979-10982.	1.6	2
26	Direct Observation of Primary Câˆ’H Bond Oxidation by an Oxidoâ€Iron(IV) Porphyrin Ï€â€Radical Cation Complex in a Fluorinated Carbon Solvent. Angewandte Chemie - International Edition, 2019, 58, 10863-10866.	7.2	20
27	A Bis(Î¼â€•oxido)dinickel(III) Complex with a Triplet Ground State. Angewandte Chemie - International Edition, 2018, 57, 7640-7643.	7.2	14
28	Copper(I)â€“Dioxygen Reactivity in the Isolated Cavity of a Nanoscale Molecular Architecture. European Journal of Inorganic Chemistry, 2018, 2018, 1976-1983.	1.0	10
29	Tyrosinases in Organic Chemistry: A Versatile Tool for the Î±â€Arylation of Î²â€Dicarbonyl Compounds. European Journal of Organic Chemistry, 2018, 2018, 1789-1796.	1.2	6
30	A Bis(Î¼â€•oxido)dinickel(III) Complex with a Triplet Ground State. Angewandte Chemie, 2018, 130, 7766-7769.	1.6	4
31	Osmium Complexes Coordinated with Poly(pyridylmethyl)diamine-Based Hexadentate Ligands. European Journal of Inorganic Chemistry, 2018, 2018, 178-185.	1.0	1
32	Noninnocent Ligand in Rhodium(III)-Complex-Catalyzed Câ€“H Bond Amination with Tosyl Azide. Inorganic Chemistry, 2018, 57, 9738-9747.	1.9	27
33	Structure and Reactivity of Copper Complexes Supported by a Bulky Tripodal N 4 Ligand: Copper(I)/Dioxygen Reactivity and Formation of a Hydroperoxide Copper(II) Complex. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2018, 644, 780-789.	0.6	5
34	Dioxygenation of Flavonol Catalyzed by Copper(II) Complexes Supported by Carboxylate-Containing Ligands: Structural and Functional Models of Quercetin 2,4-Dioxygenase. European Journal of Inorganic Chemistry, 2017, 2017, 1845-1854.	1.0	15
35	Catalytic Câ€“H amination driven by intramolecular ligand-to-nitrene one-electron transfer through a rhodium(<scp>iii</scp>) centre. Chemical Communications, 2017, 53, 4849-4852.	2.2	32
36	Generation and characterisation of a stable nickel(ii)-aminoxyl radical complex. Dalton Transactions, 2017, 46, 8013-8016.	1.6	6

#	Article	IF	Citations
37	A Well-Defined Osmiumâ€“Cupin Complex: Hyperstable Artificial Osmium Peroxygenase. Journal of the American Chemical Society, 2017, 139, 5149-5155.	6.6	26
38	Dioxygenation of Flavonol Catalyzed by Copper(II) Complexes Supported by Carboxylate-Containing Ligands: Structural and Functional Models of Quercetin 2,4-Dioxygenase. European Journal of Inorganic Chemistry, 2017, 2017, 1844-1844.	1.0	0
39	Geometric effects on O O bond scission of copper(II)-alkylperoxide complexes. Journal of Inorganic Biochemistry, 2017, 177, 375-383.	1.5	13
40	Tetrahedral Copper(II) Complexes with a Labile Coordination Site Supported by a Tris-tetramethylguanidinato Ligand. Inorganic Chemistry, 2017, 56, 9634-9645.	1.9	34
41	Oxidative Transformation of Alkenes Catalyzed by Bioinspired Osmium Complexes. Yuki Gosei Kagaku Kyokaishi/Journal of Synthetic Organic Chemistry, 2017, 75, 929-940.	0.0	0
42	Ceriumâ€Complexâ€Catalyzed Oxidation of Arylmethanols under Atmospheric Pressure of Dioxygen and Its Mechanism through a Sideâ€On Î¼â€Peroxo Dicerium(IV) Complex. Chemistry - A European Journal, 2016, 22, 4008-4014.	1.7	25
43	Cerium-Complex-Catalyzed Oxidation of Arylmethanols under Atmospheric Pressure of Dioxygen and Its Mechanism through a Side-On Î¼-Peroxo Dicerium(IV) Complex. Chemistry - A European Journal, 2016, 22, 3897-3897.	1.7	0
44	Controlling Dicopper Protein Functions. Bulletin of the Chemical Society of Japan, 2016, 89, 733-742.	2.0	17
45	A Model for the Active-Site Formation Process in DMSO Reductase Family Molybdenum Enzymes Involving Oxidoâˆ’Alcoholato and Oxidoâˆ’Thiolato Molybdenum(VI) Core Structures. Inorganic Chemistry, 2016, 55, 1542-1550.	1.9	15
46	Oxidative Cyclization of 1,5-Dienes with Hydrogen Peroxide Catalyzed by an Osmium(III) Complex: Synthesis of cis-Tetrahydrofurans. Organic Letters, 2016, 18, 1246-1249.	2.4	14
47	Redox behavior of novel nickel and palladium complexes supported by trianionic non-innocent ligand containing Î²-diketiminate and phenol groups. Journal of Porphyrins and Phthalocyanines, 2015, 19, 377-387.	0.4	5
48	Developing Mononuclear Copperâ€“Active-Oxygen Complexes Relevant to Reactive Intermediates of Biological Oxidation Reactions. Accounts of Chemical Research, 2015, 48, 2066-2074.	7.6	140
49	cis-1,2-Aminohydroxylation of Alkenes Involving a Catalytic Cycle of Osmium(III) and Osmium(V) Centers: Os^V(O)(NHTs) Active Oxidant with a Macrocyclic Tetradentate Ligand. Inorganic Chemistry, 2015, 54, 7073-7082.	1.9	13
50	Direct Hydroxylation of Benzene to Phenol Using Hydrogen Peroxide Catalyzed by Nickel Complexes Supported by Pyridylalkylamine Ligands. Journal of the American Chemical Society, 2015, 137, 5867-5870.	6.6	160
51	Generation, Characterization, and Reactivity of a Cu^{II}â€“Alkylperoxide/Anilino Radical Complex: Insight into the Oâ€“O Bond Cleavage Mechanism. Journal of the American Chemical Society, 2015, 137, 10870-10873.	6.6	29
52	A copper complex supported by an N₂S-tridentate ligand inducing efficient heterolytic Oâ€“O bond cleavage of alkylhydroperoxide. Dalton Transactions, 2014, 43, 4871-4877.	1.6	27
53	Geometric Control of Nuclearity in Copper(I)/Dioxygen Chemistry. Inorganic Chemistry, 2014, 53, 8786-8794.	1.9	27
54	A Tetradentate Î²â€Diiminato Ligand Containing Phenolate Substituents: Flexivalent Coordination to Mn^{III}, Co^{III}, Ni^{II}, and Cu^{II}. European Journal of Inorganic Chemistry, 2014, 2014, 5752-5759.	1.0	13

#	Article	IF	Citations
55	Redox Chemistry of Nickel(II) Complexes Supported by a Series of Noninnocent Î²-Diketiminate Ligands. Inorganic Chemistry, 2014, 53, 6159-6169.	1.9	33
56	Crystal Structures of Copper-depleted and Copper-bound Fungal Pro-tyrosinase. Journal of Biological Chemistry, 2013, 288, 22128-22140.	1.6	72
57	Câ€“H Bond Activation of the Methyl Group of the Supporting Ligand in an Osmium(III) Complex upon Reaction with H₂O₂: Formation of an Organometallic Osmium(IV) Complex. Inorganic Chemistry, 2013, 52, 543-545.	1.9	9
58	Copper complexes of the non-innocent Î²-diketiminate ligand containing phenol groups. Dalton Transactions, 2013, 42, 2438-2444.	1.6	24
59	Osmium(III) and Osmium(V) Complexes Bearing a Macrocyclic Ligand: A Simple and Efficient Catalytic System for cisâ€Dihydroxylation of Alkenes with Hydrogen Peroxide. Chemistry - an Asian Journal, 2013, 8, 2154-2160.	1.7	22
60	Redox Properties of a Mononuclear Copper(II)-Superoxide Complex. Inorganic Chemistry, 2013, 52, 10431-10437.	1.9	58
61	Heterolytic Alkyl Hydroperoxide Oâ€“O Bond Cleavage by Copper(I) Complexes. European Journal of Inorganic Chemistry, 2012, 2012, 4099-4103.	1.0	24
62	Active Site Models for the Cu_A Site of Peptidylglycine Î±-Hydroxylating Monooxygenase and Dopamine Î²-Monooxygenase. Inorganic Chemistry, 2012, 51, 9465-9480.	1.9	75
63	An Osmium(III)/Osmium(V) Redox Couple Generating Os^V(O)(OH) Center for cis-1,2-Dihydroxylation of Alkenes with H₂O₂: Os Complex with a Nitrogen-Based Tetradentate Ligand. Journal of the American Chemical Society, 2012, 134, 19270-19280.	6.6	44
64	Copper(I)â€Dioxygen Reactivity in a Sterically Demanding Tripodal Tetradentate tren Ligand: Formation and Reactivity of a Mononuclear Copper(II) Endâ€On Superoxo Complex. European Journal of Inorganic Chemistry, 2012, 2012, 4574-4578.	1.0	41
65	Multifunctions of MelB, a Fungal Tyrosinase from Aspergillus oryzae. ChemBioChem, 2012, 13, 193-201.	1.3	27
66	Synthesis and Properties of Oxo-carboxylato- and Dioxo-Bridged Diosmium Complexes of Tris(2-pyridylmethyl)amine. Inorganic Chemistry, 2011, 50, 9014-9023.	1.9	12
67	Post-Translational His-Cys Cross-Linkage Formation in Tyrosinase Induced by Copper(II)âˆ’Peroxo Species. Journal of the American Chemical Society, 2011, 133, 1180-1183.	6.6	30
68	Reactivity of copper(ii)-alkylperoxo complexes. Dalton Transactions, 2011, 40, 10326.	1.6	47
69	Nickel(II) Complexes of tpa Ligands with 6-Phenyl Substituents (Phntpa). Structure and H2O2-Reactivity. Bulletin of the Chemical Society of Japan, 2010, 83, 530-538.	2.0	16
70	Mononuclear Copper(II)âˆ’Superoxo Complexes that Mimic the Structure and Reactivity of the Active Centers of PHM and DÎ²M. Journal of the American Chemical Society, 2009, 131, 2788-2789.	6.6	155
71	Reactivity of Mononuclear Alkylperoxo Copper(II) Complex. Oâˆ’O Bond Cleavage and Câˆ’H Bond Activation. Journal of the American Chemical Society, 2008, 130, 4244-4245.	6.6	102
72	Reactions of Copper(II)-H2O2 Adducts Supported by Tridentate Bis(2-pyridylmethyl)amine Ligands: Sensitivity to Solvent and Variations in Ligand Substitution. Inorganic Chemistry, 2008, 47, 8222-8232.	1.9	52

#	Article	IF	Citations
73	Catalysis of Photoinduced Electron Transfer Reactions. Advances in Photochemistry, 2007, , 107-172.	0.4	8
74	Catalytic Alkane Hydroxylation Reaction with Nickel(II) Complexes Supported by Di- and Triphenol Ligands. Chemistry Letters, 2007, 36, 748-749.	0.7	48
75	Monooxygenase Activity of Type 3 Copper Proteins. Accounts of Chemical Research, 2007, 40, 592-600.	7.6	211
76	Aromatic Hydroxylation Reactivity of a Mononuclear Cu(II)â˜'Alkylperoxo Complex. Journal of the American Chemical Society, 2007, 129, 7248-7249.	6.6	49
77	Ligand effects on NiII-catalysed alkane-hydroxylation with m-CPBA. Dalton Transactions, 2007, , 1120.	1.6	111
78	NiII(TPA) as an efficient catalyst for alkane hydroxylation with m-CPBA. Chemical Communications, 2006, , 4016.	2.2	125
79	Structure and O2-reactivity of copper(i) complexes supported by pyridylalkylamine ligands. Dalton Transactions, 2006, , 4531.	1.6	47
80	Syntheses, Structures, and O2-Reactivities of Copper(I) Complexes with Bis(2-pyridylmethyl)amine and Bis(2-quinolylmethyl)amine Tridentate Ligands. Bulletin of the Chemical Society of Japan, 2006, 79, 1729-1741.	2.0	24
81	Mononuclear copper active-oxygen complexes. Current Opinion in Chemical Biology, 2006, 10, 115-122.	2.8	190
82	Kinetics and DFT studies on the reaction of copper(II) complexes and H2O2. Journal of Biological Inorganic Chemistry, 2005, 10, 581-590.	1.1	28
83	Structure and dioxygen-reactivity of copper(i) complexes supported by bis(6-methylpyridin-2-ylmethyl)amine tridentate ligands. Dalton Transactions, 2005, , 3514.	1.6	34
84	Fine Tuning of Structure and Reactivity of Copper Complexes Using Pyridylalkylamine Ligands-Active Site Models for Copper Proteins-. Yuki Gosei Kagaku Kyokaishi/Journal of Synthetic Organic Chemistry, 2005, 63, 1240-1252.	0.0	3
85	A Model Compound of the Novel Organic Cofactor CTQ (Cysteine Tryptophylquinone) of Quinohemoprotein Amine Dehydrogenase. European Journal of Organic Chemistry, 2004, 2004, 3074-3079.	1.2	6
86	Structures and Redox Reactivities of Copper Complexes of (2-Pyridyl)alkylamine Ligands. Effects of the Alkyl Linker Chain Length. Inorganic Chemistry, 2003, 42, 8087-8097.	1.9	59
87	Kinetic Evaluation of Phenolase Activity of Tyrosinase Using Simplified Catalytic Reaction System. Journal of the American Chemical Society, 2003, 125, 13034-13035.	6.6	113
88	Effects of magnesium ion on kinetic stability and spin distribution of phenoxyl radical derived from a vitamin E analogue: mechanistic insight into antioxidative hydrogen-transfer reaction of vitamin EElectronic supplementary information available: calculated spin density distributions and dependence of kHT on [Mg2+] for hydrogen transfer. See http://www.rsc.org/suppdata/p2/b2/b205380b/. Perkin Transactions II RSC, 2002, , 1520-1524.	1.1	35
89	Formation, Characterization, and Reactivity of Bis(Î¼-oxo)dinickel(III) Complexes Supported by A Series of Bis[2-(2-pyridyl)ethyl]amine Ligands. Journal of the American Chemical Society, 2001, 123, 11168-11178.	6.6	90
90	Characterization of Imidazolate-Bridged Dinuclear and Mononuclear Hydroperoxo Complexes. Inorganic Chemistry, 2001, 40, 3200-3207.	1.9	52

#	Article	IF	Citations
91	Fine Tuning of the Interaction between the Copper(I) and Disulfide Bond. Formation of a Bis(Î¼-thiolato)dicopper(II) Complex by Reductive Cleavage of the Disulfide Bond with Copper(I). Journal of the American Chemical Society, 2001, 123, 4087-4088.	6.6	67
92	Oxygenation of Phenols to Catechols by A (Î¼-Î·2:Î·2-Peroxo)dicopper(II) Complex:â€‰ Mechanistic Insight into the Phenolase Activity of Tyrosinase. Journal of the American Chemical Society, 2001, 123, 6708-6709.	6.6	180
93	Characterization of imidazolate-bridged Cu(ii)â€“Zn(ii) heterodinuclear and Cu(ii)â€“Cu(ii) homodinuclear hydroperoxo complexes as reaction intermediate models of Cu,Znâ€“SOD. Chemical Communications, 2000, , 1051-1052.	2.2	30
94	Catalytic effect of monovalent cations on the amine oxidation by cofactor TTQ of quinoprotein amine dehydrogenases. Chemical Communications, 2000, , 329-330.	2.2	8
95	Effects of Metal Ions on the Electronic, Redox, and Catalytic Properties of Cofactor TTQ of Quinoprotein Amine Dehydrogenases. Journal of the American Chemical Society, 2000, 122, 12087-12097.	6.6	33
96	Resonance Raman Spectroscopy as a Probe of the Bis(Î¼-oxo)dicopper Core. Journal of the American Chemical Society, 2000, 122, 792-802.	6.6	91
97	Synthesis and Characterization of Imidazolate-Bridged Dinuclear Complexes as Active Site Models of Cu,Zn-SOD. Journal of the American Chemical Society, 2000, 122, 5733-5741.	6.6	209
98	Electron-Transfer Properties of Active Aldehydes of Thiamin Coenzyme Models, and Mechanism of Formation of the Reactive Intermediates. Chemistry - A European Journal, 1999, 5, 2810-2818.	1.7	59
99	Oxidation of Benzyl Alcohol with CuII and ZnII Complexes of the Phenoxyl Radical as a Model of the Reaction of Galactose Oxidase. Angewandte Chemie - International Edition, 1999, 38, 2774-2776.	7.2	86
100	Aliphatic Hydroxylation by a Bis(Î¼-oxo)dinickel(III) Complex. Journal of the American Chemical Society, 1999, 121, 8945-8946.	6.6	66
101	Direct Observation of Radical Intermediates While Investigating the Redox Behavior of Thiamin Coenzyme Models. Angewandte Chemie - International Edition, 1998, 37, 992-994.	7.2	48
102	Model Studies on Calcium-Containing Quinoprotein Alcohol Dehydrogenases. Catalytic Role of Ca2+for the Oxidation of Alcohols by Coenzyme PQQ (4,5-Dihydro-4,5-dioxo-1H-pyrrolo[2,3-f]quinoline-2,7,9-tricarboxylic Acid)â€. Biochemistry, 1998, 37, 6562-6571.	1.2	71
103	Selective One-Electron and Two-Electron Reduction of C60 with NADH and NAD Dimer Analogues via Photoinduced Electron Transfer. Journal of the American Chemical Society, 1998, 120, 8060-8068.	6.6	221
104	Modeling of the Chemistry of Quinoprotein Methanol Dehydrogenase. Oxidation of Methanol by Calcium Complex of Coenzyme PQQ via Additionâ˜Elimination Mechanism. Journal of the American Chemical Society, 1997, 119, 439-440.	6.6	75
105	Active Site Models for Galactose Oxidase. Electronic Effect of the Thioether Group in the Novel Organic Cofactor. Inorganic Chemistry, 1997, 36, 1407-1416.	1.9	140
106	Model Studies of TTQ-Containing Amine Dehydrogenases. Journal of Organic Chemistry, 1996, 61, 8967-8974.	1.7	35
107	Synthesis and structural properties of copper complexes toward the active center model of galactose oxidase. Nihon Kessho Gakkaishi, 1994, 36, 166-166.	0.0	0
108	Multinuclear NMR andab initio MO studies of 7-methyl-7H-pyrrolo [2,3-b]pyridine and related compounds. Journal of Physical Organic Chemistry, 1993, 6, 139-144.	0.9	2

#	Article	IF	Citations
109	Chemical Functions of Novel Heterocyclic o-Quinone Cofactors and Their Applications.. Yuki Gosei Kagaku Kyokaishi/Journal of Synthetic Organic Chemistry, 1993, 51, 1154-1163.	0.0	2
110	Chemical functions of novel coenzyme PQQ.. Yuki Gosei Kagaku Kyokaishi/Journal of Synthetic Organic Chemistry, 1989, 47, 855-867.	0.0	2
111	Oxidative Deamination of Aliphatic Amines by Coenzyme PQQ in the Micellar System. Journal of Japan Oil Chemists Society, 1987, 36, 882-883.	0.1	3
112	Effects of Surfactants on the Oxidative Deamination of Amines by Coenzyme PQQ. Journal of Japan Oil Chemists Society, 1986, 35, 91-95.	0.1	2