

Cã©line S Gonã§alves

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4173503/publications.pdf>

Version: 2024-02-01

28
papers

633
citations

516215

16
h-index

580395

25
g-index

28
all docs

28
docs citations

28
times ranked

1157
citing authors

#	ARTICLE	IF	CITATIONS
1	MicroRNA-375 plays a dual role in prostate carcinogenesis. <i>Clinical Epigenetics</i> , 2015, 7, 42.	1.8	88
2	Expression of histone methyltransferases as novel biomarkers for renal cell tumor diagnosis and prognostication. <i>Epigenetics</i> , 2015, 10, 1033-1043.	1.3	51
3	Histone methyltransferase PRMT6 plays an oncogenic role of in prostate cancer. <i>Oncotarget</i> , 2016, 7, 53018-53028.	0.8	46
4	A transcriptomic signature mediated by HOXA9 promotes human glioblastoma initiation, aggressiveness and resistance to temozolomide. <i>Oncotarget</i> , 2015, 6, 7657-7674.	0.8	46
5	A multiplatform approach identifies miR-152-3p as a common epigenetically regulated onco-suppressor in prostate cancer targeting TMEM97. <i>Clinical Epigenetics</i> , 2018, 10, 40.	1.8	39
6	Effects of the functional HOTAIR rs920778 and rs12826786 genetic variants in glioma susceptibility and patient prognosis. <i>Journal of Neuro-Oncology</i> , 2017, 132, 27-34.	1.4	36
7	<i>WNT6</i> is a novel oncogenic prognostic biomarker in human glioblastoma. <i>Theranostics</i> , 2018, 8, 4805-4823.	4.6	35
8	MicroRNA-30a-5pme: a novel diagnostic and prognostic biomarker for clear cell renal cell carcinoma in tissue and urine samples. <i>Journal of Experimental and Clinical Cancer Research</i> , 2020, 39, 98.	3.5	34
9	HOX gene cluster (de)regulation in brain: from neurodevelopment to malignant glial tumours. <i>Cellular and Molecular Life Sciences</i> , 2020, 77, 3797-3821.	2.4	33
10	The long non-coding RNA <i>HOTAIR</i> is transcriptionally activated by HOXA9 and is an independent prognostic marker in patients with malignant glioma. <i>Oncotarget</i> , 2018, 9, 15740-15756.	0.8	28
11	Overexpression of circulating MiR-30b-5p identifies advanced breast cancer. <i>Journal of Translational Medicine</i> , 2019, 17, 435.	1.8	27
12	A novel molecular link between HOXA9 and WNT6 in glioblastoma identifies a subgroup of patients with particular poor prognosis. <i>Molecular Oncology</i> , 2020, 14, 1224-1241.	2.1	21
13	Sirtuins™ Deregulation in Bladder Cancer: SIRT7 Is Implicated in Tumor Progression through Epithelial to Mesenchymal Transition Promotion. <i>Cancers</i> , 2020, 12, 1066.	1.7	21
14	Exploiting the Complexities of Glioblastoma Stem Cells: Insights for Cancer Initiation and Therapeutic Targeting. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5278.	1.8	20
15	Unravelling the anticancer potential of functionalized chromeno[2,3-b]pyridines for breast cancer treatment. <i>Bioorganic Chemistry</i> , 2020, 100, 103942.	2.0	20
16	<i>SETDB2</i> and <i>RIOX2</i> are differentially expressed among renal cell tumor subtypes, associating with prognosis and metastization. <i>Epigenetics</i> , 2017, 12, 1057-1064.	1.3	18
17	Fucoidan/chitosan nanoparticles functionalized with anti-ErbB-2 target breast cancer cells and impair tumor growth in vivo. <i>International Journal of Pharmaceutics</i> , 2021, 600, 120548.	2.6	15
18	MCT1 Is a New Prognostic Biomarker and Its Therapeutic Inhibition Boosts Response to Temozolomide in Human Glioblastoma. <i>Cancers</i> , 2021, 13, 3468.	1.7	14

#	ARTICLE	IF	CITATIONS
19	Impact of TGF-Î²1Î-509C/T and 869T/C polymorphisms on glioma risk and patient prognosis. <i>Tumor Biology</i> , 2015, 36, 6525-6532.	0.8	13
20	Transcriptional profiling of HOXA9-regulated genes in human glioblastoma cell models. <i>Genomics Data</i> , 2015, 5, 54-58.	1.3	11
21	Epigenetically-regulated miR-30a/c-5p directly target TWF1 and hamper ccRCC cell aggressiveness. <i>Translational Research</i> , 2022, 249, 110-127.	2.2	5
22	<i>Cadherinâ€³</i> is a novel oncogenic biomarker with prognostic value in glioblastoma. <i>Molecular Oncology</i> , 2022, 16, 2611-2631.	2.1	4
23	Intracellular Autofluorescence as a New Biomarker for Cancer Stem Cells in Glioblastoma. <i>Cancers</i> , 2021, 13, 828.	1.7	3
24	Cadherin switches during epithelial-mesenchymal transition: CDH4/RCAD downregulation reduces bladder cancer progression. <i>Cellular Oncology (Dordrecht)</i> , 2022, 45, 135-149.	2.1	2
25	Chronic Stress Does Not Influence the Survival of Mouse Models of Glioblastoma. <i>Frontiers in Oncology</i> , 2022, 12, 856210.	1.3	2
26	Regulation of WNT6 by HOXA9 in glioblastoma: functional and clinical relevance. <i>European Journal of Cancer</i> , 2016, 61, S45-S46.	1.3	1
27	565 HOXA9 Target Genes in Glioblastoma â€œ Characterization and Clinical Relevance. <i>European Journal of Cancer</i> , 2012, 48, S134.	1.3	0
28	Mechanisms of Aggressiveness in Glioblastoma: Prognostic and Potential Therapeutic Insights. , 2013, , .		0