

Cã©line S Gonã§alves

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4173503/publications.pdf>

Version: 2024-02-01

28
papers

633
citations

516215

16
h-index

580395

25
g-index

28
all docs

28
docs citations

28
times ranked

1157
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Cadherin switches during epithelial-mesenchymal transition: CDH4/RCAD downregulation reduces bladder cancer progression. <i>Cellular Oncology (Dordrecht)</i> , 2022, 45, 135-149. | 2.1 | 2 |
| 2 | <i>Cadherin-63</i> is a novel oncogenic biomarker with prognostic value in glioblastoma. <i>Molecular Oncology</i> , 2022, 16, 2611-2631. | 2.1 | 4 |
| 3 | Chronic Stress Does Not Influence the Survival of Mouse Models of Glioblastoma. <i>Frontiers in Oncology</i> , 2022, 12, 856210. | 1.3 | 2 |
| 4 | Epigenetically-regulated miR-30a/c-5p directly target TWF1 and hamper ccRCC cell aggressiveness. <i>Translational Research</i> , 2022, 249, 110-127. | 2.2 | 5 |
| 5 | Intracellular Autofluorescence as a New Biomarker for Cancer Stem Cells in Glioblastoma. <i>Cancers</i> , 2021, 13, 828. | 1.7 | 3 |
| 6 | Fucoidan/chitosan nanoparticles functionalized with anti-ErbB-2 target breast cancer cells and impair tumor growth in vivo. <i>International Journal of Pharmaceutics</i> , 2021, 600, 120548. | 2.6 | 15 |
| 7 | MCT1 Is a New Prognostic Biomarker and Its Therapeutic Inhibition Boosts Response to Temozolomide in Human Glioblastoma. <i>Cancers</i> , 2021, 13, 3468. | 1.7 | 14 |
| 8 | A novel molecular link between HOXA9 and WNT6 in glioblastoma identifies a subgroup of patients with particular poor prognosis. <i>Molecular Oncology</i> , 2020, 14, 1224-1241. | 2.1 | 21 |
| 9 | Exploiting the Complexities of Glioblastoma Stem Cells: Insights for Cancer Initiation and Therapeutic Targeting. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5278. | 1.8 | 20 |
| 10 | MicroRNA-30a-5pme: a novel diagnostic and prognostic biomarker for clear cell renal cell carcinoma in tissue and urine samples. <i>Journal of Experimental and Clinical Cancer Research</i> , 2020, 39, 98. | 3.5 | 34 |
| 11 | Sirtuins [™] Deregulation in Bladder Cancer: SIRT7 Is Implicated in Tumor Progression through Epithelial to Mesenchymal Transition Promotion. <i>Cancers</i> , 2020, 12, 1066. | 1.7 | 21 |
| 12 | HOX gene cluster (de)regulation in brain: from neurodevelopment to malignant glial tumours. <i>Cellular and Molecular Life Sciences</i> , 2020, 77, 3797-3821. | 2.4 | 33 |
| 13 | Unravelling the anticancer potential of functionalized chromeno[2,3-b]pyridines for breast cancer treatment. <i>Bioorganic Chemistry</i> , 2020, 100, 103942. | 2.0 | 20 |
| 14 | Overexpression of circulating MiR-30b-5p identifies advanced breast cancer. <i>Journal of Translational Medicine</i> , 2019, 17, 435. | 1.8 | 27 |
| 15 | A multiplatform approach identifies miR-152-3p as a common epigenetically regulated onco-suppressor in prostate cancer targeting TMEM97. <i>Clinical Epigenetics</i> , 2018, 10, 40. | 1.8 | 39 |
| 16 | The long non-coding RNA <i>HOTAIR</i> is transcriptionally activated by HOXA9 and is an independent prognostic marker in patients with malignant glioma. <i>Oncotarget</i> , 2018, 9, 15740-15756. | 0.8 | 28 |
| 17 | <i>WNT6</i> is a novel oncogenic prognostic biomarker in human glioblastoma. <i>Theranostics</i> , 2018, 8, 4805-4823. | 4.6 | 35 |
| 18 | Effects of the functional HOTAIR rs920778 and rs12826786 genetic variants in glioma susceptibility and patient prognosis. <i>Journal of Neuro-Oncology</i> , 2017, 132, 27-34. | 1.4 | 36 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | <i>SETDB2</i> and <i>RIOX2</i> are differentially expressed among renal cell tumor subtypes, associating with prognosis and metastization. <i>Epigenetics</i> , 2017, 12, 1057-1064. | 1.3 | 18 |
| 20 | Regulation of <i>WNT6</i> by <i>HOXA9</i> in glioblastoma: functional and clinical relevance. <i>European Journal of Cancer</i> , 2016, 61, S45-S46. | 1.3 | 1 |
| 21 | Histone methyltransferase <i>PRMT6</i> plays an oncogenic role of in prostate cancer. <i>Oncotarget</i> , 2016, 7, 53018-53028. | 0.8 | 46 |
| 22 | MicroRNA-375 plays a dual role in prostate carcinogenesis. <i>Clinical Epigenetics</i> , 2015, 7, 42. | 1.8 | 88 |
| 23 | Transcriptional profiling of <i>HOXA9</i> -regulated genes in human glioblastoma cell models. <i>Genomics Data</i> , 2015, 5, 54-58. | 1.3 | 11 |
| 24 | Impact of TGF- β 1 \hat{A} -509C/T and 869T/C polymorphisms on glioma risk and patient prognosis. <i>Tumor Biology</i> , 2015, 36, 6525-6532. | 0.8 | 13 |
| 25 | Expression of histone methyltransferases as novel biomarkers for renal cell tumor diagnosis and prognostication. <i>Epigenetics</i> , 2015, 10, 1033-1043. | 1.3 | 51 |
| 26 | A transcriptomic signature mediated by <i>HOXA9</i> promotes human glioblastoma initiation, aggressiveness and resistance to temozolomide. <i>Oncotarget</i> , 2015, 6, 7657-7674. | 0.8 | 46 |
| 27 | Mechanisms of Aggressiveness in Glioblastoma: Prognostic and Potential Therapeutic Insights. , 2013, , . | | 0 |
| 28 | 565 <i>HOXA9</i> Target Genes in Glioblastoma â€œ Characterization and Clinical Relevance. <i>European Journal of Cancer</i> , 2012, 48, S134. | 1.3 | 0 |