

# Gemma Vilagut

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4174032/publications.pdf>

Version: 2024-02-01

104  
papers

15,304  
citations

44444

50  
h-index

30277

107  
g-index

111  
all docs

111  
docs citations

111  
times ranked

20393  
citing authors

#	ARTICLE	IF	CITATIONS
1	Non-suicidal self-injury among first-year college students and its association with mental disorders: results from the World Mental Health International College Student (WMH-ICS) initiative. <i>Psychological Medicine</i> , 2023, 53, 875-886.	2.7	50
2	Psychological impact of the COVID-19 pandemic on primary care workers: a cross-sectional study. <i>British Journal of General Practice</i> , 2022, 72, e501-e510.	0.7	17
3	The Mental Health of Employees with Job Loss and Income Loss during the COVID-19 Pandemic: The Mediating Role of Perceived Financial Stress. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3158.	1.2	41
4	Suicidality among healthcare professionals during the first COVID19 wave. <i>Journal of Affective Disorders</i> , 2021, 283, 66-70.	2.0	30
5	Mental well-being of the general population: direct and indirect effects of socioeconomic, relational and health factors. <i>Quality of Life Research</i> , 2021, 30, 2171-2185.	1.5	12
6	Validation of an Online Version of the Alcohol Use Disorders Identification Test (AUDIT) for Alcohol Screening in Spanish University Students. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 5213.	1.2	5
7	Accuracy of Self-Reported Items for the Screening of Depression in the General Population. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7955.	1.2	8
8	Gender commonalities and differences in risk and protective factors of suicidal thoughts and behaviors: A cross-sectional study of Spanish university students. <i>Depression and Anxiety</i> , 2019, 36, 1102-1114.	2.0	14
9	Assessing oral health-related quality of life in children and adolescents: a systematic review and standardized comparison of available instruments. <i>Clinical Oral Investigations</i> , 2019, 23, 65-79.	1.4	56
10	Measurement equivalence of PROMIS depression in Spain and the United States.. <i>Psychological Assessment</i> , 2019, 31, 248-264.	1.2	11
11	Change in functioning outcomes as a predictor of the course of depression: a 12-month longitudinal study. <i>Quality of Life Research</i> , 2018, 27, 2045-2056.	1.5	4
12	Suicidal Thoughts and Behaviors Among First-Year College Students: Results From the WMH-ICS Project. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018, 57, 263-273.e1.	0.3	203
13	Head-to-head comparison between the EQ-5D-5L and the EQ-5D-3L in general population health surveys. <i>Population Health Metrics</i> , 2018, 16, 14.	1.3	27
14	Validity of the EQ-5D-5L and reference norms for the Spanish population. <i>Quality of Life Research</i> , 2018, 27, 2337-2348.	1.5	94
15	Severe role impairment associated with mental disorders: Results of the WHO World Mental Health Surveys International College Student Project. <i>Depression and Anxiety</i> , 2018, 35, 802-814.	2.0	122
16	Prevalence of major depressive disorder and association with personal and socio-economic factors. Results for Spain of the European Health Interview Survey 2014-2015. <i>Journal of Affective Disorders</i> , 2018, 239, 203-207.	2.0	47
17	WHO World Mental Health Surveys International College Student Project: Prevalence and distribution of mental disorders.. <i>Journal of Abnormal Psychology</i> , 2018, 127, 623-638.	2.0	1,140
18	Days out of role due to common physical and mental conditions in Portugal: Results from the WHO World Mental Health Survey. <i>BJPsych Open</i> , 2017, 3, 15-21.	0.3	24

#	ARTICLE	IF	CITATIONS
19	Sexual orientation and suicidal behaviour in adolescents and young adults: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2017, 211, 77-87.	1.7	127
20	Health conditions and role limitation in three European Regions: a public-health perspective. <i>Gaceta Sanitaria</i> , 2017, 31, 2-10.	0.6	6
21	The descriptive epidemiology of DSM-IV Adult ADHD in the World Health Organization World Mental Health Surveys. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2017, 9, 47-65.	1.7	507
22	Post-Traumatic Stress Disorder and other mental disorders in the general population after Lorca's earthquakes, 2011 (Murcia, Spain): A cross-sectional study. <i>PLoS ONE</i> , 2017, 12, e0179690.	1.1	14
23	Predictive models for suicidal thoughts and behaviors among Spanish University students: rationale and methods of the UNIVERSAL (University & mental health) project. <i>BMC Psychiatry</i> , 2016, 16, 122.	1.1	26
24	Screening for Depression in the General Population with the Center for Epidemiologic Studies Depression (CES-D): A Systematic Review with Meta-Analysis. <i>PLoS ONE</i> , 2016, 11, e0155431.	1.1	636
25	Prevalence of Mental Disorders in the South-East of Spain, One of the European Regions Most Affected by the Economic Crisis: The Cross-Sectional PEGASUS-Murcia Project. <i>PLoS ONE</i> , 2015, 10, e0137293.	1.1	33
26	Gender differences in mental disorders and suicidality in Europe: Results from a large cross-sectional population-based study. <i>Journal of Affective Disorders</i> , 2015, 173, 245-254.	2.0	181
27	Low functional status as a predictor of incidence of emotional disorders in the general population. <i>Quality of Life Research</i> , 2015, 24, 651-659.	1.5	5
28	Suicidality and its relationship with depression, alcohol disorders and childhood experiences of violence: Results from the ESEMeD study. <i>Journal of Affective Disorders</i> , 2015, 175, 168-174.	2.0	30
29	Gender Differences in Psychotropic Use Across Europe: Results From a Large Cross-Sectional, Population-Based Study. <i>European Psychiatry</i> , 2015, 30, 778-788.	0.1	47
30	Days out of role due to mental and physical illness in the South African stress and health study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 461-468.	1.6	27
31	DETECTION OF ANXIETY DISORDERS IN PRIMARY CARE: A META-ANALYSIS OF ASSISTED AND UNASSISTED DIAGNOSES. <i>Depression and Anxiety</i> , 2015, 32, 471-484.	2.0	41
32	Association between traumatic events and post-traumatic stress disorder: results from the ESEMeD-Spain study. <i>Epidemiology and Psychiatric Sciences</i> , 2015, 24, 172-183.	1.8	35
33	Anxious and non-anxious major depressive disorder in the World Health Organization World Mental Health Surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2015, 24, 210-226.	1.8	355
34	Testing the PROMIS Â® Depression measures for monitoring depression in a clinical sample outside the US. <i>Journal of Psychiatric Research</i> , 2015, 68, 140-150.	1.5	33
35	Are there gender differences in service use for mental disorders across countries in the European Union? Results from the EU-World Mental Health survey. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, 649-656.	2.0	57
36	Differential item and test functioning methodology indicated that item response bias was not a substantial cause of country differences in mental well-being. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 1364-1374.	2.4	8

#	ARTICLE	IF	CITATIONS
37	Mood and anxiety disorders across the adult lifespan: a European perspective. <i>Psychological Medicine</i> , 2014, 44, 707-722.	2.7	13
38	Assessing health-related quality of life in patients with heart failure: a systematic, standardized comparison of available measures. <i>Heart Failure Reviews</i> , 2014, 19, 359-367.	1.7	141
39	Evaluation of shoulder-specific patient-reported outcome measures: a systematic and standardized comparison of available evidence. <i>Journal of Shoulder and Elbow Surgery</i> , 2014, 23, 434-444.	1.2	127
40	The Spanish version of the Warwick-Edinburgh Mental Well-Being Scale (WEMWBS) is valid for use in the general population. <i>Quality of Life Research</i> , 2014, 23, 857-868.	1.5	60
41	Assessing quality of life in patients with prostate cancer: a systematic and standardized comparison of available instruments. <i>Quality of Life Research</i> , 2014, 23, 2169-2181.	1.5	56
42	Partial Likelihood Estimation of IRT Models with Censored Lifetime Data: An Application to Mental Disorders in the ESEMeD Surveys. <i>Psychometrika</i> , 2014, 79, 470-488.	1.2	2
43	Adaptation into Spanish of the Warwick-Edinburgh Mental Well-being Scale (WEMWBS) and preliminary validation in a student sample. <i>Quality of Life Research</i> , 2013, 22, 1099-1104.	1.5	58
44	Evidence on the global measurement model of the Minnesota Living with Heart Failure Questionnaire. <i>Quality of Life Research</i> , 2013, 22, 2675-2684.	1.5	38
45	Association of childhood adversities with the first onset of mental disorders in Spain: results from the ESEMeD project. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 371-384.	1.6	12
46	The Mental Component of the Short-Form 12 Health Survey (SF-12) as a Measure of Depressive Disorders in the General Population: Results with Three Alternative Scoring Methods. <i>Value in Health</i> , 2013, 16, 564-573.	0.1	187
47	Use of general practitioners versus mental health professionals in six European countries: the decisive role of the organization of mental health-care systems. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 137-149.	1.6	44
48	Multidimensional item response theory models yielded good fit and reliable scores for the Short Form-12 questionnaire. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 790-801.	2.4	36
49	Cross-Cultural Adaptation and Validation of the Brazilian Version of the Wisconsin Brief Pain Questionnaire. <i>Journal of Pain and Symptom Management</i> , 2013, 46, 121-130.	0.6	10
50	Effects of common mental disorders and physical conditions on role functioning in Spain. <i>Gaceta Sanitaria</i> , 2013, 27, 480-486.	0.6	5
51	Epidemiology and genetics of common mental disorders in the general population: the PEGASUS-Murcia project. <i>BMJ Open</i> , 2013, 3, e004035.	0.8	10
52	IS ADHD IN CHILDHOOD ASSOCIATED WITH LIFETIME HOARDING SYMPTOMS? AN EPIDEMIOLOGICAL STUDY. <i>Depression and Anxiety</i> , 2013, 30, 741-748.	2.0	41
53	Gender differences in mental health expectancies in early- and midlife in six European countries. <i>British Journal of Psychiatry</i> , 2013, 202, 294-300.	1.7	13
54	Disability Mediates the Impact of Common Conditions on Perceived Health. <i>PLoS ONE</i> , 2013, 8, e65858.	1.1	27

#	ARTICLE	IF	CITATIONS
55	Role of common mental and physical disorders in partial disability around the world. <i>British Journal of Psychiatry</i> , 2012, 200, 454-461.	1.7	77
56	Association between annual earnings and mental disorders in Spain: individual and societal-level estimates. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 1717-1725.	1.6	6
57	Comorbidity of major depressive episode and chronic physical conditions in Spain, a country with low prevalence of depression. <i>General Hospital Psychiatry</i> , 2012, 34, 510-517.	1.2	20
58	COMORBIDITY AND DISEASE BURDEN IN THE NATIONAL COMORBIDITY SURVEY REPLICATION (NCS-R). <i>Depression and Anxiety</i> , 2012, 29, 797-806.	2.0	162
59	The International Classification of Functioning, Disability and Health: development of capacity and performance scales. <i>Journal of Clinical Epidemiology</i> , 2011, 64, 1400-1411.	2.4	28
60	Days out of role due to common physical and mental conditions: results from the WHO World Mental Health surveys. <i>Molecular Psychiatry</i> , 2011, 16, 1234-1246.	4.1	360
61	Prevalence and correlates of respiratory and non-respiratory panic attacks in the general population. <i>Journal of Affective Disorders</i> , 2011, 131, 330-338.	2.0	8
62	Measurement and description of underlying dimensions of comorbid mental disorders using Factor Mixture Models: results of the ESEMeD project. <i>International Journal of Methods in Psychiatric Research</i> , 2011, 20, 116-133.	1.1	7
63	Including information about co-morbidity in estimates of disease burden: results from the World Health Organization World Mental Health Surveys. <i>Psychological Medicine</i> , 2011, 41, 873-886.	2.7	49
64	Are attitudes towards mental health help-seeking associated with service use? Results from the European Study of Epidemiology of Mental Disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010, 45, 153-163.	1.6	212
65	Discriminative capacity of the EQ-5D, SF-6D, and SF-12 as measures of health status in population health survey. <i>Quality of Life Research</i> , 2010, 19, 853-864.	1.5	96
66	Validation of the "World Health Organization Disability Assessment Schedule, WHODAS-2" in patients with chronic diseases. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 51.	1.0	318
67	Impact of recent life events on the health related quality of life of adolescents and youths: the role of gender and life events typologies in a follow-up study. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 71.	1.0	34
68	Epidemiology of major depressive episode in a southern European country: Results from the ESEMeD-Spain project. <i>Journal of Affective Disorders</i> , 2010, 120, 76-85.	2.0	98
69	Functional disability as an explanation of the associations between chronic physical conditions and 12-month major depressive episode. <i>Journal of Affective Disorders</i> , 2010, 124, 38-44.	2.0	33
70	Obsessive-compulsive symptom dimensions in the general population: Results from an epidemiological study in six European countries. <i>Journal of Affective Disorders</i> , 2010, 124, 291-299.	2.0	105
71	Health status of the advanced elderly in six European countries: results from a representative survey using EQ-5D and SF-12. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 143.	1.0	98
72	The epidemiology of eating disorders in six European countries: Results of the ESEMeD-WMH project. <i>Journal of Psychiatric Research</i> , 2009, 43, 1125-1132.	1.5	373

#	ARTICLE	IF	CITATIONS
73	Perceived stigma among individuals with common mental disorders. <i>Journal of Affective Disorders</i> , 2009, 118, 180-186.	2.0	152
74	Comparison of Different Valuation Methods for Population Health Status Measured by the EQ-5D in Three European Countries. <i>Value in Health</i> , 2009, 12, 750-758.	0.1	78
75	Is it always the same? Variability of depressive symptoms across six European countries. <i>Psychiatry Research</i> , 2009, 168, 137-144.	1.7	19
76	PCV142 ASSESSING THE QUALITY OF QUALITY OF LIFE MEASURES IN HEART FAILURE: A COMPARISON OF AVAILABLE INSTRUMENTS. <i>Value in Health</i> , 2009, 12, A340.	0.1	0
77	DSM-IV personality disorders in the WHO World Mental Health Surveys. <i>British Journal of Psychiatry</i> , 2009, 195, 46-53.	1.7	260
78	Adverse parenting as a risk factor in the occurrence of anxiety disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 266-272.	1.6	36
79	Psychometric properties of the World Health Organization Disability Assessment Schedule used in the European Study of the Epidemiology of Mental Disorders. <i>International Journal of Methods in Psychiatric Research</i> , 2008, 17, 185-197.	1.1	49
80	Main traumatic events in Europe: PTSD in the European study of the epidemiology of mental disorders survey. <i>Journal of Traumatic Stress</i> , 2008, 21, 455-462.	1.0	218
81	Association of perceived stigma and mood and anxiety disorders: results from the World Mental Health Surveys. <i>Acta Psychiatrica Scandinavica</i> , 2008, 118, 305-314.	2.2	182
82	Mediators of the association between depression and role functioning. <i>Acta Psychiatrica Scandinavica</i> , 2008, 118, 451-458.	2.2	115
83	Modified WHODAS-II provides valid measure of global disability but filter items increased skewness. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 1132-1143.	2.4	128
84	Prevalence of suicide ideation, plans, and attempts and related risk factors in Italy. <i>Comprehensive Psychiatry</i> , 2008, 49, 13-21.	1.5	86
85	Population level of unmet need for mental healthcare in Europe. <i>British Journal of Psychiatry</i> , 2007, 190, 299-306.	1.7	222
86	PHM19 USING THE EQ-5D TO MONITOR HEALTH-RELATED QUALITY OF LIFE OVERTIME IN THE CATALAN HEALTH INTERVIEW SURVEY. <i>Value in Health</i> , 2007, 10, A285.	0.1	0
87	PMC16 SF-6D REFERENCE VALUES FOR SPANISH GENERAL POPULATION. <i>Value in Health</i> , 2007, 10, A455.	0.1	0
88	Risk factors for suicidality in Europe: Results from the ESEMED study. <i>Journal of Affective Disorders</i> , 2007, 101, 27-34.	2.0	465
89	Lifetime risk and age-of-onset of mental disorders in the Belgian general population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 522-529.	1.6	23
90	The impact of home hospitalization on healthcare costs of exacerbations in COPD patients. <i>European Journal of Health Economics</i> , 2007, 8, 325-332.	1.4	27

#	ARTICLE	IF	CITATIONS
91	Prevalence of common mental disorders in Italy. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 853-861.	1.6	139
92	Treatment adequacy of anxiety and depressive disorders: Primary versus specialised care in Spain. <i>Journal of Affective Disorders</i> , 2006, 96, 9-20.	2.0	60
93	Concordance of the Composite International Diagnostic Interview Version 3.0 (CIDI 3.0) with standardized clinical assessments in the WHO World Mental Health Surveys. <i>International Journal of Methods in Psychiatric Research</i> , 2006, 15, 167-180.	1.1	949
94	Health-related quality of life during the bereavement period of caregivers of a deceased elderly person. <i>Quality of Life Research</i> , 2005, 14, 501-509.	1.5	11
95	Empirical evidence for an invariant three-factor structure of the Parental Bonding Instrument in six European countries. <i>Psychiatry Research</i> , 2005, 135, 237-247.	1.7	26
96	Prevalence, Severity, and Unmet Need for Treatment of Mental Disorders in the World Health Organization World Mental Health Surveys. <i>JAMA - Journal of the American Medical Association</i> , 2004, 291, 2581.	3.8	2,696
97	12-Month comorbidity patterns and associated factors in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMED) project. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 28-37.	2.2	157
98	Use of mental health services in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMED) project. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 47-54.	2.2	333
99	Home hospitalisation of exacerbated chronic obstructive pulmonary disease patients. <i>European Respiratory Journal</i> , 2003, 21, 58-67.	3.1	221
100	Interpretation of quality of life scores from the St George's Respiratory Questionnaire. <i>European Respiratory Journal</i> , 2002, 19, 405-413.	3.1	230
101	The European Study of the Epidemiology of Mental Disorders (ESEMED/MHEDEA 2000) project: rationale and methods. <i>International Journal of Methods in Psychiatric Research</i> , 2002, 11, 55-67.	1.1	85
102	The spanish version of the paediatric asthma quality of life questionnaire (PAQLQ): metric characteristics and equivalence with the original version. <i>Quality of Life Research</i> , 2001, 10, 81-91.	1.5	50
103	Effectiveness of CPAP Treatment in Daytime Function in Sleep Apnea Syndrome. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2001, 164, 608-613.	2.5	320
104	Testing the Measurement Properties of the Spanish Version of the SF-36 Health Survey Among Male Patients with Chronic Obstructive Pulmonary Disease. <i>Journal of Clinical Epidemiology</i> , 1998, 51, 1087-1094.	2.4	111