

Reza Ghodssi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4175098/reza-ghodssi-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

125
papers

4,679
citations

36
h-index

65
g-index

139
ext. papers

5,087
ext. citations

5.5
avg, IF

5.25
L-index

#	Paper	IF	Citations
125	Reprogramming Virus Coat Protein Carboxylate Interactions for the Patterned Assembly of Hierarchical Nanorods. <i>Biomacromolecules</i> , 2021 , 22, 2515-2523	6.9	1
124	Integrated System for Bacterial Detection and Biofilm Treatment on Indwelling Urinary Catheters. <i>IEEE Transactions on Biomedical Engineering</i> , 2021 , 68, 3241-3249	5	0
123	Capacitive sensing of triglyceride film reactions: a proof-of-concept demonstration for sensing in simulated duodenal contents with gastrointestinal targeting capsule system. <i>Lab on A Chip</i> , 2020 , 20, 2020-2032	7.2	4
122	Electrochemical Dissolved Oxygen Sensor-Integrated Platform for Wireless In Situ Bioprocess Monitoring. <i>Sensors and Actuators B: Chemical</i> , 2020 , 320, 128381	8.5	7
121	Ingestible Sensors and Sensing Systems for Minimally Invasive Diagnosis and Monitoring: The Next Frontier in Minimally Invasive Screening. <i>ACS Sensors</i> , 2020 , 5, 891-910	9.2	34
120	Wireless Sensor-Integrated Platform for Localized Dissolved Oxygen Sensing in Bioreactors. <i>Journal of Microelectromechanical Systems</i> , 2020 , 29, 713-719	2.5	1
119	A Hybrid Biomonitoring System for Gut-Neuron Communication. <i>Journal of Microelectromechanical Systems</i> , 2020 , 29, 727-733	2.5	
118	Microsystems for biofilm characterization and sensing - A review. <i>Biofilm</i> , 2020 , 2, 100015	5.9	21
117	3D-Printed electrochemical sensor-integrated transwell systems. <i>Microsystems and Nanoengineering</i> , 2020 , 6, 100	7.7	9
116	Hybrid and Passive Tissue-Anchoring Mechanism for Ingestible Resident Devices. <i>Journal of Microelectromechanical Systems</i> , 2020 , 29, 706-712	2.5	3
115	Complementary Capillary System Integrated Microneedles for Autonomously Localized Therapeutics Loading. <i>Journal of Microelectromechanical Systems</i> , 2020 , 29, 912-917	2.5	
114	IEEE JMEMS Special Proceeding for the Hilton Head 2020 Workshop. <i>Journal of Microelectromechanical Systems</i> , 2020 , 29, 619-620	2.5	
113	Dynamic in Vitro Biosensing with Flexible Microporous Multimodal Cell-Interfacial Sensors 2019 ,		1
112	In Situ Sensor Electrode Patterning on Urinary Catheters towards Infection Prevention 2019 ,		1
111	Gastrointestinal Targeted Sampling and Sensing via Embedded Packaging of Integrated Capsule System. <i>Journal of Microelectromechanical Systems</i> , 2019 , 28, 219-225	2.5	6
110	Flexible Platform for In Situ Impedimetric Detection and Bioelectric Effect Treatment of Escherichia Coli Biofilms. <i>IEEE Transactions on Biomedical Engineering</i> , 2019 , 66, 1337-1345	5	12
109	Localized Three-Dimensional Functionalization of Bionanoreceptors on High-Density Micropillar Arrays via Electrowetting. <i>Langmuir</i> , 2018 , 34, 1725-1732	4	5

108	The Role of Microsystems Integration Towards Point-of-Care Clozapine Treatment Monitoring in Schizophrenia 2018 , 2,		4
107	Gelatin-Enabled Microsensor for Pancreatic Trypsin Sensing. <i>Applied Sciences (Switzerland)</i> , 2018 , 8, 208-216		6
106	Blood Draw Barriers for Treatment with Clozapine and Development of a Point-of-Care Monitoring Device. <i>Clinical Schizophrenia and Related Psychoses</i> , 2018 , 12, 23-30	1.6	23
105	Tobacco Mosaic Virus as a Versatile Platform for Molecular Assembly and Device Fabrication. <i>Biotechnology Journal</i> , 2018 , 13, e1800147	5.6	13
104	Capillary Microfluidics-Assembled Virus-like Particle Bionanoreceptor Interfaces for Label-Free Biosensing. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 8471-8479	9.5	24
103	The interplay of electrode- and bio-materials in a redox-cycling-based clozapine sensor. <i>Electrochemistry Communications</i> , 2017 , 79, 33-36	5.1	9
102	Reliable clinical serum analysis with reusable electrochemical sensor: Toward point-of-care measurement of the antipsychotic medication clozapine. <i>Biosensors and Bioelectronics</i> , 2017 , 95, 55-59	11.8	22
101	A platform for in situ Raman and stress characterizations of V2O5 cathode using MEMS device. <i>Electrochimica Acta</i> , 2017 , 242, 227-239	6.7	18
100	In situ characterization of charge rate dependent stress and structure changes in V2O5 cathode prepared by atomic layer deposition. <i>Journal of Power Sources</i> , 2017 , 340, 89-97	8.9	8
99	Molecular processes in an electrochemical clozapine sensor. <i>Biointerphases</i> , 2017 , 12, 02B401	1.8	5
98	Biofabrication of Tobacco mosaic virus-nanoscaffolded supercapacitors via temporal capillary microfluidics. <i>Nanotechnology</i> , 2017 , 28, 265301	3.4	9
97	Microfluidic Arrayed Lab-On-A-Chip for Electrochemical Capacitive Detection of DNA Hybridization Events. <i>Methods in Molecular Biology</i> , 2017 , 1572, 71-88	1.4	3
96	Redox Probing for Chemical Information of Oxidative Stress. <i>Analytical Chemistry</i> , 2017 , 89, 1583-1592	7.8	29
95	An Integrated Microsystem for Real-Time Detection and Threshold-Activated Treatment of Bacterial Biofilms. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 31362-31371	9.5	21
94	The Binding Effect of Proteins on Medications and Its Impact on Electrochemical Sensing: Antipsychotic Clozapine as a Case Study. <i>Pharmaceuticals</i> , 2017 , 10,	5.2	4
93	Hydrodynamic focusing for microfluidic impedance cytometry: a system integration study. <i>Microfluidics and Nanofluidics</i> , 2016 , 20, 1	2.8	9
92	Fusing Sensor Paradigms to Acquire Chemical Information: An Integrative Role for Smart Biopolymeric Hydrogels. <i>Advanced Healthcare Materials</i> , 2016 , 5, 2595-2616	10.1	15
91	Tobacco mosaic virus-templated hierarchical Ni/NiO with high electrochemical charge storage performances. <i>Electrochimica Acta</i> , 2016 , 220, 184-192	6.7	17

90	Real-time monitoring of macromolecular biosensing probe self-assembly and on-chip ELISA using impedimetric microsensors. <i>Biosensors and Bioelectronics</i> , 2016 , 81, 401-407	11.8	14
89	A surface acoustic wave biofilm sensor integrated with a treatment method based on the bioelectric effect. <i>Sensors and Actuators A: Physical</i> , 2016 , 238, 140-149	3.9	29
88	An Electrochemical Micro-System for Clozapine Antipsychotic Treatment Monitoring. <i>Electrochimica Acta</i> , 2015 , 163, 260-270	6.7	16
87	Selective deposition of nanostructured ruthenium oxide using Tobacco mosaic virus for micro-supercapacitors in solid Nafion electrolyte. <i>Journal of Power Sources</i> , 2015 , 293, 649-656	8.9	27
86	Plant virus directed fabrication of nanoscale materials and devices. <i>Virology</i> , 2015 , 479-480, 200-12	3.6	72
85	Platforms for Engineering Biomedical Experiments. <i>IEEE Systems Journal</i> , 2015 , 9, 1218-1228	4.3	1
84	A controlled microfluidic electrochemical lab-on-a-chip for label-free diffusion-restricted DNA hybridization analysis. <i>Biosensors and Bioelectronics</i> , 2015 , 64, 579-85	11.8	36
83	Effect of electrical energy on the efficacy of biofilm treatment using the bioelectric effect. <i>Npj Biofilms and Microbiomes</i> , 2015 , 1, 15016	8.2	30
82	Programmable Bemismart[5] Sensor: Relevance to Monitoring Antipsychotics. <i>Advanced Functional Materials</i> , 2015 , 25, 2156-2165	15.6	20
81	Multidimensional mapping method using an arrayed sensing system for cross-reactivity screening. <i>PLoS ONE</i> , 2015 , 10, e0116310	3.7	9
80	Wear mechanisms in microfabricated ball bearing systems. <i>Wear</i> , 2015 , 326-327, 1-9	3.5	7
79	. <i>Journal of Microelectromechanical Systems</i> , 2015 , 24, 289-299	2.5	6
78	Redox cycling-based amplifying electrochemical sensor for in situ clozapine antipsychotic treatment monitoring. <i>Electrochimica Acta</i> , 2014 , 130, 497-503	6.7	34
77	Electronic modulation of biochemical signal generation. <i>Nature Nanotechnology</i> , 2014 , 9, 605-10	28.7	43
76	Electrochemical study of the catechol-modified chitosan system for clozapine treatment monitoring. <i>Langmuir</i> , 2014 , 30, 14686-93	4	27
75	An Adhesion-Dominated Rolling Friction Regime Unique to Micro-scale Ball Bearings. <i>Tribology Letters</i> , 2014 , 56, 215-221	2.8	8
74	A microfluidic-based electrochemical biochip for label-free DNA hybridization analysis. <i>Journal of Visualized Experiments</i> , 2014 , 51797	1.6	1
73	Monitoring of actuation conditions in a micro-turbo-generator. <i>IEEE Sensors Journal</i> , 2013 , 13, 2937-2943		2

72	. <i>Journal of Microelectromechanical Systems</i> , 2013 , 22, 794-803	2.5	5
71	Carboxylate-directed in vivo assembly of virus-like nanorods and tubes for the display of functional peptides and residues. <i>Biomacromolecules</i> , 2013 , 14, 3123-9	6.9	37
70	Accessing biology's toolbox for the mesoscale biofabrication of soft matter. <i>Soft Matter</i> , 2013 , 9, 6019	3.6	30
69	Cathodic ALD V2O5 thin films for high-rate electrochemical energy storage. <i>RSC Advances</i> , 2013 , 3, 4294	3.7	49
68	Al-2 analogs and antibiotics: a synergistic approach to reduce bacterial biofilms. <i>Applied Microbiology and Biotechnology</i> , 2013 , 97, 2627-38	5.7	70
67	A MEMS platform for in situ, real-time monitoring of electrochemically induced mechanical changes in lithium-ion battery electrodes. <i>Journal of Micromechanics and Microengineering</i> , 2013 , 23, 114018	2	7
66	Electrochemical performance of the nanostructured biotemplated V2O5 cathode for lithium-ion batteries. <i>Journal of Power Sources</i> , 2012 , 206, 282-287	8.9	65
65	3D tin anodes prepared by electrodeposition on a virus scaffold. <i>Journal of Power Sources</i> , 2012 , 211, 129-132	8.9	33
64	An ALD aluminum oxide passivated Surface Acoustic Wave sensor for early biofilm detection. <i>Sensors and Actuators B: Chemical</i> , 2012 , 163, 136-145	8.5	44
63	Ozone-Based Atomic Layer Deposition of Crystalline V2O5 Films for High Performance Electrochemical Energy Storage. <i>Chemistry of Materials</i> , 2012 , 24, 1255-1261	9.6	110
62	A microfluidic-based electrochemical biochip for label-free diffusion-restricted DNA hybridization analysis. <i>Biosensors and Bioelectronics</i> , 2012 , 38, 114-20	11.8	42
61	Integrated biofabrication for electro-addressed in-film bioprocessing. <i>Biotechnology Journal</i> , 2012 , 7, 428-39	5.6	10
60	Hierarchical three-dimensional microbattery electrodes combining bottom-up self-assembly and top-down micromachining. <i>ACS Nano</i> , 2012 , 6, 6422-32	16.7	106
59	Biotemplated hierarchical surfaces and the role of dual length scales on the repellency of impacting droplets. <i>Applied Physics Letters</i> , 2012 , 100, 263701	3.4	73
58	A Patterned 3D Silicon Anode Fabricated by Electrodeposition on a Virus-Structured Current Collector. <i>Advanced Functional Materials</i> , 2011 , 21, 380-387	15.6	117
57	Microfluidic electrochemical sensor array for characterizing protein interactions with various functionalized surfaces. <i>Analytical Chemistry</i> , 2011 , 83, 5920-7	7.8	36
56	High rate performance of virus enabled 3D n-type Si anodes for lithium-ion batteries. <i>Electrochimica Acta</i> , 2011 , 56, 5210-5213	6.7	43
55	Development and validation of a microfluidic reactor for biofilm monitoring via optical methods. <i>Journal of Micromechanics and Microengineering</i> , 2011 , 21, 054023	2	36

54	Virus directed assembly of receptor peptides for explosive sensing 2010 ,		1
53	A Microfabricated Spiral-Groove Turbopump Supported on Microball Bearings. <i>Journal of Microelectromechanical Systems</i> , 2010 , 19, 99-109	2.5	15
52	Biological nanofactories facilitate spatially selective capture and manipulation of quorum sensing bacteria in a bioMEMS device. <i>Lab on A Chip</i> , 2010 , 10, 1128-34	7.2	31
51	Virus-enabled silicon anode for lithium-ion batteries. <i>ACS Nano</i> , 2010 , 4, 5366-72	16.7	212
50	Interferometric readout of multiple cantilever sensors in liquid samples. <i>Sensors and Actuators B: Chemical</i> , 2010 , 146, 245-252	8.5	18
49	In-Film Bioprocessing and Immunoanalysis with Electroaddressable Stimuli-Responsive Polysaccharides. <i>Advanced Functional Materials</i> , 2010 , 20, 1645-1652	15.6	32
48	Dynamic Friction and Wear in a Planar-Contact Encapsulated Microball Bearing Using an Integrated Microturbine. <i>Journal of Microelectromechanical Systems</i> , 2009 , 18, 263-273	2.5	35
47	Electroaddressing of Cell Populations by Co-Deposition with Calcium Alginate Hydrogels. <i>Advanced Functional Materials</i> , 2009 , 19, 2074-2080	15.6	101
46	Closed-loop control of a long-range micropositioner using integrated photodiode sensors. <i>Sensors and Actuators A: Physical</i> , 2009 , 151, 187-194	3.9	12
45	An optical MEMS sensor utilizing a chitosan film for catechol detection. <i>Sensors and Actuators B: Chemical</i> , 2009 , 138, 64-70	8.5	33
44	Indium Phosphide MEMS Cantilever Resonator Sensors Utilizing a Pentacene Absorption Layer. <i>Journal of Microelectromechanical Systems</i> , 2009 , 18, 103-110	2.5	7
43	Double-Exposure Grayscale Photolithography. <i>Journal of Microelectromechanical Systems</i> , 2009 , 18, 308-315	3.5	30
42	A cantilever sensor with an integrated optical readout for detection of enzymatically produced homocysteine. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2009 , 3, 415-23	5.1	18
41	Nanostructured nickel electrodes using the Tobacco mosaic virus for microbattery applications. <i>Journal of Micromechanics and Microengineering</i> , 2008 , 18, 104003	2	63
40	Design, Fabrication, and Characterization of a Rotary Micromotor Supported on Microball Bearings. <i>Journal of Microelectromechanical Systems</i> , 2008 , 17, 632-642	2.5	59
39	Programmable assembly of a metabolic pathway enzyme in a pre-packaged reusable bioMEMS device. <i>Lab on A Chip</i> , 2008 , 8, 420-30	7.2	49
38	Vertically-Shaped Tunable MEMS Resonators. <i>Journal of Microelectromechanical Systems</i> , 2008 , 17, 85-92	2.5	18
37	Design optimization for bioMEMS studies of enzyme-controlled metabolic pathways. <i>Biomedical Microdevices</i> , 2008 , 10, 899-908	3.7	12

36	Chitosan biotinylation and electrodeposition for selective protein assembly. <i>Macromolecular Bioscience</i> , 2008 , 8, 451-7	5.5	23
35	Protein assembly onto patterned microfabricated devices through enzymatic activation of fusion pro-tag. <i>Biotechnology and Bioengineering</i> , 2008 , 99, 499-507	4.9	31
34	Towards area-based in vitro metabolic engineering: assembly of Pfs enzyme onto patterned microfabricated chips. <i>Biotechnology Progress</i> , 2008 , 24, 1042-51	2.8	15
33	Automated Two-Axes Optical Fiber Alignment Using Grayscale Technology. <i>Journal of Microelectromechanical Systems</i> , 2007 , 16, 102-110	2.5	14
32	A Novel Benzocyclobutene-Based Device for Studying the Dynamics of Heat Transfer During the Nucleation Process. <i>Journal of Microelectromechanical Systems</i> , 2007 , 16, 1355-1366	2.5	11
31	Mechano-transduction of DNA hybridization and dopamine oxidation through electrodeposited chitosan network. <i>Lab on A Chip</i> , 2007 , 7, 103-11	7.2	40
30	Reversible vesicle restraint in response to spatiotemporally controlled electrical signals: a bridge between electrical and chemical signaling modes. <i>Langmuir</i> , 2007 , 23, 286-91	4	17
29	Dynamic characterization of a linear electrostatic micromotor supported on microball bearings. <i>Sensors and Actuators A: Physical</i> , 2007 , 136, 496-503	3.9	29
28	A fast-response microfluidic gas concentrating device for environmental sensing. <i>Sensors and Actuators A: Physical</i> , 2007 , 136, 69-79	3.9	22
27	Encapsulated ball bearings for rotary micro machines. <i>Journal of Micromechanics and Microengineering</i> , 2007 , 17, S224-S229	2	24
26	Nano-scale fatigue study of LPCVD silicon nitride thin films using a mechanical-amplifier actuator. <i>Journal of Micromechanics and Microengineering</i> , 2007 , 17, 938-944	2	15
25	End-coupled optical waveguide MEMS devices in the indium phosphide material system. <i>Journal of Micromechanics and Microengineering</i> , 2006 , 16, 832-842	2	38
24	Chitosan-mediated in situ biomolecule assembly in completely packaged microfluidic devices. <i>Lab on A Chip</i> , 2006 , 6, 1315-21	7.2	63
23	Development of ground-testable phase fresnel lenses in silicon. <i>Experimental Astronomy</i> , 2006 , 20, 299-306		8
22	A fabrication platform for electrically mediated optically active biofunctionalized sites in BioMEMS. <i>Lab on A Chip</i> , 2005 , 5, 583-6	7.2	24
21	Patterned assembly of genetically modified viral nanotemplates via nucleic acid hybridization. <i>Nano Letters</i> , 2005 , 5, 1931-6	11.5	136
20	Signal-directed sequential assembly of biomolecules on patterned surfaces. <i>Langmuir</i> , 2005 , 21, 2104-7	4	42
19	Biofabrication with chitosan. <i>Biomacromolecules</i> , 2005 , 6, 2881-94	6.9	593

18	An electrostatic actuator for fatigue testing of low-stress LPCVD silicon nitride thin films. <i>Sensors and Actuators A: Physical</i> , 2005 , 121, 557-565	3.9	13
17	Substrate interconnect technologies for 3-D MEMS packaging. <i>Microelectronic Engineering</i> , 2005 , 81, 106-116	2.5	17
16	Compensated aspect ratio dependent etching (CARDE) using gray-scale technology. <i>Microelectronic Engineering</i> , 2005 , 77, 85-94	2.5	10
15	Embedded benzocyclobutene in silicon: An integrated fabrication process for electrical and thermal isolation in MEMS. <i>Microelectronic Engineering</i> , 2005 , 82, 154-167	2.5	45
14	FIB-Based Fatigue Testing of Silicon Nitride Thin Films for Space Applications. <i>Materials Research Society Symposia Proceedings</i> , 2004 , 851, 310		
13	Design of MEMS-tunable novel monolithic optical filters in InP with horizontal bragg mirrors. <i>Solid-State Electronics</i> , 2004 , 48, 1959-1963	1.7	16
12	A robust technique for assembly of nucleic acid hybridization chips based on electrochemically templated chitosan. <i>Analytical Chemistry</i> , 2004 , 76, 365-72	7.8	50
11	Thermo-biolithography: a technique for patterning nucleic acids and proteins. <i>Langmuir</i> , 2004 , 20, 906-13		23
10	Chemical and thermal stability of alkanethiol and sulfur passivated InP(100). <i>Langmuir</i> , 2004 , 20, 743-7	4	39
9	Characterization of Mechanical Properties of Silicon Nitride Thin Films for Space Applications. <i>Materials Research Society Symposia Proceedings</i> , 2003 , 782, 1		3
8	Electrical Characterization of BCB for Electrostatic Microelectromechanical Devices. <i>Materials Research Society Symposia Proceedings</i> , 2003 , 782, 1		2
7	Mechanical property measurement of InP-based MEMS for optical communications. <i>Sensors and Actuators A: Physical</i> , 2003 , 105, 190-200	3.9	61
6	Spatially Selective Deposition of a Reactive Polysaccharide Layer onto a Patterned Template. <i>Langmuir</i> , 2003 , 19, 519-524	4	101
5	Nature-Inspired Creation of Protein Polysaccharide Conjugate and Its Subsequent Assembly onto a Patterned Surface. <i>Langmuir</i> , 2003 , 19, 9382-9386	4	92
4	Electrochemically Induced Deposition of a Polysaccharide Hydrogel onto a Patterned Surface. <i>Langmuir</i> , 2003 , 19, 4058-4062	4	170
3	Fabrication of micronozzles using low-temperature wafer-level bonding with SU-8. <i>Journal of Micromechanics and Microengineering</i> , 2003 , 13, 732-738	2	76
2	Voltage-Dependent Assembly of the Polysaccharide Chitosan onto an Electrode Surface. <i>Langmuir</i> , 2002 , 18, 8620-8625	4	242
1	Microfluidic systems with on-line UV detection fabricated in photodefinable epoxy. <i>Journal of Micromechanics and Microengineering</i> , 2001 , 11, 263-269	2	183

