

# Nurullah Akko

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4175877/publications.pdf>

Version: 2024-02-01

152  
papers

9,724  
citations

94269

37  
h-index

40881

93  
g-index

155  
all docs

155  
docs citations

155  
times ranked

8187  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | The development of Assessment of SpondyloArthritis international Society classification criteria for axial spondyloarthritis (part II): validation and final selection. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 777-783.                   | 0.5 | 2,713     |
| 2  | The Assessment of SpondyloArthritis international Society classification criteria for peripheral spondyloarthritis and for spondyloarthritis in general. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 25-31.                                    | 0.5 | 1,302     |
| 3  | Familial Mediterranean Fever (FMF) in Turkey. <i>Medicine (United States)</i> , 2005, 84, 1-11.  | 0.4 | 651       |
| 4  | Familial Mediterranean Fever. <i>Medicine (United States)</i> , 2012, 91, 131-136.   | 0.4 | 568       |
| 5  | AGPAT2 is mutated in congenital generalized lipodystrophy linked to chromosome 9q34. <i>Nature Genetics</i> , 2002, 31, 21-23.   | 9.4 | 475       |
| 6  | A Turkish version of the Bath Ankylosing Spondylitis Disease Activity Index: reliability and validity. <i>Rheumatology International</i> , 2005, 25, 280-284.  | 1.5 | 195       |
| 7  | Guidance on Noncorticosteroid Systemic Immunomodulatory Therapy in Noninfectious Uveitis. <i>Ophthalmology</i> , 2018, 125, 757-773.   | 2.5 | 178       |
| 8  | Impaired endothelial function in patients with ankylosing spondylitis. <i>Rheumatology</i> , 2006, 45, 283-286.  | 0.9 | 155       |
| 9  | Identification of Multiple Genetic Susceptibility Loci in Takayasu Arteritis. <i>American Journal of Human Genetics</i> , 2013, 93, 298-305.   | 2.6 | 143       |
| 10 | The pathogenetic role of HLA-B27 and its subtypes. <i>Autoimmunity Reviews</i> , 2007, 6, 183-189.   | 2.5 | 124       |
| 11 | Epidemiology of Takayasu arteritis. <i>Presse Medicale</i> , 2017, 46, e197-e203.  | 0.8 | 113       |
| 12 | Assessment of disease activity and progression in Takayasu's arteritis with Disease Extent Index-Takayasu. <i>Rheumatology</i> , 2010, 49, 1889-1893.  | 0.9 | 97        |
| 13 | Measurement properties of the ASAS Health Index: results of a global study in patients with axial and peripheral spondyloarthritis. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 1311-1317.   | 0.5 | 85        |
| 14 | Identification of Susceptibility Loci in <i>IL6</i> , <i>RPS9</i> , and <i>LILRB3</i> , and an Intergenic Locus on Chromosome 21q22 in Takayasu Arteritis in a Genome-Wide Association Study. <i>Arthritis and Rheumatology</i> , 2015, 67, 1361-1368. | 2.9 | 79        |
| 15 | Biomarkers and cytokines of bone turnover: extensive evaluation in a cohort of patients with ankylosing spondylitis. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 191.   | 0.8 | 77        |
| 16 | The Turkish versions of the Bath Ankylosing Spondylitis and Dougados Functional Indices: reliability and validity. <i>Rheumatology International</i> , 2005, 25, 612-618.  | 1.5 | 73        |
| 17 | Comparison of group-based exercise versus home-based exercise in patients with ankylosing spondylitis: effects on Bath Ankylosing Spondylitis Indices, quality of life and depression. <i>Clinical Rheumatology</i> , 2008, 27, 695-700.               | 1.0 | 71        |
| 18 | Body composition, insulin, and leptin levels in patients with ankylosing spondylitis. <i>Clinical Rheumatology</i> , 2007, 26, 1427-1432.  | 1.0 | 65        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | High prevalence of spondyloarthritis and ankylosing spondylitis among familial Mediterranean fever patients and their first-degree relatives: further evidence for the connection. <i>Arthritis Research and Therapy</i> , 2013, 15, R21. | 1.6 | 63        |
| 20 | Efficacy of Interleukin-1 Targeting Treatments in Patients with Familial Mediterranean Fever. <i>Inflammation</i> , 2015, 38, 27-31.  | 1.7 | 62        |
| 21 | Response rate of initial conventional treatments, disease course, and related factors of patients with adult-onset Still's disease: Data from a large multicenter cohort. <i>Journal of Autoimmunity</i> , 2016, 69, 59-63.               | 3.0 | 62        |
| 22 | Prevalence of ankylosing spondylitis and related spondyloarthritides in an urban area of Izmir, Turkey. <i>Journal of Rheumatology</i> , 2008, 35, 305-9.   | 1.0 | 62        |
| 23 | Takayasu's arteritis is associated with HLA-B*52, but not with HLA-B*51, in Turkey. <i>Arthritis Research and Therapy</i> , 2012, 14, R27.  | 1.6 | 60        |
| 24 | Development of ASAS quality standards to improve the quality of health and care services for patients with axial spondyloarthritis. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 193-201.  | 0.5 | 59        |
| 25 | Early ultrasonographic markers of atherosclerosis in patients with familial Mediterranean fever. <i>Clinical Rheumatology</i> , 2007, 26, 1467-1473.  | 1.0 | 58        |
| 26 | Are spondyloarthropathies as common as rheumatoid arthritis worldwide? A review. <i>Current Rheumatology Reports</i> , 2008, 10, 371-378.   | 2.1 | 57        |
| 27 | Overestimation of the prevalence of ankylosing spondylitis in the Berlin study: Comment on the article by Braun et al. <i>Arthritis and Rheumatism</i> , 2005, 52, 4048-4049.   | 6.7 | 54        |
| 28 | Prevalence of primary Sjogren's syndrome in Turkey: a population-based epidemiological study. <i>International Journal of Clinical Practice</i> , 2009, 63, 954-961.  | 0.8 | 53        |
| 29 | Predictive validity of the ASAS classification criteria for axial and peripheral spondyloarthritis after follow-up in the ASAS cohort: a final analysis. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1034-1042.                   | 0.5 | 53        |
| 30 | An Assessment in SpondyloArthritis International Society (ASAS)-endorsed definition of clinically important worsening in axial spondyloarthritis based on ASDAS. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 124-127.             | 0.5 | 51        |
| 31 | Irritable Bowel Syndrome in Persons Who Acquired Trichinellosis. <i>American Journal of Gastroenterology</i> , 2007, 102, 1064-1069.  | 0.2 | 50        |
| 32 | Polygenic Risk Scores have high diagnostic capacity in ankylosing spondylitis. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 1168-1174.   | 0.5 | 49        |
| 33 | Cytomegalovirus colitis in a patient with Behcet's disease receiving tumor necrosis factor alpha inhibitory treatment. <i>World Journal of Gastroenterology</i> , 2008, 14, 2912.   | 1.4 | 45        |
| 34 | Behçet's disease with pulmonary involvement, superior vena cava syndrome, chyloptysis and chylous ascites. <i>Respiratory Medicine</i> , 1996, 90, 429-431.   | 1.3 | 44        |
| 35 | Ankylosing spondylitis and symptom-modifying vs disease-modifying therapy. <i>Best Practice and Research in Clinical Rheumatology</i> , 2006, 20, 539-557.  | 1.4 | 44        |
| 36 | A Large-Scale Outbreak of Trichinellosis Caused by <i>Trichinella britovi</i> in Turkey. <i>Zoonoses and Public Health</i> , 2009, 56, 65-70.   | 0.9 | 44        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Increased prevalence of M694V in patients with ankylosing spondylitis: Additional evidence for a link with familial mediterranean fever. <i>Arthritis and Rheumatism</i> , 2010, 62, 3059-3063.   | 6.7 | 43        |
| 38 | The prevalence and clinical characteristics of nonradiographic axial spondyloarthritis among patients with inflammatory back pain in rheumatology practices: a multinational, multicenter study. <i>Arthritis Research and Therapy</i> , 2016, 18, 132. | 1.6 | 42        |
| 39 | Genome-wide association study in Turkish and Iranian populations identify rare familial Mediterranean fever gene (MEFV) polymorphisms associated with ankylosing spondylitis. <i>PLoS Genetics</i> , 2019, 15, e1008038.                                | 1.5 | 41        |
| 40 | Hyperuricemia and its related factors in an urban population, Izmir, Turkey. <i>Rheumatology International</i> , 2009, 29, 869-874.   | 1.5 | 40        |
| 41 | Familial Mediterranean Fever and Seronegative Arthritis. <i>Current Rheumatology Reports</i> , 2011, 13, 388-394.   | 2.1 | 39        |
| 42 | The ASAS Criteria for Axial Spondyloarthritis: Strengths, Weaknesses, and Proposals for a Way Forward. <i>Current Rheumatology Reports</i> , 2015, 17, 62.  | 2.1 | 39        |
| 43 | Ankylosing Spondylitis: HLA-B*27-Positive Versus HLA-B*27-Negative Disease. <i>Current Rheumatology Reports</i> , 2017, 19, 26.   | 2.1 | 37        |
| 44 | Quality of life in patients with Takayasu's arteritis is impaired and comparable with rheumatoid arthritis and ankylosing spondylitis patients. <i>Clinical Rheumatology</i> , 2008, 27, 859-865.   | 1.0 | 36        |
| 45 | Initial Diagnosis of Lumbar Disc Herniation Is Associated with a Delay in Diagnosis of Ankylosing Spondylitis. <i>Journal of Rheumatology</i> , 2012, 39, 1996-1999.  | 1.0 | 35        |
| 46 | Update on the epidemiology, risk factors and disease outcomes of Behçet's disease. <i>Best Practice and Research in Clinical Rheumatology</i> , 2018, 32, 261-270.  | 1.4 | 34        |
| 47 | Circulated Activated Platelets and Increased Platelet Reactivity in Patients With Behçet's Disease. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2006, 12, 451-457.  | 0.7 | 30        |
| 48 | Evaluation of inflammation and oxidative stress in ankylosing spondylitis: a role for macrophage migration inhibitory factor. <i>Modern Rheumatology</i> , 2010, 20, 34-39.   | 0.9 | 30        |
| 49 | ASAS classification criteria for axial spondyloarthritis: time to modify. <i>Clinical Rheumatology</i> , 2016, 35, 1415-1423.   | 1.0 | 29        |
| 50 | Epidemiology of Ankylosing Spondylitis and Related Spondyloarthropathies. , 1998, , 117-131.  |     | 28        |
| 51 | Coexistence of Chronic Neutrophilic Leukemia with Light Chain Myeloma. <i>Acta Haematologica</i> , 1994, 91, 32-34.   | 0.7 | 27        |
| 52 | The significance of paired MEFV mutations in individuals without symptoms of familial Mediterranean fever. <i>European Journal of Human Genetics</i> , 2002, 10, 786-789.   | 1.4 | 27        |
| 53 | Prevalence of spondyloarthritis in Turkish patients with inflammatory bowel disease. <i>Rheumatology International</i> , 2009, 29, 955-957.   | 1.5 | 27        |
| 54 | Markers of endothelial damage and repair in Takayasu arteritis: Are they associated with disease activity?. <i>Rheumatology International</i> , 2014, 34, 1129-1138.  | 1.5 | 27        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Oxidative stress and related factors in patients with ankylosing spondylitis. <i>European Journal of Rheumatology</i> , 2016, 3, 20-24.  | 1.3 | 27        |
| 56 | Cross-phenotype analysis of ImmunoChip data identifies <i>KDM4C</i> as a relevant locus for the development of systemic vasculitis. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 589-595.   | 0.5 | 27        |
| 57 | Identification of susceptibility loci for Takayasu arteritis through a large multi-ancestral genome-wide association study. <i>American Journal of Human Genetics</i> , 2021, 108, 84-99.  | 2.6 | 26        |
| 58 | Acute Trichinellosis in Children Compared With Adults. <i>Pediatric Infectious Disease Journal</i> , 2005, 24, 897-900.  | 1.1 | 25        |
| 59 | Evaluation of the T helper 17 axis in ankylosing spondylitis. <i>Rheumatology International</i> , 2012, 32, 2511-2515.   | 1.5 | 25        |
| 60 | Ventricular Diastolic Functions of Ankylosing Spondylitis Patients by Using Conventional Pulsed-Wave Doppler, Myocardial Performance Index, and Tissue Doppler Imaging. <i>Echocardiography</i> , 2007, 25, 070619173248003-???                            | 0.3 | 24        |
| 61 | Performance of response scales of activity and functional measures of ankylosing spondylitis: numerical rating scale versus visual analog scale. <i>Rheumatology International</i> , 2013, 33, 2617-2623.  | 1.5 | 24        |
| 62 | Articular, B-cell, non-Hodgkin's lymphoma mimicking rheumatoid arthritis: synovial involvement in a small hand joint. <i>Rheumatology International</i> , 2004, 24, 169-172.   | 1.5 | 23        |
| 63 | Gemcitabine-induced vasculitis in advanced transitional cell carcinoma of the bladder. <i>Journal of Cancer Research and Clinical Oncology</i> , 2004, 130, 122-125.   | 1.2 | 22        |
| 64 | The Effect of Regular Colchicine Treatment on Biomarkers Related with Vascular Injury in Newly Diagnosed Patients with Familial Mediterranean Fever. <i>Inflammation</i> , 2012, 35, 1191-1197.  | 1.7 | 22        |
| 65 | Performance of different criteria sets for inflammatory back pain in patients with axial spondyloarthritis with and without radiographic sacroiliitis. <i>Clinical Rheumatology</i> , 2014, 33, 1475-1479.   | 1.0 | 22        |
| 66 | Treatment of ankylosing spondylitis. <i>Turkish Journal of Medical Sciences</i> , 2015, 45, 416-430.   | 0.4 | 22        |
| 67 | The challenge of the definition of early symptomatic knee osteoarthritis: a proposal of criteria and red flags from an international initiative promoted by the Italian Society for Rheumatology. <i>Rheumatology International</i> , 2017, 37, 1227-1236. | 1.5 | 22        |
| 68 | Thyrotoxic Periodic Paralysis in a Turkish Male; The Recurrence of the Attack after Radioiodine Treatment. <i>Endocrine Journal</i> , 2005, 52, 149-151.   | 0.7 | 21        |
| 69 | A Case of Adult-Onset Still's Disease Complicated with Diffuse Alveolar Hemorrhage. <i>Journal of Korean Medical Science</i> , 2009, 24, 155.  | 1.1 | 21        |
| 70 | Fetuin-A is related to syndesmophytes in patients with ankylosing spondylitis: a case control study. <i>Clinics</i> , 2014, 69, 688-693.   | 0.6 | 21        |
| 71 | Evaluation of left ventricular diastolic dysfunction with conventional and current Doppler techniques in Behçet's disease. <i>Clinical Rheumatology</i> , 2006, 25, 873-876.   | 1.0 | 20        |
| 72 | Axial sarcoidosis mimicking radiographic sacroiliitis. <i>Rheumatology International</i> , 2009, 29, 343-345.  | 1.5 | 20        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Assessment of Patients with Takayasu Arteritis in Routine Practice with Indian Takayasu Clinical Activity Score. <i>Journal of Rheumatology</i> , 2015, 42, 1443-1447.   | 1.0 | 19        |
| 74 | Flow Cytometric Analysis of Circadian Changes in Platelet Activation Using Anti-Gmp-140 Monoclonal Antibody. <i>Chronobiology International</i> , 1999, 16, 335-342.   | 0.9 | 18        |
| 75 | Evaluation of Circulating Endothelial and Platelet Microparticles in Men with Ankylosing Spondylitis. <i>Journal of Rheumatology</i> , 2012, 39, 594-599.  | 1.0 | 18        |
| 76 | Thrombosis and priapism in a patient with Henoch-Schonlein purpura. <i>Rheumatology International</i> , 2005, 25, 472-474.   | 1.5 | 16        |
| 77 | Maintenance of remission with combination etanercept+DMARD therapy versus DMARDs alone in active rheumatoid arthritis: results of an international treat-to-target study conducted in regions with limited biologic access. <i>Rheumatology International</i> , 2017, 37, 1469-1479. | 1.5 | 16        |
| 78 | Long-Term Follow-Up of Endovascular Repair in the Management of Arterial Stenosis Caused by Takayasu's Arteritis. <i>Annals of Vascular Surgery</i> , 2017, 42, 93-100.  | 0.4 | 16        |
| 79 | Epidemiology of Takayasu's arteritis in Turkey. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, S33-9.   | 0.4 | 16        |
| 80 | Genetic diagnostic profiling in axial spondyloarthritis: a real world study. <i>Clinical and Experimental Rheumatology</i> , 2017, 35, 229-233.  | 0.4 | 16        |
| 81 | Etiopathogenic role of HLA-B27 alleles in ankylosing spondylitis. <i>APLAR Journal of Rheumatology</i> , 2005, 8, 146-153.   | 0.2 | 15        |
| 82 | Ghrelin and adipokines as circulating markers of disease activity in patients with Takayasu arteritis. <i>Arthritis Research and Therapy</i> , 2012, 14, R272.   | 1.6 | 15        |
| 83 | JAK Inhibitors for Axial Spondyloarthritis: What does the Future Hold?. <i>Current Rheumatology Reports</i> , 2021, 23, 34.  | 2.1 | 15        |
| 84 | A case of familial Mediterranean fever and polyarteritis nodosa complicated by spontaneous perirenal and subcapsular hepatic hemorrhage requiring multiple arterial embolizations. <i>Rheumatology International</i> , 2005, 25, 60-64.  | 1.5 | 14        |
| 85 | Fetuin-A and interleukin-18 levels in ankylosing spondylitis. <i>International Journal of Rheumatic Diseases</i> , 2010, 13, 75-81.  | 0.9 | 14        |
| 86 | Looking Into the New ASAS Classification Criteria for Axial Spondyloarthritis Through the Other Side of the Glass. <i>Current Rheumatology Reports</i> , 2015, 17, 515.  | 2.1 | 14        |
| 87 | Platelet activation in congenital heart diseases. <i>Pediatrics International</i> , 1997, 39, 566-569.   | 0.2 | 13        |
| 88 | Cross-cultural adaptation and validation of the Turkish version of the pain catastrophizing scale among patients with ankylosing spondylitis. <i>Journal of Physical Therapy Science</i> , 2016, 28, 298-303.  | 0.2 | 13        |
| 89 | Paradoxical increase in uric acid level with allopurinol use in pyrazinamide-induced hyperuricaemia. <i>Singapore Medical Journal</i> , 2013, 54, e125-e126.   | 0.3 | 13        |
| 90 | Atypical infectious mononucleosis in a patient receiving tumor necrosis factor alpha inhibitory treatment. <i>Rheumatology International</i> , 2009, 29, 825-826.  | 1.5 | 12        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Direct and indirect costs associated with ankylosing spondylitis and related disease activity scores in Turkey. <i>Rheumatology International</i> , 2015, 35, 1473-1478.   | 1.5 | 12        |
| 92  | Assessing rheumatologists' attitudes and utilization of classification criteria for ankylosing spondylitis and axial spondyloarthritis: a global effort. <i>Clinical Rheumatology</i> , 2021, 40, 949-954.                     | 1.0 | 12        |
| 93  | High frequency of inflammatory back pain and other features of spondyloarthritis in patients with rheumatoid arthritis. <i>Rheumatology International</i> , 2013, 33, 1289-1293.   | 1.5 | 11        |
| 94  | Development and implementation of the AIDA International Registry for patients with Behçet's disease. <i>Internal and Emergency Medicine</i> , 2022, 17, 1977-1986.  | 1.0 | 11        |
| 95  | Platelet Activation during the Early Neonatal Period. <i>Neonatology</i> , 1998, 73, 166-171.  | 0.9 | 10        |
| 96  | Thymic enlargement in a patient with juvenile idiopathic arthritis during etanercept therapy. <i>Rheumatology International</i> , 2009, 29, 591-593.   | 1.5 | 10        |
| 97  | Seroprevalence of <i>Borrelia burgdorferi</i> in patients with Behçet's disease. <i>Rheumatology International</i> , 2003, 23, 289-293.  | 1.5 | 9         |
| 98  | Epidemiology of Rheumatoid Arthritis in Turkey. <i>Clinical Rheumatology</i> , 2006, 25, 560-561.  | 1.0 | 9         |
| 99  | FREQUENCY AND SEVERITY OF MUSCULOSKELETAL SYMPTOMS IN HUMANS DURING AN OUTBREAK OF TRICHINELLOSIS CAUSED BY TRICHINELLA BRITTOVI. <i>Journal of Parasitology</i> , 2007, 93, 341-344.  | 0.3 | 8         |
| 100 | Evaluation of various endothelial biomarkers in ankylosing spondylitis. <i>Clinical Rheumatology</i> , 2012, 31, 23-28.  | 1.0 | 8         |
| 101 | Do major histocompatibility complex tag single nucleotide polymorphisms accurately identify HLA-B*27 in the Turkish population?. <i>International Journal of Rheumatic Diseases</i> , 2017, 20, 2035-2039.                     | 0.9 | 8         |
| 102 | Therapies of Early, Advanced, and Late Onset Forms of Axial Spondyloarthritis, and the Need for Treat to Target Strategies. <i>Current Rheumatology Reports</i> , 2017, 19, 8.   | 2.1 | 8         |
| 103 | Body composition in patients with rheumatoid arthritis is not different than healthy subjects. <i>European Journal of Rheumatology</i> , 2014, 1, 106-110.   | 1.3 | 8         |
| 104 | Intramolecular specificity of anti-HLA alloantibodies. <i>Human Immunology</i> , 1991, 30, 91-98.  | 1.2 | 7         |
| 105 | Nasal Septal Perforation in a Patient with Takayasu's Arteritis; a Rare Association. <i>Internal Medicine</i> , 2009, 48, 1551-1554.   | 0.3 | 7         |
| 106 | Prevalence of Inflammatory Back Pain and Axial Spondyloarthritis Among University Employees in Izmir, Turkey. <i>Journal of Rheumatology</i> , 2015, 42, 1647-1651.  | 1.0 | 7         |
| 107 | Increased Frequency of Hand Osteoarthritis in Patients with Primary Sjögren Syndrome Compared with Systemic Lupus Erythematosus. <i>Journal of Rheumatology</i> , 2016, 43, 1068-1071.   | 1.0 | 7         |
| 108 | Frequency of pulmonary hypertension in transthoracic echocardiography screening is not increased in Takayasu arteritis: Experience from a single center in Turkey. <i>European Journal of Rheumatology</i> , 2018, 5, 249-253. | 1.3 | 7         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | European bio-naïve spondyloarthritis patients initiating TNF inhibitor: time trends in baseline characteristics, treatment retention and response. <i>Rheumatology</i> , 2022, 61, 3799-3807.   | 0.9 | 7         |
| 110 | A case with recurrent calf pain and swelling: recurrent spontaneous calf haematoma. <i>Rheumatology International</i> , 2002, 21, 247-249.  | 1.5 | 6         |
| 111 | The role of HLA-DRB1 shared epitope alleles in predicting short-term response to leflunomide in rheumatoid arthritis. <i>Rheumatology</i> , 2007, 46, 1842-1844.  | 0.9 | 6         |
| 112 | Ankylosing spondylitis and spondylarthropathy presenting with a clinical picture of adult onset Still's disease: case series. <i>Rheumatology</i> , 2008, 47, 1436-1437.  | 0.9 | 6         |
| 113 | M694V mutation may have a role in susceptibility to ankylosing spondylitis. <i>Rheumatology International</i> , 2009, 29, 1259-1260.  | 1.5 | 6         |
| 114 | Comment on the article by Durmus et al. "Clinical significance of MEFV mutations in ankylosing spondylitis". <i>Joint Bone Spine</i> , 2010, 77, 281.   | 0.8 | 6         |
| 115 | Papilledema Caused by Cerebral Venous Sinus Thrombosis in a Patient With Behçet Disease. <i>Journal of Clinical Rheumatology</i> , 2013, 19, 52.  | 0.5 | 6         |
| 116 | A multicenter report of biologic agents for the treatment of secondary amyloidosis in Turkish rheumatoid arthritis and ankylosing spondylitis patients. <i>Rheumatology International</i> , 2016, 36, 945-953.  | 1.5 | 6         |
| 117 | The validity and reliability study of the University of California, Los Angeles Scleroderma Clinical Trial Consortium Gastrointestinal Tract (UCLA SCTC GIT) 2.0 questionnaire for the Turkish society. <i>Turkish Journal of Gastroenterology</i> , 2019, 30, 234-241. | 0.4 | 6         |
| 118 | The impact of a csDMARD in combination with a TNF inhibitor on drug retention and clinical remission in axial spondyloarthritis. <i>Rheumatology</i> , 2022, 61, 4741-4751.   | 0.9 | 6         |
| 119 | HLA EPITOPE MATCHING. <i>Transplantation</i> , 1991, 52, 903-907.   | 0.5 | 5         |
| 120 | Clinical history for inflammatory back pain in ankylosing spondylitis: the sensitivity, specificity and consistency of clinical features. <i>Rheumatology International</i> , 2009, 29, 349-351.  | 1.5 | 5         |
| 121 | Epidemiology of Axial Spondyloarthritis. , 2019, , 31-56.   |     | 5         |
| 122 | Is Axial Spondyloarthritis More Common Than Rheumatoid Arthritis?. <i>Current Rheumatology Reports</i> , 2020, 22, 54.  | 2.1 | 5         |
| 123 | The prevalence of Sjögren's syndrome and sicca symptoms in patients with systemic sclerosis and alpha-smooth muscle actin expression in biopsy specimens from minor salivary glands. <i>Turkish Journal of Medical Sciences</i> , 2021, 51, 1875-1882.                  | 0.4 | 5         |
| 124 | Current antiviral practice and course of Hepatitis B virus infection in inflammatory arthritis: a multicentric observational study (A + HBV study). <i>European Journal of Rheumatology</i> , 2015, 2, 149-154.   | 1.3 | 5         |
| 125 | Oncogenous Osteomalacia-Report of a Case. <i>Acta Oncologica</i> , 1994, 33, 975-976.   | 0.8 | 4         |
| 126 | A case of recurrent pancreatitis due to hyperlipidemia misdiagnosed as familial Mediterranean fever. <i>Clinical Rheumatology</i> , 2004, 23, 559-561.  | 1.0 | 4         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Down-regulation of adiponectin in patients with familial Mediterranean fever during attack-free period. <i>Rheumatology International</i> , 2012, 32, 2819-2822.   | 1.5 | 4         |
| 128 | Baseline sacroiliac joint magnetic resonance imaging abnormalities and male sex predict the development of radiographic sacroiliitis. <i>Clinical Rheumatology</i> , 2013, 32, 1511-1517.  | 1.0 | 4         |
| 129 | PDCD1 polymorphisms are not associated with Takayasu's arteritis in Turkey. <i>Clinical and Experimental Rheumatology</i> , 2012, 30, S11-4.   | 0.4 | 4         |
| 130 | The effect of nonsteroidal anti-inflammatory drugs on the endothelial function of patients with osteoarthritis in short term. <i>International Journal of Rheumatic Diseases</i> , 2012, 15, 207-211.  | 0.9 | 3         |
| 131 | Treatment of Patients With Nonradiographic Axial Spondyloarthritis Who Have Negative Magnetic Resonance Imaging Results and Normal C-reactive Protein Levels at Baseline: Comment on the Article by Ward et al. <i>Arthritis and Rheumatology</i> , 2016, 68, 1563-1563. | 2.9 | 2         |
| 132 | Is there a relationship between endothelial nitric oxide synthase gene polymorphisms and ankylosing spondylitis?. <i>Clinics</i> , 2013, 68, 305-309.  | 0.6 | 2         |
| 133 | Mesalazine-associated acute tubulointerstitial nephritis in a patient with spondylarthropathy. <i>New Zealand Medical Journal</i> , 2005, 118, U1662.  | 0.5 | 2         |
| 134 | Efficacy of leucocyte filters during transfusions in preventing the development of anti-HLA antibodies. <i>Indian Journal of Pediatrics</i> , 1998, 65, 729-734.   | 0.3 | 1         |
| 135 | Comparison of Glucocorticoid and Nonsteroidal Anti-Inflammatory Drug Requirement Before and After Tumor Necrosis Factor Inhibitor Treatment in Patients With Rheumatoid Arthritis. <i>Archives of Rheumatology</i> , 2015, 30, 206-213.                                  | 0.3 | 1         |
| 136 | Telephone interview strategy can be used for screening inflammatory back pain in the community. <i>International Journal of Rheumatic Diseases</i> , 2017, 20, 33-38.  | 0.9 | 1         |
| 137 | Personalized Axial Spondyloarthritis Care. <i>Current Treatment Options in Rheumatology</i> , 2018, 4, 158-173.  | 0.6 | 1         |
| 138 | FRIO416...THE EFFICACY AND SAFETY OF ANTI-TNF A TREATMENT IN ANKYLOSING SPONDYLITIS PATIENTS WITH LATE ONSET COMPARED TO THOSE WITH ADULT ONSET; THE DATA FROM TURKBIO REGISTRY., 2019, , .  |     | 1         |
| 139 | Prevalence of Spondyloarthritis Among Patients Who Underwent Lumbar Disc Herniation Surgery. <i>Archives of Rheumatology</i> , 2020, 35, 189-195.  | 0.3 | 1         |
| 140 | Rheumatology patients pay the price for the flawed clinical trials on the treatment of COVID-19. <i>Ulusal Romatoloji Dergisi</i> , 2020, 12, 88-95.   | 0.0 | 1         |
| 141 | Pseudoscience at the expense of rheumatic disease patients during the Coronavirus disease 2019 pandemic. <i>Clinical and Experimental Rheumatology</i> , 2021, 39 Suppl 128, 5-7.  | 0.4 | 1         |
| 142 | Ten key recommendations for the management of ankylosing spondylitis. <i>Nature Clinical Practice Rheumatology</i> , 2006, 2, 468-469.   | 3.2 | 0         |
| 143 | Impaired endothelial function in patients with ankylosing spondylitis: reply. <i>Rheumatology</i> , 2006, 45, 1319-1320.   | 0.9 | 0         |
| 144 | Standardization is essential for a more rigorous comparison of rates: comment on the reply by Gilgil, Kacar, and Tuncer. <i>Clinical Rheumatology</i> , 2007, 26, 136-136.   | 1.0 | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Prevalence of spondyloarthropathy in Lithuania: comment on the article by Adomaviciute et al. Scandinavian Journal of Rheumatology, 2009, 38, 75-76.  | 0.6 | 0         |
| 146 | PMS37 Productivity Loss of Ankylosing Spondylitis Patients in Turkey Due to Sick Leave. Value in Health, 2012, 15, A40.   | 0.1 | 0         |
| 147 | THU0358â€¦...DEVELOPMENT OF A SET OF ASAS QUALITY STANDARDS FOR ADULTS WITH AXIAL SPONDYLOARTHRITIS. , 2019, , .  |     | 0         |
| 148 | AB1366-HPRâ€¦...THE EFFECTS OF LAND AND WATER BASED MULTIDIMENSIONAL FUNCTIONAL MOBILITY EXERCISES ON PULMONARY FUNCTIONS IN ANKYLOSING SPONDYLITIS PATIENTS. , 2019, , .   |     | 0         |
| 149 | Bilateral Paraneoplastic Vitritis: Report of a Case. Beyoglu Eye Journal, 2021, 6, 140-144.   | 0.1 | 0         |
| 150 | The adaptation of the Turkish version of the Assessment of Knowledge in Ankylosing Spondylitis Patients by a Self-Administered Questionnaire. Turkish Journal of Physical Medicine and Rehabilitation, 2020, 66, 299-306. | 0.3 | 0         |
| 151 | The adaptation of the Turkish version of the Assessment of Knowledge in Ankylosing Spondylitis Patients by a Self-Administered Questionnaire. Turkish Journal of Physical Medicine and Rehabilitation, 2020, 66, 299-306. | 1.1 | 0         |
| 152 | Radiographic axial spondyloarthritis versus ankylosing spondylitis. Clinical and Experimental Rheumatology, 2016, 34, S7.   | 0.4 | 0         |