

# Nurullah Akko

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4175877/publications.pdf>

Version: 2024-02-01

152  
papers

9,724  
citations

94269

37  
h-index

40881

93  
g-index

155  
all docs

155  
docs citations

155  
times ranked

8187  
citing authors

#	ARTICLE	IF	CITATIONS
1	The impact of a csDMARD in combination with a TNF inhibitor on drug retention and clinical remission in axial spondyloarthritis. <i>Rheumatology</i> , 2022, 61, 4741-4751.	0.9	6
2	European bio-naïve spondyloarthritis patients initiating TNF inhibitor: time trends in baseline characteristics, treatment retention and response. <i>Rheumatology</i> , 2022, 61, 3799-3807.	0.9	7
3	Development and implementation of the AIDA International Registry for patients with Behçet's disease. <i>Internal and Emergency Medicine</i> , 2022, 17, 1977-1986.	1.0	11
4	Assessing rheumatologists' attitudes and utilization of classification criteria for ankylosing spondylitis and axial spondyloarthritis: a global effort. <i>Clinical Rheumatology</i> , 2021, 40, 949-954.	1.0	12
5	Bilateral Paraneoplastic Vitritis: Report of a Case. <i>Beyoglu Eye Journal</i> , 2021, 6, 140-144.	0.1	0
6	Identification of susceptibility loci for Takayasu arteritis through a large multi-ancestral genome-wide association study. <i>American Journal of Human Genetics</i> , 2021, 108, 84-99.	2.6	26
7	Polygenic Risk Scores have high diagnostic capacity in ankylosing spondylitis. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 1168-1174.	0.5	49
8	JAK Inhibitors for Axial Spondyloarthritis: What does the Future Hold?. <i>Current Rheumatology Reports</i> , 2021, 23, 34.	2.1	15
9	The prevalence of Sjögren's syndrome and sicca symptoms in patients with systemic sclerosis and alpha-smooth muscle actin expression in biopsy specimens from minor salivary glands. <i>Turkish Journal of Medical Sciences</i> , 2021, 51, 1875-1882.	0.4	5
10	Pseudoscience at the expense of rheumatic disease patients during the Coronavirus disease 2019 pandemic. <i>Clinical and Experimental Rheumatology</i> , 2021, 39 Suppl 128, 5-7.	0.4	1
11	Is Axial Spondyloarthritis More Common Than Rheumatoid Arthritis?. <i>Current Rheumatology Reports</i> , 2020, 22, 54.	2.1	5
12	Prevalence of Spondyloarthritis Among Patients Who Underwent Lumbar Disc Herniation Surgery. <i>Archives of Rheumatology</i> , 2020, 35, 189-195.	0.3	1
13	Development of ASAS quality standards to improve the quality of health and care services for patients with axial spondyloarthritis. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 193-201.	0.5	59
14	Rheumatology patients pay the price for the flawed clinical trials on the treatment of COVID-19. <i>Ulusal Romatoloji Dergisi</i> , 2020, 12, 88-95.	0.0	1
15	The adaptation of the Turkish version of the Assessment of Knowledge in Ankylosing Spondylitis Patients by a Self-Administered Questionnaire. <i>Turkish Journal of Physical Medicine and Rehabilitation</i> , 2020, 66, 299-306.	0.3	0
16	The adaptation of the Turkish version of the Assessment of Knowledge in Ankylosing Spondylitis Patients by a Self-Administered Questionnaire. <i>Turkish Journal of Physical Medicine and Rehabilitation</i> , 2020, 66, 299-306.	1.1	0
17	Epidemiology of Axial Spondyloarthritis. , 2019, , 31-56.		5
18	Genome-wide association study in Turkish and Iranian populations identify rare familial Mediterranean fever gene (MEFV) polymorphisms associated with ankylosing spondylitis. <i>PLoS Genetics</i> , 2019, 15, e1008038.	1.5	41

#	ARTICLE	IF	CITATIONS
19	THU0358â€¦..DEVELOPMENT OF A SET OF ASAS QUALITY STANDARDS FOR ADULTS WITH AXIAL SPONDYLOARTHRITIS. , 2019, , .		0
20	FRI0416â€¦..THE EFFICACY AND SAFETY OF ANTI-TNF A TREATMENT IN ANKYLOSING SPONDYLITIS PATIENTS WITH LATE ONSET COMPARED TO THOSE WITH ADULT ONSET; THE DATA FROM TURKBIO REGISTRY. , 2019, , .		1
21	AB1366-HPRâ€¦..THE EFFECTS OF LAND AND WATER BASED MULTIDIMENSIONAL FUNCTIONAL MOBILITY EXERCISES ON PULMONARY FUNCTIONS IN ANKYLOSING SPONDYLITIS PATIENTS. , 2019, , .		0
22	The validity and reliability study of the University of California, Los Angeles Scleroderma Clinical Trial Consortium Gastrointestinal Tract (UCLA SCTC GIT) 2.0 questionnaire for the Turkish society. Turkish Journal of Gastroenterology, 2019, 30, 234-241.	0.4	6
23	Cross-phenotype analysis of ImmunoChip data identifies <i>KDM4C</i> as a relevant <i>locus</i> for the development of systemic vasculitis. Annals of the Rheumatic Diseases, 2018, 77, 589-595.	0.5	27
24	Guidance on Noncorticosteroid Systemic Immunomodulatory Therapy in Noninfectious Uveitis. Ophthalmology, 2018, 125, 757-773.	2.5	178
25	An Assessment in SpondyloArthritis International Society (ASAS)-endorsed definition of clinically important worsening in axial spondyloarthritis based on ASDAS. Annals of the Rheumatic Diseases, 2018, 77, 124-127.	0.5	51
26	Update on the epidemiology, risk factors and disease outcomes of Behçet's disease. Best Practice and Research in Clinical Rheumatology, 2018, 32, 261-270.	1.4	34
27	Personalized Axial Spondyloarthritis Care. Current Treatment Options in Rheumatology, 2018, 4, 158-173.	0.6	1
28	Measurement properties of the ASAS Health Index: results of a global study in patients with axial and peripheral spondyloarthritis. Annals of the Rheumatic Diseases, 2018, 77, 1311-1317.	0.5	85
29	Frequency of pulmonary hypertension in transthoracic echocardiography screening is not increased in Takayasu arteritis: Experience from a single center in Turkey. European Journal of Rheumatology, 2018, 5, 249-253.	1.3	7
30	Do major histocompatibility complex tag single nucleotide polymorphisms accurately identify <i>HLA-B*27</i> in the Turkish population?. International Journal of Rheumatic Diseases, 2017, 20, 2035-2039.	0.9	8
31	Therapies of Early, Advanced, and Late Onset Forms of Axial Spondyloarthritis, and the Need for Treat to Target Strategies. Current Rheumatology Reports, 2017, 19, 8.	2.1	8
32	The challenge of the definition of early symptomatic knee osteoarthritis: a proposal of criteria and red flags from an international initiative promoted by the Italian Society for Rheumatology. Rheumatology International, 2017, 37, 1227-1236.	1.5	22
33	Telephone interview strategy can be used for screening inflammatory back pain in the community. International Journal of Rheumatic Diseases, 2017, 20, 33-38.	0.9	1
34	Maintenance of remission with combination etanerceptâ€“DMARD therapy versus DMARDs alone in active rheumatoid arthritis: results of an international treat-to-target study conducted in regions with limited biologic access. Rheumatology International, 2017, 37, 1469-1479.	1.5	16
35	Ankylosing Spondylitis: HLA-B*27-Positive Versus HLA-B*27-Negative Disease. Current Rheumatology Reports, 2017, 19, 26.	2.1	37
36	Long-Term Follow-Up of Endovascular Repair in the Management of Arterial Stenosis Caused by Takayasu's Arteritis. Annals of Vascular Surgery, 2017, 42, 93-100.	0.4	16

#	ARTICLE	IF	CITATIONS
37	Epidemiology of Takayasu arteritis. <i>Presse Medicale</i> , 2017, 46, e197-e203.	0.8	113
38	Genetic diagnostic profiling in axial spondyloarthritis: a real world study. <i>Clinical and Experimental Rheumatology</i> , 2017, 35, 229-233.	0.4	16
39	Oxidative stress and related factors in patients with ankylosing spondylitis. <i>European Journal of Rheumatology</i> , 2016, 3, 20-24.	1.3	27
40	Increased Frequency of Hand Osteoarthritis in Patients with Primary Sjögren Syndrome Compared with Systemic Lupus Erythematosus. <i>Journal of Rheumatology</i> , 2016, 43, 1068-1071.	1.0	7
41	ASAS classification criteria for axial spondyloarthritis: time to modify. <i>Clinical Rheumatology</i> , 2016, 35, 1415-1423.	1.0	29
42	Cross-cultural adaptation and validation of the Turkish version of the pain catastrophizing scale among patients with ankylosing spondylitis. <i>Journal of Physical Therapy Science</i> , 2016, 28, 298-303.	0.2	13
43	A multicenter report of biologic agents for the treatment of secondary amyloidosis in Turkish rheumatoid arthritis and ankylosing spondylitis patients. <i>Rheumatology International</i> , 2016, 36, 945-953.	1.5	6
44	The prevalence and clinical characteristics of nonradiographic axial spondyloarthritis among patients with inflammatory back pain in rheumatology practices: a multinational, multicenter study. <i>Arthritis Research and Therapy</i> , 2016, 18, 132.	1.6	42
45	Treatment of Patients With Nonradiographic Axial Spondyloarthritis Who Have Negative Magnetic Resonance Imaging Results and Normal C-reactive Protein Levels at Baseline: Comment on the Article by Ward et al. <i>Arthritis and Rheumatology</i> , 2016, 68, 1563-1563.	2.9	2
46	Response rate of initial conventional treatments, disease course, and related factors of patients with adult-onset Still's disease: Data from a large multicenter cohort. <i>Journal of Autoimmunity</i> , 2016, 69, 59-63.	3.0	62
47	Predictive validity of the ASAS classification criteria for axial and peripheral spondyloarthritis after follow-up in the ASAS cohort: a final analysis. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1034-1042.	0.5	53
48	Radiographic axial spondyloarthritis versus ankylosing spondylitis. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, S7.	0.4	0
49	Epidemiology of Takayasu's arteritis in Turkey. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, S33-9.	0.4	16
50	Comparison of Glucocorticoid and Nonsteroidal Anti-Inflammatory Drug Requirement Before and After Tumor Necrosis Factor Inhibitor Treatment in Patients With Rheumatoid Arthritis. <i>Archives of Rheumatology</i> , 2015, 30, 206-213.	0.3	1
51	Identification of Susceptibility Loci in <i>IL6</i> , <i>RPS9</i> , and <i>LILRB3</i> , and an Intergenic Locus on Chromosome 21q22 in Takayasu Arteritis in a Genome-Wide Association Study. <i>Arthritis and Rheumatology</i> , 2015, 67, 1361-1368.	2.9	79
52	Treatment of ankylosing spondylitis. <i>Turkish Journal of Medical Sciences</i> , 2015, 45, 416-430.	0.4	22
53	Assessment of Patients with Takayasu Arteritis in Routine Practice with Indian Takayasu Clinical Activity Score. <i>Journal of Rheumatology</i> , 2015, 42, 1443-1447.	1.0	19
54	Direct and indirect costs associated with ankylosing spondylitis and related disease activity scores in Turkey. <i>Rheumatology International</i> , 2015, 35, 1473-1478.	1.5	12

#	ARTICLE	IF	CITATIONS
55	Looking Into the New ASAS Classification Criteria for Axial Spondyloarthritis Through the Other Side of the Glass. <i>Current Rheumatology Reports</i> , 2015, 17, 515.	2.1	14
56	Prevalence of Inflammatory Back Pain and Axial Spondyloarthritis Among University Employees in Izmir, Turkey. <i>Journal of Rheumatology</i> , 2015, 42, 1647-1651.	1.0	7
57	The ASAS Criteria for Axial Spondyloarthritis: Strengths, Weaknesses, and Proposals for a Way Forward. <i>Current Rheumatology Reports</i> , 2015, 17, 62.	2.1	39
58	Efficacy of Interleukin-1 Targeting Treatments in Patients with Familial Mediterranean Fever. <i>Inflammation</i> , 2015, 38, 27-31.	1.7	62
59	Current antiviral practice and course of Hepatitis B virus infection in inflammatory arthritis: a multicentric observational study (A + HBV study). <i>European Journal of Rheumatology</i> , 2015, 2, 149-154.	1.3	5
60	Markers of endothelial damage and repair in Takayasu arteritis: Are they associated with disease activity?. <i>Rheumatology International</i> , 2014, 34, 1129-1138.	1.5	27
61	Performance of different criteria sets for inflammatory back pain in patients with axial spondyloarthritis with and without radiographic sacroiliitis. <i>Clinical Rheumatology</i> , 2014, 33, 1475-1479.	1.0	22
62	Body composition in patients with rheumatoid arthritis is not different than healthy subjects. <i>European Journal of Rheumatology</i> , 2014, 1, 106-110.	1.3	8
63	Fetuin-A is related to syndesmophytes in patients with ankylosing spondylitis: a case control study. <i>Clinics</i> , 2014, 69, 688-693.	0.6	21
64	High prevalence of spondyloarthritis and ankylosing spondylitis among familial Mediterranean fever patients and their first-degree relatives: further evidence for the connection. <i>Arthritis Research and Therapy</i> , 2013, 15, R21.	1.6	63
65	Baseline sacroiliac joint magnetic resonance imaging abnormalities and male sex predict the development of radiographic sacroiliitis. <i>Clinical Rheumatology</i> , 2013, 32, 1511-1517.	1.0	4
66	High frequency of inflammatory back pain and other features of spondyloarthritis in patients with rheumatoid arthritis. <i>Rheumatology International</i> , 2013, 33, 1289-1293.	1.5	11
67	Identification of Multiple Genetic Susceptibility Loci in Takayasu Arteritis. <i>American Journal of Human Genetics</i> , 2013, 93, 298-305.	2.6	143
68	Performance of response scales of activity and functional measures of ankylosing spondylitis: numerical rating scale versus visual analog scale. <i>Rheumatology International</i> , 2013, 33, 2617-2623.	1.5	24
69	Papilledema Caused by Cerebral Venous Sinus Thrombosis in a Patient With Behçet Disease. <i>Journal of Clinical Rheumatology</i> , 2013, 19, 52.	0.5	6
70	Paradoxical increase in uric acid level with allopurinol use in pyrazinamide-induced hyperuricaemia. <i>Singapore Medical Journal</i> , 2013, 54, e125-e126.	0.3	13
71	Is there a relationship between endothelial nitric oxide synthase gene polymorphisms and ankylosing spondylitis?. <i>Clinics</i> , 2013, 68, 305-309.	0.6	2
72	Initial Diagnosis of Lumbar Disc Herniation Is Associated with a Delay in Diagnosis of Ankylosing Spondylitis. <i>Journal of Rheumatology</i> , 2012, 39, 1996-1999.	1.0	35

#	ARTICLE	IF	CITATIONS
73	Evaluation of Circulating Endothelial and Platelet Microparticles in Men with Ankylosing Spondylitis. <i>Journal of Rheumatology</i> , 2012, 39, 594-599.	1.0	18
74	Familial Mediterranean Fever. <i>Medicine (United States)</i> , 2012, 91, 131-136.	0.4	568
75	Biomarkers and cytokines of bone turnover: extensive evaluation in a cohort of patients with ankylosing spondylitis. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 191.	0.8	77
76	PMS37 Productivity Loss of Ankylosing Spondylitis Patients in Turkey Due to Sick Leave. <i>Value in Health</i> , 2012, 15, A40.	0.1	0
77	Down-regulation of adiponectin in patients with familial Mediterranean fever during attack-free period. <i>Rheumatology International</i> , 2012, 32, 2819-2822.	1.5	4
78	Ghrelin and adipokines as circulating markers of disease activity in patients with Takayasu arteritis. <i>Arthritis Research and Therapy</i> , 2012, 14, R272.	1.6	15
79	Takayasu's arteritis is associated with HLA-B*52, but not with HLA-B*51, in Turkey. <i>Arthritis Research and Therapy</i> , 2012, 14, R27.	1.6	60
80	The Effect of Regular Colchicine Treatment on Biomarkers Related with Vascular Injury in Newly Diagnosed Patients with Familial Mediterranean Fever. <i>Inflammation</i> , 2012, 35, 1191-1197.	1.7	22
81	Evaluation of the T helper 17 axis in ankylosing spondylitis. <i>Rheumatology International</i> , 2012, 32, 2511-2515.	1.5	25
82	The effect of non-steroidal anti-inflammatory drugs on the endothelial function of patients with osteoarthritis in short term. <i>International Journal of Rheumatic Diseases</i> , 2012, 15, 207-211.	0.9	3
83	Evaluation of various endothelial biomarkers in ankylosing spondylitis. <i>Clinical Rheumatology</i> , 2012, 31, 23-28.	1.0	8
84	PDCD1 polymorphisms are not associated with Takayasu's arteritis in Turkey. <i>Clinical and Experimental Rheumatology</i> , 2012, 30, S11-4.	0.4	4
85	Familial Mediterranean Fever and Seronegative Arthritis. <i>Current Rheumatology Reports</i> , 2011, 13, 388-394.	2.1	39
86	The Assessment of SpondyloArthritis international Society classification criteria for peripheral spondyloarthritis and for spondyloarthritis in general. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 25-31.	0.5	1,302
87	Comment on the article by Durmus et al. "Clinical significance of MEFV mutations in ankylosing spondylitis". <i>Joint Bone Spine</i> , 2010, 77, 281.	0.8	6
88	Increased prevalence of M694V in patients with ankylosing spondylitis: Additional evidence for a link with familial mediterranean fever. <i>Arthritis and Rheumatism</i> , 2010, 62, 3059-3063.	6.7	43
89	Assessment of disease activity and progression in Takayasu's arteritis with Disease Extent Index-Takayasu. <i>Rheumatology</i> , 2010, 49, 1889-1893.	0.9	97
90	Fetuin-A and interleukin-18 levels in ankylosing spondylitis. <i>International Journal of Rheumatic Diseases</i> , 2010, 13, 75-81.	0.9	14

#	ARTICLE	IF	CITATIONS
91	Evaluation of inflammation and oxidative stress in ankylosing spondylitis: a role for macrophage migration inhibitory factor. <i>Modern Rheumatology</i> , 2010, 20, 34-39.	0.9	30
92	A Case of Adult-Onset Still's Disease Complicated with Diffuse Alveolar Hemorrhage. <i>Journal of Korean Medical Science</i> , 2009, 24, 155.	1.1	21
93	Prevalence of spondyloarthropathy in Lithuania: comment on the article by Adomaviciute et al. <i>Scandinavian Journal of Rheumatology</i> , 2009, 38, 75-76.	0.6	0
94	Axial sarcoidosis mimicking radiographic sacroiliitis. <i>Rheumatology International</i> , 2009, 29, 343-345.	1.5	20
95	Clinical history for inflammatory back pain in ankylosing spondylitis: the sensitivity, specificity and consistency of clinical features. <i>Rheumatology International</i> , 2009, 29, 349-351.	1.5	5
96	Thymic enlargement in a patient with juvenile idiopathic arthritis during etanercept therapy. <i>Rheumatology International</i> , 2009, 29, 591-593.	1.5	10
97	Atypical infectious mononucleosis in a patient receiving tumor necrosis factor alpha inhibitory treatment. <i>Rheumatology International</i> , 2009, 29, 825-826.	1.5	12
98	Hyperuricemia and its related factors in an urban population, Izmir, Turkey. <i>Rheumatology International</i> , 2009, 29, 869-874.	1.5	40
99	Prevalence of spondyloarthritis in Turkish patients with inflammatory bowel disease. <i>Rheumatology International</i> , 2009, 29, 955-957.	1.5	27
100	M694V mutation may have a role in susceptibility to ankylosing spondylitis. <i>Rheumatology International</i> , 2009, 29, 1259-1260.	1.5	6
101	Prevalence of primary Sjogren's syndrome in Turkey: a population-based epidemiological study. <i>International Journal of Clinical Practice</i> , 2009, 63, 954-961.	0.8	53
102	The development of Assessment of SpondyloArthritis international Society classification criteria for axial spondyloarthritis (part II): validation and final selection. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 777-783.	0.5	2,713
103	A Large-Scale Outbreak of Trichinellosis Caused by <i>Trichinella britovi</i> in Turkey. <i>Zoonoses and Public Health</i> , 2009, 56, 65-70.	0.9	44
104	Nasal Septal Perforation in a Patient with Takayasu's Arteritis; a Rare Association. <i>Internal Medicine</i> , 2009, 48, 1551-1554.	0.3	7
105	Are spondyloarthropathies as common as rheumatoid arthritis worldwide? A review. <i>Current Rheumatology Reports</i> , 2008, 10, 371-378.	2.1	57
106	Comparison of group-based exercise versus home-based exercise in patients with ankylosing spondylitis: effects on Bath Ankylosing Spondylitis Indices, quality of life and depression. <i>Clinical Rheumatology</i> , 2008, 27, 695-700.	1.0	71
107	Quality of life in patients with Takayasu's arteritis is impaired and comparable with rheumatoid arthritis and ankylosing spondylitis patients. <i>Clinical Rheumatology</i> , 2008, 27, 859-865.	1.0	36
108	Cytomegalovirus colitis in a patient with Behcet's disease receiving tumor necrosis factor alpha inhibitory treatment. <i>World Journal of Gastroenterology</i> , 2008, 14, 2912.	1.4	45



#	ARTICLE	IF	CITATIONS
109	Ankylosing spondylitis and spondylarthropathy presenting with a clinical picture of adult onset Still's disease: case series. <i>Rheumatology</i> , 2008, 47, 1436-1437.	0.9	6
110	Prevalence of ankylosing spondylitis and related spondyloarthritides in an urban area of Izmir, Turkey. <i>Journal of Rheumatology</i> , 2008, 35, 305-9.	1.0	62
111	Irritable Bowel Syndrome in Persons Who Acquired Trichinellosis. <i>American Journal of Gastroenterology</i> , 2007, 102, 1064-1069.	0.2	50
112	FREQUENCY AND SEVERITY OF MUSCULOSKELETAL SYMPTOMS IN HUMANS DURING AN OUTBREAK OF TRICHINELLOSIS CAUSED BY TRICHINELLA BRITOVII. <i>Journal of Parasitology</i> , 2007, 93, 341-344.	0.3	8
113	The role of HLA-DRB1 shared epitope alleles in predicting short-term response to leflunomide in rheumatoid arthritis. <i>Rheumatology</i> , 2007, 46, 1842-1844.	0.9	6
114	Ventricular Diastolic Functions of Ankylosing Spondylitis Patients by Using Conventional Pulsed-Wave Doppler, Myocardial Performance Index, and Tissue Doppler Imaging. <i>Echocardiography</i> , 2007, 25, 070619173248003-???	0.3	24
115	The pathogenetic role of HLA-B27 and its subtypes. <i>Autoimmunity Reviews</i> , 2007, 6, 183-189.	2.5	124
116	Standardization is essential for a more rigorous comparison of rates: comment on the reply by Gilgil, Kacar, and Tuncer. <i>Clinical Rheumatology</i> , 2007, 26, 136-136.	1.0	0
117	Body composition, insulin, and leptin levels in patients with ankylosing spondylitis. <i>Clinical Rheumatology</i> , 2007, 26, 1427-1432.	1.0	65
118	Early ultrasonographic markers of atherosclerosis in patients with familial Mediterranean fever. <i>Clinical Rheumatology</i> , 2007, 26, 1467-1473.	1.0	58
119	Epidemiology of Rheumatoid Arthritis in Turkey. <i>Clinical Rheumatology</i> , 2006, 25, 560-561.	1.0	9
120	Evaluation of left ventricular diastolic dysfunction with conventional and current Doppler techniques in Behçet's disease. <i>Clinical Rheumatology</i> , 2006, 25, 873-876.	1.0	20
121	Ankylosing spondylitis and symptom-modifying vs disease-modifying therapy. <i>Best Practice and Research in Clinical Rheumatology</i> , 2006, 20, 539-557.	1.4	44
122	Ten key recommendations for the management of ankylosing spondylitis. <i>Nature Clinical Practice Rheumatology</i> , 2006, 2, 468-469.	3.2	0
123	Impaired endothelial function in patients with ankylosing spondylitis: reply. <i>Rheumatology</i> , 2006, 45, 1319-1320.	0.9	0
124	Circulated Activated Platelets and Increased Platelet Reactivity in Patients With Behçet's Disease. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2006, 12, 451-457.	0.7	30
125	Impaired endothelial function in patients with ankylosing spondylitis. <i>Rheumatology</i> , 2006, 45, 283-286.	0.9	155
126	Acute Trichinellosis in Children Compared With Adults. <i>Pediatric Infectious Disease Journal</i> , 2005, 24, 897-900.	1.1	25



#	ARTICLE	IF	CITATIONS
127	Familial Mediterranean Fever (FMF) in Turkey. <i>Medicine (United States)</i> , 2005, 84, 1-11.	0.4	651
128	Thyrotoxic Periodic Paralysis in a Turkish Male; The Recurrence of the Attack after Radioiodine Treatment. <i>Endocrine Journal</i> , 2005, 52, 149-151.	0.7	21
129	Etiopathogenic role of HLA-B27 alleles in ankylosing spondylitis. <i>APLAR Journal of Rheumatology</i> , 2005, 8, 146-153.	0.2	15
130	Overestimation of the prevalence of ankylosing spondylitis in the Berlin study: Comment on the article by Braun et al. <i>Arthritis and Rheumatism</i> , 2005, 52, 4048-4049.	6.7	54
131	A case of familial Mediterranean fever and polyarteritis nodosa complicated by spontaneous perirenal and subcapsular hepatic hemorrhage requiring multiple arterial embolizations. <i>Rheumatology International</i> , 2005, 25, 60-64.	1.5	14
132	A Turkish version of the Bath Ankylosing Spondylitis Disease Activity Index: reliability and validity. <i>Rheumatology International</i> , 2005, 25, 280-284.	1.5	195
133	The Turkish versions of the Bath Ankylosing Spondylitis and Dougados Functional Indices: reliability and validity. <i>Rheumatology International</i> , 2005, 25, 612-618.	1.5	73
134	Thrombosis and priapism in a patient with Henoch-Schonlein purpura. <i>Rheumatology International</i> , 2005, 25, 472-474.	1.5	16
135	Mesalazine-associated acute tubulointerstitial nephritis in a patient with spondylarthropathy. <i>New Zealand Medical Journal</i> , 2005, 118, U1662.	0.5	2
136	Gemcitabine-induced vasculitis in advanced transitional cell carcinoma of the bladder. <i>Journal of Cancer Research and Clinical Oncology</i> , 2004, 130, 122-125.	1.2	22
137	A case of recurrent pancreatitis due to hyperlipidemia misdiagnosed as familial Mediterranean fever. <i>Clinical Rheumatology</i> , 2004, 23, 559-561.	1.0	4
138	Articular, B-cell, non-Hodgkin's lymphoma mimicking rheumatoid arthritis: synovial involvement in a small hand joint. <i>Rheumatology International</i> , 2004, 24, 169-172.	1.5	23
139	Seroprevalence of <i>Borrelia burgdorferi</i> in patients with Behçet's disease. <i>Rheumatology International</i> , 2003, 23, 289-293.	1.5	9
140	A case with recurrent calf pain and swelling: recurrent spontaneous calf haematoma. <i>Rheumatology International</i> , 2002, 21, 247-249.	1.5	6
141	The significance of paired MEFV mutations in individuals without symptoms of familial Mediterranean fever. <i>European Journal of Human Genetics</i> , 2002, 10, 786-789.	1.4	27
142	AGPAT2 is mutated in congenital generalized lipodystrophy linked to chromosome 9q34. <i>Nature Genetics</i> , 2002, 31, 21-23.	9.4	475
143	Flow Cytometric Analysis of Circadian Changes in Platelet Activation Using Anti-Gmp-140 Monoclonal Antibody. <i>Chronobiology International</i> , 1999, 16, 335-342.	0.9	18
144	Efficacy of leucocyte filters during transfusions in preventing the development of anti-HLA antibodies. <i>Indian Journal of Pediatrics</i> , 1998, 65, 729-734.	0.3	1

#	ARTICLE	IF	CITATIONS
145	Platelet Activation during the Early Neonatal Period. <i>Neonatology</i> , 1998, 73, 166-171.	0.9	10
146	Epidemiology of Ankylosing Spondylitis and Related Spondyloarthropathies. , 1998, , 117-131.		28
147	Platelet activation in congenital heart diseases. <i>Pediatrics International</i> , 1997, 39, 566-569.	0.2	13
148	Behçet's disease with pulmonary involvement, superior vena cava syndrome, chyloptysis and chylous ascites. <i>Respiratory Medicine</i> , 1996, 90, 429-431.	1.3	44
149	Coexistence of Chronic Neutrophilic Leukemia with Light Chain Myeloma. <i>Acta Haematologica</i> , 1994, 91, 32-34.	0.7	27
150	Oncogenous Osteomalacia-Report of a Case. <i>Acta Oncologica</i> , 1994, 33, 975-976.	0.8	4
151	Intramolecular specificity of anti-HLA alloantibodies. <i>Human Immunology</i> , 1991, 30, 91-98.	1.2	7
152	HLA EPITOPE MATCHING. <i>Transplantation</i> , 1991, 52, 903-907.	0.5	5