

Nurullah Akko

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4175877/nurullah-akkoc-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

145
papers

6,721
citations

31
h-index

80
g-index

155
ext. papers

8,092
ext. citations

3.7
avg, IF

5.21
L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 145 | The development of Assessment of SpondyloArthritis international Society classification criteria for axial spondyloarthritis (part II): validation and final selection. <i>Annals of the Rheumatic Diseases</i> , 2009 , 68, 777-83 | 2.4 | 1918 |
| 144 | The Assessment of SpondyloArthritis International Society classification criteria for peripheral spondyloarthritis and for spondyloarthritis in general. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 25-31 | 2.4 | 919 |
| 143 | Familial Mediterranean fever (FMF) in Turkey: results of a nationwide multicenter study. <i>Medicine (United States)</i> , 2005 , 84, 1-11 | 1.8 | 495 |
| 142 | AGPAT2 is mutated in congenital generalized lipodystrophy linked to chromosome 9q34. <i>Nature Genetics</i> , 2002 , 31, 21-3 | 36.3 | 414 |
| 141 | A Turkish version of the Bath Ankylosing Spondylitis Disease Activity Index: reliability and validity. <i>Rheumatology International</i> , 2005 , 25, 280-4 | 3.6 | 149 |
| 140 | Impaired endothelial function in patients with ankylosing spondylitis. <i>Rheumatology</i> , 2006 , 45, 283-6 | 3.9 | 134 |
| 139 | Identification of multiple genetic susceptibility loci in Takayasu arteritis. <i>American Journal of Human Genetics</i> , 2013 , 93, 298-305 | 11 | 115 |
| 138 | The pathogenetic role of HLA-B27 and its subtypes. <i>Autoimmunity Reviews</i> , 2007 , 6, 183-9 | 13.6 | 112 |
| 137 | Guidance on Noncorticosteroid Systemic Immunomodulatory Therapy in Noninfectious Uveitis: Fundamentals Of Care for Uveitis (FOCUS) Initiative. <i>Ophthalmology</i> , 2018 , 125, 757-773 | 7.3 | 97 |
| 136 | Assessment of disease activity and progression in Takayasu's arteritis with Disease Extent Index-Takayasu. <i>Rheumatology</i> , 2010 , 49, 1889-93 | 3.9 | 76 |
| 135 | Biomarkers and cytokines of bone turnover: extensive evaluation in a cohort of patients with ankylosing spondylitis. <i>BMC Musculoskeletal Disorders</i> , 2012 , 13, 191 | 2.8 | 73 |
| 134 | Epidemiology of Takayasu arteritis. <i>Presse Medicale</i> , 2017 , 46, e197-e203 | 2.2 | 65 |
| 133 | Identification of Susceptibility Loci in IL6, RPS9/LILRB3, and an Intergenic Locus on Chromosome 21q22 in Takayasu Arteritis in a Genome-Wide Association Study. <i>Arthritis and Rheumatology</i> , 2015 , 67, 1361-8 | 9.5 | 60 |
| 132 | Comparison of group-based exercise versus home-based exercise in patients with ankylosing spondylitis: effects on Bath Ankylosing Spondylitis Indices, quality of life and depression. <i>Clinical Rheumatology</i> , 2008 , 27, 695-700 | 3.9 | 60 |
| 131 | Body composition, insulin, and leptin levels in patients with ankylosing spondylitis. <i>Clinical Rheumatology</i> , 2007 , 26, 1427-32 | 3.9 | 58 |
| 130 | The Turkish versions of the Bath Ankylosing Spondylitis and Dougados Functional Indices: reliability and validity. <i>Rheumatology International</i> , 2005 , 25, 612-8 | 3.6 | 55 |
| 129 | Prevalence of ankylosing spondylitis and related spondyloarthritides in an urban area of Izmir, Turkey. <i>Journal of Rheumatology</i> , 2008 , 35, 305-9 | 4.1 | 51 |

| | | | |
|-----|--|------|----|
| 128 | Takayasu's arteritis is associated with HLA-B*52, but not with HLA-B*51, in Turkey. <i>Arthritis Research and Therapy</i> , 2012 , 14, R27 | 5.7 | 50 |
| 127 | Efficacy of interleukin-1 targeting treatments in patients with familial mediterranean Fever. <i>Inflammation</i> , 2015 , 38, 27-31 | 5.1 | 49 |
| 126 | Early ultrasonographic markers of atherosclerosis in patients with familial Mediterranean fever. <i>Clinical Rheumatology</i> , 2007 , 26, 1467-73 | 3.9 | 48 |
| 125 | Measurement properties of the ASAS Health Index: results of a global study in patients with axial and peripheral spondyloarthritis. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 1311-1317 | 2.4 | 47 |
| 124 | High prevalence of spondyloarthritis and ankylosing spondylitis among familial Mediterranean fever patients and their first-degree relatives: further evidence for the connection. <i>Arthritis Research and Therapy</i> , 2013 , 15, R21 | 5.7 | 47 |
| 123 | Overestimation of the prevalence of ankylosing spondylitis in the Berlin study: comment on the article by Braun et al. <i>Arthritis and Rheumatism</i> , 2005 , 52, 4048-9; author reply 4049-50 | | 47 |
| 122 | Are spondyloarthropathies as common as rheumatoid arthritis worldwide? A review. <i>Current Rheumatology Reports</i> , 2008 , 10, 371-8 | 4.9 | 45 |
| 121 | Predictive validity of the ASAS classification criteria for axial and peripheral spondyloarthritis after follow-up in the ASAS cohort: a final analysis. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1034-42 | 2.4 | 44 |
| 120 | Irritable bowel syndrome in persons who acquired trichinellosis. <i>American Journal of Gastroenterology</i> , 2007 , 102, 1064-9 | 0.7 | 42 |
| 119 | Prevalence of primary Sjogren's syndrome in Turkey: a population-based epidemiological study. <i>International Journal of Clinical Practice</i> , 2009 , 63, 954-61 | 2.9 | 40 |
| 118 | Response rate of initial conventional treatments, disease course, and related factors of patients with adult-onset Still's disease: Data from a large multicenter cohort. <i>Journal of Autoimmunity</i> , 2016 , 69, 59-63 | 15.5 | 39 |
| 117 | Behçet's disease with pulmonary involvement, superior vena cava syndrome, chyloptysis and chylous ascites. <i>Respiratory Medicine</i> , 1996 , 90, 429-31 | 4.6 | 39 |
| 116 | Cytomegalovirus colitis in a patient with Behcet's disease receiving tumor necrosis factor alpha inhibitory treatment. <i>World Journal of Gastroenterology</i> , 2008 , 14, 2912-4 | 5.6 | 36 |
| 115 | Hyperuricemia and its related factors in an urban population, Izmir, Turkey. <i>Rheumatology International</i> , 2009 , 29, 869-74 | 3.6 | 35 |
| 114 | A large-scale outbreak of trichinellosis caused by <i>Trichinella britovi</i> in Turkey. <i>Zoonoses and Public Health</i> , 2009 , 56, 65-70 | 2.9 | 31 |
| 113 | Increased prevalence of M694V in patients with ankylosing spondylitis: additional evidence for a link with familial mediterranean fever. <i>Arthritis and Rheumatism</i> , 2010 , 62, 3059-63 | | 31 |
| 112 | Ankylosing spondylitis and symptom-modifying vs disease-modifying therapy. <i>Best Practice and Research in Clinical Rheumatology</i> , 2006 , 20, 539-57 | 5.3 | 31 |
| 111 | Familial Mediterranean fever and seronegative arthritis. <i>Current Rheumatology Reports</i> , 2011 , 13, 388-94. | 4.9 | 30 |

| | | | |
|-----|--|-----|----|
| 110 | Initial diagnosis of lumbar disc herniation is associated with a delay in diagnosis of ankylosing spondylitis. <i>Journal of Rheumatology</i> , 2012 , 39, 1996-9 | 4.1 | 30 |
| 109 | Quality of life in patients with Takayasu's arteritis is impaired and comparable with rheumatoid arthritis and ankylosing spondylitis patients. <i>Clinical Rheumatology</i> , 2008 , 27, 859-65 | 3.9 | 30 |
| 108 | An Assessment in SpondyloArthritis International Society (ASAS)-endorsed definition of clinically important worsening in axial spondyloarthritis based on ASDAS. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 124-127 | 2.4 | 29 |
| 107 | The ASAS Criteria for Axial Spondyloarthritis: Strengths, Weaknesses, and Proposals for a Way Forward. <i>Current Rheumatology Reports</i> , 2015 , 17, 62 | 4.9 | 27 |
| 106 | Familial Mediterranean fever: risk factors, causes of death, and prognosis in the colchicine era. <i>Medicine (United States)</i> , 2012 , 91, 131-136 | 1.8 | 27 |
| 105 | The prevalence and clinical characteristics of nonradiographic axial spondyloarthritis among patients with inflammatory back pain in rheumatology practices: a multinational, multicenter study. <i>Arthritis Research and Therapy</i> , 2016 , 18, 132 | 5.7 | 24 |
| 104 | Circulated activated platelets and increased platelet reactivity in patients with Behçet's disease. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2006 , 12, 451-7 | 3.3 | 24 |
| 103 | Development of ASAS quality standards to improve the quality of health and care services for patients with axial spondyloarthritis. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 193-201 | 2.4 | 24 |
| 102 | Ankylosing Spondylitis: HLA-B*27-Positive Versus HLA-B*27-Negative Disease. <i>Current Rheumatology Reports</i> , 2017 , 19, 26 | 4.9 | 23 |
| 101 | The significance of paired MEFV mutations in individuals without symptoms of familial Mediterranean fever. <i>European Journal of Human Genetics</i> , 2002 , 10, 786-9 | 5.3 | 23 |
| 100 | Coexistence of chronic neutrophilic leukemia with light chain myeloma. <i>Acta Haematologica</i> , 1994 , 91, 32-4 | 2.7 | 23 |
| 99 | Update on the epidemiology, risk factors and disease outcomes of Behçet's disease. <i>Best Practice and Research in Clinical Rheumatology</i> , 2018 , 32, 261-270 | 5.3 | 23 |
| 98 | Genome-wide association study in Turkish and Iranian populations identify rare familial Mediterranean fever gene (MEFV) polymorphisms associated with ankylosing spondylitis. <i>PLoS Genetics</i> , 2019 , 15, e1008038 | 6 | 22 |
| 97 | Markers of endothelial damage and repair in Takayasu arteritis: are they associated with disease activity?. <i>Rheumatology International</i> , 2014 , 34, 1129-38 | 3.6 | 22 |
| 96 | Evaluation of inflammation and oxidative stress in ankylosing spondylitis: a role for macrophage migration inhibitory factor. <i>Modern Rheumatology</i> , 2010 , 20, 34-9 | 3.3 | 22 |
| 95 | The effect of regular colchicine treatment on biomarkers related with vascular injury in newly diagnosed patients with familial Mediterranean fever. <i>Inflammation</i> , 2012 , 35, 1191-7 | 5.1 | 21 |
| 94 | Evaluation of the T helper 17 axis in ankylosing spondylitis. <i>Rheumatology International</i> , 2012 , 32, 2511-5.6 | 3.6 | 21 |
| 93 | Prevalence of spondyloarthritis in Turkish patients with inflammatory bowel disease. <i>Rheumatology International</i> , 2009 , 29, 955-7 | 3.6 | 21 |

| | | | |
|----|---|-----|----|
| 92 | Performance of response scales of activity and functional measures of ankylosing spondylitis: numerical rating scale versus visual analog scale. <i>Rheumatology International</i> , 2013 , 33, 2617-23 | 3.6 | 20 |
| 91 | Ventricular diastolic function of ankylosing spondylitis patients by using conventional pulsed wave Doppler, myocardial performance index and tissue Doppler imaging. <i>Echocardiography</i> , 2008 , 25, 47-56 | 1.5 | 20 |
| 90 | Evaluation of left ventricular diastolic dysfunction with conventional and current Doppler techniques in Behcet's disease. <i>Clinical Rheumatology</i> , 2006 , 25, 873-6 | 3.9 | 20 |
| 89 | Articular, B-cell, non-Hodgkin's lymphoma mimicking rheumatoid arthritis: synovial involvement in a small hand joint. <i>Rheumatology International</i> , 2004 , 24, 169-72 | 3.6 | 20 |
| 88 | Acute trichinellosis in children compared with adults. <i>Pediatric Infectious Disease Journal</i> , 2005 , 24, 897-900 | 3.4 | 18 |
| 87 | Flow cytometric analysis of circadian changes in platelet activation using anti-GMP-140 monoclonal antibody. <i>Chronobiology International</i> , 1999 , 16, 335-42 | 3.6 | 18 |
| 86 | Treatment of ankylosing spondylitis. <i>Turkish Journal of Medical Sciences</i> , 2015 , 45, 416-30 | 2.7 | 17 |
| 85 | Thyrotoxic periodic paralysis in a Turkish male; the recurrence of the attack after radioiodine treatment. <i>Endocrine Journal</i> , 2005 , 52, 149-51 | 2.9 | 17 |
| 84 | Fetuin-A is related to syndesmophytes in patients with ankylosing spondylitis: a case control study. <i>Clinics</i> , 2014 , 69, 688-93 | 2.3 | 17 |
| 83 | ASAS classification criteria for axial spondyloarthritis: time to modify. <i>Clinical Rheumatology</i> , 2016 , 35, 1415-23 | 3.9 | 17 |
| 82 | Cross-phenotype analysis of ImmunoChip data identifies as a relevant for the development of systemic vasculitis. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 589-595 | 2.4 | 16 |
| 81 | Oxidative stress and related factors in patients with ankylosing spondylitis. <i>European Journal of Rheumatology</i> , 2016 , 3, 20-24 | 1.7 | 16 |
| 80 | Genetic diagnostic profiling in axial spondyloarthritis: a real world study. <i>Clinical and Experimental Rheumatology</i> , 2017 , 35, 229-233 | 2.2 | 16 |
| 79 | The challenge of the definition of early symptomatic knee osteoarthritis: a proposal of criteria and red flags from an international initiative promoted by the Italian Society for Rheumatology. <i>Rheumatology International</i> , 2017 , 37, 1227-1236 | 3.6 | 15 |
| 78 | Performance of different criteria sets for inflammatory back pain in patients with axial spondyloarthritis with and without radiographic sacroiliitis. <i>Clinical Rheumatology</i> , 2014 , 33, 1475-9 | 3.9 | 15 |
| 77 | Axial sarcoidosis mimicking radiographic sacroiliitis. <i>Rheumatology International</i> , 2009 , 29, 343-5 | 3.6 | 15 |
| 76 | Gemcitabine-induced vasculitis in advanced transitional cell carcinoma of the bladder. <i>Journal of Cancer Research and Clinical Oncology</i> , 2004 , 130, 122-5 | 4.9 | 15 |
| 75 | Epidemiology of Takayasu's arteritis in Turkey. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, S33-9 | 2.2 | 15 |

| | | | |
|----|---|-----|----|
| 74 | Assessment of Patients with Takayasu Arteritis in Routine Practice with Indian Takayasu Clinical Activity Score. <i>Journal of Rheumatology</i> , 2015 , 42, 1443-7 | 4.1 | 14 |
| 73 | Thrombosis and priapism in a patient with Henoch-Schonlein purpura. <i>Rheumatology International</i> , 2005 , 25, 472-4 | 3.6 | 14 |
| 72 | Looking into the new ASAS classification criteria for axial spondyloarthritis through the other side of the glass. <i>Current Rheumatology Reports</i> , 2015 , 17, 515 | 4.9 | 13 |
| 71 | Ghrelin and adipokines as circulating markers of disease activity in patients with Takayasu arteritis. <i>Arthritis Research and Therapy</i> , 2012 , 14, R272 | 5.7 | 13 |
| 70 | A case of adult-onset Still's disease complicated with diffuse alveolar hemorrhage. <i>Journal of Korean Medical Science</i> , 2009 , 24, 155-7 | 4.7 | 13 |
| 69 | Etiopathogenic role of HLA-B27 alleles in ankylosing spondylitis. <i>APLAR Journal of Rheumatology</i> , 2005 , 8, 146-153 | | 13 |
| 68 | Maintenance of remission with combination etanercept-DMARD therapy versus DMARDs alone in active rheumatoid arthritis: results of an international treat-to-target study conducted in regions with limited biologic access. <i>Rheumatology International</i> , 2017 , 37, 1469-1479 | 3.6 | 12 |
| 67 | Evaluation of circulating endothelial and platelet microparticles in men with ankylosing spondylitis. <i>Journal of Rheumatology</i> , 2012 , 39, 594-9 | 4.1 | 12 |
| 66 | Epidemiology of Ankylosing Spondylitis and Related Spondyloarthropathies 1998 , 117-131 | | 12 |
| 65 | Fetuin-A and interleukin-18 levels in ankylosing spondylitis. <i>International Journal of Rheumatic Diseases</i> , 2010 , 13, 75-81 | 2.3 | 11 |
| 64 | Platelet activation in congenital heart diseases. <i>Pediatrics International</i> , 1997 , 39, 566-9 | 1.2 | 11 |
| 63 | A case of familial Mediterranean fever and polyarteritis nodosa complicated by spontaneous perirenal and subcapsular hepatic hemorrhage requiring multiple arterial embolizations. <i>Rheumatology International</i> , 2005 , 25, 60-4 | 3.6 | 11 |
| 62 | Paradoxical increase in uric acid level with allopurinol use in pyrazinamide-induced hyperuricaemia. <i>Singapore Medical Journal</i> , 2013 , 54, e125-6 | 1.9 | 11 |
| 61 | Long-Term Follow-Up of Endovascular Repair in the Management of Arterial Stenosis Caused by Takayasu's Arteritis. <i>Annals of Vascular Surgery</i> , 2017 , 42, 93-100 | 1.7 | 10 |
| 60 | Cross-cultural adaptation and validation of the Turkish version of the pain catastrophizing scale among patients with ankylosing spondylitis. <i>Journal of Physical Therapy Science</i> , 2016 , 28, 298-303 | 1 | 10 |
| 59 | Atypical infectious mononucleosis in a patient receiving tumor necrosis factor alpha inhibitory treatment. <i>Rheumatology International</i> , 2009 , 29, 825-6 | 3.6 | 9 |
| 58 | Platelet activation during the early neonatal period. <i>Neonatology</i> , 1998 , 73, 166-71 | 4 | 9 |
| 57 | Thymic enlargement in a patient with juvenile idiopathic arthritis during etanercept therapy. <i>Rheumatology International</i> , 2009 , 29, 591-3 | 3.6 | 8 |

| | | | |
|----|---|-----|---|
| 56 | Seroprevalence of <i>Borrelia burgdorferi</i> in patients with Behçet's disease. <i>Rheumatology International</i> , 2003 , 23, 289-93 | 3.6 | 8 |
| 55 | Polygenic Risk Scores have high diagnostic capacity in ankylosing spondylitis. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 1168-1174 | 2.4 | 8 |
| 54 | Identification of susceptibility loci for Takayasu arteritis through a large multi-ancestral genome-wide association study. <i>American Journal of Human Genetics</i> , 2021 , 108, 84-99 | 11 | 8 |
| 53 | Direct and indirect costs associated with ankylosing spondylitis and related disease activity scores in Turkey. <i>Rheumatology International</i> , 2015 , 35, 1473-8 | 3.6 | 7 |
| 52 | Evaluation of various endothelial biomarkers in ankylosing spondylitis. <i>Clinical Rheumatology</i> , 2012 , 31, 23-8 | 3.9 | 7 |
| 51 | Intramolecular specificity of anti-HLA alloantibodies. <i>Human Immunology</i> , 1991 , 30, 91-8 | 2.3 | 7 |
| 50 | High frequency of inflammatory back pain and other features of spondyloarthritis in patients with rheumatoid arthritis. <i>Rheumatology International</i> , 2013 , 33, 1289-93 | 3.6 | 6 |
| 49 | M694V mutation may have a role in susceptibility to ankylosing spondylitis. <i>Rheumatology International</i> , 2009 , 29, 1259-60 | 3.6 | 6 |
| 48 | The role of HLA-DRB1 shared epitope alleles in predicting short-term response to leflunomide in rheumatoid arthritis. <i>Rheumatology</i> , 2007 , 46, 1842-4 | 3.9 | 6 |
| 47 | Epidemiology of rheumatoid arthritis in Turkey. <i>Clinical Rheumatology</i> , 2006 , 25, 560-1 | 3.9 | 6 |
| 46 | Body composition in patients with rheumatoid arthritis is not different than healthy subjects. <i>European Journal of Rheumatology</i> , 2014 , 1, 106-110 | 1.7 | 6 |
| 45 | Assessing rheumatologists' attitudes and utilization of classification criteria for ankylosing spondylitis and axial spondyloarthritis: a global effort. <i>Clinical Rheumatology</i> , 2021 , 40, 949-954 | 3.9 | 6 |
| 44 | Do major histocompatibility complex tag single nucleotide polymorphisms accurately identify HLA-B27 in the Turkish population?. <i>International Journal of Rheumatic Diseases</i> , 2017 , 20, 2035-2039 | 2.3 | 5 |
| 43 | Nasal septal perforation in a patient with Takayasu's arteritis; a rare association. <i>Internal Medicine</i> , 2009 , 48, 1551-4 | 1.1 | 5 |
| 42 | Comment on the article by Durmus et al. "Clinical significance of MEFV mutations in ankylosing spondylitis". <i>Joint Bone Spine</i> , 2010 , 77, 281 | 2.9 | 5 |
| 41 | Ankylosing spondylitis and spondylarthropathy presenting with a clinical picture of adult onset Still's disease: case series. <i>Rheumatology</i> , 2008 , 47, 1436-7 | 3.9 | 5 |
| 40 | Frequency and severity of musculoskeletal symptoms in humans during an outbreak of trichinellosis caused by <i>Trichinella britovi</i> . <i>Journal of Parasitology</i> , 2007 , 93, 341-4 | 0.9 | 5 |
| 39 | A case with recurrent calf pain and swelling: recurrent spontaneous calf haematoma. <i>Rheumatology International</i> , 2002 , 21, 247-9 | 3.6 | 5 |

| | | | |
|----|--|-----|---|
| 38 | HLA EPI TOPE MATCHING. <i>Transplantation</i> , 1991 , 52, 903-907 | 1.8 | 5 |
| 37 | The validity and reliability study of the University of California, Los Angeles Scleroderma Clinical Trial Consortium Gastrointestinal Tract (UCLA SCTC GIT) 2.0 questionnaire for the Turkish society. <i>Turkish Journal of Gastroenterology</i> , 2019 , 30, 234-241 | 1 | 5 |
| 36 | Is Axial Spondyloarthritis More Common Than Rheumatoid Arthritis?. <i>Current Rheumatology Reports</i> , 2020 , 22, 54 | 4.9 | 5 |
| 35 | JAK Inhibitors for Axial Spondyloarthritis: What does the Future Hold?. <i>Current Rheumatology Reports</i> , 2021 , 23, 34 | 4.9 | 5 |
| 34 | Therapies of Early, Advanced, and Late Onset Forms of Axial Spondyloarthritis, and the Need for Treat to Target Strategies. <i>Current Rheumatology Reports</i> , 2017 , 19, 8 | 4.9 | 4 |
| 33 | Prevalence of Inflammatory Back Pain and Axial Spondyloarthritis Among University Employees in Izmir, Turkey. <i>Journal of Rheumatology</i> , 2015 , 42, 1647-51 | 4.1 | 4 |
| 32 | Papilledema caused by cerebral venous sinus thrombosis in a patient with Behçet disease. <i>Journal of Clinical Rheumatology</i> , 2013 , 19, 52 | 1.1 | 4 |
| 31 | Clinical history for inflammatory back pain in ankylosing spondylitis: the sensitivity, specificity and consistency of clinical features. <i>Rheumatology International</i> , 2009 , 29, 349-51 | 3.6 | 4 |
| 30 | Oncogenous osteomalacia--report of a case. <i>Acta Oncologica</i> , 1994 , 33, 975-6 | 3.2 | 4 |
| 29 | PDCD1 polymorphisms are not associated with Takayasu's arteritis in Turkey. <i>Clinical and Experimental Rheumatology</i> , 2012 , 30, S11-4 | 2.2 | 4 |
| 28 | Epidemiology of Axial Spondyloarthritis 2019 , 31-56 | | 3 |
| 27 | A multicenter report of biologic agents for the treatment of secondary amyloidosis in Turkish rheumatoid arthritis and ankylosing spondylitis patients. <i>Rheumatology International</i> , 2016 , 36, 945-53 | 3.6 | 3 |
| 26 | The effect of non-steroidal anti-inflammatory drugs on the endothelial function of patients with osteoarthritis in short term. <i>International Journal of Rheumatic Diseases</i> , 2012 , 15, 207-11 | 2.3 | 3 |
| 25 | Baseline sacroiliac joint magnetic resonance imaging abnormalities and male sex predict the development of radiographic sacroiliitis. <i>Clinical Rheumatology</i> , 2013 , 32, 1511-7 | 3.9 | 3 |
| 24 | Frequency of pulmonary hypertension in transthoracic echocardiography screening is not increased in Takayasu arteritis: Experience from a single center in Turkey. <i>European Journal of Rheumatology</i> , 2018 , 5, 249-253 | 1.7 | 3 |
| 23 | Increased Frequency of Hand Osteoarthritis in Patients with Primary Sjögren Syndrome Compared with Systemic Lupus Erythematosus. <i>Journal of Rheumatology</i> , 2016 , 43, 1068-71 | 4.1 | 3 |
| 22 | Treatment of Patients With Nonradiographic Axial Spondyloarthritis Who Have Negative Magnetic Resonance Imaging Results and Normal C-Reactive Protein Levels at Baseline: Comment on the Article by Ward et al. <i>Arthritis and Rheumatology</i> , 2016 , 68, 1563 | 9.5 | 2 |
| 21 | Down-regulation of adiponectin in patients with familial Mediterranean fever during attack-free period. <i>Rheumatology International</i> , 2012 , 32, 2819-22 | 3.6 | 2 |

| | | | |
|----|---|-----|---|
| 20 | A case of recurrent pancreatitis due to hyperlipidemia misdiagnosed as familial Mediterranean fever. <i>Clinical Rheumatology</i> , 2004 , 23, 559-61 | 3.9 | 2 |
| 19 | Current antiviral practice and course of Hepatitis B virus infection in inflammatory arthritis: a multicentric observational study (A + HBV study). <i>European Journal of Rheumatology</i> , 2015 , 2, 149-154 | 1.7 | 2 |
| 18 | Telephone interview strategy can be used for screening inflammatory back pain in the community. <i>International Journal of Rheumatic Diseases</i> , 2017 , 20, 33-38 | 2.3 | 1 |
| 17 | Personalized Axial Spondyloarthritis Care. <i>Current Treatment Options in Rheumatology</i> , 2018 , 4, 158-173 | 1.3 | 1 |
| 16 | Comparison of Glucocorticoid and Nonsteroidal Anti-Inflammatory Drug Requirement Before and After Tumor Necrosis Factor Inhibitor Treatment in Patients With Rheumatoid Arthritis. <i>Archives of Rheumatology</i> , 2015 , 30, 206-213 | 0.9 | 1 |
| 15 | Efficacy of leucocyte filters during transfusions in preventing the development of anti-HLA antibodies. <i>Indian Journal of Pediatrics</i> , 1998 , 65, 729-34 | 3 | 1 |
| 14 | Prevalence of Spondyloarthritis Among Patients Who Underwent Lumbar Disc Herniation Surgery. <i>Archives of Rheumatology</i> , 2020 , 35, 189-195 | 0.9 | 1 |
| 13 | The prevalence of Sjögren syndrome and sicca symptoms in patients with systemic sclerosis and alpha-smooth muscle actin expression in biopsy specimens from minor salivary glands. <i>Turkish Journal of Medical Sciences</i> , 2021 , 51, 1875-1882 | 2.7 | 1 |
| 12 | Mesalazine-associated acute tubulointerstitial nephritis in a patient with spondylarthropathy. <i>New Zealand Medical Journal</i> , 2005 , 118, U1662 | 0.8 | 1 |
| 11 | Is there a relationship between endothelial nitric oxide synthase gene polymorphisms and ankylosing spondylitis?. <i>Clinics</i> , 2013 , 68, 305-9 | 2.3 | 0 |
| 10 | Pseudoscience at the expense of rheumatic disease patients during the Coronavirus disease 2019 pandemic. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39 Suppl 128, 5-7 | 2.2 | 0 |
| 9 | Prevalence of spondyloarthropathy in Lithuania: comment on the article by Adomaviciute et al. <i>Scandinavian Journal of Rheumatology</i> , 2009 , 38, 75-6; author reply 76 | 1.9 | |
| 8 | Correspondance concernant l'article de Durmus et al. «Clinical significance of MEFV mutations in ankylosing spondylitis». <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2010 , 77, 317 | 0.1 | |
| 7 | Standardization is essential for a more rigorous comparison of rates: comment on the reply by Gilgil, Kacar, and Tuncer. <i>Clinical Rheumatology</i> , 2007 , 26, 136 | 3.9 | |
| 6 | Ten key recommendations for the management of ankylosing spondylitis. <i>Nature Clinical Practice Rheumatology</i> , 2006 , 2, 468-9 | | |
| 5 | Impaired endothelial function in patients with ankylosing spondylitis: reply. <i>Rheumatology</i> , 2006 , 45, 1319-1320 | 3.9 | |
| 4 | The adaptation of the Turkish version of the Assessment of Knowledge in Ankylosing Spondylitis Patients by a Self-Administered Questionnaire. <i>Turkish Journal of Physical Medicine and Rehabilitation</i> , 2020 , 66, 299-306 | 1.1 | |
| 3 | The adaptation of the Turkish version of the Assessment of Knowledge in Ankylosing Spondylitis Patients by a Self-Administered Questionnaire 2020 , 66, 299-306 | | |

- 2 Bilateral Paraneoplastic Vitritis: A Case Report.. *Beyoglu Eye Journal*, **2021**, 6, 140-144 0.1
- 1 Radiographic axial spondyloarthritis versus ankylosing spondylitis. *Clinical and Experimental Rheumatology*, **2016**, 34, S7 2.2