

Zhigang Wu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4176436/zhigang-wu-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

75
papers

4,361
citations

28
h-index

65
g-index

82
ext. papers

5,025
ext. citations

6.6
avg, IF

5.89
L-index

#	Paper	IF	Citations
75	Micromixers review. <i>Journal of Micromechanics and Microengineering</i> , 2005 , 15, R1-R16	2	1247
74	Microfluidic electronics. <i>Lab on A Chip</i> , 2012 , 12, 2782-91	7.2	214
73	PDMS-Based Elastomer Tuned Soft, Stretchable, and Sticky for Epidermal Electronics. <i>Advanced Materials</i> , 2016 , 28, 5830-6	24	196
72	Liquid metal stretchable unbalanced loop antenna. <i>Applied Physics Letters</i> , 2009 , 94, 144103	3.4	187
71	Soft inertial microfluidics for high throughput separation of bacteria from human blood cells. <i>Lab on A Chip</i> , 2009 , 9, 1193-9	7.2	185
70	Liquid alloy printing of microfluidic stretchable electronics. <i>Lab on A Chip</i> , 2012 , 12, 4657-64	7.2	170
69	A Microfluidic, Reversibly Stretchable, Large-Area Wireless Strain Sensor. <i>Advanced Functional Materials</i> , 2011 , 21, 2282-2290	15.6	168
68	A Highly Sensitive Flexible Capacitive Tactile Sensor with Sparse and High-Aspect-Ratio Microstructures. <i>Advanced Electronic Materials</i> , 2018 , 4, 1700586	6.4	154
67	Microfluidic stretchable RF electronics. <i>Lab on A Chip</i> , 2010 , 10, 3227-34	7.2	144
66	Ionic Skin with Biomimetic Dielectric Layer Templated from Calathea Zebrine Leaf. <i>Advanced Functional Materials</i> , 2018 , 28, 1802343	15.6	129
65	Foldable and Stretchable Liquid Metal Planar Inverted Cone Antenna. <i>IEEE Transactions on Antennas and Propagation</i> , 2009 , 57, 3765-3771	4.9	112
64	Tape transfer atomization patterning of liquid alloys for microfluidic stretchable wireless power transfer. <i>Scientific Reports</i> , 2015 , 5, 8419	4.9	105
63	Natural Plant Materials as Dielectric Layer for Highly Sensitive Flexible Electronic Skin. <i>Small</i> , 2018 , 14, e1801657	11	99
62	Thermal, Waterproof, Breathable, and Antibacterial Cloth with a Nanoporous Structure. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 2026-2032	9.5	90
61	Nonlinear diffusive mixing in microchannels: theory and experiments. <i>Journal of Micromechanics and Microengineering</i> , 2004 , 14, 604-611	2	90
60	Mechanically Stretchable and Electrically Insulating Thermal Elastomer Composite by Liquid Alloy Droplet Embedment. <i>Scientific Reports</i> , 2015 , 5, 18257	4.9	84
59	Hydrodynamic focusing in microchannels under consideration of diffusive dispersion: theories and experiments. <i>Sensors and Actuators B: Chemical</i> , 2005 , 107, 965-974	8.5	76

58	Convective-diffusive transport in parallel lamination micromixers. <i>Microfluidics and Nanofluidics</i> , 2005 , 1, 208-217	2.8	66
57	High-Fidelity Conformal Printing of 3D Liquid Alloy Circuits for Soft Electronics. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 7148-7156	9.5	65
56	Surface modification of PDMS by gradient-induced migration of embedded Pluronic. <i>Lab on A Chip</i> , 2009 , 9, 1500-3	7.2	54
55	Tape transfer printing of a liquid metal alloy for stretchable RF electronics. <i>Sensors</i> , 2014 , 14, 16311-21	3.8	52
54	Time lapse investigation of antibiotic susceptibility using a microfluidic linear gradient 3D culture device. <i>Lab on A Chip</i> , 2014 , 14, 3409-18	7.2	51
53	Stretchable Thermoelectric Generators Metallized with Liquid Alloy. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 15791-15797	9.5	50
52	PEDOT:PSS/Grafted-PDMS Electrodes for Fully Organic and Intrinsically Stretchable Skin-like Electronics. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 10373-10379	9.5	49
51	Microfluidic continuous particle/cell separation via electroosmotic-flow-tuned hydrodynamic spreading. <i>Journal of Micromechanics and Microengineering</i> , 2007 , 17, 1992-1999	2	41
50	Rapid mixing using two-phase hydraulic focusing in microchannels. <i>Biomedical Microdevices</i> , 2005 , 7, 13-20	3.7	40
49	A tunable spherical cap microfluidic electrically small antenna. <i>Small</i> , 2013 , 9, 3230-4	11	33
48	Graphene as a Diffusion Barrier in Galinstan-Solid Metal Contacts. <i>IEEE Transactions on Electron Devices</i> , 2014 , 61, 2996-3000	2.9	29
47	Microfluidic Hydrodynamic Cell Separation: A Review. <i>Micro and Nanosystems</i> , 2009 , 1, 181-192	0.6	26
46	Microfluidic contact lenses for unpowered, continuous and non-invasive intraocular pressure monitoring. <i>Sensors and Actuators A: Physical</i> , 2019 , 295, 177-187	3.9	25
45	Microfluidic high viability neural cell separation using viscoelastically tuned hydrodynamic spreading. <i>Biomedical Microdevices</i> , 2008 , 10, 631-8	3.7	24
44	Microfluidic Stretchable Radio-Frequency Devices. <i>Proceedings of the IEEE</i> , 2015 , 103, 1211-1225	14.3	23
43	Seamless modulus gradient structures for highly resilient, stretchable system integration. <i>Materials Today Physics</i> , 2018 , 4, 28-35	8	19
42	Skin-electrode iontronic interface for mechanosensing. <i>Nature Communications</i> , 2021 , 12, 4731	17.4	19
41	One-Step Selective Adhesive Transfer Printing for Scalable Fabrication of Stretchable Electronics. <i>Advanced Materials Technologies</i> , 2018 , 3, 1700264	6.8	17

40	Hydroprinted Liquid-Alloy-Based Morphing Electronics for Fast-Growing/Tender Plants: From Physiology Monitoring to Habit Manipulation. <i>Small</i> , 2020 , 16, e2003833	11	17
39	Tuning the Rigidity of Silk Fibroin for the Transfer of Highly Stretchable Electronics. <i>Advanced Functional Materials</i> , 2020 , 30, 2001518	15.6	16
38	A method of manufacturing microfluidic contact lenses by using irreversible bonding and thermoforming. <i>Journal of Micromechanics and Microengineering</i> , 2018 , 28, 105008	2	13
37	Intelligent Soft Surgical Robots for Next-Generation Minimally Invasive Surgery. <i>Advanced Intelligent Systems</i> , 2021 , 3, 2100011	6	13
36	High-Performance Liquid Alloy Patterning of Epidermal Strain Sensors for Local Fine Skin Movement Monitoring. <i>Soft Robotics</i> , 2019 , 6, 414-421	9.2	12
35	Concentration-dependent viscous mixing in microfluidics: modelings and experiments. <i>Microfluidics and Nanofluidics</i> , 2016 , 20, 1	2.8	10
34	Capillary Self-Alignment of Microchips on Soft Substrates. <i>Micromachines</i> , 2016 , 7,	3.3	10
33	Viscosity-difference-induced asymmetric selective focusing for large stroke particle separation. <i>Microfluidics and Nanofluidics</i> , 2016 , 20, 1	2.8	9
32	Programmable and reprocessable multifunctional elastomeric sheets for soft origami robots. <i>Science Robotics</i> , 2021 , 6,	18.6	9
31	Stiffness Preprogrammable Soft Bending Pneumatic Actuators for High-Efficient, Conformal Operation. <i>Soft Robotics</i> , 2021 ,	9.2	8
30	On-Demand Multi-Resolution Liquid Alloy Printing Based on Viscoelastic Flow Squeezing. <i>Polymers</i> , 2018 , 10,	4.5	7
29	Investigation of active interface control of pressure driven two-fluid flow in microchannels. <i>Sensors and Actuators A: Physical</i> , 2007 , 133, 323-328	3.9	7
28	A Rapid Prototyping Technique for Microfluidics with High Robustness and Flexibility. <i>Micromachines</i> , 2016 , 7,	3.3	7
27	High Precision Thermoforming 3D-Conformable Electronics with a Phase-Changing Adhesion Interlayer. <i>Micromachines</i> , 2019 , 10,	3.3	6
26	A Contact Angle Study of the Interaction between Embedded Amphiphilic Molecules and the PDMS Matrix in an Aqueous Environment. <i>Micromachines</i> , 2014 , 5, 515-527	3.3	6
25	Dynamically Conformal Mask Printing of Liquid Alloy Circuits on Morphing Objects. <i>Advanced Materials Technologies</i> , 2021 , 6, 2001274	6.8	6
24	Sandwiched Polyethylene Shrink Film Masking with Tunable Resolution and Shape for Liquid Alloy Patterning. <i>ACS Applied Polymer Materials</i> , 2019 , 1, 145-151	4.3	6
23	Adhesive Transfer Soft Lithography: Low-Cost and Flexible Rapid Prototyping of Microfluidic Devices. <i>Micro and Nanosystems</i> , 2014 , 6, 42-49	0.6	5

22	Facile Fabrication of Self-Similar Hierarchical Micro-Nano Structures for Multifunctional Surfaces via Solvent-Assisted UV-Lasering. <i>Micromachines</i> , 2020 , 11,	3.3	5
21	Pneumatic Enabled Vertical Interconnect Access of Liquid Alloy Circuits toward Highly Integrated Stretchable Electronics. <i>Advanced Materials Technologies</i> , 2021 , 6, 2000966	6.8	5
20	High-sensitivity liquid-metal-based contact lens sensor for continuous intraocular pressure monitoring. <i>Journal of Micromechanics and Microengineering</i> , 2021 , 31, 035006	2	5
19	High purity and viability cell separation of a bacterivorous jakobid flagellate based on a steep velocity gradient induced soft inertial force.. <i>RSC Advances</i> , 2018 , 8, 35512-35520	3.7	5
18	Entangled sciences: the art of microfluidic mixing and separation. <i>Journal of Micromechanics and Microengineering</i> , 2015 , 25, 120301	2	3
17	Facile fabrication of sensitivity-tunable strain sensors based on laser-patterned micro-nano structures. <i>Journal of Micromechanics and Microengineering</i> , 2021 , 31, 085003	2	3
16	Artificial Skin: Ionic Skin with Biomimetic Dielectric Layer Templated from Calathea Zebrine Leaf (Adv. Funct. Mater. 37/2018). <i>Advanced Functional Materials</i> , 2018 , 28, 1870264	15.6	3
15	Thrombogenicity of microfluidic chip surface manipulation: Facile, one-step, none-protein technique for extreme wettability contrast micropatterning. <i>Sensors and Actuators B: Chemical</i> , 2021 , 343, 130085	8.5	3
14	Head-compliant microstrip split ring resonator for non-invasive healing monitoring after craniostynosis-based surgery. <i>Healthcare Technology Letters</i> , 2020 , 7, 29-34	1.9	2
13	Anisotropic Shear-Sensitive Tactile Sensors with Programmable Elastomers for Robotic Manipulations. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 51426-51435	9.5	2
12	Tunnel Encapsulation Technology for Durability Improvement in Stretchable Electronics Fabrication. <i>Micromachines</i> , 2018 , 9,	3.3	2
11	Stretchable wireless power transfer with a liquid alloy coil 2015 ,		1
10	Liquid Metal Microscale Deposition enabled High Resolution and Density Epidermal Microheater for Localized Ectopic Expression in Drosophila. <i>Advanced Materials Technologies</i> , 2100903	6.8	1
9	A Facile Liquid Alloy Wetting Enhancing Strategy on Super-Hydrophobic Lotus Leaves for Plant-Hybrid System Implementation. <i>Advanced Materials Interfaces</i> , 2200516	4.6	1
8	Microfluidic systems toward blood hemostasis monitoring and thrombosis diagnosis: From design principles to micro/nano fabrication technologies. <i>View</i> , 2022 , 3, 20200183	7.8	0
7	Electronic Skins: Natural Plant Materials as Dielectric Layer for Highly Sensitive Flexible Electronic Skin (Small 35/2018). <i>Small</i> , 2018 , 14, 1870161	11	0
6	Wireless liquid-alloy-based induction heating for soft devices by alternating magnetic field: from characterization to application. <i>Sensors and Actuators A: Physical</i> , 2022 , 113538	3.9	0
5	Dynamic Antibiotic Susceptibility Test via a 3D Microfluidic Culture Device. <i>Methods in Molecular Biology</i> , 2017 , 1572, 365-377	1.4	

4 Surface Modification of PDMS in Microfluidic Devices **2014**, 141-150

3 Passive and Active Micromixers **2013**, 175-203

2 Liquid Alloy Circuits: Dynamically Conformal Mask Printing of Liquid Alloy Circuits on Morphing Objects (Adv. Mater. Technol. 6/2021). *Advanced Materials Technologies*, **2021**, 6, 2170034 6.8

1 One-Step Soft Templated Selective Milling-Based Circuit Patterning for Eco-Friendly and High-Throughput Manufacturing of Flexible Electronics. *Advanced Materials Technologies*, 2200092 6.8