

Wei-Ju Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4176944/publications.pdf>

Version: 2024-02-01

134
papers

9,804
citations

147566

31
h-index

39575

94
g-index

143
all docs

143
docs citations

143
times ranked

10136
citing authors

#	ARTICLE	IF	CITATIONS
1	Sarcopenia in Asia: Consensus Report of the Asian Working Group for Sarcopenia. Journal of the American Medical Directors Association, 2014, 15, 95-101.	1.2	3,035
2	Asian Working Group for Sarcopenia: 2019 Consensus Update on Sarcopenia Diagnosis and Treatment. Journal of the American Medical Directors Association, 2020, 21, 300-307.e2.	1.2	2,796
3	Recent Advances in Sarcopenia Research in Asia: 2016 Update From the Asian Working Group for Sarcopenia. Journal of the American Medical Directors Association, 2016, 17, 767.e1-767.e7.	1.2	244
4	Comparisons of Sarcopenia Defined by IWGS and EWGSOP Criteria Among Older People: Results From the I-Lan Longitudinal Aging Study. Journal of the American Medical Directors Association, 2013, 14, 528.e1-528.e7.	1.2	207
5	Psychometrics of the Montreal Cognitive Assessment (MoCA) and its subscales: validation of the Taiwanese version of the MoCA and an item response theory analysis. International Psychogeriatrics, 2012, 24, 651-658.	0.6	181
6	Levels of plasma neurofilament light chain and cognitive function in patients with Alzheimer or Parkinson disease. Scientific Reports, 2018, 8, 17368.	1.6	178
7	Risk of Dementia in Patients with Insomnia and Long-term Use of Hypnotics: A Population-based Retrospective Cohort Study. PLoS ONE, 2012, 7, e49113.	1.1	128
8	Plasma MCP-1 and Cognitive Decline in Patients with Alzheimer's Disease and Mild Cognitive Impairment: A Two-year Follow-up Study. Scientific Reports, 2018, 8, 1280.	1.6	112
9	Relative Handgrip Strength Is a Simple Indicator of Cardiometabolic Risk among Middle-Aged and Older People: A Nationwide Population-Based Study in Taiwan. PLoS ONE, 2016, 11, e0160876.	1.1	112
10	COVID-19 and older people in Asia: Asian Working Group for Sarcopenia calls to action. Geriatrics and Gerontology International, 2020, 20, 547-558.	0.7	110
11	Association of Dynapenia, Sarcopenia, and Cognitive Impairment Among Community-Dwelling Older Taiwanese. Rejuvenation Research, 2016, 19, 71-78.	0.9	102
12	Reduced cerebellar gray matter is a neural signature of physical frailty. Human Brain Mapping, 2015, 36, 3666-3676.	1.9	90
13	Age-related skeletal muscle mass loss and physical performance in Taiwan: Implications to diagnostic strategy of sarcopenia in Asia. Geriatrics and Gerontology International, 2013, 13, 964-971.	0.7	85
14	Age-Related Changes in Resting-State Networks of A Large Sample Size of Healthy Elderly. CNS Neuroscience and Therapeutics, 2015, 21, 817-825.	1.9	80
15	Cognitive Function in Individuals With Physical Frailty but Without Dementia or Cognitive Complaints: Results From the I-Lan Longitudinal Aging Study. Journal of the American Medical Directors Association, 2015, 16, 899.e9-899.e16.	1.2	79
16	Characterization of CADASIL among the Han Chinese in Taiwan: Distinct Genotypic and Phenotypic Profiles. PLoS ONE, 2015, 10, e0136501.	1.1	73
17	Galectin-3 promotes A β oligomerization and A β toxicity in a mouse model of Alzheimer's disease. Cell Death and Differentiation, 2020, 27, 192-209.	5.0	69
18	Efficacy of multidomain interventions to improve physical frailty, depression and cognition: data from cluster-randomized controlled trials. Journal of Cachexia, Sarcopenia and Muscle, 2020, 11, 650-662.	2.9	69

#	ARTICLE	IF	CITATIONS
19	Healthy community-living older men differ from women in associations between myostatin levels and skeletal muscle mass. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2018, 9, 635-642.	2.9	67
20	Sarcopenia, and its association with cardiometabolic and functional characteristics in Taiwan: Results from the I-Lan Longitudinal Aging Study. <i>Geriatrics and Gerontology International</i> , 2014, 14, 36-45.	0.7	66
21	Association between Frailty, Osteoporosis, Falls and Hip Fractures among Community-Dwelling People Aged 50 Years and Older in Taiwan: Results from I-Lan Longitudinal Aging Study. <i>PLoS ONE</i> , 2015, 10, e0136968.	1.1	65
22	Strictly Lobar Cerebral Microbleeds Are Associated With Cognitive Impairment. <i>Stroke</i> , 2016, 47, 2497-2502.	1.0	55
23	Subtypes of physical frailty: Latent class analysis and associations with clinical characteristics and outcomes. <i>Scientific Reports</i> , 2017, 7, 46417.	1.6	53
24	Cognitive Frailty and Its Association with All-Cause Mortality Among Community-Dwelling Older Adults in Taiwan: Results from I-Lan Longitudinal Aging Study. <i>Rejuvenation Research</i> , 2018, 21, 510-517.	0.9	53
25	Predictors of caregiver burden in aged caregivers of demented older patients. <i>BMC Geriatrics</i> , 2021, 21, 59.	1.1	50
26	Cerebral microbleeds are associated with physical frailty: a community-based study. <i>Neurobiology of Aging</i> , 2016, 44, 143-150.	1.5	46
27	Cognitive frailty predicting all-cause mortality among community-living older adults in Taiwan: A 4-year nationwide population-based cohort study. <i>PLoS ONE</i> , 2018, 13, e0200447.	1.1	46
28	Calf Circumference as a Screening Instrument for Appendicular Muscle Mass Measurement. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 182-184.	1.2	44
29	Effectiveness of community hospital-based post-acute care on functional recovery and 12-month mortality in older patients: A prospective cohort study. <i>Annals of Medicine</i> , 2010, 42, 630-636.	1.5	41
30	Association of Frailty and Cardiometabolic Risk Among Community-Dwelling Middle-Aged and Older People: Results from the I-Lan Longitudinal Aging Study. <i>Rejuvenation Research</i> , 2015, 18, 564-572.	0.9	36
31	FNIH-defined Sarcopenia Predicts Adverse Outcomes Among Community-Dwelling Older People in Taiwan: Results From I-Lan Longitudinal Aging Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018, 73, 828-834.	1.7	36
32	ABCA7 gene and the risk of Alzheimer's disease in Han Chinese in Taiwan. <i>Neurobiology of Aging</i> , 2014, 35, 2423.e7-2423.e13.	1.5	35
33	Associations between hemoglobin levels and sarcopenia and its components: Results from the I-Lan longitudinal study. <i>Experimental Gerontology</i> , 2021, 150, 111379.	1.2	34
34	Effects of incorporating multidomain interventions into integrated primary care on quality of life: a randomised controlled trial. <i>The Lancet Healthy Longevity</i> , 2021, 2, e712-e723.	2.0	34
35	Anxiety, depression and quality of life (QoL) in patients with chronic dizziness. <i>Archives of Gerontology and Geriatrics</i> , 2012, 54, 131-135.	1.4	33
36	The association between cognitive impairment and neuropsychiatric symptoms in patients with Parkinson's disease dementia. <i>International Psychogeriatrics</i> , 2012, 24, 1980-1987.	0.6	32

#	ARTICLE	IF	CITATIONS
37	Soluble ICAM-1, Independent of IL-6, Is Associated with Prevalent Frailty in Community-Dwelling Elderly Taiwanese People. <i>PLoS ONE</i> , 2016, 11, e0157877.	1.1	31
38	Sex-different associations between serum homocysteine, high-sensitivity C-reactive protein and sarcopenia: Results from I-Lan Longitudinal Aging Study. <i>Experimental Gerontology</i> , 2020, 132, 110832.	1.2	30
39	Posterior Atrophy and Medial Temporal Atrophy Scores Are Associated with Different Symptoms in Patients with Alzheimer's Disease and Mild Cognitive Impairment. <i>PLoS ONE</i> , 2015, 10, e0137121.	1.1	29
40	Brain MRI as a predictor of CSF tap test response in patients with idiopathic normal pressure hydrocephalus. <i>Journal of Neurology</i> , 2010, 257, 1675-1681.	1.8	28
41	Effectiveness of Short-Term Interdisciplinary Intervention on Postacute Patients in Taiwan. <i>Journal of the American Medical Directors Association</i> , 2011, 12, 29-32.	1.2	28
42	Cerebellar-limbic neurocircuit is the novel biosignature of physio-cognitive decline syndrome. <i>Aging</i> , 2020, 12, 25319-25336.	1.4	28
43	Neuronal intranuclear inclusion disease in patients with adult-onset non-vascular leukoencephalopathy. <i>Brain</i> , 2022, 145, 3010-3021.	3.7	28
44	Therapeutic Effects of Exercise Training on Elderly Patients With Dementia: A Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020, 101, 762-769.	0.5	27
45	Depression of Family Caregivers Is Associated with Disagreements on Life-Sustaining Preferences for Treating Patients with Dementia. <i>PLoS ONE</i> , 2015, 10, e0133711.	1.1	26
46	The clinical significance of plasma clusterin and A β 2 in the longitudinal follow-up of patients with Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2017, 9, 91.	3.0	26
47	Large-Scale Structural Covariance Networks Predict Age in Middle-to-Late Adulthood: A Novel Brain Aging Biomarker. <i>Cerebral Cortex</i> , 2020, 30, 5844-5862.	1.6	26
48	Functional Outcomes, Subsequent Healthcare Utilization, and Mortality of Stroke Postacute Care Patients in Taiwan: A Nationwide Propensity Score-matched Study. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 990.e7-990.e12.	1.2	25
49	Epidemiology of Sarcopenia and Factors Associated With It Among Community-Dwelling Older Adults in Taiwan. <i>American Journal of the Medical Sciences</i> , 2019, 357, 124-133.	0.4	25
50	Long sleep duration, independent of frailty and chronic Inflammation, was associated with higher mortality: A national population-based study. <i>Geriatrics and Gerontology International</i> , 2017, 17, 1481-1487.	0.7	23
51	Association Among Serum Insulin-Like Growth Factor-1, Frailty, Muscle Mass, Bone Mineral Density, and Physical Performance Among Community-Dwelling Middle-Aged and Older Adults in Taiwan. <i>Rejuvenation Research</i> , 2018, 21, 270-277.	0.9	23
52	Muscle-to-fat ratio identifies functional impairments and cardiometabolic risk and predicts outcomes: biomarkers of sarcopenic obesity. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2022, 13, 368-376.	2.9	23
53	Quality of Life among Community-Dwelling Middle-Aged and Older Adults: Function Matters More than Multimorbidity. <i>Archives of Gerontology and Geriatrics</i> , 2021, 95, 104423.	1.4	22
54	Comparisons Between Hypothesis- and Data-Driven Approaches for Multimorbidity Frailty Index: A Machine Learning Approach. <i>Journal of Medical Internet Research</i> , 2020, 22, e16213.	2.1	22

#	ARTICLE	IF	CITATIONS
55	Comparisons of annual health care utilization, drug consumption, and medical expenditure between the elderly and general population in Taiwan. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2016, 7, 44-47.	0.7	21
56	SORL1 gene, plasma biomarkers, and the risk of Alzheimer's disease for the Han Chinese population in Taiwan. <i>Alzheimer's Research and Therapy</i> , 2016, 8, 53.	3.0	20
57	Summative Effects of Vascular Risk Factors on the Progression of Alzheimer Disease. <i>Journal of the American Geriatrics Society</i> , 2020, 68, 129-136.	1.3	20
58	Efficacy of Multidomain Intervention Against Physio-cognitive Decline Syndrome: A Cluster-randomized Trial. <i>Archives of Gerontology and Geriatrics</i> , 2021, 95, 104392.	1.4	20
59	Frailty Index Predicts All-Cause Mortality for Middle-Aged and Older Taiwanese: Implications for Active-Aging Programs. <i>PLoS ONE</i> , 2016, 11, e0161456.	1.1	20
60	Determinants and indicators of successful ageing associated with mortality: a 4-year population-based study. <i>Aging</i> , 2020, 12, 2670-2679.	1.4	20
61	Personal mastery attenuates the adverse effect of frailty on declines in physical function of older people. <i>Medicine (United States)</i> , 2016, 95, e4661.	0.4	19
62	Dysmobility Syndrome and Risk of Mortality for Community-Dwelling Middle-Aged and Older Adults: The Nexus of Aging and Body Composition. <i>Scientific Reports</i> , 2017, 7, 8785.	1.6	19
63	The synergic effects of frailty on disability associated with urbanization, multimorbidity, and mental health: implications for public health and medical care. <i>Scientific Reports</i> , 2018, 8, 14125.	1.6	19
64	Epidemiology of frailty and associated factors among older adults living in rural communities in Taiwan. <i>Archives of Gerontology and Geriatrics</i> , 2020, 87, 103986.	1.4	19
65	Dose-dependent effect of rehabilitation in functional recovery of older patients in the post-acute care unit. <i>Archives of Gerontology and Geriatrics</i> , 2012, 54, e290-e293.	1.4	18
66	Association of Androgen with Skeletal Muscle Mass and Muscle Function Among Men and Women Aged 50 Years and Older in Taiwan: Results from the I-Lan Longitudinal Aging Study. <i>Rejuvenation Research</i> , 2013, 16, 453-459.	0.9	18
67	Protective factors against cognitive decline among community-dwelling middle-aged and older people in Taiwan: A 6-year national population-based study. <i>Geriatrics and Gerontology International</i> , 2017, 17, 20-27.	0.7	18
68	What factors mediate the inter-relationship between frailty and pain in cognitively and functionally sound older adults? A prospective longitudinal ageing cohort study in Taiwan. <i>BMJ Open</i> , 2018, 8, e018716.	0.8	18
69	Association between tooth loss and gray matter volume in cognitive impairment. <i>Brain Imaging and Behavior</i> , 2020, 14, 396-407.	1.1	18
70	Associations between vitamin D deficiency, musculoskeletal health, and cardiometabolic risk among community-living people in Taiwan. <i>Medicine (United States)</i> , 2018, 97, e13886.	0.4	17
71	Age and sex differences in associations between self-reported health, physical function, mental function and mortality. <i>Archives of Gerontology and Geriatrics</i> , 2022, 98, 104537.	1.4	17
72	The Impact of Influenza Vaccination on Hospitalizations and Mortality Among Frail Older People. <i>Journal of the American Medical Directors Association</i> , 2014, 15, 256-260.	1.2	16

#	ARTICLE	IF	CITATIONS
73	Higher Daily Physical Activities Continue to Preserve Muscle Strength After Mid-Life, But Not Muscle Mass After Age of 75. <i>Medicine (United States)</i> , 2016, 95, e3809.	0.4	16
74	Effect of vitamin D on cognitive function and white matter hyperintensity in patients with mild Alzheimer's disease. <i>Geriatrics and Gerontology International</i> , 2020, 20, 52-58.	0.7	16
75	How to Make Electrodiagnosis of Carpal Tunnel Syndrome With Normal Distal Conductions?. <i>Journal of Clinical Neurophysiology</i> , 2011, 28, 45-50.	0.9	15
76	Survival benefits of post-acute care for older patients with hip fractures in Taiwan: A 5-year prospective cohort study. <i>Geriatrics and Gerontology International</i> , 2016, 16, 28-36.	0.7	15
77	Associations between low circulatory low-density lipoprotein cholesterol level and brain health in non-stroke non-demented subjects. <i>NeuroImage</i> , 2018, 181, 627-634.	2.1	15
78	Association Between Orthostatic Hypotension and Frailty in Hospitalized Older Patients: A Geriatric Syndrome More Than a Cardiovascular Condition. <i>Journal of Nutrition, Health and Aging</i> , 2019, 23, 318-322.	1.5	15
79	Longitudinal changes of frailty in 8 years: comparisons between physical frailty and frailty index. <i>BMC Geriatrics</i> , 2021, 21, 726.	1.1	15
80	Physical Health Indicators Improve Prediction of Cardiovascular and All-cause Mortality among Middle-Aged and Older People: a National Population-based Study. <i>Scientific Reports</i> , 2017, 7, 40427.	1.6	14
81	Plasma Transthyretin as a Predictor of Amnesic Mild Cognitive Impairment Conversion to Dementia. <i>Scientific Reports</i> , 2019, 9, 18691.	1.6	14
82	PM2.5 air pollution contributes to the burden of frailty. <i>Scientific Reports</i> , 2020, 10, 14478.	1.6	14
83	Evaluating Mild Cognitive Dysfunction in Patients with Parkinson's Disease in Clinical Practice in Taiwan. <i>Scientific Reports</i> , 2020, 10, 1014.	1.6	13
84	Location of Cerebral Microbleeds And Their Association with Carotid Intima-media Thickness: A Community-based Study. <i>Scientific Reports</i> , 2017, 7, 12058.	1.6	12
85	Plasma biomarkers are associated with agitation and regional brain atrophy in Alzheimer's disease. <i>Scientific Reports</i> , 2017, 7, 5035.	1.6	11
86	Strictly Lobar Cerebral Microbleeds Are Associated with Increased White Matter Volume. <i>Translational Stroke Research</i> , 2020, 11, 29-38.	2.3	11
87	Premotor Symptoms as Predictors of Outcome in Parkinsons Disease: A Case-Control Study. <i>PLoS ONE</i> , 2016, 11, e0161271.	1.1	11
88	Six-year transition of physio-cognitive decline syndrome: Results from I-Lan Longitudinal Aging Study. <i>Archives of Gerontology and Geriatrics</i> , 2022, 102, 104743.	1.4	11
89	Predicting clinical instability of older patients in post-acute care units: A nationwide cohort study. <i>Geriatrics and Gerontology International</i> , 2014, 14, 267-272.	0.7	10
90	Association between serum activin A and metabolic syndrome in older adults: Potential of activin A as a biomarker of cardiometabolic disease. <i>Experimental Gerontology</i> , 2018, 111, 197-202.	1.2	10

#	ARTICLE	IF	CITATIONS
91	First insights on value-based healthcare of elders using ICHOM older person standard set reporting. <i>BMC Geriatrics</i> , 2020, 20, 335.	1.1	10
92	Classification differentiates clinical and neuroanatomic features of cerebral small vessel disease. <i>Brain Communications</i> , 2021, 3, fcab107.	1.5	10
93	Reversible Myelopathy on Magnetic Resonance Imaging Due to Cobalamin Deficiency. <i>Journal of the Chinese Medical Association</i> , 2008, 71, 368-372.	0.6	9
94	Living alone as a red flag sign of falls among older people in rural Taiwan. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2011, 2, 76-79.	0.7	9
95	Comparison of activities of daily living impairments in Parkinson's disease patients as defined by the Pill Questionnaire and assessments by neurologists. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2014, 85, 969-973.	0.9	9
96	Unfavorable body composition and quality of life among community-dwelling middle-aged and older adults: What really matters?. <i>Maturitas</i> , 2020, 140, 34-40.	1.0	9
97	Sarcojoint [®] , the branched-chain amino acid-based supplement, plus resistance exercise improved muscle mass in adults aged 50 years and older: A double-blinded randomized controlled trial. <i>Experimental Gerontology</i> , 2022, 157, 111644.	1.2	9
98	Neuropsychiatric symptoms and mortality among patients with mild cognitive impairment and dementia due to Alzheimer's disease. <i>Journal of the Formosan Medical Association</i> , 2022, 121, 1705-1713.	0.8	8
99	High Circulatory Phosphate Level Is Associated with Cerebral Small-Vessel Diseases. <i>Translational Stroke Research</i> , 2019, 10, 265-272.	2.3	7
100	Health-promotion interventions enhance and maintain self-efficacy for adults at cardiometabolic risk: A randomized controlled trial. <i>Archives of Gerontology and Geriatrics</i> , 2019, 82, 61-66.	1.4	7
101	Genetics of neuropsychiatric symptoms in patients with Alzheimer's disease: A 1-year follow-up study. <i>Psychiatry and Clinical Neurosciences</i> , 2020, 74, 645-651.	1.0	7
102	Real-world evidence on the safety and effectiveness of fingolimod in patients with multiple sclerosis from Taiwan. <i>Journal of the Formosan Medical Association</i> , 2021, 120, 542-550.	0.8	7
103	Which nerve conduction parameters can predict spontaneous electromyographic activity in carpal tunnel syndrome?. <i>Clinical Neurophysiology</i> , 2013, 124, 2264-2268.	0.7	6
104	Location-Specific Association Between Cerebral Microbleeds and Arterial Pulsatility. <i>Frontiers in Neurology</i> , 2019, 10, 1012.	1.1	6
105	A Case Report: An Acute Spinal Epidural Hematoma after Acupuncture Mimicking Stroke. <i>Journal of Emergency Medicine</i> , 2020, 58, e185-e188.	0.3	6
106	Clinical and cellular characterization of two novel MPZ mutations, p.I135M and p.Q187PfsX63. <i>Clinical Neurology and Neurosurgery</i> , 2012, 114, 124-129.	0.6	5
107	Effects of Milk or Soy Milk Combined with Mild Resistance Exercise on the Muscle Mass and Muscle Strength in Very Old Nursing Home Residents with Sarcopenia. <i>Foods</i> , 2021, 10, 2581.	1.9	5
108	Frailty and dementia risks in asymptomatic cerebral small vessel disease: A longitudinal cohort study. <i>Archives of Gerontology and Geriatrics</i> , 2022, 102, 104754.	1.4	5

#	ARTICLE	IF	CITATIONS
109	Walking speed, not muscle mass, is associated with urinary incontinence in community-dwelling old Taiwanese. <i>Neurourology and Urodynamics</i> , 2016, 35, 1057-1058.	0.8	4
110	Active wearable device utilization improved physical performance and IGF-1 among community-dwelling middle-aged and older adults: a 12-month prospective cohort study. <i>Aging</i> , 2021, 13, 19710-19721.	1.4	4
111	Low masseter muscle mass is associated with frailty in community-dwelling older adults: I-Lan Longitudinal Aging Study. <i>Experimental Gerontology</i> , 2022, 163, 111777.	1.2	4
112	Predictors of emergency department visit among people with dementia in Taiwan. <i>Archives of Gerontology and Geriatrics</i> , 2022, 101, 104701.	1.4	4
113	Brain white matter hyperintensities-predicted age reflects neurovascular health in middle-to-old aged subjects. <i>Age and Ageing</i> , 2022, 51, .	0.7	4
114	Association between Alzheimer's disease genes and trajectories of cognitive function decline in Han Chinese in Taiwan. <i>Aging</i> , 2021, 13, 17237-17252.	1.4	3
115	Cerebral small vessel disease phenotype and 5-year mortality in asymptomatic middle-to-old aged individuals. <i>Scientific Reports</i> , 2021, 11, 23149.	1.6	3
116	Determinants of long-term care service use by persons with dementia: A national dementia registry study conducted in Taiwan. <i>International Journal of Geriatric Psychiatry</i> , 2022, 37, .	1.3	3
117	P1-108: Plasma MCP-1 is associated with a faster decline of cognitive function in MCI and dementia due to Alzheimer's disease. , 2015, 11, P380-P380.		2
118	Integrative LHS for precision medicine research: A shared NIH and Taiwan CIMS experience. <i>Learning Health Systems</i> , 2019, 3, e10071.	1.1	2
119	Caregivers' willingness to pay for Alzheimer's disease medications in Taiwan. <i>Journal of the Chinese Medical Association</i> , 2021, 84, 446-452.	0.6	2
120	Imaging Markers of Subcortical Vascular Dementia in Patients With Multiple-Lobar Cerebral Microbleeds. <i>Frontiers in Neurology</i> , 2021, 12, 747536.	1.1	2
121	Paraneoplastic Limbic Encephalitis Associated with Adenocarcinoma of Lung. <i>Acta Neurologica Taiwanica</i> , 2014, 23, 108-12.	0.3	2
122	Factors associated with burden among male caregivers for people with dementia. <i>Journal of the Chinese Medical Association</i> , 2022, 85, 462-468.	0.6	2
123	Cerebral small vessel disease is associated with concurrent physical and cognitive impairments at preclinical stage. <i>Cerebral Circulation - Cognition and Behavior</i> , 2022, 3, 100144.	0.4	2
124	PDD-5S: A useful screening tool for Parkinson's disease dementia. <i>Parkinsonism and Related Disorders</i> , 2016, 25, 85-90.	1.1	1
125	Development and validation of the NCG-FAT Chinese version for community-dwelling older Taiwanese. <i>Geriatrics and Gerontology International</i> , 2020, 20, 1171-1176.	0.7	1
126	Subtypes of Premorbid Metabolic Syndrome and Associated Clinical Outcomes in Older Adults. <i>Frontiers in Medicine</i> , 2021, 8, 698728.	1.2	1

#	ARTICLE	IF	CITATIONS
127	P2-129: ABCA7 GENE AND THE RISK OF ALZHEIMER'S DISEASE IN HAN CHINESE IN TAIWAN. , 2014, 10, P518-P518.		0
128	P2-095: SORL1 is Genetically Associated with Alzheimer's Disease in Han Chinese. Alzheimer's and Dementia, 2016, 12, P647.	0.4	0
129	[P3-151]: VITAMIN D-RELATED VASCULAR INJURY IN ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2017, 13, P993.	0.4	0
130	[O3-10-05]: SUMMATIVE EFFECTS OF VASCULAR RISK FACTORS ON THE PROGRESSION OF ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2017, 13, P926.	0.4	0
131	P3-254: SERUM GALECTIN-3 LEVEL IS ASSOCIATED WITH COGNITIVE DECLINE IN ALZHEIMER'S DISEASE PATIENTS. Alzheimer's and Dementia, 2018, 14, P1171.	0.4	0
132	Reliability and validity of the severe impairment battery in Taiwanese patients with moderate to severe Alzheimer's disease. Journal of the Chinese Medical Association, 2020, 83, 1014-1019.	0.6	0
133	Differential moderation effects of ApoE and 5-HTTLPR genotypes on social vulnerability in predicting mortality among community-dwelling middle-aged and older adults: a nationwide population-based study. Aging, 2021, 13, 23348-23360.	1.4	0
134	Peripheral triggering receptor expressed on myeloid cells 2 expression is associated with myoinositol level at posterior cingulate cortex in Alzheimer's disease. Alzheimer's and Dementia, 2021, 17, .	0.4	0