Cheng Wang

List of Publications by Citations

Source: https://exaly.com/author-pdf/41783/cheng-wang-publications-by-citations.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

174
papers3,001
citations30
h-index47
g-index194
ext. papers4,231
ext. citations6.8
avg, IF5.55
L-index

| # | Paper | IF | Citations |
|-----|---|---------------------|-----------|
| 174 | The LINK-A lncRNA activates normoxic HIF1Bignalling in triple-negative breast cancer. <i>Nature Cell Biology</i> , 2016 , 18, 213-24 | 23.4 | 340 |
| 173 | The LINK-A lncRNA interacts with PtdIns(3,4,5)P to hyperactivate AKT and confer resistance to AKT inhibitors. <i>Nature Cell Biology</i> , 2017 , 19, 238-251 | 23.4 | 155 |
| 172 | Genome-wide association study identifies a new susceptibility locus for cleft lip with or without a cleft palate. <i>Nature Communications</i> , 2015 , 6, 6414 | 17.4 | 124 |
| 171 | Lipase-Triggered Water-Responsive "Pandora@Box" for Cancer Therapy: Toward Induced Neighboring Effect and Enhanced Drug Penetration. <i>Advanced Materials</i> , 2018 , 30, e1706407 | 24 | 100 |
| 170 | Systematic identification of genes with a cancer-testis expression pattern in 19 cancer types. <i>Nature Communications</i> , 2016 , 7, 10499 | 17.4 | 80 |
| 169 | Identification of risk loci and a polygenic risk score for lung cancer: a large-scale prospective cohort study in Chinese populations. <i>Lancet Respiratory Medicine,the</i> , 2019 , 7, 881-891 | 35.1 | 58 |
| 168 | DOX Loaded Aggregation-induced Emission Active Polymeric Nanoparticles as a Fluorescence Resonance Energy Transfer Traceable Drug Delivery System for Self-indicating Cancer Therapy. <i>Acta Biomaterialia</i> , 2019 , 85, 218-228 | 10.8 | 52 |
| 167 | Taking advantage of the disadvantage: employing the high aqueous instability of amorphous calcium carbonate to realize burst drug release within cancer cells. <i>Journal of Materials Chemistry B</i> , 2017 , 5, 2068-2073 | 7.3 | 48 |
| 166 | Genome-wide association study identifies new susceptibility loci for epithelial ovarian cancer in Han Chinese women. <i>Nature Communications</i> , 2014 , 5, 4682 | 17.4 | 48 |
| 165 | A cancer-testis non-coding RNA LIN28B-AS1 activates driver gene LIN28B by interacting with IGF2BP1 in lung adenocarcinoma. <i>Oncogene</i> , 2019 , 38, 1611-1624 | 9.2 | 45 |
| 164 | Paclitaxel prodrug based mixed micelles for tumor-targeted chemotherapy. RSC Advances, 2018, 8, 380- | -3,8 / 9 | 44 |
| 163 | Facile preparation of biocompatible nanostructured lipid carrier with ultra-small size as a tumor-penetration delivery system. <i>Colloids and Surfaces B: Biointerfaces</i> , 2018 , 170, 355-363 | 6 | 44 |
| 162 | Mitoxantrone-preloaded water-responsive phospholipid-amorphous calcium carbonate hybrid nanoparticles for targeted and effective cancer therapy. <i>International Journal of Nanomedicine</i> , 2019 , 14, 1503-1517 | 7-3 | 43 |
| 161 | Estimation of heritability for nine common cancers using data from genome-wide association studies in Chinese population. <i>International Journal of Cancer</i> , 2017 , 140, 329-336 | 7.5 | 43 |
| 160 | Whole-genome sequencing reveals genomic signatures associated with the inflammatory microenvironments in Chinese NSCLC patients. <i>Nature Communications</i> , 2018 , 9, 2054 | 17.4 | 43 |
| 159 | Water-Responsive Hybrid Nanoparticles Codelivering ICG and DOX Effectively Treat Breast Cancer via Hyperthermia-aided DOX Functionality and Drug Penetration. <i>Advanced Healthcare Materials</i> , 2019 , 8, e1801486 | 10.1 | 41 |
| 158 | Facile preparation of phospholipid-amorphous calcium carbonate hybrid nanoparticles: toward controllable burst drug release and enhanced tumor penetration. <i>Chemical Communications</i> , 2018 , 54, 13080-13083 | 5.8 | 41 |

(2016-2015)

| 157 | Telomere length, genetic variants and gastric cancer risk in a Chinese population. <i>Carcinogenesis</i> , 2015 , 36, 963-70 | 4.6 | 39 |
|-----|--|------------------|----|
| 156 | Color-tunable AIE-active conjugated polymer nanoparticles as drug carriers for self-indicating cancer therapy via intramolecular FRET mechanism. <i>Polymer Chemistry</i> , 2018 , 9, 3205-3214 | 4.9 | 39 |
| 155 | Preparation, in vitro and in vivo evaluation of polymeric nanoparticles based on hyaluronic acid-poly(butyl cyanoacrylate) and D-alpha-tocopheryl polyethylene glycol 1000 succinate for tumor-targeted delivery of morin hydrate. <i>International Journal of Nanomedicine</i> , 2015 , 10, 305-20 | 7.3 | 39 |
| 154 | A self-assembled system for tumor-targeted co-delivery of drug and gene. <i>Materials Science and Engineering C</i> , 2015 , 56, 280-5 | 8.3 | 38 |
| 153 | Genomic signatures reveal DNA damage response deficiency in colorectal cancer brain metastases. <i>Nature Communications</i> , 2019 , 10, 3190 | 17.4 | 37 |
| 152 | A functional variant in miR-155 regulation region contributes to lung cancer risk and survival. <i>Oncotarget</i> , 2015 , 6, 42781-92 | 3.3 | 36 |
| 151 | Identification of lncRNA-miRNA-mRNA regulatory network associated with epithelial ovarian cancer cisplatin-resistant. <i>Journal of Cellular Physiology</i> , 2019 , 234, 19886-19894 | 7 | 34 |
| 150 | Role of ATG10 expression quantitative trait loci in non-small cell lung cancer survival. <i>International Journal of Cancer</i> , 2016 , 139, 1564-73 | 7.5 | 34 |
| 149 | Cancer-testis gene PIWIL1 promotes cell proliferation, migration, and invasion in lung adenocarcinoma. <i>Cancer Medicine</i> , 2018 , 7, 157-166 | 4.8 | 34 |
| 148 | Chloroquine and hydroxychloroquine as ACE2 blockers to inhibit viropexis of 2019-nCoV Spike pseudotyped virus. <i>Phytomedicine</i> , 2020 , 79, 153333 | 6.5 | 31 |
| 147 | Low-frequency coding variants at 6p21.33 and 20q11.21 are associated with lung cancer risk in Chinese populations. <i>American Journal of Human Genetics</i> , 2015 , 96, 832-40 | 11 | 30 |
| 146 | Expression quantitative trait loci in long non-coding RNA ZNRD1-AS1 influence both HBV infection and hepatocellular carcinoma development. <i>Molecular Carcinogenesis</i> , 2015 , 54, 1275-82 | 5 | 30 |
| 145 | Microbiota in fermented feed and swine gut. Applied Microbiology and Biotechnology, 2018, 102, 2941-2 | 9 4 8 | 29 |
| 144 | Cancer-Specific Therapy by Artificial Modulation of Intracellular Calcium Concentration. <i>Advanced Healthcare Materials</i> , 2019 , 8, e1900501 | 10.1 | 29 |
| 143 | Phillygenin inhibits LPS-induced activation and inflammation of LX2 cells by TLR4/MyD88/NF- B signaling pathway. <i>Journal of Ethnopharmacology</i> , 2020 , 248, 112361 | 5 | 29 |
| 142 | Use of the relative release index for histamine in LAD2 cells to evaluate the potential anaphylactoid effects of drugs. <i>Scientific Reports</i> , 2017 , 7, 13714 | 4.9 | 26 |
| 141 | Intracellular cascade activated nanosystem for improving ER+ breast cancer therapy through attacking GSH-mediated metabolic vulnerability. <i>Journal of Controlled Release</i> , 2019 , 309, 145-157 | 11.7 | 26 |
| 140 | Genetic variants in regulatory regions of microRNAs are associated with lung cancer risk. Oncotarget, 2016 , 7, 47966-47974 | 3.3 | 26 |

| 139 | Size-Controlled Preparation and Behavior Study of Phospholipid-Calcium Carbonate Hybrid Nanoparticles. <i>International Journal of Nanomedicine</i> , 2020 , 15, 4049-4062 | 7.3 | 25 |
|-----|---|---------------------|----|
| 138 | Rational Design of Redox-Responsive and P-gp-Inhibitory Lipid Nanoparticles with High Entrapment of Paclitaxel for Tumor Therapy. <i>Advanced Healthcare Materials</i> , 2018 , 7, e1800485 | 10.1 | 25 |
| 137 | Dexamethasone inhibits SARS-CoV-2 spike pseudotyped virus viropexis by binding to ACE2. <i>Virology</i> , 2021 , 554, 83-88 | 3.6 | 22 |
| 136 | Donor-Acceptor-Type Conjugated Polymer-Based Multicolored Drug Carriers with Tunable Aggregation-Induced Emission Behavior for Self-Illuminating Cancer Therapy. <i>ACS Applied Materials & Amp; Interfaces</i> , 2019 , 11, 41853-41861 | 9.5 | 21 |
| 135 | Precision oncology of lung cancer: genetic and genomic differences in Chinese population. <i>Npj Precision Oncology</i> , 2019 , 3, 14 | 9.8 | 20 |
| 134 | Genome-wide Association Study on Platinum-induced Hepatotoxicity in Non-Small Cell Lung Cancer Patients. <i>Scientific Reports</i> , 2015 , 5, 11556 | 4.9 | 20 |
| 133 | Repositioning of histamine H receptor antagonist: Doxepin inhibits viropexis of SARS-CoV-2 Spike pseudovirus by blocking ACE2. <i>European Journal of Pharmacology</i> , 2021 , 896, 173897 | 5.3 | 20 |
| 132 | Gene amplification derived a cancer-testis long noncoding RNA PCAT6 regulates cell proliferation and migration in hepatocellular carcinoma. <i>Cancer Medicine</i> , 2019 , 8, 3017-3025 | 4.8 | 19 |
| 131 | Chitosan-modified lipid nanodrug delivery system for the targeted and responsive treatment of ulcerative colitis. <i>Carbohydrate Polymers</i> , 2020 , 230, 115613 | 10.3 | 19 |
| 130 | CircAST: Full-length Assembly and Quantification of Alternatively Spliced Isoforms in Circular RNAs. <i>Genomics, Proteomics and Bioinformatics</i> , 2019 , 17, 522-534 | 6.5 | 19 |
| 129 | A polymorphism in miR-1262 regulatory region confers the risk of lung cancer in Chinese population. <i>International Journal of Cancer</i> , 2017 , 141, 958-966 | 7.5 | 18 |
| 128 | Chitosan derived glycolipid nanoparticles for magnetic resonance imaging guided photodynamic therapy of cancer. <i>Carbohydrate Polymers</i> , 2020 , 245, 116509 | 10.3 | 18 |
| 127 | Potential antiviral activity of isorhamnetin against SARS-CoV-2 spike pseudotyped virus in vitro. Drug Development Research, 2021 , 82, 1124-1130 | 5.1 | 18 |
| 126 | Dynamics of the Physicochemical Characteristics, Microbiota, and Metabolic Functions of Soybean Meal and Corn Mixed Substrates during Two-Stage Solid-State Fermentation. <i>MSystems</i> , 2020 , 5, | 7.6 | 17 |
| 125 | Systematic cancer-testis gene expression analysis identified CDCA5 as a potential therapeutic target in esophageal squamous cell carcinoma. <i>EBioMedicine</i> , 2019 , 46, 54-65 | 8.8 | 17 |
| 124 | Exploration of anti-inflammatory mechanism of forsythiaside A and forsythiaside B in CuSO-induced inflammation in zebrafish by metabolomic and proteomic analyses. <i>Journal of Neuroinflammation</i> , 2020 , 17, 173 | 10.1 | 16 |
| 123 | Genetically predicted high body mass index is associated with increased gastric cancer risk. European Journal of Human Genetics, 2017 , 25, 1061-1066 | 5.3 | 15 |
| 122 | An artificial cell system for biocompatible gene delivery in cancer therapy. <i>Nanoscale</i> , 2020 , 12, 10189-1 | 0⁄1 / 95 | 15 |

(2021-2020)

| 121 | Radix Polygoni Multiflori and Its Main Component Emodin Attenuate Non-Alcoholic Fatty Liver Disease in Zebrafish by Regulation of AMPK Signaling Pathway. <i>Drug Design, Development and Therapy</i> , 2020 , 14, 1493-1506 | 4.4 | 15 | |
|-----|---|------|----|--|
| 120 | Phenothiazine antipsychotics exhibit dual properties in pseudo-allergic reactions: Activating MRGPRX2 and inhibiting the H receptor. <i>Molecular Immunology</i> , 2019 , 111, 118-127 | 4.3 | 14 | |
| 119 | Chrysophanol ameliorates renal interstitial fibrosis by inhibiting the TGF-//Smad signaling pathway. <i>Biochemical Pharmacology</i> , 2020 , 180, 114079 | 6 | 14 | |
| 118 | Metabolome-wide association study identified the association between a circulating polyunsaturated fatty acids variant rs174548 and lung cancer. <i>Carcinogenesis</i> , 2017 , 38, 1147-1154 | 4.6 | 14 | |
| 117 | Genome-wide association study identifies two new susceptibility loci for colorectal cancer at 5q23.3 and 17q12 in Han Chinese. <i>Oncotarget</i> , 2015 , 6, 40327-36 | 3.3 | 14 | |
| 116 | Genome-wide analysis of runs of homozygosity identifies new susceptibility regions of lung cancer in Han Chinese. <i>Journal of Biomedical Research</i> , 2013 , 27, 208-14 | 1.5 | 14 | |
| 115 | Forsythiae Fructuse water extract attenuates liver fibrosis via TLR4/MyD88/NF- B and TGF- / Ismads signaling pathways. <i>Journal of Ethnopharmacology</i> , 2020 , 262, 113275 | 5 | 14 | |
| 114 | Dual-Channel Theranostic System for Quantitative Self-Indication and Low-Temperature Synergistic Therapy of Cancer. <i>Small</i> , 2021 , 17, e2007953 | 11 | 14 | |
| 113 | Solid-state fermentation of distilled dried grain with solubles with probiotics for degrading lignocellulose and upgrading nutrient utilization. <i>AMB Express</i> , 2018 , 8, 188 | 4.1 | 14 | |
| 112 | Antimicrobial peptides towards clinical application: Delivery and formulation. <i>Advanced Drug Delivery Reviews</i> , 2021 , 175, 113818 | 18.5 | 14 | |
| 111 | Systematical analyses of variants in CTCF-binding sites identified a novel lung cancer susceptibility locus among Chinese population. <i>Scientific Reports</i> , 2015 , 5, 7833 | 4.9 | 13 | |
| 110 | Screened antipsychotic drugs inhibit SARS-CoV-2 binding with ACE2 in vitro. <i>Life Sciences</i> , 2021 , 266, 118889 | 6.8 | 13 | |
| 109 | Manganese dioxide nanozyme for reactive oxygen therapy of bacterial infection and wound healing. <i>Biomaterials Science</i> , 2021 , 9, 5965-5976 | 7.4 | 13 | |
| 108 | Comprehensive characterization of cancer-testis genes in testicular germ cell tumor. <i>Cancer Medicine</i> , 2019 , 8, 3511-3519 | 4.8 | 12 | |
| 107 | Association of Mosaic Loss of Chromosome Y with Lung Cancer Risk and Prognosis in a Chinese Population. <i>Journal of Thoracic Oncology</i> , 2019 , 14, 37-44 | 8.9 | 12 | |
| 106 | In vitro and in situ study on characterization and mechanism of the intestinal absorption of 2,3,5,4Qtetrahydroxy-stilbene-2-O-ED-glucoside. <i>BMC Pharmacology & amp; Toxicology</i> , 2020 , 21, 7 | 2.6 | 11 | |
| 105 | The eQTL-missense polymorphisms of APOBEC3H are associated with lung cancer risk in a Han Chinese population. <i>Scientific Reports</i> , 2015 , 5, 14969 | 4.9 | 11 | |
| 104 | Research progress in use of traditional Chinese medicine monomer for treatment of non-alcoholic fatty liver disease. <i>European Journal of Pharmacology</i> , 2021 , 898, 173976 | 5.3 | 11 | |

| 103 | A review of pharmacological and pharmacokinetic properties of Forsythiaside A. <i>Pharmacological Research</i> , 2021 , 169, 105690 | 10.2 | 11 |
|-----|--|------|----|
| 102 | Imperatorin ameliorates mast cell-mediated allergic airway inflammation by inhibiting MRGPRX2 and CamKII/ERK signaling pathway. <i>Biochemical Pharmacology</i> , 2021 , 184, 114401 | 6 | 11 |
| 101 | Interaction analysis between germline susceptibility loci and somatic alterations in lung cancer. <i>International Journal of Cancer</i> , 2018 , 143, 878-885 | 7·5 | 10 |
| 100 | Simultaneous identification of three pseudoallergic components in Danshen injection by using high-expression Mas-related G protein coupled receptor X2 cell membrane chromatography coupled online to HPLC-ESI-MS/MS. <i>Journal of Separation Science</i> , 2018 , 41, 2488-2497 | 3.4 | 10 |
| 99 | Antibacterial Photodynamic Gold Nanoparticles for Skin Infection <i>ACS Applied Bio Materials</i> , 2021 , 4, 3124-3132 | 4.1 | 10 |
| 98 | Testing of the inhibitory effects of loratadine and desloratadine on SARS-CoV-2 spike pseudotyped virus viropexis. <i>Chemico-Biological Interactions</i> , 2021 , 338, 109420 | 5 | 10 |
| 97 | Quercetin mitigates ethanol-induced hepatic steatosis in zebrafish via P2X7R-mediated PI3K/Keap1/Nrf2 signaling pathway. <i>Journal of Ethnopharmacology</i> , 2021 , 268, 113569 | 5 | 10 |
| 96 | Fine mapping of chromosome 5p15.33 identifies novel lung cancer susceptibility loci in Han Chinese. <i>International Journal of Cancer</i> , 2017 , 141, 447-456 | 7.5 | 9 |
| 95 | Synthesis and fluorescent study of 5-phenyl furocoumarin derivatives as vasodilatory agents. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016 , 26, 640-644 | 2.9 | 9 |
| 94 | A cis-eQTL genetic variant in PLK4 confers high risk of hepatocellular carcinoma. <i>Cancer Medicine</i> , 2019 , 8, 6476-6484 | 4.8 | 9 |
| 93 | Systematic identification of long non-coding RNAs with cancer-testis expression patterns in 14 cancer types. <i>Oncotarget</i> , 2017 , 8, 94769-94779 | 3.3 | 9 |
| 92 | Comprehensive characterization of functional eRNAs in lung adenocarcinoma reveals novel regulators and a prognosis-related molecular subtype. <i>Theranostics</i> , 2020 , 10, 11264-11277 | 12.1 | 9 |
| 91 | Calcium Supplement by Tetracycline guided amorphous Calcium Carbonate potentiates Osteoblast promotion for Synergetic Osteoporosis Therapy. <i>Theranostics</i> , 2020 , 10, 8591-8605 | 12.1 | 9 |
| 90 | Water/pH dual responsive in situ calcium supplement collaborates simvastatin for osteoblast promotion mediated osteoporosis therapy via oral medication. <i>Journal of Controlled Release</i> , 2021 , 329, 121-135 | 11.7 | 9 |
| 89 | Advances in cell membrane chromatography. <i>Journal of Chromatography A</i> , 2021 , 1639, 461916 | 4.5 | 9 |
| 88 | Three salvianolic acids inhibit 2019-nCoV spike pseudovirus viropexis by binding to both its RBD and receptor ACE2. <i>Journal of Medical Virology</i> , 2021 , 93, 3143-3151 | 19.7 | 9 |
| 87 | Integrating expression-related SNPs into genome-wide gene- and pathway-based analyses identified novel lung cancer susceptibility genes. <i>International Journal of Cancer</i> , 2018 , 142, 1602-1610 | 7.5 | 9 |
| 86 | Genetic Risk for Overall Cancer and the Benefit of Adherence to a Healthy Lifestyle. <i>Cancer Research</i> , 2021 , 81, 4618-4627 | 10.1 | 9 |

(2016-2017)

| 85 | Exome-Wide Association Study Identifies Low-Frequency Coding Variants in 2p23.2 and 7p11.2 Associated with Survival of Non-Small Cell Lung Cancer Patients. <i>Journal of Thoracic Oncology</i> , 2017 , 12, 644-656 | 8.9 | 8 | |
|----------------|--|------|---|--|
| 84 | Isosalvianolic acid C-induced pseudo-allergic reactions via the mast cell specific receptor MRGPRX2. <i>International Immunopharmacology</i> , 2019 , 71, 22-31 | 5.8 | 8 | |
| 83 | Polymorphisms in alternative splicing associated genes are associated with lung cancer risk in a Chinese population. <i>Lung Cancer</i> , 2015 , 89, 238-42 | 5.9 | 8 | |
| 82 | U-shaped association between telomere length and esophageal squamous cell carcinoma risk: a case-control study in Chinese population. <i>Frontiers of Medicine</i> , 2015 , 9, 478-86 | 12 | 8 | |
| 81 | Fine-mapping the MHC region in Asian populations identified novel variants modifying susceptibility to lung cancer. <i>Lung Cancer</i> , 2017 , 112, 169-175 | 5.9 | 8 | |
| 80 | Risk assessment models for genetic risk predictors of lung cancer using two-stage replication for Asian and European populations. <i>Oncotarget</i> , 2017 , 8, 53959-53967 | 3.3 | 8 | |
| 79 | Gelatinase-responsive release of an antibacterial photodynamic peptide against. <i>Biomaterials Science</i> , 2021 , 9, 3433-3444 | 7.4 | 8 | |
| 78 | Macrophage Polarization and Its Role in Liver Disease Frontiers in Immunology, 2021, 12, 803037 | 8.4 | 8 | |
| 77 | Targeted sequencing of chromosome 15q25 identified novel variants associated with risk of lung cancer and smoking behavior in Chinese. <i>Carcinogenesis</i> , 2017 , 38, 552-558 | 4.6 | 7 | |
| 76 | Synthesis and vasorelaxation evaluation of novel biphenyl f urocoumarin derivatives. <i>Medicinal Chemistry Research</i> , 2015 , 24, 2417-2431 | 2.2 | 7 | |
| 75 | 2,3,5,4@tetrahydroxystilbence-2-O-ED-glucoside attenuates hepatic steatosis via IKKINF-B and Keap1-Nrf2 pathways in larval zebrafish. <i>Biomedicine and Pharmacotherapy</i> , 2020 , 127, 110138 | 7.5 | 7 | |
| 74 | A novel cell membrane affinity sample pretreatment technique for recognition and preconcentration of active components from traditional Chinese medicine. <i>Scientific Reports</i> , 2017 , 7, 3569 | 4.9 | 7 | |
| 73 | A review on the efficacy and mechanism of action of Shenkang injection against chronic kidney disease. <i>Biomedicine and Pharmacotherapy</i> , 2020 , 132, 110833 | 7.5 | 7 | |
| 7 2 | Hepatoprotective effect of forsythiaside a against acetaminophen-induced liver injury in zebrafish: Coupling network pharmacology with biochemical pharmacology. <i>Journal of Ethnopharmacology</i> , 2021 , 271, 113890 | 5 | 7 | |
| 71 | Association of assisted reproductive technology, germline de novo mutations and congenital heart defects in a prospective birth cohort study. <i>Cell Research</i> , 2021 , 31, 919-928 | 24.7 | 7 | |
| 70 | Systematic analyses of genetic variants in chromatin interaction regions identified four novel lung cancer susceptibility loci. <i>Journal of Cancer</i> , 2020 , 11, 1075-1081 | 4.5 | 6 | |
| 69 | Y chromosome haplogroups based genome-wide association study pinpoints revelation for interactions on non-obstructive azoospermia. <i>Scientific Reports</i> , 2016 , 6, 33363 | 4.9 | 6 | |
| 68 | Genetic variants in chromatin-remodeling pathway associated with lung cancer risk in a Chinese population. <i>Gene</i> , 2016 , 587, 178-82 | 3.8 | 6 | |

| 67 | Genetic variants at 10p11 confer risk of Tetralogy of Fallot in Chinese of Nanjing. <i>PLoS ONE</i> , 2014 , 9, e89636 | 3.7 | 6 |
|----|--|------|---|
| 66 | Quercetin Covalently Linked Lipid Nanoparticles: Multifaceted Killing Effect on Tumor Cells. <i>ACS Omega</i> , 2020 , 5, 30274-30281 | 3.9 | 6 |
| 65 | Comprehensive functional annotation of susceptibility variants identifies genetic heterogeneity between lung adenocarcinoma and squamous cell carcinoma. <i>Frontiers of Medicine</i> , 2021 , 15, 275-291 | 12 | 6 |
| 64 | Comprehensive analysis of pseudogene HSPB1P1 and its potential roles in hepatocellular carcinoma. <i>Journal of Cellular Physiology</i> , 2020 , 235, 6515-6527 | 7 | 5 |
| 63 | Tumor evolutionary trajectories during the acquisition of invasiveness in early stage lung adenocarcinoma. <i>Nature Communications</i> , 2020 , 11, 6083 | 17.4 | 5 |
| 62 | Pediococcus pentosaceus ZJUAF-4 relieves oxidative stress and restores the gut microbiota in diquat-induced intestinal injury. <i>Applied Microbiology and Biotechnology</i> , 2021 , 105, 1657-1668 | 5.7 | 5 |
| 61 | Phillygenin Attenuates Carbon Tetrachloride-Induced Liver Fibrosis Modulating Inflammation and Gut Microbiota. <i>Frontiers in Pharmacology</i> , 2021 , 12, 756924 | 5.6 | 5 |
| 60 | Hydroxysafflor yellow A, a natural compound from Carthamus tinctorius L with good effect of alleviating atherosclerosis. <i>Phytomedicine</i> , 2021 , 91, 153694 | 6.5 | 5 |
| 59 | A cis-eQTL genetic variant of the cancer-testis gene CCDC116 is associated with risk of multiple cancers. <i>Human Genetics</i> , 2017 , 136, 987-997 | 6.3 | 4 |
| 58 | Metformin inhibits the tumor-promoting effect of low-dose resveratrol, and enhances the anti-tumor activity of high-dose resveratrol by increasing its reducibility in triple negative breast cancer <i>Free Radical Biology and Medicine</i> , 2022 , 180, 108-120 | 7.8 | 4 |
| 57 | Anti-pseudo-allergic capacity of alkaloids screened from Uncaria rhynchophylla. <i>New Journal of Chemistry</i> , 2020 , 44, 38-45 | 3.6 | 4 |
| 56 | Associations Between Sleep Quality and Health Span: A Prospective Cohort Study Based on 328,850 UK Biobank Participants. <i>Frontiers in Genetics</i> , 2021 , 12, 663449 | 4.5 | 4 |
| 55 | Fine mapping the MHC region identified rs4997052 as a new variant associated with nonobstructive azoospermia in Han Chinese males. <i>Fertility and Sterility</i> , 2019 , 111, 61-68 | 4.8 | 4 |
| 54 | Targeting Analysis of Gallic Acid and Bioactive Components in Xuebijing Injection with Loop-based Heart-cutting Two-dimensional Liquid Chromatography. <i>Current Pharmaceutical Analysis</i> , 2018 , 14, 496 | -506 | 4 |
| 53 | Variations of Soybean Meal and Corn Mixed Substrates in Physicochemical Characteristics and Microbiota During Two-Stage Solid-State Fermentation. <i>Frontiers in Microbiology</i> , 2021 , 12, 688839 | 5.7 | 4 |
| 52 | Integrating of genomic and transcriptomic profiles for the prognostic assessment of breast cancer. Breast Cancer Research and Treatment, 2019 , 175, 691-699 | 4.4 | 3 |
| 51 | HMF causes anaphylactic symptoms by acting as a H receptor agonist. <i>Biochemical Pharmacology</i> , 2020 , 177, 114008 | 6 | 3 |
| 50 | Nanodot-doped peptide hydrogels for antibacterial phototherapy and wound healing <i>Biomaterials Science</i> , 2021 , | 7.4 | 3 |

(2022-2020)

| 49 | Multi targeted cell membrane chromatography: A comprehensive method for screening the anaphylactoid components from complex samples. <i>Talanta</i> , 2020 , 209, 120539 | 6.2 | 3 |
|----|--|--------|---|
| 48 | Maternal consumption of a fermented diet protects offspring against intestinal inflammation by regulating the gut microbiota <i>Gut Microbes</i> , 2022 , 14, 2057779 | 8.8 | 3 |
| 47 | Potential neurotoxicity of 5-hydroxymethylfurfural and its oligomers: widespread substances in carbohydrate-containing foods. <i>Food and Function</i> , 2020 , 11, 4216-4223 | 6.1 | 2 |
| 46 | A Review of Pharmacology, Toxicity and Pharmacokinetics of 2,3,5,4QTetrahydroxystilbene-2-O-D-Glucoside <i>Frontiers in Pharmacology</i> , 2021 , 12, 791214 | 5.6 | 2 |
| 45 | Dextromethorphan - A widely-used cough suppressant - Induces local anaphylaxis via MRGPRX2 on mast cells. <i>Chemico-Biological Interactions</i> , 2020 , 330, 109248 | 5 | 2 |
| 44 | Mutations in RNA Methyltransferase Gene Confer High Risk of Outflow Tract Malformation. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 623394 | 5.7 | 2 |
| 43 | Identification of A-to-I RNA editing profiles and their clinical relevance in lung adenocarcinoma. <i>Science China Life Sciences</i> , 2021 , 1 | 8.5 | 2 |
| 42 | Astemizole as a drug to inhibit the effect of SARS-COV-2 in vitro. <i>Microbial Pathogenesis</i> , 2021 , 156, 104 | 193289 | 2 |
| 41 | Rapid determination and conversion study of 5-hydroxymethylfurfural and its derivatives in glucose injection. <i>New Journal of Chemistry</i> , 2018 , 42, 17725-17731 | 3.6 | 2 |
| 40 | Modulation of Aggregation-Caused Quenching to Aggregation-Induced Emission: Finding a Biocompatible Polymeric Theranostics Platform for Cancer Therapy. <i>Macromolecular Rapid Communications</i> , 2021 , 42, e2100264 | 4.8 | 2 |
| 39 | Azelastine inhibits viropexis of SARS-CoV-2 spike pseudovirus by binding to SARS-CoV-2 entry receptor ACE2. <i>Virology</i> , 2021 , 560, 110-115 | 3.6 | 2 |
| 38 | Comprehensive analysis of circRNA expression pattern and circRNA-miRNA-mRNA network in oral squamous cell carcinoma. <i>Oral Oncology</i> , 2021 , 121, 105437 | 4.4 | 2 |
| 37 | The cancer-testis gene, sensitizes triple-negative breast cancer to PARP1 inhibitors by inducing homologous recombination deficiency. <i>Cancer Biology and Medicine</i> , 2021 , 18, 74-87 | 5.2 | 2 |
| 36 | Emerging roles of Sirtuins in alleviating alcoholic liver Disease: A comprehensive review <i>International Immunopharmacology</i> , 2022 , 108, 108712 | 5.8 | 2 |
| 35 | Transcriptome-wide association study for persistent hepatitis B virus infection and related hepatocellular carcinoma. <i>Liver International</i> , 2020 , 40, 2117-2127 | 7.9 | 1 |
| 34 | Commentary: Post-GWAS era: What can we do beyond cancer genetic association studies?. <i>International Journal of Epidemiology</i> , 2016 , 45, 221-2 | 7.8 | 1 |
| 33 | Hypomethylation-activated cancer-testis gene SPANXC promotes cell metastasis in lung adenocarcinoma. <i>Journal of Cellular and Molecular Medicine</i> , 2019 , 23, 7261-7267 | 5.6 | 1 |
| 32 | Aconiti Lateralis Radix Praeparata lipid-soluble alkaloids alleviates IL-1 Induced inflammation of human fibroblast-like synoviocytes in rheumatoid arthritis by inhibiting NF-B and MAPKs signaling pathways and inducing apoptosis <i>Cytokine</i> , 2022, 151, 155809 | 4 | 1 |

| 31 | A strategy for imaging-guided cocktail cancer therapy using dual-colored polymeric drug carriers with amplified aggregation-induced emission behavior by donor ceptor/Fister resonance energy transfer adjustment. <i>Journal of Materials Research</i> , 2020 , 35, 3286-3295 | 2.5 | 1 |
|----|---|--------------|---|
| 30 | Mesencephalic astrocyte-derived neurotrophic factor restores blood-brain barrier integrity of aged mice after ischaemicstroke/reperfusion through anti-inflammation via TLR4/MyD88/NF-B pathway. <i>Journal of Drug Targeting</i> , 2021, 1-12 | 5.4 | 1 |
| 29 | The Potential Application of Chinese Medicine in Liver Diseases: A New Opportunity. <i>Frontiers in Pharmacology</i> , 2021 , 12, 771459 | 5.6 | 1 |
| 28 | Dynamics of defatted rice bran in physicochemical characteristics, microbiota and metabolic functions during two-stage co-fermentation. <i>International Journal of Food Microbiology</i> , 2021 , 362, 109- | 4 8 9 | 1 |
| 27 | Sex-Specific Associations of Testosterone and Genetic Factors With Health Span <i>Frontiers in Endocrinology</i> , 2021 , 12, 773464 | 5.7 | 1 |
| 26 | Bi-allelic variants in human WDR63 cause male infertility via abnormal inner dynein arms assembly. <i>Cell Discovery</i> , 2021 , 7, 110 | 22.3 | 1 |
| 25 | Ethanol Extract Exerts a Protective Effect Against High-Fat Diet Induced Non-Alcoholic Fatty Liver Disease in Mice by Remodeling Intestinal Microbial Structure and Maintaining Metabolic Homeostasis of Bile Acids. <i>Frontiers in Pharmacology</i> , 2021 , 12, 734670 | 5.6 | 1 |
| 24 | Mechanism of Yinqin Oral Liquid in the Treatment of Chronic Pharyngitis Based on Network Pharmacology. <i>Drug Design, Development and Therapy,</i> 2021 , 15, 4413-4421 | 4.4 | 1 |
| 23 | Preventive and therapeutic role of betaine in liver disease: A review on molecular mechanisms. European Journal of Pharmacology, 2021 , 912, 174604 | 5.3 | 1 |
| 22 | (-)-Asarinin inhibits mast cells activation as a Src family kinase inhibitor. <i>International Journal of Biochemistry and Cell Biology</i> , 2020 , 121, 105701 | 5.6 | 1 |
| 21 | Design, synthesis, inhibiting HDACs ability and antitumor activity of pyrimidin-4(3H)-one hydroxamate derivatives. <i>Chemical Research in Chinese Universities</i> , 2016 , 32, 576-580 | 2.2 | 1 |
| 20 | Design, synthesis, and evaluation of new series of Imperatorin analogs with potential vasodilatory activity. <i>Journal of Asian Natural Products Research</i> , 2019 , 21, 43-50 | 1.5 | 1 |
| 19 | Synthesis and biological evaluation of novel biphenyl-furocoumarin derivatives as vasodilator agents. <i>Journal of Asian Natural Products Research</i> , 2020 , 22, 153-166 | 1.5 | 1 |
| 18 | Functional lncRNA-miRNA-mRNA Networks in Response to Baicalein Treatment in Hepatocellular Carcinoma. <i>BioMed Research International</i> , 2021 , 2021, 8844261 | 3 | 1 |
| 17 | Whole-exome sequencing reveals common and rare variants in immunologic and neurological genes implicated in achalasia. <i>American Journal of Human Genetics</i> , 2021 , 108, 1478-1487 | 11 | 1 |
| 16 | Investigation of Causal Effect of Type 2 Diabetes Mellitus on Lung Cancer: A Mendelian Randomization Study. <i>Frontiers in Genetics</i> , 2021 , 12, 673687 | 4.5 | 1 |
| 15 | Recent Progress in Polymeric AIE-Active Drug Delivery Systems: Design and Application. <i>Molecular Pharmaceutics</i> , 2021 , 18, 3951-3965 | 5.6 | 1 |
| 14 | Assessment of cancer cell migration using a viscosity-sensitive fluorescent probe <i>Chemical Communications</i> , 2022 , | 5.8 | 1 |

LIST OF PUBLICATIONS

| 1 | 13 | Liposome Loaded Ion/Temperature Dual Responsive Gellan Gum Hydrogel as Potential Nasal-To-Brain Delivery System <i>Journal of Biomedical Nanotechnology</i> , 2022 , 18, 571-580 | 4 | 1 |
|------------|----|---|-------------------|---|
| 1 | [2 | Hydrogels for Antitumor and Antibacterial Therapy. <i>Gels</i> , 2022 , 8, 315 | 4.2 | 1 |
| 1 | [1 | 5-hydroxymethylfurfural- and fluorescein-fused fluorescence probe of mast cells (RBL-2H3): Synthesis, photophysical properties, and bioimaging. <i>Chemical Biology and Drug Design</i> , 2018 , 92, 1963- | 1 37 1 | 0 |
| 1 | (0 | Hypomethylation-activated cancer-testis gene LIN28B promotes cell proliferation and metastasis in gastric cancer <i>Gene</i> , 2021 , 813, 146115 | 3.8 | O |
| 9 |) | Establishment of substance P modified affinity chromatography for specific detection and enrichment of Mas-related G protein-coupled receptor X2. <i>Journal of Chromatography A</i> , 2021 , 1659, 462633 | 4.5 | О |
| 8 | 3 | MRGPRX2 is critical for clozapine induced pseudo-allergic reactions. <i>Immunopharmacology and Immunotoxicology</i> , 2021 , 43, 77-84 | 3.2 | О |
| 7 | 7 | Genome-wide gene-smoking interaction study identified novel susceptibility loci for non-small cell lung cancer in Chinese populations. <i>Carcinogenesis</i> , 2021 , 42, 1154-1161 | 4.6 | 0 |
| ϵ | 6 | Synthetic imperatorin derivatives alleviate allergic reactions via mast cells <i>Biomedicine and Pharmacotherapy</i> , 2022 , 150, 112982 | 7.5 | O |
| 5 | 5 | Purification and determination of antibody drugs in bio-samples by EGFR/cell membrane chromatography method <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2022 , 217, 114808 | 3.5 | 0 |
| 4 | 1 | Commentary: Premalignant genomic data tracing the evolution of lung adenocarcinoma. <i>EBioMedicine</i> , 2019 , 42, 16-17 | 8.8 | |
| 3 | 3 | Synthesis and evaluation of new potential anti-pseudo-allergic agents <i>Bioorganic and Medicinal Chemistry Letters</i> , 2022 , 128575 | 2.9 | |
| 2 | 2 | Genomic landscapes of brain metastasis patients of colorectal cancer to reveal clinical potential of individualized therapies <i>Journal of Clinical Oncology</i> , 2018 , 36, 674-674 | 2.2 | |
| 1 | Ĺ | Design, synthesis, and evaluation of substance P analogue with potential anti-pseudoallergic activity. <i>New Journal of Chemistry</i> , 2021 , 45, 17584-17591 | 3.6 | |